

RELATIONS BETWEEN MOULD GROWTH METRICS

(Ojanen et al. 2011)			(Vereecken et al. 2015)		(Lie et al. 2019a)		
Mold index	Microscopic mold coverage fraction	Visual mold coverage fraction	Microscopic mold coverage fraction (Nielsen 2004)	Median rating (Johansson 2013)	Mold rating (Lie et al. 2019b)	Visual mold coverage fraction	Mold index (Lie et al. 2019a)
0			0	0	0	0	0 – 2
1			~ 5 %	1			
2			< 10 %	2			
3	< 50 %	< 10 %	< 50 %		1	1 – 20 %	2 – 4.25
4	> 50 %	10 – 50 %	> 50 %				
5		> 50 %	> 70 %	3			
6		~ 100 %	~ 100 %	4	2	21 – 40 %	4.25 – 4.75
					3	21 – 60 %	4.75 – 5.2
					4	61 – 80 %	5.2 – 5.6
					5	81 – 100 %	5.6 – 6

REFERENCES

Ojanen T, Peuhkuri R, Viitanen H, Lähdesmäki K, Vinha J, Salminen K (2011) Classification of material sensitivity: New approach for mould growth modeling, In J. Vinha, J. Piironen, & K. Salminen (Eds.), Proceedings of the 9th Nordic Symposium on Building Physics: NSB 2011, Tampere, 29 May - 2 June 2011 (Vol. 2, pp. 867-874). Tampere University of Technology.

Nielsen KF (2004) Mould growth on building materials under low water activities. Influence of humidity and temperature on fungal growth and secondary metabolism. International Biodeterioration & Biodegradation 54. <https://doi.org/10.1016/j.ibiod.2004.05.002>.

Vereecken E, Vanoirbeek K, Roels S (2015) Towards a more thoughtful use of mould prediction models: A critical view on experimental mould growth research. *Journal of Building Physics* 39(2).

<https://doi.org/10.1177/1744259115588718>.

Johansson P, Bok G, Ekstrand-Tobin A (2013) The effect of cyclic moisture and temperature on mould growth on wood compared to steady state conditions. *Building and Environment* 65.

<https://doi.org/10.1016/j.buildenv.2013.04.004>.

Lie SK, Thiis TK, Vestøl GI, Høibø O, Gobakken LR (2019a) Can existing mould growth models be used to predict mould growth on wooden claddings exposed to transient wetting? *Building and Environment*, Volume 152.

<https://doi.org/10.1016/j.buildenv.2019.01.056>.

Lie SK, Thiis TK, Vestøl GI, Høibø O, Gobakken LR (2019b) Surface mould growth on wooden claddings – effects of transient wetting, relative humidity, temperature and material properties. *Wood Material Science & Engineering*

14:3. <https://doi.org/10.1080/17480272.2018.1424239>