


Online resource 3 – Figure S1 Representation of the impact of the use of a telescopic dip tube in the GoatThroat® on the recovery of PPP residues



Minimizing operator exposure: field data analysis of Three Closed Transfer Systems for pesticide mixing and loading

Sasturain J¹, Blaschke U¹, Stauber F¹, Oteyza T², Huby JP³, Adham S⁴, Morgan N⁵, Vinck K⁶, Kicinski M⁷, Hewitt NJ⁸, Kuster CJ⁹

1 – BASF SE, Agricultural Solutions, Limburgerhof, Germany; 2 – Syngenta Crop Protection, Basel, Switzerland (Chair of CropLife Europe, Brussels, Belgium; 3 - Corteva Agriscience, Drusenheim, France; 4 - Corteva Agriscience, Abingdon, United Kingdom; 5 - Syngenta, Jealott's Hill International Research Centre, Bracknell, Berkshire, RG42 6EY, United Kingdom; 6 - Bayer SAS, Bayer CropScience France, Sophia Antipolis, France; 7 - Syngenta Crop Protection AG, Basel, Switzerland; 8 - SWS, Erzhausen, Germany; 9 - Bayer AG, Crop Science Division, Monheim, Germany

Corresponding author: Juan Sasturain, BASF SE, Agricultural Solutions, Limburgerhof, Germany