




Study nr	1	2	3	4	5	6	7	2	8	2 & 6
Sample location	Large intestine	Small intestine	Large intestine	Large intestine	Large intestine	Large intestine	Large intestine	Large intestine	Large intestine	Small intestine and large intestine of 2 week old mice
Mouse strain	C57BL/6J and C57BL/6J-KO	C57BL/6J	C57BL/6J and BalB/c	C57BL/6J	C57BL/6J and 129Sv	Muc2 ^{-/-} Muc2 ^{-/-} and WT 129Sv	C57BL/6J	C57BL/6J	C57BL/6J	C57BL/6J and Muc2 ^{-/-} Muc2 ^{-/-} and WT 129Sv
Facility location	Wageningen University	Wageningen University	University Medical centre Groningen	University Medical centre Groningen	University of Copenhagen	Wageningen University	Wageningen University	Wageningen University	University of Copenhagen	Wageningen University
Supplier	Erasmus University Medical Centre, the Netherlands	Charles River, L'Arbresle, France	Harlan, Horst, the Netherlands	Charles River, L'Arbresle, France	Taconic Europe	Erasmus University Medical Centre, the Netherlands	Charles River Laboratories, Maastricht, the Netherlands	Charles River, L'Arbresle, France	Taconic Europe	Charles River, L'Arbresle, France
Gender	Female	Male	Male and female	Male	Male	Male and female	Male	Male	Female	Male and female