

Online material 2 - Supplementary figures

Article: “The impact of drought duration on two *Potamogeton* species with different growth forms”

Journal: Aquatic sciences - Research Across Boundaries

Author information: Maya M. Daumal^(a,d,e,*), Dian Oosterhuis^(b,e), Michiel Verhofstad^(c), Roy H.J. Erkens^(a,d), Edwin T.H.M. Peeters^(e)

- a) Maastricht Science Programme, Faculty of Science and Engineering, Maastricht University, The Netherlands
- b) Present address Hoogheemraadschap Stichtse Rijnlanden, The Netherlands
- c) Plant Conservation Netherlands (FLORON), The Netherlands
- d) System Earth Science, Faculty of Science and Engineering, Maastricht University, The Netherlands
- e) Aquatic Ecology and Water Quality Management, Wageningen University and Research, The Netherlands

* Corresponding author at: Maastricht Science Programme, Faculty of Science and Engineering, Maastricht University, Paul-Henri Spaaklaan 1, 6229 EN Maastricht, The Netherlands. Tel.: +31640288574; E-mail address: maya@daumal.de (M. Daumal). ORCID: 0009-0004-9279-4561

Description

Here you can find graphs of oxygen, conductivity, temperature and pH measurements throughout the experiment (Fig. S1), as well as the total chlorophyll (Fig. S2) and water nutrient measurements (Fig. S3), which were performed at the beginning and end of the experiment. You can also find graphs to the carbon (Fig. S4), nitrogen (Fig. S5) and phosphate (Fig. S6) content in the surviving plants at the end of the experiment.

Fig. S1 Environmental variables measured in the cylinder twice a week throughout the experiment




Fig. S2 Chlorophyll concentration in the surface water at the beginning (green) and end (red) of the experiment




Fig. S3 Soil and surface water nutrient concentrations in the beginning and end of the experiment




Fig. S4 Carbon concentration in (a) leaves, (b) roots and (c) shoots at the end of the experiment for of surviving plants of *Potamogeton nodosus* (N) and *Potamogeton perfoliatus* (P)




Fig. S5 Nitrogen concentration in (a) leaves, (b) roots and (c) shoots at the end of the experiment of surviving plants of *Potamogeton nodosus* (N) and *Potamogeton perfoliatus* (P)




Fig. S6 Phosphate concentration in (a) leaves, (b) roots and (c) shoots at the end of the experiment of surviving plants of *Potamogeton nodosus* (N) and *Potamogeton perfoliatus* (P)

