

Online Resource 5:

Reasons for exclusion on full text

Article title: Ethnic inequalities in the incidence of diagnosis of severe mental illness in England: A systematic review and new meta-analyses for non-affective and affective psychoses

Journal name: Social Psychiatry and Psychiatric Epidemiology

Authors: Kristoffer Halvorsrud, James Nazroo, Michaela Otis, Eva Brown Hajdukova, Kamaldeep Bhui

Corresponding author: Professor Kamaldeep Bhui. Centre for Psychiatry, Wolfson Institute of Preventive Medicine, Barts and the London School of Medicine and Dentistry, Queen Mary University of London, Charterhouse Square, London, EC1M 6BQ, UK. Email: k.s.bhui@qmul.ac.uk

Previous reviews

Not a systematic review (n=181)

Not ethnicity (n=66)

Not UK (n=25)

Not published (protocol) (n=16)

Not UK or ethnicity (n=8)

Separate UK and ethnicity data, but no UK data by ethnicity (n=6)

Wrong publication type (n=4)

Not mental health (n=3)

Reference	Main reason for exclusion
Adi, Y., Killoran, A., Schrader McMillan, A., & Stewart-Brown, S. (2007). Systematic review of interventions to promote mental wellbeing in primary schools. Coventry: The University of Warwick.	Not ethnicity
Ahmad, W. I., Kernohan, E. E., & Baker, M. R. (1989). Health of British Asians; a research review. <i>Community Medicine</i> , 11(1), 49-56.	Not a systematic review
Amick, H. R., Gartlehner, G., Gaynes, B. N., Forneris, C., Asher, G. N., Morgan, L. C., Coker-Schwimmer, E., Boland, E., Lux, L. J. Gaylord, S., Bann, C., Pierl, C. B., & Lohr, K. N. (2015). Comparative benefits and harms of second generation antidepressants and cognitive behavioral therapies in initial treatment of major depressive disorder: systematic review and meta-analysis. <i>British Medical Journal</i> , 351. doi:10.1136/bmj.h6019	Separate UK and ethnicity data, but no UK data by ethnicity
Anand, A. S., & Cochrane, R. (2005). The Mental Health Status of South Asian Women in Britain: A Review of the UK Literature. <i>Psychology and Developing Societies</i> , 17(2), 195-214. doi:10.1177/097133360501700207	Not a systematic review
Arai, L., & Harding, S. (2004). A review of the epidemiological literature on the health of UK-born Black Caribbeans. <i>Critical Public Health</i> , 14(2), 81-116.	Not a systematic review
Attree, P., French, B., Milton, B., Povall, S., Whitehead, M., & Popay, J. (2011). The experience of community engagement for individuals: a rapid review of evidence. <i>Health & Social Care in the Community</i> , 19(3), 250-260.	Not a systematic review
Bados, A., Balaguer, G., & Saldaña, C. (2007). Outcome of cognitive-behavioural therapy in training practice with anxiety disorder patients. <i>British Journal of Clinical Psychology</i> , 46(4), 429-435.	Not ethnicity
Barnes, M., & Coelho, V. S. (2009). Social participation in health in Brazil and England: Inclusion, representation and authority. <i>Health Expectations</i> , 12(3), 226-236.	Not ethnicity
Barnoux, M., & Wood, J. (2013). The specific needs of foreign national prisoners and the threat to their mental health from being imprisoned in a foreign country. <i>Aggression and Violent Behavior</i> , 18(2), 240-246.	Not a systematic review
Baumgartner, J. N., & Burns, J. K. (2014). Measuring social inclusion--a key outcome in global mental health.	Not ethnicity

<i>International Journal of Epidemiology</i> , 43(2), 354-364.	
Bee, P., Price, O., & Baker, J. (2015). Systematic synthesis of barriers and facilitators to service user-led care planning. <i>The British Journal of Psychiatry</i> , 207(2), 104-114.	Separate UK and ethnicity data, but no UK data by ethnicity
Bennett, J., Kalathil, J., & Keating, F. (2007). One size doesn't fit all: new evidence suggests a need for a radical review of current standards of race equality training for mental health staff. <i>Mental Health Today</i> , 28-31.	Not a systematic review
Bennett, J., & Keating, F. (2009). Training to redress racial disadvantage in mental health care: race equality or cultural competence? <i>Journal of Public Mental Health</i> , 8(2), 40-46.	Not a systematic review
Berry, J. G., Bloom, S., Foley, S., & Palfrey, J. S. (2010). Health inequity in children and youth with chronic health conditions. <i>Pediatrics</i> , 126 Suppl 3, S111-119.	Not a systematic review
Bhopal, R., Vettini, A., Hunt, S., Wiebe, S., Hanna, L., & Amos, A. (2004). Review of prevalence data in, and evaluation of methods for cross cultural adaptation of, UK surveys on tobacco and alcohol in ethnic minority groups. <i>BMJ: British Medical Journal (International Edition)</i> , 328(7431), 76-80.	Not a systematic review
Bhugra, D., Mallett, R., & Leff, J. (1999). Schizophrenia and African-Caribbeans: A conceptual model of aetiology. <i>International Review of Psychiatry</i> , 11(2), 145-152.	Not a systematic review
Bhui, K. (1999). Common mental disorders among people with origins in or immigrant from India and Pakistan. <i>International Review of Psychiatry</i> , 11(2-3), 136-144. doi:10.1080/09540269974302	Not a systematic review
Bhui, K., Christie, Y., & Bhugra, D. (1995). The essential elements of culturally sensitive psychiatric services. <i>International Journal of Social Psychiatry</i> , 41(4), 242-256.	Not a systematic review
Bhui, K., Dinos, S., & McKenzie, K. (2012). Ethnicity and its influence on suicide rates and risk. <i>Ethn Health</i> , 17(1-2), 141-148.	Not a systematic review
Bhui, K., Warfa, N., Edonya, P., McKenzie, K., & Bhugra, D. (2007). Cultural competence in mental health care: a review of model evaluations. <i>BMC Health Services Research</i> , 7(15). doi:10.1186/1472-6963-7-15	Not UK
Blackmore, R., Boyle, J., Gray, K., Willey, S., Ranasinha, S., Misso, M., Fazel, M., & Gibson-Helm, M. (2016). Prevalence of mental illness in refugees: a systematic review. <i>PROSPERO</i> . http://www.crd.york.ac.uk/PROSPERO/display_record.asp?ID=CRD42016046349	Not published (protocol)
Blythe, J., & White, J. (2012). Role of the mental health nurse towards physical health care in serious mental illness: An integrative review of 10 years of UK literature. <i>International Journal of Mental Health Nursing</i> , 21(3), 193-201.	Not ethnicity
Borschmann, R. D., Gillard, S., Turner, K., Chambers, M., & O'Brien, A. (2010). Section 136 of the Mental Health Act: a new literature review. <i>Medicine, Science & the Law</i> , 50(1), 34-39.	Not a systematic review
Botsford, J., Clarke, C. L., & Gibb, C. E. (2011). Research and dementia, caring and ethnicity: A review of the literature. <i>Journal of Research in Nursing</i> , 16(5), 437-449.	Not a systematic review
Bowers, L., Banda, T., & Nijman, H. (2010). Suicide inside: A systematic review of inpatient suicides. <i>Journal of Nervous and Mental Disease</i> , 198(5), 315-328.	Not ethnicity
Bowers, L., Jeffery, D., Bilgin, H., Jarrett, M., Simpson, A., & Jones, J. (2008). Psychiatric intensive care units: a literature review. <i>International Journal of Social Psychiatry</i> , 54(1), 56-68.	Not a systematic review
Bowes, A. (Principal Investigator). (2009-2011). Dignity and respect in residential care: issues for Black and Minority Ethnic groups. University of Stirling.	Not mental health
Bradbury-Jones, C., Rattray, J., Jones, M., & Macgillivray, S. (2013). Promoting the health, safety and welfare of adults with learning disabilities in acute care settings: A structured literature review. <i>Journal of Clinical Nursing</i> , 22(11), 1497-1509.	Not ethnicity
Bradshaw, T., Lovell, K., & Harris, N. (2005). Healthy living interventions and schizophrenia: A systematic review. <i>Journal of Advanced Nursing</i> , 49(6), 634-654.	Not ethnicity
Braganza, J. (2001). Attempted suicide by Bangladeshi adolescent girls. <i>Paediatric Nursing</i> , 13(2), 26-29.	Not a systematic review

Broad, B., & Robbins, I. (2005). The wellbeing of unaccompanied asylum seekers leaving care. <i>Diversity in Health & Social Care</i> , 2(4), 271-277.	Not a systematic review
Brophy, C., & Morris, D. (2014). Community-oriented integrated mental health services. <i>London J Prim Care (Abingdon)</i> , 6(6), 159-163.	Not ethnicity
Brown, T. J., Todd, A., O'Malley, C. L., Moore, H. J., Husband, A. K., Bamba, C., Kasim, A., Sniehotta, F. F., Steed, L., & Summerbell, C. D. (2016). Community pharmacy interventions for public health priorities: a systematic review of community pharmacy-delivered smoking, alcohol and weight management interventions. <i>Public Health Research</i> , 4(2). doi:10.3310/phr04020	Not ethnicity
Brownley, K. A., Berkman, N. D., Peat, C. M., Lohr, K. N., Cullen, K. E., Bann, C. M., & Bulik, C. M. (2016). Binge-Eating Disorder in Adults: A Systematic Review and Meta-analysis. <i>Annals of Internal Medicine</i> , 165(6), 409-420.	Not UK or ethnicity
Bunn, M., Goesel, C., Kinet, M., & Ray, F. (2016). Group treatment for survivors of torture and severe violence: a literature review. <i>Torture</i> , 26(1), 45-67.	Not a systematic review
Burman, E., & Chantler, K. (2005). Domestic violence and minoritisation: Legal and policy barriers facing minoritized women leaving violent relationships. <i>International Journal of Law and Psychiatry</i> , 28(1), 59-74.	Not a systematic review
Burns, T., Knapp, M., Catty, J., Healey, A., Henderson, J., Watt, H., & Wright, C. (2001). Home treatment for mental health problems: a systematic review. <i>Health Technol Assess</i> , 5(15). https://www.journalslibrary.nihr.ac.uk/hta/hta5150#/abstract	Not ethnicity
Butler, M., Warfa, N., Khatib, Y., & Bhui, K. (2015). Migration and common mental disorder: an improvement in mental health over time?. <i>International Review of Psychiatry</i> , 27(1), 51-63.	Not a systematic review
Cabassa, L. J., Ezell, J. M., , L.-F., & ez, R. (2010). Lifestyle interventions for adults with serious mental illness: a systematic literature review. <i>Psychiatric Services</i> , 61(8), 774-782.	Not UK
Campbell, C., & Burgess, R. (2012). The role of communities in advancing the goals of the Movement for Global Mental Health. <i>Transcultural Psychiatry</i> , 49(3), 379-395.	Not UK or ethnicity
Campbell, C., Cornish, F., & McLean, C. (2004). Social capital, participation and the perpetuation of health inequalities: Obstacles to African-Caribbean participation in 'partnerships' to improve mental health. <i>Ethnicity and Health</i> , 9(4), 313-335.	Not a systematic review
Cantor-Graae, E. (2008). Review: black and minority ethnic people are more likely to be detained under the Mental Health Act 1983--no clear evidence why. <i>Evidence Based Mental Health</i> , 11(2), 61-61.	Not a systematic review
Castillejos-Anguiano, M.C., Moreno-Küstner, B., Gómez-García, B., & Martin, C. (2016). Variability in the incidence of psychosis worldwide: enviromental factors and methodological issues. A systematic review and meta-analyses. <i>PROSPERO</i> . http://www.crd.york.ac.uk/PROSPERO/display_record.asp?ID=CRD42016050902	Not published (protocol)
Carr, S., Lhussier, M., Forster, N., Geddes, L., & Deane, K. (2011) An evidence synthesis of qualitative and quantitative research on component intervention techniques, effectiveness, cost-effectiveness, equity and acceptability of different versions of health-related lifestyle advisor role in improving health. <i>Health Technol Assess</i> , 15(9). doi:10.3310/hta15090	Not ethnicity
Centre for Reviews & Dissemination (1996). Ethnicity and health: reviews of literature and guidance for purchasers in the areas of cardiovascular disease, mental health and haemoglobinopathies. The University of York. https://www.york.ac.uk/media/crd/crdreport5.pdf	Not a systematic review
Chadwick, A., Street, C., McAndrew, S., & Deacon, M. (2012). Minding our own bodies: Reviewing the literature regarding the perceptions of service users diagnosed with serious mental illness on barriers to accessing physical health care. <i>International Journal of Mental Health Nursing</i> , 21(3), 211-219.	Not ethnicity
Chakraborty, A., & McKenzie, K. (2002). Does racial discrimination cause mental illness? <i>The British Journal of Psychiatry</i> , 180(6), 475-477.	Not a systematic review
Chambers, M., Connor, S. L., & Davren, M. (2006). An evaluation of a combined education and multi-project practice development programme in mental health. <i>Journal of Psychiatric and Mental Health Nursing</i> , 13(3), 364-371.	Not a systematic review

Chew-Graham, C., Burroughs, H., & Hibbert, D. (2014). Aiming to improve the quality of primary mental health care: developing an intervention for underserved communities. <i>BMC Fam Pract.</i> , 16. doi:10.1186/1471-2296-15-68	Not a systematic review
Clark, D. M. (2015). Improving Access to Psychological Therapies (IAPT) - An Open Gate to Treat Anxiety and Depression. <i>Verhaltenstherapie</i> , 25(4), 316-318.	Not a systematic review
Claassen, D., Ascoli, M., Berhe, T., & Priebe, S. (2005). Research on mental disorders and their care in immigrant populations: a review of publications from Germany, Italy and the UK. <i>European Psychiatry: the Journal of the Association of European Psychiatrists</i> , 20(8), 540-549.	Not a systematic review
Codjoe, L., Byrne, M., Lister, M., McGuire, P., & Valmaggia, L. (2013). Exploring perceptions of 'wellness' in Black ethnic minority individuals at risk of developing psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 41(2), 144-161.	Not a systematic review
Collinson, D. (2016). Mental health bulletin: 2015-16, annual report. http://www.content.digital.nhs.uk/catalogue/PUB22561/mhb-1516-ann-rep.pdf	Not a systematic review
Cooper, B. (2005). Immigration and schizophrenia: The social causation hypothesis revisited. <i>The British Journal of Psychiatry</i> , 186(5), 361-363.	Not a systematic review
Coren, E., Hossain, R., Pardo, P. J., & Bakker, B. (2016). Interventions for promoting reintegration and reducing harmful behaviour and lifestyles in street-connected children and young people. <i>Cochrane Database of Systematic Reviews</i> , 0(1).	Not UK or ethnicity
Corlett, S. (2012). Policy watch: fighting stigma and discrimination. <i>Mental Health & Social Inclusion</i> , 16(3), 112-115.	Not a systematic review
Cornwell, J. (1998). Do GPs prescribe antidepressants differently for South Asian patients? <i>Family Practice</i> , 15, S16-S18.	Not a systematic review
Cowan, C. (2001). The mental health of Chinese people in Britain: An update on current literature. <i>Journal of Mental Health</i> , 10(5), 501-511.	Not a systematic review
Crombie, I., Falconer, D., Irvine, L., Williams, B., Ricketts, I., Humphris, G., et al. (2013) Reducing alcohol-related harm in disadvantaged men: development and feasibility assessment of a brief intervention delivered by mobile telephone. <i>Public Health Res</i> , 1(3). doi:10.3310/phr01030	Not ethnicity
Crosby, S. S. (2013). Primary care management of non-English-speaking refugees who have experienced trauma: a clinical review. <i>JAMA</i> , 310(5), 519-528.	Not UK
Crowley, C. (2009). The mental health needs of refugee children: A review of literature and implications for nurse practitioners. <i>Journal of the American Academy of Nurse Practitioners</i> , 21(6), 322-331.	Not a systematic review
Cummins, L. H., Simmons, A. M., & Zane, N. W. S. (2005). Eating disorders in Asian populations: A critique of current approaches to the study of culture, ethnicity, and eating disorders. <i>American Journal of Orthopsychiatry</i> , 75(4), 553-574.	Not a systematic review
Curtis, S., & Lawson, K. (2000). Gender, ethnicity and self-reported health: the case of African-Caribbean populations in London. <i>Social Science & Medicine</i> , 50(3), 365-385.	Not a systematic review
Cusack, P., McAndrew, S., Cusack, F., & Warne, T. (2016). Restraining good practice: Reviewing evidence of the effects of restraint from the perspective of service users and mental health professionals in the United Kingdom (UK). <i>International Journal of Law and Psychiatry</i> , 46, 20-26.	Not ethnicity
Daker-White, G., Beattie, A. M., Gilliard, J., & Means, R. (2002). Minority ethnic groups in dementia care: a review of service needs, service provision and models of good practice. <i>Aging & Mental Health</i> , 6(2), 101-108.	Not a systematic review
Dalky, H. F. (2012). Mental illness stigma reduction interventions: review of intervention trials. <i>Western Journal of Nursing Research</i> , 34(4), 520-547.	Not ethnicity
Das-Munshi, J., & Becares, L. (2014). Ethnic density associations for mental health: systematic review with meta-analysis. <i>PROSPERO</i> . http://www.crd.york.ac.uk/PROSPERO/display_record.asp?ID=CRD42014012992	Not published (protocol)
Davidson, E. M., Liu, J. J., Bhopal, R., White, M., Johnson, M. R. D., Netto, G., . . . Sheikh, A. (2013). Behavior change interventions to improve the health of racial and ethnic minority populations: A tool kit of	Not mental health

adaptation approaches. <i>Milbank Quarterly</i> , 91(4), 811-851.	
Davies, D. R. (1999). Welsh psyche: Implications for psychological services. <i>International Review of Psychiatry</i> , 11(2), 197-211.	Not a systematic review
de Vibe, M., Bjørndal, A., Tipton, E., Hammerstrøm, K. T., & Kowalski, K. (2012). Mindfulness based stress reduction (MBSR) for improving health, quality of life and social functioning in adults. <i>Campbell Systematic Reviews</i> , 3. doi:10.4073/csr.2012.3	Not UK or ethnicity
Dein, S. (1997). ABC of mental health. Mental health in a multiethnic society. <i>BMJ</i> , 315(7106), 473-476.	Not a systematic review
Dennis, M. S., & Lindesay, J. (1995). Suicide in the elderly: The United Kingdom perspective. <i>International Psychogeriatrics</i> , 7(2), 263-274.	Not a systematic review
Dickerson, F. (2015). Early detection and intervention for people with psychosis: Getting to the bottom line. <i>Journal of Nervous and Mental Disease</i> , 203(5), 307-309.	Not a systematic review
Dieterich, M., Irving, C. B., Bergman, H., Khokhar, M. A., Park, B., & Marshall, M. (2017). Intensive case management for severe mental illness. <i>Cochrane Database of Systematic Reviews</i> , 0(1).	Not ethnicity
Dinnen, S., Simiola, V., & Cook, J. M. (2015). Post-traumatic stress disorder in older adults: a systematic review of the psychotherapy treatment literature. <i>Aging Ment Health</i> , 19(2), 144-150	Not UK
Doki, S., Sasahara, S., & Matsuzaki, I. (2015). Stress of working abroad. <i>PROSPERO</i> . http://www.crd.york.ac.uk/PROSPERO/display_record.asp?ID=CRD42015029315	Not published (protocol)
Dowrick, C., Gask, L., Edwards, S., Aseem, S., Bower, P., Burroughs, H., . . . Waheed, W. (2009). Researching the mental health needs of hard-to-reach groups: managing multiple sources of evidence. <i>BMC Health Services Research</i> , 9(1), 226. doi:10.1186/1472-6963-9-226	Separate UK and ethnicity data, but no UK data by ethnicity
Drennan, V. M., & Joseph, J. (2005). Health visiting and refugee families: Issues in professional practice. <i>Journal of Advanced Nursing</i> , 49(2), 155-163.	Not a systematic review
D'Silva, S., Poscablo, C., Habousha, R., Kogan, M., & Kligler, B. (2012). Mind-body medicine therapies for a range of depression severity: a systematic review. <i>Psychosomatics</i> , 53(5), 407-423.	Not ethnicity
Ekeland, E., Heian, F., Hagen, K. B., Abbott, J., & Nordheim, L. (2005). Exercise to improve self-esteem in children and young people. <i>Campbell Systematic Reviews</i> , 4. doi:10.4073/csr.2005.4	Not UK or ethnicity
Epelbaum, C., Trejo, E., Taylor, E. R., Dekleva, K., & Mills, B. (2010). Immigration trauma, substance abuse, and suicide. <i>Harvard Review of Psychiatry</i> , 18(5), 304-313.	Not a systematic review
Escobar, J. I., & Gureje, O. (2007). Influence of cultural and social factors on the epidemiology of idiopathic somatic complaints and syndromes. <i>Psychosomatic Medicine</i> , 69(9), 841-845.	Not UK
Evans-Lacko, S., Courtin, E., Fiorillo, A., Knapp, M., Luciano, M., Park, A. L., . . . Thornicroft, G. (2014). The state of the art in European research on reducing social exclusion and stigma related to mental health: a systematic mapping of the literature. <i>European psychiatry: the journal of the Association of European Psychiatrists</i> , 29(6), 381-389.	Not ethnicity
Everson-Hock, E. S., Jones, R., Guillaume, L., Clapton, J., Duenas, A., Goyder, E., . . . Swann, C. (2011). Supporting the transition of looked-after young people to independent living: A systematic review of interventions and adult outcomes. <i>Child: Care, Health and Development</i> , 37(6), 767-779.	Not ethnicity
Fajutrao, L., Locklear, J., Prialux, J., & Heyes, A. (2009). A systematic review of the evidence of the burden of bipolar disorder in Europe. <i>Clinical Practice and Epidemiology in Mental Health</i> , 5.	Not ethnicity
Farmer, P., & Dyer, J. (2016). The Five Year Forward View for mental health: a report from the independent Mental Health Taskforce to the NHS in England. https://www.england.nhs.uk/wp-content/uploads/2016/02/Mental-Health-Taskforce-FYFV-final.pdf	Not a systematic review
Faulkner, A. (2014). Ethnic inequalities in mental health: promoting lasting positive change: a consultation with black and minority ethnic mental health service users. Network for Mental Health, & Lankelly Chase Foundation. http://www.nsun.org.uk/assets/downloadableFiles/EthnicInequalitiesinMentalHealthReportFebruary20142.pdf	Not a systematic review

Fazel, S., Fiminska, Z., & Cocks, C. (2016). Patient outcomes following discharge from secure psychiatric hospitals: systematic review and meta-analysis. <i>The British Journal of Psychiatry</i> , 208(1), 17-25.	Not ethnicity
Fazel, M., Reed, R., Panter-Brick, C., & Stein, A. (2012). Mental health of displaced and refugee children resettled in high-income countries: risk and protective factors. <i>The Lancet</i> , 379(9812), 266-282.	Not a systematic review
Fazel, M., & Stein, A. (2002). The mental health of refugee children. <i>Archives of Disease in Childhood</i> , 87(5), 366-370.	Not a systematic review
Feldman, R. (2006). Primary health care for refugees and asylum seekers: a review of the literature and a framework for services. <i>Public Health</i> , 120(9), 809-816.	Not a systematic review
Fellmeth, G., Fazel, M., & Plugge, E. (2017). Migration and perinatal mental health in women from low- and middle-income countries: a systematic review and meta-analysis. <i>BJOG</i> , 124, 742-752.	Not UK
Ferguson, K. M., Wu, Q., Spruijt-Metz, D., & Dyrness, G. (2007). Outcomes evaluation in faith-based social services: are we evaluating faith accurately? <i>Research on Social Work Practice</i> , 17(2), 264-276.	Not UK
Fernandez, A., Moreno-Peral, P., Zabaleta-del-Olmo, E., Bellon, J. A. . . . Rubio-Valera, M. (2015). Is there a case for mental health promotion in the primary care setting? A systematic review. <i>Preventive Medicine</i> , 76, S5-S11.	Not ethnicity
Fernando, S. (2012). Race and culture issues in mental health and some thoughts on ethnic identity. <i>Counselling Psychology Quarterly</i> , 25(2), 113-123.	Not a systematic review
Fisher, M., & Baum, F. (2010). The social determinants of mental health: Implications for research and health promotion. <i>Australian and New Zealand Journal of Psychiatry</i> , 44(12), 1057-1063.	Not UK
Fleming, E., , G., & , W. (2009). An exploration of culture, diabetes, and nursing in the South Asian community: A metasynthesis of qualitative studies. <i>Journal of Transcultural Nursing</i> , 20(2), 146-155.	Not mental health
Ford, J. A., Wong, G., & Jones, A. P. (2016). Access to primary care for socioeconomically disadvantaged older people in rural areas: a realist review. <i>BMJ Open</i> , 6:e010652. doi:10.1136/bmjopen-2015-010652	Not ethnicity
Forsythe-Brown, I. (2013). Review of Working with families of African Caribbean origin: Understanding issues around immigration and attachment. <i>Ethnic and Racial Studies</i> , 36(7), 1252-1253.	Not a systematic review
Foster, J., Papadopoulos, C., Dadzie, L., & Jayasinghe, N. (2007). A review of tobacco and alcohol use literature in the native and migrant Greek community. <i>Journal of Substance Use</i> , 12(5), 323-335.	Not a systematic review
Franx, G., Kroon, H., Grimshaw, J., Drake, R., Grol, R., & Wensing, M. (2008). Organizational change to transfer knowledge and improve quality and outcomes of care for patients with severe mental illness: a systematic overview of reviews. <i>Canadian Journal of Psychiatry - Revue Canadienne de Psychiatrie</i> , 53(5), 294-305.	Not ethnicity
Fryers, T., Melzer, D., & Jenkins, R. (2003). Social inequalities and the common mental disorders - A systematic review of the evidence. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 38(5), 229-237.	Not ethnicity
Fuentes, D., & Aranda, M. P. (2012). Depression interventions among racial and ethnic minority older adults: a systematic review across 20 years. <i>American Journal of Geriatric Psychiatry</i> , 20(11), 915-931.	Not UK
Fung, W. L. A., Bhugra, D., & Jones, P. B. (2009). Ethnicity and mental health: the example of schizophrenia and related psychoses in migrant populations in the Western world. <i>Psychiatry</i> , 8(9), 335-341.	Not a systematic review
Gask, L., Bower, P., Lamb, J., Burroughs, H., Chew-Graham, C., Edwards, S., . . . Group, A. M. P. R. (2012). Improving access to psychosocial interventions for common mental health problems in the United Kingdom: narrative review and development of a conceptual model for complex interventions. <i>BMC Health Services Research</i> , 12, 249.	Not a systematic review
Gelder, U. (2006). Review of The well-being of children in the UK. <i>Early Years: An International Journal of Research and Development</i> , 26(1), 111-112.	Not a systematic review
Gensby, U., Lund, T., Kowalski, K., Saidj, M., Jørgensen, A. M. K., Filges, T., Irvin, E., Amick, B. C. III, & Labriola, M. (2012). Workplace Disability Management Programs Promoting Return-to-Work: A Systematic Review. <i>Campbell Systematic Reviews</i> , 17. doi:10.4073/csr.2012.17	Not UK or ethnicity

Gilbur, H., Peck, E., Ashton, B., Edwards, N., & Naylor, C. (2014). Service transformation: lessons from mental health. King's Fund. https://www.kingsfund.org.uk/sites/files/kf/field/field_publication_file/service-transformation-lessons-mental-health-4-feb-2014.pdf	Not a systematic review
Gray, R., Smedley, N., & Thomas, B. (1997). The use of section 136: a review of research 1972-96. <i>Psychiatric Care</i> , 4(2), 62-66.	Not a systematic review
Greenhalgh, J., Knight, C., Hind, D., Beverley, C., & Walters, S. (2005). Clinical and cost-effectiveness of electroconvulsive therapy for depressive illness, schizophrenia, catatonia and mania; systematic reviews and economic modelling studies. <i>Health Technol Assess</i> , 9(9).	Not ethnicity
Greig, R. (2006). Government policy in England: inclusion in mainstream healthcare. <i>Psychiatry</i> , 5(9), 295-297.	Not a systematic review
Grey, H. (2016). Prevalence and outcomes of adverse childhood experiences (ACEs) in young offender populations. PROSPERO. http://www.crd.york.ac.uk/PROSPERO/display_record.asp?ID=CRD42016051740	Not published (protocol)
Grey, T., Sewell, H., Shapiro, G., & Ashraf, F. (2013). Mental health inequalities facing U.K. minority ethnic populations: Causal factors and solutions. <i>Journal of Psychological Issues in Organizational Culture</i> , 3, 146-157.	Not a systematic review
Guo, B., & Harstall, C. (2002). Efficacy of suicide prevention programs for children and youth. <i>Health Technology Assessment</i> , 26(Series A). Edmonton: Alberta Heritage Foundation for Medical Research.	Not UK
Hackett, L., Theodosiou, L., & Patel, J. (2006). Service innovations: Developing a service for the mental health needs of South-Asian children and adolescents. <i>Psychiatric Bulletin</i> , 30(12), 460-462.	Not a systematic review
Haeri, S., Williams, J., Kopeykina, I., Johnson, J., Newmark, A., Cohen, L., & Galynker, I. (2011). Disparities in diagnosis of bipolar disorder in individuals of African and European descent: A review. <i>Journal of Psychiatric Practice</i> , 17(6), 394-403.	Not a systematic review
Hall, E. (2005). The entangled geographies of social exclusion/inclusion for people with learning disabilities. <i>Health and Place</i> , 11(2), 107-115.	Not ethnicity
Harkes, M. A., Brown, M., & Horsburgh, D. (2014). Self Directed Support and people with learning disabilities: a review of the published research evidence. <i>British Journal of Learning Disabilities</i> , 42(2), 87-101.	Not ethnicity
Hashemi, A. H., & Cochrane, R. (1999). Expressed emotion and schizophrenia: A review of studies across cultures. <i>International Review of Psychiatry</i> , 11(2), 219-224.	Not a systematic review
Haw, C., & Hawton, K. (2016). Suicide and Self-Harm by Drowning: A Review of the Literature. <i>Archives of Suicide Research</i> , 20(2), 95-112.	Separate UK and ethnicity data, but no UK data by ethnicity
Healey, P., et al. (2017). Cultural adaptations to augment health and mental health services: a systematic review. <i>BMC Health Serv Res.</i> , 17, doi:10.1186/s12913-016-1953-x	Not UK
Health Committee (2015). Healthy minds, healthy Londoners: improving access to mental health services for London's young and Black, Asian and minority ethnic population. https://www.london.gov.uk/sites/default/files/gla_migrate_files_destination/HealthyMindsHealthyLondoners_0.pdf	Not a systematic review
Hek, R., Hughes, N., & Ozman, R. (2012). Safeguarding the Needs of Children and Young People Seeking Asylum in the UK: Addressing Past Failings and Meeting Future Challenges. <i>Child Abuse Review</i> , 21(5), 335-348.	Not a systematic review
Hickling, F. W. (2005). The epidemiology of schizophrenia and other common mental health disorders in the English-speaking Caribbean. <i>Pan American Journal of Public Health</i> , 18(4-5), 256-262.	Not a systematic review
HFMA, Mental Health Finance Faculty, & NHS Providers (2016). Funding mental health at local level: unpicking the variation. https://nhsproviders.org/media/1945/nhs-providers_hfma_mental-health-survey.pdf	Not ethnicity
Hickling, F. W. (1993). Psychiatry in Jamaica growth and development. <i>International Review of Psychiatry</i> , 5(2), 193-203.	Not UK

Higginbottom, G. M. A., Richter, M. S., Mogale, R. S., Ortiz, L., Young, S., & Mollel, O. (2011). Identification of nursing assessment models/tools validated in clinical practice for use with diverse ethno-cultural groups: an integrative review of the literature. <i>BMC Nursing</i> , 10. doi:10.1186/1472-6955-10-16	Not UK
Hines, L. A., Sundin, J., Rona, R. J., Wessely, S., & Fear, N. T. (2014). Posttraumatic stress disorder post Iraq and Afghanistan: Prevalence among military subgroups. <i>The Canadian Journal of Psychiatry / La Revue canadienne de psychiatrie</i> , 59(9), 468-479.	Not UK
Hitchcock, C., Werner-Seidler, A., Blackwell, S. E., & Dalgleish, T. (2017). Autobiographical episodic memory-based training for the treatment of mood, anxiety and stress-related disorders: A systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 52, 92-107.	Not UK or ethnicity
Ho, E. C., Chiu, H. F., Chong, M. Y., Yu, X., Kundadak, G., & Kua, E. H. (2012). Elderly suicide in Chinese populations. <i>Asia-Pacific Psychiatry</i> , 4(1), 5-9.	Not a systematic review
Hodes, M. (2000). Psychological distressed refugee children in the United Kingdom. <i>Child Psychology & Psychiatry Review</i> , 5(2), 57-68.	Not a systematic review
Holtum, S. (2012). Research watch: recovery as a personal journey: how mental health services are trying to support it. <i>Mental Health & Social Inclusion</i> , 16(4), 169-174.	Not a systematic review
Hossain, M., Dewey, A., Hakak, Y., & Jutla, K. (2013). Understanding dementia among UK Bangladeshi: a synthesis of qualitative research on South Asian people with dementia. <i>PROSPERO</i> . https://researchportal.port.ac.uk/portal/files/240901/Understanding_dementia_among_UK_Bangladeshi_a_synthesis_of_qualitative_research_on_South_Asian_people_with_dementia.pdf	Not published (protocol)
Howard, M., & Hodes, M. (2000). Psychopathology, adversity, and service utilization of young refugees. <i>Journal of the American Academy of Child & Adolescent Psychiatry</i> , 39(3), 368-377.	Not a systematic review
Hunter, E. C. M., Sierra, M., & David, A. S. (2004). The epidemiology of depersonalisation and derealisation - A systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 39(1), 9-18.	Not ethnicity
Husain, M. I., Waheed, W., & Husain, N. (2006). Self-harm in British South Asian women: Psychosocial correlates and strategies for prevention. <i>Annals of General Psychiatry</i> , 5(7).	Not a systematic review
Husk, K., Lovell, R., Cooper, C., Stahl-Timmins, W., & Garside, R. (2016). Participation in environmental enhancement and conservation activities for health and well-being in adults: a review of quantitative and qualitative evidence. <i>Cochrane Database of Systematic Reviews</i> , 0(5).	Not ethnicity
Hussain, F., & Cochrane, R. (2004). Depression in South Asian women living in the UK: a review of the literature with implications for service provision. <i>Transcultural Psychiatry</i> , 41(2), 253-270.	Not a systematic review
Hutchinson, G., & Haasen, C. (2004). Migration and schizophrenia: the challenges for European psychiatry and implications for the future. <i>Social Psychiatry & Psychiatric Epidemiology</i> , 39(5), 350-357.	Not a systematic review
Hutchinson, G., & Hickling, F. W. (1999). Problem in society, problem in psychiatry. <i>International Review of Psychiatry</i> , 11(2), 162-167.	Not a systematic review
Hutchinson, G., Mallett, R., & Fletcher, H. (1999). Are the increased rates of psychosis reported for the population of Caribbean origin in Britain an urban effect? <i>International Review of Psychiatry</i> , 11(2), 122-128.	Not a systematic review
Hutchinson, G., & Sharpley, M. (1999). Ethnicity and first year of contact with psychiatric services. <i>The British Journal of Psychiatry</i> , 175, 492-492.	Not a systematic review
Ibbotson, B. (2010). Review of Mental health, service user involvement and recovery. <i>International Journal of Psychiatry in Clinical Practice</i> , 14(3), 233-234.	Not a systematic review
Ida, D. J. (2007). Cultural competency and recovery within diverse populations. <i>Psychiatric Rehabilitation Journal</i> , 31(1), 49-53.	Not a systematic review
Inclusion Health (2014). Promising practice: enabling better access to primary care for vulnerable populations: examples of good practice. https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/307376/Promising_Practice.pdf?utm_medium=email&utm_source=The+King%27s+Fund+newsletters&utm_campaign=4043517_HMP+2014-05-02&dm_i=21A8,2ENZ,XFLXH0G,8RQGI,1	Not ethnicity

Independent Mental Health Services Alliance (2015). Breaking down barriers: improving patient access and outcomes in mental health. http://www.imhsa.org.uk/upload/files/IMHSA_policypapers_30_790927026.pdf	Not ethnicity
Ineichen, B. (2008). Suicide and attempted suicide among South Asians in England: Who is at risk? <i>Mental Health in Family Medicine</i> , 5(3), 135-138.	Not a systematic review
Ineichen, B. (2012). Mental illness and suicide in British South Asian adults. <i>Mental Health, Religion & Culture</i> , 15(3), 235-250.	Not a systematic review
Ivbijaro, G. O., Kolkiewicz, L. A., & Palazidou, E. (2005). Mental health in primary care: ways of working -- the impact of culture. <i>Primary Care Mental Health</i> , 3(1), 47-53.	Not a systematic review
Jones, K. (1967). Review of Mental health in the service of the community. <i>The Sociological Review</i> , 15(2), 228-229.	Not a systematic review
Jones, P., Russo, D., Stochl, J., Shelley, G., Crane, C., Painter, M., et al. (2016) Understanding causes of and developing effective interventions for schizophrenia and other psychoses. <i>Programme Grants Appl Res</i> , 4(02). doi:10.3310/pgfar04020	Not a systematic review
Jukes, M., & O'Shea, K. (1998). Mental health. Transcultural therapy 1: mental health and learning disabilities. <i>British Journal of Nursing</i> , 7(15), 901-906.	Not a systematic review
Jun, G. T., Morrison, C., & Clarkson, P. J. (2014). Articulating current service development practices: a qualitative analysis of eleven mental health projects. <i>BMC Health Services Research</i> , 14. doi:10.1186/1472-6963-14-20	Not ethnicity
Jutla, K. (2013). Ethnicity and cultural diversity in dementia care: a review of the research. <i>Journal of Dementia Care</i> , 21(2), 33-39.	Not a systematic review
Kaltenthaler, E., Brazier, J., de Nigris, E., Tumor, I., & Ferriter, M. (2006). Computerised cognitive behaviour therapy for depression and anxiety update: a systematic review and economic evaluation. <i>Health Technology Assessment</i> , 10(33), 186. doi:10.3310/hta10330	Not ethnicity
Kaltenthaler, E., Pandor, A., & Wong, R. (2014). The effectiveness of sexual health interventions for people with severe mental illness: a systematic review. <i>Health Technology Assessment (Winchester, England)</i> , 18(1), 1-74.	Not UK
Kaplan, I., Stolk, Y., Valibhoy, M., Tucker, A., & Baker, J. (2016). Cognitive assessment of refugee children: effects of trauma and new language acquisition. <i>Transcultural Psychiatry</i> , 53(1), 81-109.	Not a systematic review
Katona, C., Robjant, K., von Werthern, M., Chui, Z., Schon, R. (2017). Immigration detention and mental health: a systematic review. <i>PROSPERO</i> . http://www.crd.york.ac.uk/PROSPERO/display_record.asp?ID=CRD42017056444	Not published (protocol)
Kendrick, T. (2003). Review: black people are more likely than white people to be detained in psychiatric wards in the United Kingdom. <i>Evidence Based Mental Health</i> , 6(3), 76-76.	Not a systematic review
Kalra, G., & Bhugra, D. (2011). Ethnic factors in managing black and minority ethnic patients. <i>Current opinion in psychiatry</i> , 24(4), 313-317.	Not a systematic review
Karriker-Jaffe, K. J. (2011). Areas of disadvantage: a systematic review of effects of area-level socioeconomic status on substance use outcomes. <i>Drug & Alcohol Review</i> , 30(1), 84-95.	Not ethnicity
Kasmi, Y. (2007). Characteristics of patients admitted to psychiatric intensive care units. <i>Irish Journal of Psychological Medicine</i> , 24(2), 75-78.	Not a systematic review
Kemp, M. (2003). Review of Mental Slavery: Psychoanalytic Studies of Caribbean People. <i>Journal of the British Association of Psychotherapists (BAP)</i> , 41(1), 72-80.	Not a systematic review
Kennedy, P., Kilvert, A., & Hasson, L. (2015). Ethnicity and rehabilitation outcomes: The Needs Assessment Checklist. <i>Spinal Cord</i> , 53(5), 334-339.	Not a systematic review
Khan, F., & Waheed, W. (2006). Suicide and self-harm in South Asian immigrants. <i>Psychiatry</i> , 5(8), 283-285.	Not a systematic review
Kisely, S. R., Campbell, L. A., & O'Reilly, R. (2017). Compulsory community and involuntary outpatient	Not UK

treatment for people with severe mental disorders. <i>Cochrane Database of Systematic Reviews</i> , 0(3).	
Krentzman, A. R. (2013). Review of the application of positive psychology to substance use, addiction, and recovery research. <i>Psychology of Addictive Behaviors</i> , 27(1), 151-165.	Not ethnicity
Kubitz, N., Vossen, C., Papadimitropoulou, K., & Karabis, A. (2014). The prevalence and disease burden of treatment-resistant depression-a systematic review of the literature. <i>Value in Health</i> , 17(7), A455-A456.	Wrong publication type
Laird, L. D., Amer, M. M., Barnett, E. D., & Barnes, L. L. (2007). Muslim patients and health disparities in the UK and the US. <i>Archives of Disease in Childhood</i> , 92(10), 922-926.	Not a systematic review
Lankelly Chase Foundation, Mind, The Afia Trust, & Centre for Mental Health (2014). Ethnic inequalities in mental health: promoting lasting positive change. https://lankellychase.org.uk/wp-content/uploads/2015/07/Ethnic-Inequality-in-Mental-Health-Confluence-Full-Report-March2014.pdf	Not a systematic review
Lau, A. (1990). Psychological problems in adolescents from ethnic minorities. <i>British Journal of Hospital Medicine</i> , 44(3), 201-205.	Not a systematic review
Laungani, P. (1999). Understanding mental illness in India and Britain. <i>International Journal of Health Promotion & Education</i> , 37(4), 144-157.	Wrong publication type
Lay, A. Y., & Ridge, M. (2011). Addressing the impact of social exclusion on mental health in Gypsy, Roma, and Traveller communities. <i>Mental Health & Social Inclusion</i> , 15(3), 128-137.	Not a systematic review
Leaune, E., Dealberto, M.-J., Brunelin, J., Poulet, E., & Zeroug-Vial, H. (2016). Defining the role of ethnicity in the psychosis continuum: a systematic review and meta-analysis. <i>PROSPERO</i> . http://www.crd.york.ac.uk/PROSPERO/display_record.asp?ID=CRD42016047742	Not published (protocol)
Leavey, G. (1999). Suicide and Irish migrants in Britain: Identity and integration. <i>International Review of Psychiatry</i> , 11(2), 168-172.	Not a systematic review
Lefley, H. P. (1985). Families of the mentally ill in cross-cultural perspective. <i>Psychosocial Rehabilitation Journal</i> , 8(4), 57-75.	Not a systematic review
Lefley, H. P. (2012). Cross-cultural perspective of family psychoeducation. <i>Psychiatric Annals</i> , 42(6), 236-240.	Not a systematic review
Levy, R. (2010). Medication use by ethnic and racial groups: Policy implications. <i>Journal of Pharmaceutical Health Services Research</i> , 1(1), 15-22.	Not UK
Li, H., Song, X., & Yu, X. (2012). A review of consequences of relapse in schizophrenia. <i>Value in Health</i> , 15(7), A670.	Not a systematic review
Littlewood, R. (2015). Review of Insanity, race and colonialism: Managing mental disorder in the post-emancipation British Caribbean, 1838–1914. <i>The British Journal of Psychiatry</i> , 206(4), 345-345.	Not a systematic review
Livanou, M., Furtado, V., Silvester, A., & Singh, S. (2015). Prevalence of mental health problems among young offenders in custody and community: a meta-analysis. <i>PROSPERO</i> . http://www.crd.york.ac.uk/PROSPERO/display_record.asp?ID=CRD42015029677	Not published (protocol)
Livingston, J. D. (2016). Contact between police and people with mental disorders: a review of rates. <i>Psychiatric Services</i> , 67(8), 850-857.	Separate UK and ethnicity data, but no UK data by ethnicity
Livingston, G., & Sembhi, S. (2003). Mental health of the ageing immigrant population. <i>Advances in Psychiatric Treatment</i> , 9(1), 31-37.	Not a systematic review
Lloyd, K. (2009). Common mental disorders among black and minority ethnic groups in the UK. <i>Psychiatry</i> , 8(9), 342-346.	Not a systematic review
Lovrin, M. (2009). Treatment of major depression in adolescents: Weighing the evidence of risk and benefit in light of black box warnings. <i>Journal of Child and Adolescent Psychiatric Nursing</i> , 22(2), 63-68.	Not ethnicity
Lucas, P. J., McIntosh, K., Petticrew, M., Roberts, H. M., & Shiell, A. (2008). Financial benefits for child health and well-being in low income or socially disadvantaged families in developed world countries. <i>Campbell Systematic Reviews</i> , 9. doi:10.4073/csr.2008.9	Not UK or ethnicity

Macdonald, G., Bennett, C., Dennis, J. A., Coren, E., Patterson, J., Astin, M., & Abbott, J. (2008). Home-based support for disadvantaged teenage mothers. <i>Cochrane Database of Systematic Reviews</i> , 0(1).	Not UK
MacDonald, G.M., & Turner, W. (2007). Treatment foster care for improving outcomes in children and young people. <i>Campbell Systematic Reviews</i> , 9. doi:10.4073/csr.2007.9	Not UK
Macgregor, S., & Thickett, A. (2011). Partnerships and communities in English drug policy: The challenge of deprivation. <i>International Journal of Drug Policy</i> , 22(6), 478-490.	Not a systematic review
MacLean, S., Cameron, J., Harney, A., & Lee, N. K. (2012). Psychosocial therapeutic interventions for volatile substance use: a systematic review. <i>Addiction</i> , 107(2), 278-288.	Not ethnicity
Maddern, S. (2004). Post-traumatic stress disorder in asylum seekers. <i>Nursing Standard</i> , 18(18), 36-39.	Not a systematic review
Mahr, F., McLachlan, N., Friedberg, R. D., Mahr, S., & Pearl, A. M. (2015). Cognitive-behavioral treatment of a second-generation child of Pakistani descent: ethnocultural and clinical considerations. <i>Clinical Child Psychology and Psychiatry</i> , 20(1), 134-147.	Not a systematic review
March, D., Hatch, S. L., & Susser, E. (2010). Psychosis in migrant and minority populations: Prescriptions for scientific and social policy. <i>Psychological Medicine</i> , 40(5), 737-739.	Not a systematic review
Markkula, N., Cabieses, B., Lehti, V., Uphoff, N., Maturana, A., Pacheco, C., & Jasmen, A. (2016). Systematic review: use of health services among international migrant children. <i>PROSPERO</i> . http://www.crd.york.ac.uk/PROSPERO/display_record.asp?ID=CRD42016039876	Not published (protocol)
Martin, G. (2009). Recovery approach to the care of people with dementia: decision making and 'best interests' concerns. <i>Journal of Psychiatric & Mental Health Nursing</i> , 16(7), 654-660.	Not ethnicity
Masley, S. A., Gillanders, D. T., Simpson, S. G., & Taylor, M. A. (2012). A Systematic Review of the Evidence Base for Schema Therapy. <i>Cognitive Behaviour Therapy</i> , 41(3), 185-202.	Not ethnicity
Mathers, B. M., Degenhardt, L., Ali, H., Wiessing, L., Hickman, M., Mattick, R. P., . . . Strathdee, S. A. (2010). HIV prevention, treatment, and care services for people who inject drugs: a systematic review of global, regional, and national coverage. <i>The Lancet</i> , 375(9719), 1014-1028.	Not ethnicity
Maynard, B. R., Solis, M. R., Miller, V. L., & Brendel, K. E. (2017). Mindfulness-based interventions for improving cognition, academic achievement, behavior, and socioemotional functioning of primary and secondary school students. <i>Campbell Systematic Reviews</i> , 5. doi:10.4073/csr2017.5	Not ethnicity
McCourt, J., & Waller, G. (1996). The influence of sociocultural factors on the eating psychopathology of Asian women in British society. <i>European Eating Disorders Review</i> , 4(2), 73-83.	Not a systematic review
McGee, T. F. (1976). Review of Community mental health programs in England: An American view. <i>American Journal of Orthopsychiatry</i> , 46(3), 562-563.	Not a systematic review
McGruder, J. (2004). Disease Models of Mental Illness and Aftercare Patient Education: Critical Observations from Meta-Analyses, Cross-Cultural Practice and Anthropological Study. <i>British Journal of Occupational Therapy</i> , 67(7), 310-318.	Not a systematic review
McKeigue, P. M., & Karmi, G. (1993). Alcohol consumption and alcohol-related problems in Afro-Caribbeans and south Asians in the United Kingdom. <i>Alcohol & Alcoholism</i> , 28(1), 1-10.	Not a systematic review
McPherson, K. E., Kerr, S., Morgan, A., McGee, E., Cheater, F. M., McLean, J., & Egan, J. (2013). The association between family and community social capital and health risk behaviours in young people: an integrative review. <i>BMC Public Health</i> , 13. doi:10.1186/1471-2458-13-971.	Separate UK and ethnicity data, but no UK data by ethnicity
Meekums, B., Karkou, V., & Nelson, E. A. (2015). Dance movement therapy for depression. <i>Cochrane Database of Systematic Reviews</i> , 0(2).	Not ethnicity
Mela, M., & McBride, A. J. (2000). Khat and khat misuse: an overview. <i>Journal of Substance Use</i> , 5(3), 218-226.	Not a systematic review
Mental Health Crisis Care Concordat (2014). Improving outcomes for people experiencing mental health crisis. http://www.crisiscareconcordat.org.uk/wp-content/uploads/2014/04/36353_Mental_Health_Crisis_accessible.pdf	Not a systematic review

Mental Health Providers Forum and Race Equality Foundation (2015). Better practice in mental health for black and minority ethnic communities. http://qna.files.parliament.uk/qna-attachments/516557/original/Better%20practice%20in%20mental%20health%20(2)%20(1).pdf	Not a systematic review
Milne, A., Culverwell, A., Guss, R., Tuppen, J., Whelton, R., Milne, A., . . . Whelton, R. (2008). Screening for dementia in primary care: a review of the use, efficacy and quality of measures. <i>International Psychogeriatrics</i> , 20(5), 911-926.	Not a systematic review
Mind (2015). Our communities, our mental health: commissioning for better public mental health. https://www.mind.org.uk/media/2976113/mind_public-mental-health-guide_web-version.pdf	Not a systematic review
Minnis, H., Kelly, E., Bradby, H., Oglethorpe, R., Raine, W., & Cockburn, D. (2003). Cultural and language mismatch: Clinical complications. <i>Clinical Child Psychology and Psychiatry</i> , 8(2), 179-186.	Not a systematic review
Mitchell, J. (2015). Supporting refugee children who arrive in your schools. <i>British Journal of School Nursing</i> , 10(9), 452-456.	Not a systematic review
Mollon, P. (2007). Thought field therapy and its derivatives: Rapid relief of mental health problems through tapping on the body. <i>Primary Care and Community Psychiatry</i> , 12(3), 123-127.	Not ethnicity
Mooney, R., Trivedi, D., & Sharma, S. (2016). How do people of South Asian origin understand and experience depression? A protocol for a systematic review of qualitative literature. <i>BMJ Open</i> , 6(8), e011697.	Not published (protocol)
Moriarty, J. (2014). Personalisation for people from black and minority ethnic groups. (Better Health Briefing; No. 34). Race Equality Foundation.	Not a systematic review
Mottron, L. (2004). Matching Strategies in Cognitive Research with Individuals with High-Functioning Autism: Current Practices, Instrument Biases, and Recommendations. <i>Journal of Autism and Developmental Disorders</i> , 34(1), 19-27.	Not a systematic review
Murray, J., Farrington, D., Sekol, I., & Olsen, R. F. (2009). Effects of parental imprisonment on child antisocial behaviour and mental health: a systematic review. <i>Campbell Systematic Reviews</i> , 4. doi:10.4073/csr.2009.4	Not ethnicity
Murray, K., Leske, S., Schweitzer, R., Senadeera, M., & Correa-Velez, I. (2017). Resilience of asylum seeker and refugee youth after resettlement. <i>PROSPERO</i> . http://www.crd.york.ac.uk/PROSPERO/display_record.asp?ID=CRD42017055913	Not published (protocol)
Naylor, C., Wallcraft, J., Samele, C., & Greatley, A. (2007). Research Priorities for Service User and Carer-Centred Mental Health Services: Consultation report. Report for the National Co-ordinating Centre for NHS Service Delivery and Organisation R & D (NCCSDO).	Not a systematic review
Nesbitt, A., Lynch, M. A., Nesbitt, A., & Lynch, M. A. (1992). African children in Britain. <i>Archives of Disease in Childhood</i> , 67(11), 1402-1405.	Not a systematic review
Newbigging, K., Ridley, J., McKeown, M., Machin, K., & Poursanidou, K. (2015). 'When you haven't got much of a voice': An evaluation of the quality of Independent Mental Health Advocate (IMHA) services in England. <i>Health & Social Care in the Community</i> , 23(3), 313-324.	Not a systematic review
Newby, L., & Denison, N. (eds). (2014). "If you could do one thing...": nine local actions to reduce health inequalities. British Academy. http://www.britac.ac.uk/sites/default/files/If%20you%20could%20do%20one%20thing%20-%20full%20report.pdf	Not a systematic review
NICE (2007). Community-based interventions to reduce substance misuse among vulnerable and disadvantaged children and young people. NICE public health intervention guidance 4. http://www.dldocs.stir.ac.uk/documents/niceinterventions.pdf	Not a systematic review
O'Brien, A., Fahmy, R., & Singh, S. P. (2009). Disengagement from mental health services. A literature review. <i>Social Psychiatry & Psychiatric Epidemiology</i> , 44(7), 558-568.	Not a systematic review
O'Connor, E., Gaynes, B. N., Burda, B. U., Soh, C., & Whitlock, E. P. (2013). Screening for and treatment of suicide risk relevant to primary care: a systematic review for the U.S. Preventive Services Task Force. <i>Annals of Internal Medicine</i> , 158(10), 741-754.	Not ethnicity
Okereke, E., Archibong, U., Chiemeka, M., Baxter, C. E., & Davis, S. (2007). Participatory approaches to assessing the health needs of African and African-Caribbean communities. <i>Diversity in Health & Social Care</i> ,	Not a systematic review

4(4), 287-301.	
O'Mahony, J., & Donnelly, T. (2010). Immigrant and refugee women's post-partum depression help-seeking experiences and access to care: a review and analysis of the literature. <i>Journal of Psychiatric & Mental Health Nursing</i> , 17(10), 917-928.	Not a systematic review
Oluwatayo, O., & Gater, R. (2004). The role of engagement with services in compulsory admission of African/Caribbean patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 39(9), 739-743.	Not a systematic review
Onwumere, J., Smith, B., Kuipers, E., Lobban, F., Barrowclough, C., Lobban, F., & Barrowclough, C. (2009). Family intervention with ethnically and culturally diverse groups. <i>A casebook of family interventions for psychosis</i> , 0, 211-231.	Not a systematic review
Oram, S., Khondoker, M., Abas, M., Broadbent, M., & Howard, L. M. (2015). Characteristics of trafficked adults and children with severe mental illness: A historical cohort study. <i>The Lancet Psychiatry</i> , 2(12), 1084-1091.	Not a systematic review
Ott, E., & Montgomery, P. (2015). Interventions to improve the economic self-sufficiency and well-being of resettled refugees: a systematic review. <i>Campbell Systematic Reviews</i> , 4. doi:10.4073/csr.2015.4	Not UK
Ouellette-Kuntz, H., Garcin, N., Lewis, M. E., Minnes, P., Martin, C., & Holden, J. J. (2005). Addressing health disparities through promoting equity for individuals with intellectual disability. <i>Canadian Journal of Public Health. Revue Canadienne de Sante Publique</i> , 96, S8-22.	Not a systematic review
Owuro, J. O. A., & Nake, J. N. (2015). Internalised stigma as a barrier to access to health and social care services by minority ethnic groups in the UK. <i>Better Health Briefing</i> . http://www.better-health.org.uk/sites/default/files/briefings/downloads/Health%20Briefing%2036_1.pdf	Not a systematic review
Pinfold, V., Farmer, P., Rapaport, J., Bellringer, S., Huxley, P., Murray, J., Banerjee, S., Slade, M., Kuipers, E., Bhugra, D., & Waitere, S. (2005). Positive and Inclusive? Effective ways for professionals to involve carers in information sharing. Report to the National Co-ordinating Centre for NHS Service Delivery and Organisation R & D (NCCSDO).	Not a systematic review
Pinto, R., Ashworth, M., & Jones, R. (2008). Schizophrenia in black Caribbeans living in the UK: an exploration of underlying causes of the high incidence rate. <i>British Journal of General Practice</i> , 58(551), 429-434.	Not a systematic review
Pottie, K., Welch, V., Niragira, O., Medu, O., James, M., & Miller, K. (2014). Do older migrants suffer higher rates of depressive symptomatology and loneliness than older non-migrants? An equity-focused systematic review. <i>PROSPERO</i> . http://www.crd.york.ac.uk/PROSPERO/display_record.asp?ID=CRD42014009725	Not published (protocol)
Prady, S. L., Pickett, K. E., Gilbody, S., Petherick, E. S., Mason, D., Sheldon, T. A., & Wright, J. (2016). Variation and ethnic inequalities in treatment of common mental disorders before, during and after pregnancy: combined analysis of routine and research data in the Born in Bradford cohort. <i>BMC Psychiatry</i> , 16, 99.	Not a systematic review
Pridmore, S., Robinson, J., & Ahmadi, J. (2007). Suicide for scrutinizers. <i>Australasian Psychiatry</i> , 15(3), 247-248.	Not a systematic review
Procter, N. G. (2005). 'They first killed his heart (then) he took his own life'. Part I: A review of the context and literature on mental health issues for refugees and asylum seekers. <i>International Journal of Nursing Practice</i> , 11(6), 286-291.	Not a systematic review
Public Health England, & NHS England (2015). A guide to community-centred approaches for health and wellbeing: full report. https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/417515/A_guide_to_community-centred_approaches_for_health_and_wellbeing_full_report_.pdf	Not ethnicity
Pynoos, R. S., Nader, K., Black, D., Kaplan, T., Hendriks, J. H., Gordon, R., . . . Raphael, B. (1993). The impact of trauma on children and adolescents. <i>International handbook of traumatic stress syndromes</i> , 0, 535-657.	Not a systematic review
Rapaport, J. (2005). Policy swings over thirty-five years of mental health social work in England and Wales 1969-2004. <i>Practice (09503153)</i> , 17(1), 43-56.	Not ethnicity

Ratan, D., Gandhi, D., & Palmer, R. (1998). Eating disorders in British Asians. <i>International Journal of Eating Disorders</i> , 24(1), 101-105. doi:10.1002/(SICI)1098-108X(199807)24:1<101::AID-EAT10>3.0.CO;2-3	Not a systematic review
Regan, J. L., Bhattacharyya, S., Kevern, P., & Rana, T. (2013). A systematic review of religion and dementia care pathways in black and minority ethnic populations. <i>Mental Health, Religion & Culture</i> , 16(1), 1-15.	Not UK
Remes, O., Brayne, C., van der Linde, R., & Lafortune, L. (2016). A systematic review of reviews on the prevalence of anxiety disorders in adult populations. <i>Brain and Behavior</i> , 6(7). doi:10.1002/brb3.497	Not ethnicity
Reupert, A. E., Cuff, R., Drost, L., Foster, K., van Doesum, K. T., & van Santvoort, F. (2013). Intervention programs for children whose parents have a mental illness: a review. <i>Medical Journal of Australia</i> , 199(3), S18-22.	Not ethnicity
Riaz, F., Sang-Ah Park, M., & Golden, K. (2016). Mental health studies of Asian marginalized populations: a mixed method systematic review. <i>PROSPERO</i> . http://www.crd.york.ac.uk/PROSPERO/display_record.asp?ID=CRD42016046181	Not published (protocol)
Robbins, V., Sandys, M., & Goldblatt, P. (2014). Take the local lead on health inequalities. <i>Health Service Journal</i> . https://www.hsj.co.uk/sectors/commissioning/take-the-local-lead-on-health-inequalities/5076497.article	Not a systematic review
Roberts, D. J., & de Souza, V. C. (2016). A venue-based analysis of the reach of a targeted outreach service to deliver opportunistic community NHS Health checks to 'hard-to-reach' groups. <i>Public Health</i> , 137, 176-81.	Not a systematic review
Robinson, G. (2017). Dementia and ethnicity. <i>Nurse Prescribing</i> , 15(3), 126-132.	Not a systematic review
Robinson, N., Lorenc, A., & Liao, X. (2011). The evidence for Shiatsu: a systematic review of Shiatsu and acupressure. <i>BMC Complementary and Alternative Medicine</i> , 11, doi:10.1186/1472-6882-11-88	Not ethnicity
Rowe, J. (2012). Great expectations: A systematic review of the literature on the role of family carers in severe mental illness, and their relationships and engagement with professionals. <i>Journal of Psychiatric and Mental Health Nursing</i> , 19(1), 70-82.	Not ethnicity
Roy, A., Fountain, J., & Anitha, S. (2008). The social and institutional context of throughcare and aftercare services for prison drug service clients, with a focus on Black and minority ethnic prisoners. <i>Drugs & Alcohol Today</i> , 8(4), 14-25.	Not a systematic review
Ruddy, R. A., & Dent-Brown, K. (2007). Drama therapy for schizophrenia or schizophrenia-like illnesses. <i>Cochrane Database of Systematic Reviews</i> , 0(1).	Not ethnicity
Rudolph, C. E. (2002). Searching for a 'true, clear self': Culture and subjectivity in experiences of bulimia. 62, 3839-3839.	Wrong publication type
Salway, S., Carter, L., Powell, K., Turner, D., Mir, G., & Ellison, G. T. H. (2014). Race equality and health inequalities: towards more integrated policy and practice. A Race Equality Foundation Briefing Paper. <i>Better Health Briefing</i> , 32. http://cdn.basw.co.uk/upload/basw_125418-4.pdf	Not a systematic review
Schafheutle, E. I. (2006). Removing Prescription Charges for Patients with Mental Health Disorders: Would it Improve Patient Outcomes in the UK? <i>Disease Management & Health Outcomes</i> , 14(3), 139-145.	Not a systematic review
Selten, J.-P., Cantor-Graae, E., & Kahn, R. S. (2007). Migration and schizophrenia. <i>Current Opinion in Psychiatry</i> , 20(2), 111-115.	Not a systematic review
Sen, P., Exworthy, T., & Forrester, A. (2014). Mental health care for foreign national prisoners in England and Wales. <i>Journal of Mental Health</i> , 23(6), 333-339.	Not a systematic review
Senior, J., & Shaw, J. (2011). The public health implications of United Kingdom offender healthcare policy: A holistic approach to achieve individual and societal gains. <i>International Journal of Law and Psychiatry</i> , 34(4), 283-286.	Not ethnicity
Shah, A. (2009). Psychiatry of old age and ethnic minority older people in the United Kingdom. <i>Reviews in Clinical Gerontology</i> , 19(2), 119-134. doi:10.1017/S0959259809990190	Not a systematic review
Shah, A., Oommen, G., & Koshy, A. (2009). Ethnic elders and their needs. <i>Psychiatry</i> , 8(9), 358-362.	Not a systematic review

Shah, A., Oommen, G., & Wuntakal, B. (2008). Cross-cultural aspects of dementia. <i>Psychiatry</i> , 7(2), 94-97.	Not a systematic review
Sharp, T. J. (1997). Cognitive-behaviour therapy: Towards the new millennium! <i>Behaviour Change</i> , 14(4), 187-191.	Not a systematic review
Sharpley, M., Hutchinson, G., McKenzie, K., & Murray, R. M. (2001). Understanding the excess of psychosis among the African-Caribbean population in England. <i>The British Journal of Psychiatry</i> , 178(Suppl40), s60-s68. doi:10.1192/bjp.178.40.s60.	Not a systematic review
Shaw, R. J., Atkin, K., Bécares, L., Albor, C. B., Stafford, M., Kiernan, K. E., . . . Pickett, K. E. (2012). Impact of ethnic density on adult mental disorders: Narrative review. <i>British Journal of Psychiatry</i> , 201(1), 11-19.	Not a systematic review
Shishehgar, S., Gholizadeh, L., DiGiacomo, M., & Davidson, P. M. (2015). The impact of migration on the health status of Iranians: an integrative literature review. <i>BMC International Health & Human Rights</i> , 15, 20.	Not a systematic review
Shuker, L. (2013). Review of Safeguarding children from abroad: Refugee, asylum-seeking and trafficked children in the UK. <i>Child Abuse Review</i> , 22(3), 223-223.	Not a systematic review
Singh, S. P. (Principal Investigator). (2008-2012). Assessing the impact of the Mental Health Act 2007 (AMEND Study). Warwick Medical School.	Not a systematic review
Singh, S. P., & Burns, T. (2006). Race and mental health: there is more to race than racism. <i>BMJ</i> , 333(7569), 648-651.	Not a systematic review
Singh, R., Nichols, W. C., & Nichols, W. C. (2004). Exploring Culture in Practice: A Few Facets of a Training Course. <i>Family therapy around the world: A festschrift for Florence W. Kaslow</i> , 0, 87-104.	Not a systematic review
Sinha, S., & Warfa, N. (2013). Treatment of eating disorders among ethnic minorities in western settings: A systematic review. <i>Psychiatria Danubina</i> , 25, 295-299.	Wrong publication type
Soares-Weiser, K., Bravo Vergel, Y., Beynon, S., Dunn, G., & Barbieri, M., et al. (2007). A systematic review and economic model of the clinical effectiveness and cost-effectiveness of interventions for preventing relapse in people with bipolar disorder. <i>Health Technol Assess</i> , 11(39).	Not ethnicity
Spector, R. (2001). Is there a racial bias in clinicians' perceptions of the dangerousness of psychiatric patients? A review of the literature. <i>Journal of Mental Health</i> , 10(1), 5-15.	Not a systematic review
Stacciarini, J.-M. R., Rosa, A., Ortiz, M., Munari, D. B., Uicab, G., & Balam, M. (2012). Promotoras in mental health: a review of English, Spanish, and Portuguese literature. <i>Family & Community Health</i> , 35(2), 92-102.	Not UK
Steel, Z., Marnane, C., Iranpour, C., Chey, T., Jackson, J. W., Patel, V., & Silove, D. (2014). The global prevalence of common mental disorders: a systematic review and meta-analysis 1980-2013. <i>Int J Epidemiol</i> , 43(2), 476-493. doi:10.1093/ije/dyu038	Not ethnicity
Strassmayr, C., Matanov, A., Priebe, S., et al. (2012). Mental health care for irregular migrants in Europe: barriers and how they are overcome. <i>BMC Public Health</i> , 12, doi:10.1186/1471-2458-12-367	Not a systematic review
Suresh, K., & Bhui, K. (2006). Ethnic minority patients' access to mental health services. <i>Psychiatry</i> , 5(11), 413-416.	Not a systematic review
ter Heide, J.J., Smid, G., Mooren, T., Kleber, R., & Martinmäki, S. (2017). Prevalence of complex post-traumatic stress disorder in trauma-exposed populations: meta-analysis. <i>PROSPERO</i> . http://www.crd.york.ac.uk/PROSPERO/display_record.asp?ID=CRD42017064445	Not published (protocol)
Thomas, S., & Byford, S. (2003). Research with unaccompanied children seeking asylum. <i>British Medical Journal</i> , 327(7428), 1400-1402.	Not a systematic review
Thompson, A. D., Bartholomeusz, C., & Yung, A. R. (2011). Social cognition deficits and the 'ultra high risk' for psychosis population: a review of literature. <i>Early intervention in psychiatry</i> , 5(3), 192-202.	Not ethnicity
Thompson, N., & Bhugra, D. (2000). Rates of deliberate self-harm in Asians: Findings and models. <i>International Review of Psychiatry</i> , 12(1), 37-43. doi:10.1080/09540260074102	Not a systematic review
Tillman, J. G. (2017). Review of The last asylum: A memoir of madness in our times. <i>Psychoanalytic Psychology</i> , 34(1), 134-136.	Not a systematic review

Toniolo, I. (2007). Psychiatric disorders in a transcultural setting. <i>Clinical Neuropsychiatry</i> , 4(4), 160-178.	Not a systematic review
Trejo-Phillips, P. (2014). Interpreters in a psychotherapeutic triad interpreting for torture survivors: An integrative literature review through a cultural competency lens. 75.	Not a systematic review
Trivedi, R. B., Nieuwsma, J. A., & Williams Jr, J. W. (2011). Examination of the utility of psychotherapy for patients with treatment resistant depression: A systematic review. <i>Journal of General Internal Medicine</i> , 26(6), 643-650.	Not ethnicity
Truong, M., Paradies, Y., & Priest, N. (2014) Interventions to improve cultural competency in healthcare: a systematic review of reviews. <i>BMC Health Serv Res.</i> , 14. doi:10.1186/1472-6963-14-99	Not UK
Turner, S. W., & Herlihy, J. (2009). Working with refugees and asylum seekers. <i>Psychiatry</i> , 8(8), 322-324.	Not a systematic review
Turrini, G., Purgato, M., Ballette, F., Ostuzzi, G., Nosè, M., & Barbui, C. (2017). Mental health conditions in refugees and asylum seekers: umbrella review of prevalence and intervention studies. <i>PROSPERO</i> . http://www.crd.york.ac.uk/PROSPERO/display_record.asp?ID=CRD42017056338	Not published (protocol)
van Wyk, S., & Schweitzer, R. D. (2014). A systematic review of naturalistic interventions in refugee populations. <i>Journal of Immigrant & Minority Health</i> , 16(5), 968-977.	Not UK
Varley, C. K. (2006). Treating depression in children and adolescents: what options now? <i>CNS Drugs</i> , 20(1), 1-13.	Not ethnicity
Velting, W. (2013). Ethnic minority position and risk for psychotic disorders. <i>Current Opinion in Psychiatry</i> , 26(2), 166-171.	Not a systematic review
Vickers, B. (2005). Cognitive model of the maintenance and treatment of post-traumatic stress disorder applied to children and adolescents. <i>Clinical Child Psychology & Psychiatry</i> , 10(2), 217-234.	Not a systematic review
Vige, M. (2014). Tackling inequality in mental health care. <i>Health Service Journal</i> , 124(6420), 30-31.	Not a systematic review
Waldemar, A. K., Amfred, S. M., Petersen, L., & Korsbek, L. (2016). Recovery-oriented practice in mental health inpatient settings: A literature review. <i>Psychiatric Services</i> , 67(6), 596-602.	Not ethnicity
Wang, C., Bannuru, R., Ramel, J., Kupelnick, B., Scott, T., & Schmid, C. H. (2010). Tai Chi on psychological well-being: Systematic review and meta-analysis, <i>BMC Complementary and Alternative Medicine</i> , 10, doi:10.1186/1472-6882-10-23	Not ethnicity
Waraich, P., Goldner, E. M., Somers, J. M., & Hsu, L. (2004). Prevalence and incidence studies of mood disorders: a systematic review of the literature. <i>Canadian Journal of Psychiatry - Revue Canadienne de Psychiatrie</i> , 49(2), 124-138.	Not ethnicity
Warfa, N., Klein, A., Bhui, K., Leavey, G., Craig, T., & Stansfeld, S. A. (2007). Khat use and mental illness: A critical review. <i>Social Science & Medicine</i> , 65(2), 309-318.	Not a systematic review
Waxler, N. E. (1974). Culture and mental illness: A social labeling perspective. <i>Journal of Nervous and Mental Disease</i> , 159(6), 379-395.	Not a systematic review
Webber, M., & Huxley, P. (2004). Social exclusion and risk of emergency compulsory admission. A case-control study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 39(12), 1000-1009.	Not a systematic review
White, J., Bagnall, A.-M., & Trigwell, J. (2015). Health trainers making a difference to mental health and wellbeing. <i>Perspectives in Public Health</i> , 135(3), 130-132.	Not a systematic review
Whitehead, D. L., Steptoe, A., Fink, G., & Fink, G. (2010). Prison. <i>Stress consequences: Mental, neuropsychological and socioeconomic.</i> , 0, 566-571.	Not a systematic review
Whitley, R. (2005). Review of Cultural Diversity, Mental Health and Psychiatry: The Struggle Against Racism. <i>Transcultural Psychiatry</i> , 42(3), 507-509.	Not a systematic review
Williams, P. E., Turpin, G., & Hardy, G. (2006). Clinical Psychology Service Provision and Ethnic Diversity within the UK: A Review of the Literature. <i>Clinical Psychology & Psychotherapy</i> , 13(5), 324-338.	Not a systematic review

Wimpenny, K., Savin-Baden, M., & Cook, C. (2014). A Qualitative Research Synthesis Examining the Effectiveness of Interventions Used by Occupational Therapists in Mental Health. <i>British Journal of Occupational Therapy</i> , 77(6), 276-288. doi:10.4276/030802214X14018723137959	Not ethnicity
Winstead, B. A. (1996). Review of Suicide--The Ultimate Rejection? A Psycho-Social Study. <i>Contemporary Psychology</i> , 41(10), 1062-1062.	Not a systematic review
Wollscheid, S., Munthe-Kaas, H. M., Hammerstrøm, K. T., & Noonan, E. (2015). Effect of Interventions to Facilitate Communication Between Families or Single Young People with Minority Language Background and Public Services: A Systematic Review. <i>Campbell Systematic Reviews</i> , 7. doi:10.4073/csr.2015.7	Not UK
Wu, Y. T., Beiser, A. S., Breteler, M. M. B., Fratiglioni, L., Helmer, C., Hendrie, H. C., . . . Brayne, C. (2017). The changing prevalence and incidence of dementia over time-current evidence. <i>Nature Reviews Neurology</i> , 13(6), 327-339.	Not a systematic review
Yorke, C. B., Voisin, D. R., Berringer, K. R., & Alexander, L. S. (2016). Cultural factors influencing mental health help-seeking attitudes among Black English-Speaking Caribbean immigrants in the United States and Britain. <i>Social Work in Mental Health</i> , 14(2), 174-194.	Not a systematic review
Zolnierok, C. D. (2009). Non-psychiatric hospitalization of people with mental illness: systematic review. <i>Journal of Advanced Nursing</i> , 65(8), 1570-1583.	Not ethnicity

Incidence primary studies (2010-2018)

Not peer-reviewed primary study article (n=70)

No diagnostic data by ethnicity (n=34)

No original incidence data (n=18)

No relevant data on psychoses (n=17)

Not sufficiently separated by psychosis types (n=17)

Not England (n=10)

Insufficient data by specific ethnic groups (n=8)

No relevant denominator data (n=7)

Unclear sample proportion of new cases (n=5)

No relevant reference group (n=4)

No diagnostic data by country (England) (n=1)

Reference	Main reason for exclusion
Ahmed S, Peters KZ, Chakraborty N. Discharges from an early intervention in psychosis service: The effect of patient characteristics on discharge destination. <i>Early Intervention in Psychiatry</i> . 2018.	No diagnostic data by ethnicity
Ajnakina O, Lally J, Di Forti M, Kolliakou A, Gardner-Sood P, Lopez-Morinigo J, et al. Patterns of illness and care over the 5 years following onset of psychosis in different ethnic groups; the GAP-5 study. <i>Social Psychiatry & Psychiatric Epidemiology</i> . 2017;52(9):1101-11.	Not sufficiently separated by psychosis types
Astell-Burt T, Feng X. Health and the 2008 Economic Recession: Evidence from the United Kingdom. <i>PLoS ONE</i> . 2013;8(2).	No diagnostic data by ethnicity
Avila A, Calem M, Tognin S, Modinos G, Antonidades M, Kempton M, et al. Cumulative social disadvantage, ethnicity and At risk Mental State: A case control study. <i>Early Intervention in Psychiatry</i> . 2016;10:224.	Not peer-reviewed primary study article
Bansal N, Bhopal R, Netto G, Lyons D, Steiner MF, Sashidharan SP. Disparate patterns of hospitalisation reflect unmet needs and persistent ethnic inequalities in mental health care: the Scottish health and ethnicity linkage study. <i>Ethnicity & Health</i> . 2014;19(2):217-39.	Not England
Beards S, Fisher HL, Gayer-Anderson C, Hubbard K, Velikonja T, Onyejiaka A, et al. Life events and psychosis: Contexts and mechanisms. <i>Schizophrenia Bulletin</i> . 2015;41:S133.	Not peer-reviewed primary study article
Bechdorf A, Weiser M. Characteristics of people at-risk of psychosis. <i>Schizophrenia Research</i> . 2012;136:S39-S40.	Not peer-reviewed primary study article
Beusterien K, Chan E, Such P, Laird A, Loze J, N, et al. Developing and testing a state D-preference instrument to prioritize treatment goals among patients with recent onset schizophrenia. <i>Value in Health</i> . 2016;19(7):A527.	Not peer-reviewed primary study article
Bhavsar V, Fusar-Poli P, McGuire P. Neighbourhood deprivation is positively associated with detection of the ultra-high risk (UHR) state for psychosis in South East London. <i>Schizophrenia Research</i> . 2018;192:371-6.	Not sufficiently separated by psychosis types
Bhavsar V, Hotopf M, Boydell J, Hatch S. Unemployment and the rate of new contacts with mental health services in South London. <i>European Psychiatry</i> . 2016;33:S173-S4.	Not peer-reviewed primary study article
Bhavsar V, Hotopf M, Maccabe J, McGuire P. Subclinical psychotic experiences (Pes) and the rate of mental health service use in South London- A survey/health record linkage study. <i>Early Intervention in Psychiatry</i> . 2016;10:96.	No diagnostic data by ethnicity
Bhikha A, Farooq S, Chaudhry N, Naem F, Husain N. Explanatory models of psychosis amongst British South Asians. <i>Asian Journal of Psychiatry</i> . 2015;16:48-54.	No relevant reference group
Bhugra D, Leff J, Mallett R, Morgan C, Zhao J-H. The culture and identity schedule a measure of cultural affiliation: Acculturation, marginalization and schizophrenia. <i>International Journal of Social Psychiatry</i> . 2010;56(5):540-56.	No original incidence data
Bhui K, Ullrich S, Kallis C, Coid JW. Criminal justice pathways to psychiatric care for psychosis. <i>British Journal of Psychiatry</i> . 2015;207(6):523-9.	No relevant reference group
Bogic M, Ajdukovic D, Bremner S, Franciskovic T, Galeazzi GM, Kucukalic A, et al. Factors associated with mental disorders in long-settled war refugees: Refugees from the former Yugoslavia in Germany, Italy and the UK. <i>British Journal of Psychiatry</i> . 2012;200(3):216-23.	No diagnostic data by country (England)

Bookle M, Webber M. Ethnicity and access to an inner city home treatment service: A case-control study. <i>Health and Social Care in the Community</i> . 2011;19(3):280-8.	No diagnostic data by ethnicity
Bosqui TJ, Maguire A, Kouvonen A, Wright D, Donnelly M, O'Reilly D. Ethnic density and risk of mental ill health – The case of religious sectarianism in Northern Ireland: A population data linkage study. <i>Health and Place</i> . 2017;47:29-35.	Not England
Bourque F, Borges S, Boydell J, Fearon P, Hutchinson G, Morgan K, et al. Family history of mental illnesses in first- and second-generation migrants: Evidence from the AESOP first-onset study. <i>Schizophrenia Research</i> . 2012;136:S121.	Not peer-reviewed primary study article
Boydell J, Bebbington P, Bhavsar V, Kravariti E, Van Os J, Murray RM, et al. Unemployment, ethnicity and psychosis. <i>Schizophrenia Bulletin</i> . 2013;39:S58.	Not peer-reviewed primary study article
Boydell J, Morgan C, Dutta R, Jones B, Alemseged F, Dazzan P, et al. Satisfaction with inpatient treatment for first-episode psychosis among different ethnic groups: a report from the UK AeSOP study. <i>The International journal of social psychiatry</i> . 2012;58(1):98-105.	No diagnostic data by ethnicity
Boydell J, Onwumere J, Dutta R, Bhavsar V, Hill N, Morgan C, et al. Caregiving in first-episode psychosis: Social characteristics associated with perceived 'burden' and associations with compulsory treatment. <i>Early Intervention in Psychiatry</i> . 2014;8(2):122-9.	No original incidence data
Brown JSL, Ferner H, Wingrove J, Aschan L, Hatch SL, Hotopf M. How equitable are psychological therapy services in South East London now? A comparison of referrals to a new psychological therapy service with participants in a psychiatric morbidity survey in the same London borough. <i>Social Psychiatry and Psychiatric Epidemiology: The International Journal for Research in Social and Genetic Epidemiology and Mental Health Services</i> . 2014;49(12):1893-902.	No diagnostic data by ethnicity
Bruce M, Cobb D, Clisby H, Ndegwa D, Hodgins S. Violence and crime among male inpatients with severe mental illness: attempting to explain ethnic differences. <i>Social psychiatry and psychiatric epidemiology</i> . 2014;49(4):549-58.	Unclear sample proportion of new cases
Bruce M, Gwaspari M, Cobb D, Ndegwa D. Ethnic differences in reported unmet needs among male inpatients with severe mental illness. <i>Journal of Psychiatric and Mental Health Nursing</i> . 2012;19(9):830-8.	Unclear sample proportion of new cases
Carpenter WT. Rethinking the taxonomy, course, and outcome of psychoses: Dimensional, latent trajectory, and transdiagnostic approaches. <i>Schizophrenia Bulletin</i> . 2018;44:S5-S6.	Not peer-reviewed primary study article
Carrà G, Johnson S, Bebbington P, Angermeyer MC, Heider D, Brugha T, et al. The lifetime and past-year prevalence of dual diagnosis in people with schizophrenia across Europe: Findings from the European Schizophrenia Cohort (EuroSC). <i>European Archives of Psychiatry and Clinical Neuroscience</i> . 2012;262(7):607-16.	No relevant data on psychoses
Chakraborty A, King M, Leavey G, McKenzie K. Perceived racism, medication adherence, and hospital admission in African-Caribbean patients with psychosis in the United Kingdom. <i>Social psychiatry and psychiatric epidemiology</i> . 2011;46(9):915-23.	No relevant reference group
Chakraborty AT, McKenzie KJ, Hajat S, Stansfeld SA. Racism, mental illness and social support in the UK. <i>Social Psychiatry & Psychiatric Epidemiology</i> . 2010;45(12):1115-24.	No diagnostic data by ethnicity
Chang C-K, Hayes RD, Broadbent M, F, es AC, Lee W, et al. All-cause mortality among people with serious mental illness (SMI), substance use disorders, and depressive disorders in southeast London: A cohort study. <i>BMC Psychiatry</i> . 2010;10.	No original incidence data
Chaudhry IB, Hopkins T, Bano S, Rhouma A, Qureshi M, Koch S, et al. Pathways to care and use of antipsychotic medication in Lancashire Care Early Intervention Service. <i>Early Intervention in Psychiatry</i> . 2010;4:138.	Not peer-reviewed primary study article
Chaudhry IB, Javeed M, Thet T, Monji D, Bano S, Qureshi M, et al. Prescribing antipsychotics in ethnically diverse community. <i>Early Intervention in Psychiatry</i> . 2010;4:139.	Not peer-reviewed primary study article
Cheng F, Kirkbride JB, Lennox BR, Perez J, Masson K, Lawrence K, et al. Administrative incidence of psychosis assessed in an early intervention service in England: first epidemiological evidence from a diverse, rural and urban setting. <i>Psychological Medicine</i> . 2011;41(5):949-58.	Not sufficiently separated by psychosis types
Chou K-L. Chronic fatigue and affective disorders in older adults: Evidence from the 2007 British National Psychiatric Morbidity Survey. <i>Journal of Affective Disorders</i> . 2013;145(3):331-5.	No diagnostic data by ethnicity
Ciufolini S, Morgan C, Morgan K, Fearon P, Boydell J, Hutchinson G, et al. Self esteem and self agency in first episode psychosis: Ethnic variation and relationship with clinical presentation. <i>Psychiatry Research</i> . 2015;227(2):213-8.	No diagnostic data by ethnicity
Coid J, Ullrich S. Prisoners with psychosis in England and Wales: diversion to psychiatric inpatient services? <i>International Journal of Law & Psychiatry</i> . 2011;34(2):99-108.	Not sufficiently separated by psychosis types
Coid JW, Ullrich S, Kallis C, Keers R, Barker D, Cowden F, et al. The relationship between delusions and violence: Findings from the East London first episode psychosis study. <i>JAMA Psychiatry</i> . 2013;70(5):465-71.	No diagnostic data by ethnicity
Cooper J, Murphy E, Webb R, Hawton K, Bergen H, Waters K, et al. Ethnic differences in self-harm, rates, characteristics and service provision: Three-city cohort study. <i>British Journal of Psychiatry</i> . 2010;197(3):212-8.	No relevant data on psychoses
Cullen AE, Bowers L, Khondoker M, Pettit S, Achilla E, Koeser L, et al. Factors associated with use of psychiatric intensive care and seclusion in adult inpatient mental health services. <i>Epidemiology and Psychiatric Sciences</i> . 2018;27(1):51-61.	No diagnostic data by ethnicity
Das-Munshi J, Ashworth M, Dewey ME, Gaughran F, Hull S, Morgan C, et al. Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Cross-sectional analysis of 588 408 records from the UK. <i>Diabetic Medicine</i> . 2017;34(7):916-24.	Not sufficiently separated by psychosis types
Das-Munshi J, Ashworth M, Gaughran F, Hull S, Morgan C, Nazroo J, et al. Ethnicity and cardiovascular health inequalities in people with severe mental illnesses: protocol for the E-CHASM study. <i>Social Psychiatry & Psychiatric Epidemiology</i> . 2016;51(4):627-38.	Not sufficiently separated by psychosis types
Das-Munshi J, Bécarea L, Boydell J, Dewey ME, Morgan C, Stansfeld SA, et al. Residential context buffers against psychosis: Multi-level investigation of ethnic minority groups living in England. <i>American Journal of Epidemiology</i> . 2011;173:S72.	Not peer-reviewed primary study article
Das-Munshi J, Bécarea L, Boydell JE, Dewey ME, Morgan C, Stansfeld SA, et al. Ethnic density as a buffer for psychotic experiences: findings from a national survey (EMPIRIC). <i>British Journal of Psychiatry</i> . 2012;201(4):282-90.	Not sufficiently separated by psychosis types
Das-Munshi J, Bécarea L, Boydell JE, Dewey ME, Morgan C, Stansfeld SA, et al. 'Ethnic effects—A view from West London': Reply. <i>The British Journal of Psychiatry</i> . 2013;202(3):237-8.	No original incidence data

Das-Munshi J, Becares L, Dewey ME, Stansfeld SA, Prince MJ. Understanding the effect of ethnic density on mental health: multi-level investigation of survey data from England. <i>BMJ</i> . 2010;341:c5367.	No relevant data on psychoses
Das-Munshi J, Bhugra D, Crawford MJ. Ethnic minority inequalities in access to treatments for schizophrenia and schizoaffective disorders: Findings from a nationally representative cross-sectional study. <i>BMC Medicine</i> . 2018;16(1).	No relevant denominator data
Das-Munshi J, Castro-Costa E, Dewey ME, Nazroo J, Prince M. Cross-cultural factorial validation of the Clinical Interview Schedule--Revised (CIS-R); findings from a nationally representative survey (EMPIRIC). <i>International journal of methods in psychiatric research</i> . 2014;23(2):229-44.	No relevant data on psychoses
Das-Munshi J, Chang CK, Dutta R, Morgan C, Nazroo J, Stewart R, et al. Ethnicity and excess mortality in severe mental illness: a cohort study. <i>The Lancet Psychiatry</i> . 2017;4(5):389-99.	No diagnostic data by ethnicity
Das-Munshi J, Chang CK, Dutta R, Morgan C, Nazroo J, Stewart R, et al. Race/ethnicity and premature mortality in severe mental illness: cohort study. <i>Schizophrenia Bulletin</i> . 2017;43:S183.	Not peer-reviewed primary study article
Das-Munshi J, Chang CK, Schofield P, Robert S, Prince M. Risk factors for mortality in unipolar depression: Findings from an ethnically diverse cohort followed for eight years. <i>European Psychiatry</i> . 2018;48:S202-S3.	Not peer-reviewed primary study article
Dazzan P, Ruggeri M. Integrating social and biological factors to predict the course and outcome of psychosis: Evidence from two large epidemiological first episode psychosis cohorts (AESOP and PICOS). <i>Schizophrenia Research</i> . 2012;136:S41.	Not peer-reviewed primary study article
Di Forti M, Morgan C, Stilo S, Papparelli A, Falcone A, Luzi S, et al. The role of high potency cannabis use and psychosis genetic liability in moderating the risk for onset of psychotic disorders. <i>Early Intervention in Psychiatry</i> . 2010;4:34.	Not peer-reviewed primary study article
Diforti M, Murray R. The role of high potency cannabis use and psychosis genetic liability in moderating the risk for onset of psychotic disorders. <i>Schizophrenia Bulletin</i> . 2011;37:50.	Not peer-reviewed primary study article
Dixit A. New long-stay psychiatric in-patients: A comparison of UK and Irish national audit. <i>Irish Journal of Psychological Medicine</i> . 2011;28(2):104-5.	Not peer-reviewed primary study article
Donoghue K, Medley I, Brewin J, Glazebrook C, Mason P, Cantwell R, et al. The association between substance misuse and first-episode psychosis in a defined UK geographical area during the 1990s. <i>Social Psychiatry and Psychiatric Epidemiology: The International Journal for Research in Social and Genetic Epidemiology and Mental Health Services</i> . 2011;46(2):137-42.	No diagnostic data by ethnicity
Evans R, Makala J, Humphreys M, Mohan CRN. Supervised community treatment in Birmingham and Solihull: First 6 months. <i>Psychiatrist</i> . 2010;34(8):330-3.	No diagnostic data by ethnicity
Fisher HL, Roberts A, Day F, Reynolds N, Iacoponi E, Garety PA, et al. Impact of crime victimization on initial presentation to an early intervention for psychosis service and 18-month outcomes. <i>Early Intervention in Psychiatry</i> . 2017;11(2):123-32.	Not sufficiently separated by psychosis types
Fitzsimmons M, Chaudhry I, Gire N, Rhouma A, Shafiq S, Husain N. A study looking at psychosis and substance abuse in British South Asians, in Lancashire Early Intervention Service. <i>Early Intervention in Psychiatry</i> . 2012;6:115.	Not peer-reviewed primary study article
Fusar-Poli P, Rutigliano G, Stahl D, Davies C, De Micheli A, Ramella-Cravaro V, et al. Long-term validity of the At Risk Mental State (ARMS) for predicting psychotic and non-psychotic mental disorders. <i>European Psychiatry</i> . 2017;42:49-54.	No diagnostic data by ethnicity
Gajwani R, Parsons H, Birchwood M, Singh SP. Ethnicity and detention: Are Black and minority ethnic (BME) groups disproportionately detained under the Mental Health Act 2007? <i>Social Psychiatry and Psychiatric Epidemiology: The International Journal for Research in Social and Genetic Epidemiology and Mental Health Services</i> . 2016;51(5):703-11.	Unclear sample proportion of new cases
Gardener CA, Gayer-Anderson CE, Beards SF, Onyejiaka AN, Borges S, Sowden S, et al. The impact of childhood support on life events and risk of psychosis. <i>Schizophrenia Research</i> . 2012;136:S217.	Not peer-reviewed primary study article
Ghali S, Fisher HL, Joyce J, Major B, Hobbs L, Soni S, et al. Ethnic variations in pathways into early intervention services for psychosis. <i>British Journal of Psychiatry</i> . 2013;202(4):277-83.	Not sufficiently separated by psychosis types
Giordano V, Cole C, Jeggo M, Methuen C, McColl H. Analysis of inpatient admission and use of mental health act in relation to ethnicity and substance misuse in a cohort of patients with first episode psychosis in London. <i>Early Intervention in Psychiatry</i> . 2016;10:206.	Not peer-reviewed primary study article
Grover S, Avasthi A, Shah S, Lakdawala B, Chakraborty K, Nebhinani N, et al. Indian Psychiatric Society multicentric study on assessment of health-care needs of patients with severe mental illnesses. <i>Indian Journal of Psychiatry</i> . 2015;57(1):43-50.	Not England
Grp-C. Morgan, EU-GEI Work Package 2 Study. The EU-gene environment interaction study (EU-GEI): Incidence of psychosis in 6 countries-rational, methods and progress at 12 months. <i>Schizophrenia Research</i> . 2012;136:S311.	Not peer-reviewed primary study article
Hales H, Somers N, Reeves C, Bartlett A. Characteristics of women in a prison mental health assessment unit in England and Wales (2008–2010). <i>Criminal Behaviour and Mental Health</i> . 2016;26(2):136-52.	Insufficient data by specific ethnic groups
Hardoon S, Hayes JF, Blackburn R, Petersen I, Walters K, Nazareth I, et al. Recording of severe mental illness in United Kingdom primary care, 2000–2010. <i>PLoS ONE</i> . 2013;8(12).	No diagnostic data by ethnicity
Hardy S, Gray R. Adapting the severe mental illness physical Health Improvement Profile for use in primary care. <i>International Journal of Mental Health Nursing</i> . 2010;19(5):350-5.	No original incidence data
Haro JM, Altamura C, Corral R, Elkis H, Evans J, Malla A, et al. Understanding the impact of persistent symptoms in schizophrenia: Cross-sectional findings from the Pattern study. <i>Schizophrenia Research</i> . 2015;169(1):234-40.	Unclear sample proportion of new cases
Haro JM, Cholle J, Boulenger JP, Jönsson B, Knapp M, Rive B, et al. Prospective epidemiological research on functioning outcomes related to major depressive disorder (perform): Design and characteristics of first 1,000 patients. <i>Pharmacoepidemiology and Drug Safety</i> . 2013;22:507.	Not peer-reviewed primary study article
Harris K, Pickles H. Immigration detention in the UK damages health and frustrates healthcare. <i>BMJ (Online)</i> . 2018;361.	No original incidence data
Hatch SL, Frissa S, Verdecchia M, Stewart R, Fear NT, Reichenberg A, et al. Identifying socio-demographic and socioeconomic determinants of health inequalities in a diverse London community: the South East London Community Health (SELCoH) study. <i>BMC Public Health</i> . 2011;11:861.	No relevant data on psychoses
Hayes RD, Chang C-K, F, es A, Broadbent M, Lee W, et al. Associations between substance use disorder sub-groups, life expectancy and all-cause mortality in a large British specialist mental healthcare service. <i>Drug and Alcohol Dependence</i> . 2011;118(1):56-61.	No relevant data on psychoses

Heald A, Vida B, Bhugra D. Brexit, the Leave campaign, and mental health of ethnic minority communities. <i>The Lancet Psychiatry</i> . 2018;5(2):110.	No original incidence data
Henderson RC, Williams P, Gabbidon J, Farrelly S, Schauman O, Hatch S, et al. Mistrust of mental health services: Ethnicity, hospital admission and unfair treatment. <i>Epidemiology and Psychiatric Sciences</i> . 2015;24(3):258-65.	Insufficient data by specific ethnic groups
Heslin M, Desai R, Lappin JM, Donoghue K, Lomas B, Reininghaus U, et al. Biological and psychosocial risk factors for psychotic major depression. <i>Social Psychiatry and Psychiatric Epidemiology: The International Journal for Research in Social and Genetic Epidemiology and Mental Health Services</i> . 2016;51(2):233-45.	No relevant denominator data
Heslin M, Khondoker M, Shetty H, Pritchard M, Jones PB, Osborn D, et al. Inpatient use and area-level socio-environmental factors in people with psychosis. <i>Social psychiatry and psychiatric epidemiology</i> . 2018;53(10):1133-40.	Not sufficiently separated by psychosis types
Heuvelman H, Nazroo J, Rai D. Investigating ethnic variations in reporting of psychotic symptoms: a multiple-group confirmatory factor analysis of the Psychosis Screening Questionnaire. <i>Psychological medicine</i> . 2018;48(16):2757-65.	No original incidence data
Hill M, Crumlish N, Clarke M, Whitty P, Owens E, Renwick L, et al. Prospective relationship of duration of untreated psychosis to psychopathology and functional outcome over 12 years. <i>Schizophrenia Research</i> . 2012;141(2):215-21.	Insufficient data by specific ethnic groups
Hoang U, Goldacre MJ, Stewart R. Avoidable mortality in people with schizophrenia or bipolar disorder in England. <i>Acta psychiatrica Scandinavica</i> . 2013;127(3):195-201.	No diagnostic data by ethnicity
Hodgekins J, Birchwood M, Christopher R, Marshall M, Coker S, Everard L, et al. Investigating trajectories of social recovery in individuals with first-episode psychosis: a latent class growth analysis. <i>British Journal of Psychiatry</i> . 2015;207(6):536-43.	No diagnostic data by ethnicity
Hodgins S, Calem M, Shimel R, Williams A, Harleston D, Morgan C, et al. Criminal offending and distinguishing features of offenders among persons experiencing a first episode of psychosis. <i>Early Intervention in Psychiatry</i> . 2011;5(1):15-23.	No diagnostic data by ethnicity
Hur JW, Choi S-H, Yun J-Y, Chon M-W, Kwon JS. Parental socioeconomic status and prognosis in individuals with ultra-high risk for psychosis: A 2-year follow-up study. <i>Schizophrenia Research</i> . 2015;168(1):56-61.	Insufficient data by specific ethnic groups
Husain N, Qureshi M, Warburton J, Gire N, Ayub M, Chaudhry IB. Ethnicity and referrals to an early intervention service for psychosis in north-west England; An ecological study. <i>Early Intervention in Psychiatry</i> . 2012;6:72.	Not peer-reviewed primary study article
Jacobs R, Gutacker N, Mason A, Goddard M, Gravelle H, Kendrick T, et al. Determinants of hospital length of stay for people with serious mental illness in England and implications for payment systems: a regression analysis. <i>BMC health services research</i> . 2015;15:439.	No relevant denominator data
Jacobs R, Gutacker N, Mason A, Goddard M, Gravelle H, Kendrick T, et al. Determinants of hospital length of stay for people with serious mental illness in England. <i>Journal of Mental Health Policy and Economics</i> . 2015;18:S24.	Not peer-reviewed primary study article
Jarrett M, Jamieson-Craig TK, Forrester A, McGuire P, Badger S, Fusar-Poli P, et al. Prison and community populations at ultra-high risk of psychosis: Differences and challenges for service provision. <i>Psychiatric Services</i> . 2016;67(9):990-5.	Not sufficiently separated by psychosis types
Johns L, Byrne M, Jolley S, Fornells-Ambrojo M, Onwumere J, Peters E, et al. Findings from the South London and Maudsley (SLaM) demonstration site for psychosis. <i>Early Intervention in Psychiatry</i> . 2016;10:186.	Not peer-reviewed primary study article
Jones R, Banbury L. Rates of criminal victimization in an early intervention for psychosis service - a cross sectional survey. <i>Early Intervention in Psychiatry</i> . 2018;12(6):1081-6.	No diagnostic data by ethnicity
Jongsma H, Jones P, Morgan C, Kirkbride J. Preventing psychosis: What, (if anything) can we learn from the EU-GEI incidence study? <i>Schizophrenia Bulletin</i> . 2018;44:S58.	Not peer-reviewed primary study article
Jongsma H, Kirkbride J, Jones P, Morgan C. Examining the role of cultural distance and psychosocial disempowerment in higher rates of psychotic disorders in ethnic minority groups: A multi-national case-control study. <i>Schizophrenia Bulletin</i> . 2017;43:S232.	Not peer-reviewed primary study article
Jongsma H, Morgan C, Jones P, Kirkbride J. Preventing psychosis: What can we learn from a large multicentre European incidence study? <i>Early Intervention in Psychiatry</i> . 2018;12:19.	Not peer-reviewed primary study article
Jongsma HE, Gayer-Anderson C, Lasalvia A, Quattrone D, Mulè A, Szöke A, et al. Treated incidence of psychotic disorders in the multinational EU-GEI study. <i>JAMA Psychiatry</i> . 2018;75(1):36-46.	Insufficient data by specific ethnic groups
Jordanova V, Crawford MJ, McManus S, Bebbington P, Brugha T. Religious discrimination and common mental disorders in England: A nationally representative population-based study. <i>Social Psychiatry and Psychiatric Epidemiology: The International Journal for Research in Social and Genetic Epidemiology and Mental Health Services</i> . 2015;50(11):1723-9.	No relevant data on psychoses
King M, Marston L, McManus S, Brugha T, Meltzer H, Bebbington P. Religion, spirituality and mental health: Results from a national study of English households. <i>British Journal of Psychiatry</i> . 2013;202(1):68-73.	No diagnostic data by ethnicity
Kirkbride J, Ding T, Dliwayo R, W, P, Osborn D, et al. Predicting population-level need for early treatment programmes in first episode psychosis: The advanced psychiatric MAPping translated into innovations for care [PsyMaptic-A] study. <i>Early Intervention in Psychiatry</i> . 2018;12:213.	Not peer-reviewed primary study article
Kirkbride JB, Coid JW, Stochl J, De Azua SR, Perez J, Jones PB. Where did the ARMS go? A re-examination of acute and transient psychoses before the implementation of early intervention. <i>Early Intervention in Psychiatry</i> . 2010;4:3.	Not peer-reviewed primary study article
Kirkbride JB, Hameed Y, Ankireddypalli G, Ioannidis K, Crane CM, Nasir M, et al. The Epidemiology of First-Episode Psychosis in Early Intervention in Psychosis Services: Findings From the Social Epidemiology of Psychoses in East Anglia [SEPEA] Study. <i>American Journal of Psychiatry</i> . 2017;174(2):143-53.	Insufficient data by specific ethnic groups
Kirkbride JB, Jackson D, Perez J, Fowler D, Winton F, Coid JW, et al. A population-level prediction tool for the incidence of first-episode psychosis: Translational epidemiology based on cross-sectional data. <i>BMJ Open</i> . 2013;3(2).	Not sufficiently separated by psychosis types
Kirkbride JB, Jones PB, Ullrich S, Coid JW. Social deprivation, inequality, and the neighborhood-level incidence of psychotic syndromes in East London. <i>Schizophrenia Bulletin</i> . 2014;40(1):169-80.	No diagnostic data by ethnicity
Kirkbride JB, Morgan C, Fearon P, Dazzan P, Murray RM, Jones PB. 'Neighbourhood-level effects on psychoses: Re-examining the role of context'. Addendum. <i>Psychological Medicine</i> . 2011;41(11):2462-.	Not peer-reviewed primary study article
Kirkbride JB, Stubbs C, Jones PB. Psychosis incidence through the prism of early intervention services. <i>British Journal of Psychiatry</i> . 2012;200(2):156-7.	Not sufficiently separated by psychosis types
Kirkbride JB. Migration and psychosis: our smoking lung? <i>World Psychiatry</i> . 2017;16(2):119-20.	Not peer-reviewed primary study article

Kovalchuk Y, Stewart R, Broadbent M, Hubbard TJP, Dobson RJB. Analysis of diagnoses extracted from Electronic health records in a large mental health Case Register. <i>PLoS ONE</i> . 2017;12(2).	No original incidence data
Koyanagi A, Stickley A, Haro JM. Psychotic-like experiences and nonsuicidal self-injury in England: Results from a national survey. <i>PLoS ONE</i> . 2015;10(12).	No diagnostic data by ethnicity
Lally J, Ajnakina O, Di Forti M, Trotta A, Demjaha A, Kolliakou A, et al. Two distinct patterns of treatment resistance: clinical predictors of treatment resistance in first-episode schizophrenia spectrum psychoses. <i>Psychological Medicine</i> . 2016;46(15):3231-40.	No diagnostic data by ethnicity
Lawlor C, Johnson S, Cole L, Howard LM. Ethnic variations in pathways to acute care and compulsory detention for women experiencing a mental health crisis. <i>The International journal of social psychiatry</i> . 2012;58(1):3-15.	No relevant denominator data
Li N, Du W, Chen G, Song X, Zheng X. Mental health service use among Chinese adults with mental health disabilities: A national survey. <i>Psychiatric Services</i> . 2013;64(7):638-44.	Not England
Lloyd H, Singh P, Merritt R, Shetty A, Singh S, Burns T. Sources of parental burden in a UK sample of first-generation North Indian Punjabi Sikhs and their white British counterparts. <i>The International journal of social psychiatry</i> . 2013;59(2):147-56.	No original incidence data
Loewenthal KM. Mental health and mental health care for Jews in the Diaspora, with particular reference to the U.K. <i>Israel Journal of Psychiatry & Related Sciences</i> . 2012;49(3):159-66.	No original incidence data
Lomas B, Heslin M, Morgan C, Dazzan P, Murray RM, Jones PB, et al. Diagnostic stability 10 years post first episode psychosis-findings from the aetiology and ethnicity in the study of schizophrenia and other psychoses (AESOP) cohort. <i>Schizophrenia Bulletin</i> . 2013;39:S6.	Not peer-reviewed primary study article
Lomas BA, Doody G. Diagnostic stability of first episode psychosis at 10 year followup-preliminary results from the AESOP cohort. <i>Schizophrenia Research</i> . 2012;136:S210.	Not peer-reviewed primary study article
Mangalore R, Knapp M. Income-related inequalities in common mental disorders among ethnic minorities in England. <i>Social psychiatry and psychiatric epidemiology</i> . 2012;47(3):351-9.	No relevant data on psychoses
Mann F, Fisher HL, Major B, Lawrence J, Tapfumaneyi A, Joyce J, et al. Ethnic variations in compulsory detention and hospital admission for psychosis across four UK Early Intervention Services. <i>BMC Psychiatry</i> . 2014;14(1).	No relevant denominator data
March D, Hatch SL, Susser E. Psychosis in migrant and minority populations: prescriptions for scientific and social policy. <i>Psychological Medicine</i> . 2010;40(5):737-9.	Not peer-reviewed primary study article
Marlowe K. Somali and Bangladeshi First Episode of Schizophrenia outcomes in Tower Hamlets - Insights from social marketing for future service development Presentation for Early Intervention in a Multicultural Metropolis Symposium (chair - S Johnson). <i>Early Intervention in Psychiatry</i> . 2010;4:148.	Not peer-reviewed primary study article
McGuinness M, Bamford C, Butterworth RE, Berrisford G, Whitmore J. The utility of the diagnosis acute and transient psychotic disorder in a mother and baby unit. <i>Archives of Women's Mental Health</i> . 2015;18(2):333.	Not peer-reviewed primary study article
McKenzie K. Commentary: When in Rome? Integration and the rates of mental illness in black and minority ethnic youth. <i>International Journal of Epidemiology</i> . 2012;41(3):802-4.	Not peer-reviewed primary study article
Mensah FK, Kiernan KE. Parents' mental health and children's cognitive and social development: Families in England in the Millennium Cohort Study. <i>Social Psychiatry and Psychiatric Epidemiology: The International Journal for Research in Social and Genetic Epidemiology and Mental Health Services</i> . 2010;45(11):1023-35.	No relevant data on psychoses
Mills JG, Morgan C, Frissa S, Verdecchia M, Stewart R, Fear NT, et al. Psychotic experiences and help-seeking in a representative community sample. <i>Schizophrenia Research</i> . 2012;136:S275.	Not peer-reviewed primary study article
Misselbrook T, Patel R, Nicholson T, Cullen A, Pollak T. Organic psychosis: Using electronic patient records to investigate demographics, etiology, and outcome. <i>Schizophrenia Bulletin</i> . 2017;43:S132.	Not peer-reviewed primary study article
Morgan C, Charalambides M, Hutchinson G, Murray RM. Migration, ethnicity, and psychosis: Toward a sociodevelopmental model. <i>Schizophrenia Bulletin</i> . 2010;36(4):655-64.	No original incidence data
Morgan C, Fearon P, Lappin J, Heslin M, Donoghue K, Lomas B, et al. Ethnicity and long-term course and outcome of psychotic disorders in a UK sample: The AESOP-10 study. <i>British Journal of Psychiatry</i> . 2017;211(2):88-94.	Unclear sample proportion of new cases
Morgan C, Frissa S, Verdecchia M, Stewart R, Fear NT, Reichenberg A, et al. Trauma, life events and psychosis: Evidence of synergistic effects from the selcoh study. <i>Schizophrenia Bulletin</i> . 2013;39:S71-S2.	Not peer-reviewed primary study article
Morgan C, Lappin J, Heslin M, Croudace T, Doody G, Donoghue K, et al. Ethnicity, social disadvantage and the long-term course and outcome of psychosis. <i>Schizophrenia Research</i> . 2014;153:S348.	Not peer-reviewed primary study article
Morgan C, Stilo SA, Papparelli A, Falcone A, Luzzi S, Mondelli V, et al. Use of high potency cannabis is particularly associated with onset of psychosis. <i>Schizophrenia Research</i> . 2010;117(2):299.	Not peer-reviewed primary study article
Morgan C. Aesop-10: A 10-year follow-up study of first-episode psychosis-rationale, method, and preliminary findings. <i>Schizophrenia Research</i> . 2012;136:S123-S4.	Not peer-reviewed primary study article
Morgan C. Psychotic experiences in the general population and ethnicity: Findings from the SELCoH study. <i>Schizophrenia Research</i> . 2012;136:S49.	Not peer-reviewed primary study article
Murray R, Di Forti M, Vassos E, Trotta A, Quigley H, Ajnakina O, et al. A public health approach to the prevention of psychosis. <i>Schizophrenia Bulletin</i> . 2018;44:S59.	Not peer-reviewed primary study article
Murray RM, D'Souza DC. Genetic and non-genetic factors underlying sensitivity to cannabis-induced psychosis. <i>Schizophrenia Research</i> . 2012;136:S31.	Not peer-reviewed primary study article
Murray RM, Morgan C, Dazzan P, Jones P, Doody G, Fearon P, et al. The social causes of the high rates of psychosis in Black people in Europe. <i>Schizophrenia Bulletin</i> . 2013;39:S72-S3.	Not peer-reviewed primary study article
Nazroo JY. Ethnic inequalities in severe mental disorders: Where is the harm? <i>Social Psychiatry and Psychiatric Epidemiology: The International Journal for Research in Social and Genetic Epidemiology and Mental Health Services</i> . 2015;50(7):1065-7.	No original incidence data
Ngaage M, Agius M. Does the increased rate of Schizophrenia diagnosis in African-Caribbean men in the UK shown by the aesop study reflect cultural bias in healthcare? <i>Psychiatria Danubina</i> . 2016;28:25-30.	Not peer-reviewed primary study article
Oher FJ, Demjaha A, Jackson D, Morgan C, Dazzan P, Morgan K, et al. The effect of the environment on symptom dimensions in the first episode of psychosis: a multilevel study. <i>Psychological medicine</i> . 2014;44(11):2419-30.	No diagnostic data by ethnicity
Onyejiaka AN, Fisher H, Gayer-Anderson CE, Kurti A, Borges S, McQueen G, et al. Severe trauma and first episode psychosis in the UK. <i>Schizophrenia Research</i> . 2012;136:S221.	Not peer-reviewed primary study article
Papageorgiou G, Cañas F, Zink M, Rossi A. Country differences in patient characteristics and treatment in schizophrenia: Data from a physician-based survey in Europe. <i>European Psychiatry</i> . 2011;26(1):17-28.	Not England
Parletta N, Aljeesh Y, Baune BT. Health behaviors, knowledge, life satisfaction, and wellbeing in people with mental	No diagnostic data by ethnicity

illness across four countries and comparisons with normative sample. <i>Frontiers in Psychiatry</i> . 2016;7.	
Pasvol T, Ayres S, Frize G, Fidler S, Foster C. High incidence of psychosis in a cohort of adults with perinatally acquired HIV infection: A case series. <i>HIV Medicine</i> . 2018;19:S115.	Not peer-reviewed primary study article
Patel R, Shetty H, Jackson R, Broadbent M, Stewart R, Boydell J, et al. Delays to diagnosis and treatment in patients presenting to mental health services with bipolar disorder. <i>European Psychiatry</i> . 2016;33:S75.	Not peer-reviewed primary study article
Patel R, Wilson R, Jackson R, Ball M, Shetty H, Broadbent M, et al. Cannabis use and treatment resistance in first episode psychosis: A natural language processing study. <i>The Lancet</i> . 2015;385:S79.	Not peer-reviewed primary study article
Payne-James JJ, Green PG, Green N, McLachlan GM, Munro MH, Moore TC. Healthcare issues of detainees in police custody in London, UK. <i>Journal of Forensic & Legal Medicine</i> . 2010;17(1):11-7.	No relevant data on psychoses
Pickles H, Hartree N. Transferring healthcare for immigration detainees in England to the NHS. <i>BMJ (Online)</i> . 2013;346(7901).	No original incidence data
Pignon B, Schürhoff F, Baudin G, Tortelli A, Ferchou A, Saba G, et al. Relationship between incidence and prevalence in psychotic disorders: An incidence–prevalence–mortality model. <i>International Journal of Methods in Psychiatric Research</i> . 2018.	Not England
Pina-Camacho L, Dean H, Lechler S, Sears N, Patel R, Kartoglu I, et al. Predictors of multiple treatment failure of antipsychotics in early-onset psychosis. <i>European Neuropsychopharmacology</i> . 2016;26:S539-S40.	Not peer-reviewed primary study article
Poole R, Pearsall A, Ryan T. Delayed discharges in an urban in-patient mental health service in England. <i>Psychiatrist</i> . 2014;38(2):66-70.	No relevant data on psychoses
Power M, Uphoff E, Kelly B, Pickett KE. Food insecurity and mental health: an analysis of routine primary care data of pregnant women in the Born in Bradford cohort. <i>Journal of Epidemiology & Community Health</i> . 2017;71(4):324-8.	No relevant data on psychoses
Prady SL, Miles JNV, Pickett KE, Fairley L, Bloor K, Gilbody S, et al. The psychometric properties of the subscales of the GHQ-28 in a multi-ethnic maternal sample: Results from the Born in Bradford cohort. <i>BMC Psychiatry</i> . 2013;13.	No relevant data on psychoses
Prinsloo B, Noonan A. Use of seclusion in a general hospital acute psychiatric unit. <i>Irish Journal of Psychological Medicine</i> . 2010;27(4):184-8.	Not England
Qassem T, Bebbington P, Spiers N, McManus S, Jenkins R, Dein S. Prevalence of psychosis in black ethnic minorities in Britain: analysis based on three national surveys. <i>Social psychiatry and psychiatric epidemiology</i> . 2015;50(7):1057-64.	No original incidence data
Rasoul D, Wong S, C, ran S, Uppal H, Sarma J, et al. Psychiatric co-morbidities and tendencies in patients with non-ischaemic heart failure (NIHF) - A large observational cohort study spanning 14 years. <i>Heart</i> . 2016;102:A7.	Not peer-reviewed primary study article
Reininghaus U, Craig T, Fisher H, Hutchinson G, Fearon P, Morgan K, et al. Migration, ethnicity and psychosis: Evidence for a sociodevelopmental pathway. <i>Schizophrenia Research</i> . 2012;136:S312-S3.	Not peer-reviewed primary study article
Reininghaus U, Craig TKJ, Fisher HL, Hutchinson G, Fearon P, Morgan K, et al. Ethnic identity, perceptions of disadvantage, and psychosis. Findings from the AESOP study. <i>Schizophrenia Research</i> . 2010;124(1):43-8.	No diagnostic data by ethnicity
Reininghaus U, Dutta R, Dazzan P, Doody G, Fearon P, Lappin J, et al. Mortality in schizophrenia and other psychoses: 10-year follow-up of the aesop first episode cohort. <i>Schizophrenia Bulletin</i> . 2015;41:S152-S3.	Not peer-reviewed primary study article
Ribeiro RB, Tully J, Fotiadou M. Clinical characteristics and outcomes on discharge of women admitted to a Medium Secure Unit over a 4-year period. <i>International Journal of Law and Psychiatry</i> . 2015;39:83-9.	No diagnostic data by ethnicity
Roberts J, Gracia Canales A, Blanthorn-Hazell S, Craciun Boldeanu A, Judge D. Characterizing the experience of agitation in patients with bipolar disorder and schizophrenia. <i>BMC Psychiatry</i> . 2018;18(1).	No diagnostic data by ethnicity
Ruhrmann S, Schultze-Lutter F, Salokangas RKR, Heinimaa M, Linszen D, Dingemans P, et al. Prediction of psychosis in adolescents and young adults at high risk: Results from the prospective European prediction of psychosis study. <i>Archives of General Psychiatry</i> . 2010;67(3):241-51.	No diagnostic data by ethnicity
Saleem MM, Harte MK, Marshall KM, Neill JC. First episode psychosis patients show impaired cognitive function on the Cambridge Neuropsychological Test Automated Battery (CANTAB)-A South Asian population in Bradford, United Kingdom. <i>International Clinical Psychopharmacology</i> . 2011;26:e172-e3.	Not peer-reviewed primary study article
Saragoussi D, Haro JM, Boulenger JP, Lamy FX, Di Nicola S, Rive B. Functional impairment in major depressive disorder: Preliminary findings of the PERFORM study. <i>European Neuropsychopharmacology</i> . 2013;23:S347-S8.	Not peer-reviewed primary study article
Schofield P, Ashworth M, Jones R. Ethnic isolation and psychosis: re-examining the ethnic density effect. <i>Psychological medicine</i> . 2011;41(6):1263-9.	Not sufficiently separated by psychosis types
Schofield P, Das-Munshi J, Bécaries L, Morgan C, Bhavsar V, Hotopf M, et al. Minority status and mental distress: a comparison of group density effects. <i>Psychological medicine</i> . 2016;46(14):3051-9.	Not sufficiently separated by psychosis types
Schofield P, Das-Munshi J, Mathur R, Congdon P, Hull S. Does depression diagnosis and antidepressant prescribing vary by location? Analysis of ethnic density associations using a large primary-care dataset. <i>Psychological medicine</i> . 2016;46(6):1321-9.	No relevant data on psychoses
Schofield P. Minority status and psychosis: A comparison of group density effects. <i>European Psychiatry</i> . 2018;48:S18.	Not peer-reviewed primary study article
Selten JP, Meyer-Lindenberg A, Howes O. The biology of social defeat. <i>Schizophrenia Research</i> . 2014;153:S28.	Not peer-reviewed primary study article
Selten JP, Veling W. What explains the schizophrenia epidemic among immigrants to Europe? <i>Schizophrenia Research</i> . 2012;136:S48.	Not peer-reviewed primary study article
Senior J, Birmingham L, Harty MA, Hassan L, Hayes AJ, Kendall K, et al. Identification and management of prisoners with severe psychiatric illness by specialist mental health services. <i>Psychological Medicine</i> . 2013;43(7):1511-20.	No diagnostic data by ethnicity
Sevilla-Dedieu C, Kovess-Masfety V, Angermeyer M, Bruffaerts R, F, ez A, et al. Measuring use of services for mental health problems in epidemiological surveys. <i>International Journal of Methods in Psychiatric Research</i> . 2011;20(3):182-91.	Not England
Singh SP, Brown L, Gajwani R, Jasani R, Islam Z. Culture and ethnicity: The missing dimensions of untreated psychosis. <i>American Journal of Epidemiology</i> . 2011;173:S311.	Not peer-reviewed primary study article
Singh SP, Burns T, Tyrer P, Islam Z, Parsons H, Crawford MJ. Ethnicity as a predictor of detention under the Mental Health Act. <i>Psychological medicine</i> . 2014;44(5):997-1004.	Not sufficiently separated by psychosis types
Smith DJ, Nicholl BI, Cullen B, Martin D, Ul-Haq Z, Evans J, et al. Prevalence and characteristics of probable major	Insufficient data by specific ethnic groups

depression and bipolar disorder within UK biobank: cross-sectional study of 172,751 participants. PLoS ONE [Electronic Resource]. 2013;8(11):e75362.	
Smyth N, Siriwardhana C, Hotopf M, Hatch SL. Social networks, social support and psychiatric symptoms: social determinants and associations within a multicultural community population. Social psychiatry and psychiatric epidemiology. 2015;50(7):1111-20.	No diagnostic data by ethnicity
Solmi F, Hatch SL, Hotopf M, Treasure J, Micali N. Prevalence and correlates of disordered eating in a general population sample: The South East London Community Health (SELCoH) study. Social Psychiatry and Psychiatric Epidemiology: The International Journal for Research in Social and Genetic Epidemiology and Mental Health Services. 2014;49(8):1335-46.	No relevant data on psychoses
Spencer SJ, Gilluley P, Hillier B. Foreign national mentally disordered offenders' care pathways through UK secure services. Psychiatrist. 2013;37(10):331-5.	No original incidence data
Srireddy P, Agnihotri A, Park J, Taylor J, Connolly M, Krishnadas R. Ethnicity, deprivation and psychosis: the Glasgow experience. Epidemiology & Psychiatric Science. 2012;21(3):311-6.	Not England
Stilo SA, Onyejiaka A, Gayer-Anderson C, Borges S, McQueen G, Gardner C, et al. Ethnicity, separation and psychosis: Exploring the odds. Schizophrenia Research. 2012;136:S124.	Not peer-reviewed primary study article
Susser E, Veling W, Selten JP, Hoek HW. Age at migration and risk of psychoses in immigrant/ethnic minority groups. Neuropsychopharmacology. 2010;35:S20.	Not peer-reviewed primary study article
Tahira A, Agius M. Epigenetics and migration - Considerations based on the incidence of psychosis in south Asians in Luton, England. Psychiatria Danubina. 2012;24:194-6.	No original incidence data
Tarricone I, Braca M, Bacoli G, Berardi D, Murray MR, Morgan C. Migration history and risk of psychosis in the EUGEI first episode psychosis study. European Psychiatry. 2018;48:S18.	Not peer-reviewed primary study article
Tarricone I, Gayer-Anderson C, Suprani F, Berardi D, Di Forti M, Murray RM, et al. Migration history and risk of psychosis in the EUGEI study. Early Intervention in Psychiatry. 2018;12:91.	Not peer-reviewed primary study article
Taylor CL, Stewart R, Ogden J, Broadbent M, Pasupathy D, Howard LM. The characteristics and health needs of pregnant women with schizophrenia compared with bipolar disorder and affective psychoses. BMC Psychiatry. 2015;15:88.	No relevant denominator data
Tsaknikos E, McCarthy J, Kravariti E, Fearon P, Bouras N. The role of ethnicity in clinical psychopathology and care pathways of adults with intellectual disabilities. Research in Developmental Disabilities. 2010;31(2):410-5.	Insufficient data by specific ethnic groups
Tulloch AD, Fearon P, David AS. 'Timing, prevalence, determinants and outcomes of homelessness among patients admitted to acute psychiatric wards': Erratum. Social Psychiatry and Psychiatric Epidemiology: The International Journal for Research in Social and Genetic Epidemiology and Mental Health Services. 2012;47(7):1193-.	No diagnostic data by ethnicity
Tulloch AD, Frayn E, Craig TK, Nicholson TR. Khat use among Somali mental health service users in South London. Social psychiatry and psychiatric epidemiology. 2012;47(10):1649-56.	No relevant reference group
Tunstall H, Mitchell R, Pearce J, Shortt N. The general and mental health of movers to more- and less-disadvantaged socio-economic and physical environments within the UK. Social Science and Medicine. 2014;118:97-107.	No relevant data on psychoses
Tunstall H, Shortt NK, Pearce JR, Mitchell RJ. Difficult life events, selective migration and spatial inequalities in mental health in the UK. PLoS ONE. 2015;10(5).	No relevant data on psychoses
Upthegrove R, Atulomah O, Brunet K, Chawla R. Cultural and social influences of negative illness appraisals in first-episode psychosis. Early Intervention in Psychiatry. 2013;7(4):399-406.	Not sufficiently separated by psychosis types
Valmaggia LR, Stahl D, Yung AR, Nelson B, McGorry P, McGuire PK. The structure of the ultra high risk mental state for psychosis. a latent class cluster analysis study. Early Intervention in Psychiatry. 2010;4:116.	Not peer-reviewed primary study article
Veling W, Hoek HW, Wiersma D, MacKenbach JP. Ethnic identity and the risk of schizophrenia in ethnic minorities: A case-control study. Schizophrenia Bulletin. 2010;36(6):1149-56.	Not England
Venkatesan G, Weich S, McBride O, Twigg L, Parsons H, Scott J, et al. Size and clustering of ethnic groups and rates of psychiatric admission in England. Psychiatrist. 2018;42(4):141-5.	No diagnostic data by ethnicity
Weich S, Griffith L, C, er M, Bradby H, Sashidharan SP, et al. Experiences of acute mental health care in an ethnically diverse inner city: qualitative interview study. Social psychiatry and psychiatric epidemiology. 2012;47(1):119-28.	No relevant denominator data
Wilson RP, Patel R, Bhattacharyya S. Do fewer males present to clinical high-risk services for psychosis relative to first-episode services? Early Intervention in Psychiatry. 2017;11(5):429-35.	Not peer-reviewed primary study article
Wyke A, Berk M, Goodwin GM, Tiller J. Key experiences of bipolar disorder: A global survey of patients, carers, and health care professionals. International Clinical Psychopharmacology. 2011;26:e24.	Not peer-reviewed primary study article
Yates S. Ethnic effects—A view from West London. The British Journal of Psychiatry. 2013;202(3):237-.	No original incidence data