

Research Question:

Femoracetabular Impingement Mini-Open vs Arthroscopy

Concept 1: Condition

Keywords:

Acetabulum
cam
Cam impingement
cam lesion
cam type
FAI
FAI syndrome
FAIS
Femoracetabular impingement
Femoro-acetabular impingement
Hip joint
hip pain
Pincer
pincer hip
Pincer impingement
pincer type

Mesh:

"Acetabulum"[Mesh]
"Acetabulum / injuries"[Mesh]
"Acetabulum / pathology"[Mesh]
"Cartilage / physiopathology"[Mesh]
"Femoracetabular Impingement"[Mesh]
"Femoracetabular Impingement / diagnosis"[Mesh]
"Femoracetabular Impingement / etiology"[Mesh]
"Femoracetabular Impingement / pathology"[Mesh]
"Femoracetabular Impingement /
physiopathology"[Mesh]
"Hip"[Mesh]
"Hip Joint / pathology"[Mesh]
"Joint Diseases / pathology"[Mesh]
"Pain"[Mesh]

Concept 2: Therapy

Keywords:

acetabular labral refixation
acetabular labral segmental reconstruction
Arthroscopic assisted mini-open approach
arthroscopic labral reconstruction
arthroscopic surgery
arthroscopic surgical procedures
Arthroscopy
hip arthroscopic surgery
Hip arthroscopy
labral reconstruction
labral repair
Mini-open Hueter approach
Reconstruction

Mesh:

"Acetabulum / surgery"[Mesh]
"Arthroscopy"[Mesh]
"Arthroscopy / methods"[Mesh]
"Arthroscopy / standards"[Mesh]
"Cartilage / surgery"[Mesh]
"Debridement"[Mesh]
"Femoracetabular Impingement / surgery"[Mesh]
"Hip Joint / surgery"[Mesh]
"Joint Diseases / surgery"[Mesh]
"Minimally Invasive Surgical Procedures"[Mesh]

Concept 3: Interest of the outcome PROMS

Keywords:

MCID
minimal clinically important difference
(MCID)
patient outcomes
Patient Reported Outcome Measures

Treatment outcome
VAS

Mesh:

"Minimal Clinically Important Difference"[Mesh]
"Pain Measurement / methods"[Mesh]
"Patient Outcome Assessment"[Mesh]

"Patient Reported Outcome Measures"[Mesh] "Visual Analog Scale"[Mesh]
"Patient Satisfaction"[Mesh]

Searching Strategy

"Acetabulum"[Mesh] OR "Acetabulum / injuries"[Mesh] OR "Acetabulum / pathology"[Mesh]
OR "Cartilage / physiopathology"[Mesh] OR "Femoracetabular Impingement"[Mesh] OR
"Femoracetabular Impingement / diagnosis"[Mesh] OR "Femoracetabular Impingement /
etiology"[Mesh] OR "Femoracetabular Impingement / pathology"[Mesh] OR
"Femoracetabular Impingement / physiopathology"[Mesh] OR "Hip"[Mesh] OR "Hip Joint /
pathology"[Mesh] OR "Joint Diseases / pathology"[Mesh] OR "Pain"[Mesh] OR Acetabulum
OR cam OR Cam impingement OR cam lesion OR cam type OR FAI OR FAI syndrome OR
FAIS OR Femoracetabular impingement OR Femoro-acetabular impingement OR Hip joint OR
hip pain OR Pincer OR pincer hip OR Pincer impingement OR pincer type

AND

"Acetabulum / surgery"[Mesh] OR "Arthroscopy"[Mesh] OR "Arthroscopy / methods"[Mesh]
OR "Arthroscopy / standards"[Mesh] OR "Cartilage / surgery"[Mesh] OR
"Debridement"[Mesh] OR "Femoracetabular Impingement / surgery"[Mesh] OR "Hip Joint /
surgery"[Mesh] OR "Joint Diseases / surgery"[Mesh] OR "Minimally Invasive Surgical
Procedures"[Mesh] OR acetabular labral refixation OR acetabular labral segmental
reconstruction OR Arthroscopic assisted mini-open approach OR arthroscopic labral
reconstruction OR arthroscopic surgery OR arthroscopic surgical procedures OR Arthroscopy
OR hip arthroscopic surgery OR Hip arthroscopy OR labral reconstruction OR labral repair OR
Mini-open Hueter approach OR Reconstruction

AND

"Minimal Clinically Important Difference"[Mesh] OR "Pain Measurement / methods"[Mesh]
OR "Patient Outcome Assessment"[Mesh] OR "Patient Reported Outcome Measures"[Mesh]
OR "Patient Satisfaction"[Mesh] OR "Visual Analog Scale"[Mesh] OR MCID OR minimal
clinically important difference (MCID) OR patient outcomes OR Patient Reported Outcome
Measures OR Treatment outcome OR VAS OR visual analog scale

SUMMARY

("Acetabulum"[Mesh] OR "Acetabulum / injuries"[Mesh] OR "Acetabulum /
pathology"[Mesh] OR "Cartilage / physiopathology"[Mesh] OR "Femoracetabular
Impingement"[Mesh] OR "Femoracetabular Impingement / diagnosis"[Mesh] OR
"Femoracetabular Impingement / etiology"[Mesh] OR "Femoracetabular Impingement /
pathology"[Mesh] OR "Femoracetabular Impingement / physiopathology"[Mesh] OR
"Hip"[Mesh] OR "Hip Joint / pathology"[Mesh] OR "Joint Diseases / pathology"[Mesh] OR
"Pain"[Mesh] OR Acetabulum OR cam OR Cam impingement OR cam lesion OR cam type
OR FAI OR FAI syndrome OR FAIS OR Femoracetabular impingement OR Femoro-
acetabular impingement OR Hip joint OR hip pain OR Pincer OR pincer hip OR Pincer
impingement OR pincer type) AND ("Acetabulum / surgery"[Mesh] OR "Arthroscopy"[Mesh]
OR "Arthroscopy / methods"[Mesh] OR "Arthroscopy / standards"[Mesh] OR "Cartilage /
surgery"[Mesh] OR "Debridement"[Mesh] OR "Femoracetabular Impingement /

surgery"[Mesh] OR "Hip Joint / surgery"[Mesh] OR "Joint Diseases / surgery"[Mesh] OR "Minimally Invasive Surgical Procedures"[Mesh] OR acetabular labral refixation OR acetabular labral segmental reconstruction OR Arthroscopic assisted mini-open approach OR arthroscopic labral reconstruction OR arthroscopic surgery OR arthroscopic surgical procedures OR Arthroscopy OR hip arthroscopic surgery OR Hip arthroscopy OR labral reconstruction OR labral repair OR Mini-open Hueter approach OR Reconstruction) AND ("Minimal Clinically Important Difference"[Mesh] OR "Pain Measurement / methods"[Mesh] OR "Patient Outcome Assessment"[Mesh] OR "Patient Reported Outcome Measures"[Mesh] OR "Patient Satisfaction"[Mesh] OR "Visual Analog Scale"[Mesh] OR MCID OR minimal clinically important difference (MCID) OR patient outcomes OR Patient Reported Outcome Measures OR Treatment outcome OR VAS OR visual analog scale)