

Do female rainbow kribbs choose males on the basis of their apparent aggression and boldness? A non-correlational mate choice study

Ulrike Scherer¹, Jean-Guy J. Godin² and Wiebke Schuett^{1,3}

¹ Institute of Zoology, Universität Hamburg, Martin-Luther-King Platz 3, 20146 Hamburg, Germany

² Department of Biology, Carleton University, 1125 Colonel By Drive, Ottawa, Ontario K1S 5B6, Canada

³ School of Life Sciences, University of Sussex, Falmer, Brighton BN1 9QG, United Kingdom

Correspondence:



Ulrike Scherer, Institute of Zoology, Universität Hamburg, Martin-Luther-King Platz 3, 20146 Hamburg, Germany, u.k.scherer@gmail.com

Orcid IDs:

Ulrike Scherer: 0000-0003-1086-8527

Jean-Guy J. Godin: 0000-0001-8465-1721

Wiebke Schuett: 0000-0002-4149-6095



Online Resource 3 Graphical illustration for the method validation in experiment 2 (see Online Resource 2 for the statistical analysis). Effect of the temperature treatments on the (a) level and (b) inconsistency of male APR. Significances for pairwise comparisons: "n.s." (not significant), "*" ($P < 0.05$), "***" ($P < 0.01$). Boxes with median (-) and mean ($\diamond$), whiskers represent 1.5 interquartile ranges