
Abbreviations in the tables

cf.	<i>confer</i> , identification uncertain
gl. b.	glume base
fragm.	fragment
indet.	<i>indeterminatae</i>
rachis int.	rachis internode
sp.	species; no identification on species level
sp. f.	spiklet fork
ssp.	subspecies
str.	stratum
P	profile
P-RIA	Pre Roman Iron Age (500 -0 BC)
ERIA	Early Roman Iron Age (AD 1-200)
LRIA	Late Roman Iron Age (AD 200-400)
MP	Migration Period (AD 400-550)
VP	Vendel Period (AD 550-800)
VIK	Viking Period (AD 800-1050)

Period	Stratum	Layer	vol (lit.)	Cereal grains	<i>Hordeum vulgare</i>	<i>Hordeum nudum</i>	<i>Triticum dicoccum</i>	<i>Triticum aestivum</i>	<i>Triticum sp.</i>	<i>Secale cereale</i>	<i>Avena sp.</i>	<i>Panicum miliaceum</i>	Cerealia indet.	Cereal chaff	<i>Hordeum rachis int.</i>	<i>Hordeum lemma fragm.</i>	<i>Triticum dicoccum gl. b.</i>	<i>Triticum dicoccum sp. f.</i>	<i>Triticum aestivum rachis int.</i>	<i>Triticum sp. rachis int.</i>	<i>Secale cereale rachis int.</i>	Oilseeds	<i>Linum usitatissimum</i>	<i>Camelina sativa</i>
MP	1	Floor layer (yellow clay)	1.0	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2	Floor layer (yellow-burnt clay)	1.0	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	3	Floor deposit	2.5	3	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
LRIA	4a	Floor layer (yellow clay)	1.0	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	4b	Floor deposit	2.0	19	.	1	.	.	3	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.
	5a	Burnt clay lens	1.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ERIA	5b	Floor layer (yellow clay)	1.0	8	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	5c	Floor deposit (mix soot, burnt clay)	2.0	78	.	.	.	.	1	.	.	18	.	.	.	.	.	.	.	.	.	.	.	.
	5d*	Floor deposit (mix soot, yellow clay)	2.0	321	.	.	.	.	.	.	.	24	2	.	.	.	.	.	.	.	.	.	.	.
	6	Burnt clay lens	1.0	3	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	7*	Floor deposit	2.0	147	.	.	.	.	.	.	.	13	.	.	.	.	.	.	.	.	.	.	.	.
	8*	Burnt clay/oven	1.1	87	.	.	.	.	.	.	.	31	.	.	.	1	.	.	.	.	.	.	6	.
	9	Floor deposit	2.5	161	.	2	.	.	.	.	.	65	.	.	.	.	.	1	.	.	.	1	5	.
	10	Floor layer (gray clay)	2.0	37	.	.	.	.	.	.	.	27	.	.	.	.	.	.	.	.	.	.	1	.
	11*	Mixed soot and burnt debris	2.0	190	.	.	.	.	2	.	1	54	.	.	.	.	.	.	.	.	.	.	1	.
	12*	Mixed debris (soot, yellow clay, burnet clay)	2.0	465	.	.	.	.	.	.	19	4	2	.	.	.	.	.	.	.	.	.	.	.
	13*	Floor deposit (some soot, clay debris)	2.0	153	.	.	.	.	.	.	27	82	1	.	.	.	.	.	.	.	.	1	2	.
		Yellow clay lens (not sampled)	-	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	14*	Floor deposit	2.0	110	.	.	.	.	2	.	.	24	.	.	.	.	.	.	.	.	.	.	.	.
	15	Clay lens (gray-yellow)	0.3	3	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	16	Soot/ash lens	1.0	19	.	.	.	.	.	.	.	5	.	.	.	.	.	1	.	.	.	.	.	.
	17	Yellow-burnt clay lens	0.6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	18*	Mix of sand and soot	1.7	174	.	.	.	.	.	.	.	58	.	.	.	.	.	1	.	.	.	1	.	.
	19	Sand lens	0.9	3	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	.	.	.	.	.
	20	Hearth/sooty mix	1.0	10	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.	.
	21	Clay lens	0.2	5	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	22*	Hearth/sooty mix	1.0	55	.	.	.	.	.	.	.	16	.	.	.	.	.	.	.	.	.	.	.	.
	23	Hearth/stones-cobbles	1.5	13	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.

Table 1. Stratigraphic profile 80733. * Samples included in the metric analysis

Period	Stratum	Layer	vol (lit.)	Cereal grains	<i>Hordeum vulgare</i>	<i>Hordeum nudum</i>	<i>Triticum dicoccum</i>	<i>Triticum aestivum</i>	<i>Triticum</i> sp.	<i>Secale cereale</i>	<i>Avena</i> sp.	<i>Panicum miliaceum</i>	<i>Cerealia</i> indet.	Cereal chaff	<i>Hordeum</i> rachis int.	<i>Hordeum</i> lemma fragm.	<i>Triticum dicoccum</i> gl. b.	<i>Triticum dicoccum</i> sp. f.	<i>Triticum aestivum</i> rachis int.	<i>Triticum</i> sp. rachis int.	<i>Secale cereale</i> rachis int.	Oilseeds	<i>Linum usitatissimum</i>	<i>Camelina sativa</i>
MP	1*	Floor layer (gray-brown clay)	2.3	321	.	.	1	.	31	.	.	24	.	.	.	.	.	.	.	.	.	.	.	.
	2*	Mix (bldg. collapse, burnt clay, living floor)	2.1	845	.	1	.	.	58	1	.	107	.	1	.	.	.	.	.	.	.	.	.	.
	3*	Floor layer (gray-brown clay)	2.2	62	.	.	.	.	.	.	.	37	1	.	.	.	.	.	1	.	.	.	.	.
	4*	Floor deposit	3.3	278	.	1	.	.	.	.	.	19	.	.	.	.	.	.	.	.	.	.	.	5
	5	Floor layer (yellow clay)	1.4	17	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	6	Floor deposit	1.8	37	.	.	.	.	1	.	.	12	.	.	.	.	.	.	.	.	.	.	.	.
	7	Floor layer (yellow clay)	0.8	5	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	8	Floor deposit	2.7	23	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9	Floor layer (yellow clay)	1.3	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LRIA	10	Floor deposit	0.4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	11a	Floor layer (w. bldg. collapse)	2.0	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	11b*	Floor layer (yellow clay)	1.3	227	.	.	1	.	.	.	.	9	1	.	.	.	.	.	.	.	.	.	.	.
	12a	Floor deposit (w/ clay frag.)	1.2	32	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12b*	Floor deposit	1.5	37	.	.	.	.	3	.	.	12	1	.	.	2	.	.	.	.	.	.	.	.
	13	Floor layer (yellow clay)	1.4	7	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	14	Floor deposit	2.1	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	15*	Floor layer (yellow clay)	1.3	40	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	16*	Floor deposit	1.2	57	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	17	Mixed debris (w. burnt clay)	1.0	13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ERIA	18*	Floor deposit	2.6	197	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	19*	Mixed (Floor deposit, yellow clay)	4.0	93	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	20a*	Fill/leveling layer	1.2	47	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	20b*	Fill/leveling layer	1.3	144	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	2
	20c*	Fill/leveling layer	1.4	160	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	20d	Fill/leveling layer	1.5	27	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	20/21	Fill/leveling layer	1.6	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	21a*	Floor deposit	1.7	12	.	.	.	.	.	.	.	14	1	.	.	1	.	.	.	.	.	1	.	.
Pre-RIA	22	Paleosoil	1.9	5	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Table 2. Stratigraphic profile 105776. *Samples included in the metric analysis

Period	Stratum	Layer	vol (lit.)	Cereal grains	<i>Hordeum vulgare</i>	<i>Hordeum nudum</i>	<i>Triticum dicoccum</i>	<i>Triticum aestivum</i>	<i>Triticum sp.</i>	<i>Secale cereale</i>	<i>Avena sp.</i>	<i>Panicum miliaceum</i>	Cerealia indet.	Cereal chaff	<i>Hordeum rachis int.</i>	<i>Hordeum lemma fragm</i>	<i>Triticum dicoccum gl. b.</i>	<i>Triticum dicoccum sp. f.</i>	<i>Triticum aestivum rachis int.</i>	<i>Triticum sp. rachis int.</i>	<i>Secale cereale rachis int.</i>	Oilseeds	<i>Linum usitatissimum</i>	<i>Camelina sativa</i>
MP	1	Floor layer (yellow clay)	1.0	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2	Floor deposit	1.0	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3	Floor layer (yellow clay)	1.0	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LRIA	4	Floor deposit	1.0	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5	Floor layer (yellow clay)	0.3	5	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	6	Floor deposit	1.0	55	.	.	.	.	.	.	.	18	.	.	.	.	.	.	.	.	.	.	.	.
	7	Floor layer (mixed w. yellow clay, soot, ash)	1.0	8	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
	8	Floor layer (yellow clay)	0.6	25	.	.	1	.	.	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	9	Mixed (living floor, soot, debris)	1.0	39	.	.	.	.	.	.	.	24	.	.	.	.	.	.	.	.	.	.	.	.
	10	Mixed (yellow clay, soot, debris)	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	11*	Mixed (floor deposit, burnt clay debris)	1.0	64	.	.	.	.	.	.	2	25	.	.	.	.	.	.	.	.	.	.	.	.
	12	Mixed occupational layer	1.0	14	.	.	.	.	.	.	.	4	.	.	.	.	1	.	.	.	.	.	.	1

Table 3. Stratigraphic profile 93609. *Samples included in the metric analysis

Period	Stratum	Layer	vol (lit.)	Cereal grains	<i>Hordeum vulgare</i>	<i>Hordeum nudum</i>	<i>Triticum dicoccum</i>	<i>Triticum aestivum</i>	<i>Triticum sp.</i>	<i>Secale cereale</i>	<i>Avena sp.</i>	<i>Panicum miliaceum</i>	Cerealia indet.	Cereal chaff	<i>Hordeum rachis int.</i>	<i>Hordeum lemma fragm.</i>	<i>Triticum dicoccum gl. b.</i>	<i>Triticum dicoccum sp. f.</i>	<i>Triticum aestivum rachis int.</i>	<i>Triticum sp. rachis int.</i>	<i>Secale cereale rachis int.</i>	Oilseeds	<i>Linum usitatissimum</i>	<i>Camelina sativa</i>
MP	1	Floor deposit	2.6	28	.	.	1	.	.	.	.	14	.	.	.	.	.	.	.	.	.	.	.	.
	2*	Floor deposit (sooty/burnt clay)	2.7	250	1	.	.	.	1	2	.	59	2	.	.	.	.	.	.	.	.	.	.	.
	3*	Floor deposit	2.9	176	.	.	.	.	1	.	.	29	.	.	.	.	.	.	.	1	.	.	1	.
	4*	Floor layer (yellow/gray-burnt clay)	1.6	41	.	.	1	.	.	.	.	44	7	.	.	.	.	.	.	.	.	.	8	.
	5*	Floor deposit	3.0	88	.	.	.	.	3	1	.	18	.	.	.	.	.	.	.	.	.	.	2	.
	6	Floor layer (yellow clay)	0.9	13	.	.	.	.	1	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.
	7*	Floor deposit	3.2	63	.	1	2	.	3	.	.	35	.	.	.	.	.	.	.	.	.	.	1	.
	8	Floor layer (yellow clay)	1.5	24	.	.	.	.	.	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.
LRIA	9*	Leveling layer	3.0	66	.	.	.	.	1	.	.	14	.	.	.	.	.	.	.	.	.	.	.	.
ERIA	10*	Floor deposit	2.8	28	.	.	.	.	1	.	.	7	.	.	.	.	.	.	.	.	.	.	.	.
	11a	Floor deposit	2.8	32	.	.	.	.	1	.	.	31	.	.	.	.	.	.	.	.	.	.	2	.
	11b	Floor layer (yellow-gray clay)	1.5	23	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12*	Floor deposit	1.5	64	.	1	.	.	2	.	.	9	.	.	.	.	.	.	.	.	.	.	.	.
	13a*	Floor deposit	1.1	317	.	.	.	.	1	.	.	163	1	.	.	.	.	.	.	.	.	.	4	.
	13b	Floor deposit	3.0	35	.	.	.	.	.	.	.	11	.	.	.	.	.	.	.	.	.	.	.	.

Table 4. Stratigraphic profile 110342. *Samples included in the metric analysis

Period	Stratum	Layer	vol (lit.)	Cereal grains	<i>Hordeum vulgare</i>	<i>Hordeum nudum</i>	<i>Triticum dicoccum</i>	<i>Triticum aestivum</i>	<i>Triticum sp.</i>	<i>Secale cereale</i>	<i>Avena sp.</i>	<i>Panicum miliaceum</i>	Cerealia indet.	Cereal chaff	<i>Hordeum rachis int.</i>	<i>Hordeum lemma fragm.</i>	<i>Triticum dicoccum gl. b.</i>	<i>Triticum dicoccum sp. f.</i>	<i>Triticum aestivum rachis int.</i>	<i>Triticum sp. rachis int.</i>	<i>Secale cereale rachis int.</i>	Oilseeds	<i>Linum usitatissimum</i>	<i>Camelina sativa</i>
MP	1a*	Floor layer (yellow clay)	2.3	95	.	.	.	.	.	.	.	.	26	.	.	.	.	.	.	.	.	.	.	.
	1b*	Floor layer	1.7	115	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	1c	Floor layer (yellow clay)	2.1	42	.	.	.	.	.	.	.	.	11	.	.	.	.	.	.	.	.	.	.	.
	2*	Floor deposit	5.6	61	.	2	.	.	.	.	.	.	7	.	.	.	.	.	.	.	.	.	.	.
	3*	Bldg. collapse-burnt clay	2.3	58	.	.	.	.	.	.	.	.	8	.	.	1	1	1	.	.	.	.	.	.
LRIA	4*	Floor deposit/mixed debris	4.5	137	.	4	.	.	.	.	.	.	21	.	.	.	.	.	.	.	.	.	.	1
	5	Floor layer	1.9	26	.	.	.	.	.	.	.	.	15	.	.	.	.	.	.	.	.	.	1	.
	6*	Sand/gravel/ash lens	7.8	456	.	.	1	1	.	.	.	.	71	.	.	.	.	.	.	.	.	.	.	.
	7*	Floor deposit	2.2	495	.	.	5	5	.	.	.	.	84	6	.	.	.	8	.	.	.	.	1	.
ERIA	8a*	Occupational debris (soot, yellow clay)	2.3	291	.	.	.	.	.	.	.	.	68	6	.	.	.	1	.	.	.	.	.	15
	8b*	Occupational debris (soot, yellow clay)	1.8	304	.	.	.	.	.	.	.	.	24	2	.	.	.	.	.	.	.	.	.	8
	9	Floor layer (yellow clay)	2.0	45	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	.	.	.
	10*	Floor deposit	1.8	96	.	.	.	.	.	.	.	.	16	.	.	.	.	.	1	.	.	.	.	.
	11	Floor fragm. (yellow clay/floor deposit)	0.8	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12	Soot/ash lens	1.4	37	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	13	Floor layer (yellow clay)	1.3	16	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	.	.	.
	14	Floor layer	2.1	27	.	.	.	.	.	.	.	.	8	.	.	.	.	.	.	.	.	.	.	2
	15	Soot lens	1.6	28	.	.	.	.	.	.	.	1	10	8	.	.	1	.	.	.	.	.	.	.
	16	Floor deposit	1.9	38	.	1	.	.	.	.	.	.	6	1	.	.	.	.	.	.	.	.	.	.
	17	Floor layer (gray clay)	0.5	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	18*	Indet. occupational layer	2.1	28	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	19a*	Bldg. collapse (burnt clay, soot)	1.2	109	.	.	.	.	.	.	.	.	4	23	.	3	.	.	.	.	.	.	.	4
	19b*	Floor deposit (w. fragm. of grey clay)	1.8	75	.	.	.	1	.	.	.	.	19	1	.	.	.	.	.	.	.	.	.	1
	20	Indet. occupational layer	3.6	18	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.
	21a*	Hearth/cobbles	1.7	68	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	21b	Hearth/cobbles	3.3	28	.	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	.	.	.

Table 5. Stratigraphic profile 92518. *Samples included in the metric analysis

					Cereal grains	<i>Hordeum vulgare</i>	<i>Hordeum nudum</i>	<i>Triticum dicocum</i>	<i>Triticum aestivum</i>	<i>Triticum</i> sp.	<i>Secale cereale</i>	<i>Avena</i> sp.	<i>Panicum miliaceum</i>	<i>Cerealia indet.</i>	Cereal chaff	<i>Hordeum</i> rachis int.	<i>Hordeum</i> lemma fragm.	<i>Triticum dicocum</i> gl. b.	<i>Triticum dicocum</i> sp. f.	<i>Triticum aestivum</i> rachis int.	<i>Triticum</i> sp. rachis int.	<i>Secale cereale</i> rachis int.	Oil seeds	<i>Linum usitatissimum</i>	<i>Camelina sativa</i>	
Period	Location	Area	Context/layer	vol (lit.)																						
VIK	7	House sequence - House 22 (105208)	Cobble surface	2.3	4768	.	.	.	3	8	.	.	8	9	.	.	.	.	.	.	.	.	.	.	.	
VP	8	Oven area	Oven	0.3	37	.	12	.	5	.	3	.	105	.	.	.	.	.	.	.	.	.	.	2	5	
		Oven area	Oven	0.5	18	.	7	1	.	.	.	.	22	.	.	.	.	.	.	.	.	.	.	.	.	
		House sequence - House 23 w. side (105229)	Floor deposit	4.2	13267		1	2	.	1	.	.	9	5	.	.	.	.	.	.	.	.	.	.	48	
	5	House sequence - House 23 w. side (105228)	Floor deposit	2.2	13160	8	1	1	.	7	12	.	.	2	.	.	.	.	.	.	.	.	.	.	8	
		House sequence - House 23 w. side(105227)	Floor deposit	2.1	350		1	1	.	.	2	.	13	.	.	.	.	.	.	.	.	.	.	6	4	
		House sequence - House 23 w. side (105225)	Floor deposit	3.9	881	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	
		House sequence - House 23 w. side (105234)	Floor deposit	2.4	267	.	.	.	.	.	.	.	8	.	.	.	.	.	.	.	.	.	.	.	.	
		House sequence - House 23 (515)	Floor deposit	1.0	88	.	.	.	.	.	.	.	9	.	.	.	.	.	.	.	.	.	.	.	5	
		House sequence - House 23 (511)	Building collapse	1.0	272	.	.	.	.	.	.	.	27	.	.	.	.	.	.	.	.	.	.	3	2	
	6	House sequence - House 23 (514)	Floor deposit	0.9	56	.	.	.	.	.	.	.	14	.	.	.	.	.	.	.	.	.	.	.	.	
		House sequence - House 24 (518)	Floor deposit	1.0	319	.	1	.	.	1	.	.	103	.	.	.	.	.	.	.	.	.	.	2	15	
		House sequence - House 24 (526)	Floor deposit	1.0	379	.	.	.	.	1	.	.	21	.	.	.	.	.	.	.	.	.	.	.	4	
		House sequence - House 24 (478)	Floor deposit	1.2	978	.	.	5	.	2	.	.	398	6	.	.	.	.	.	.	.	.	2	1		
		House sequence - House 24 (479)	Floor deposit	1.1	1154	2	.	.	1	.	.	.	.	6	.	.	.	.	.	.	.	.	.	.	.	
		House sequence - House 24 (480)	Floor deposit	1.2	495	.	.	.	.	.	.	2	297	8	.	.	.	.	.	.	.	.	.	2	.	
	MP	5	House sequence - House (N IV L4)	Floor deposit	3.0	5500	48	1	1	.	1	4	.	189	11	.	.	.	.	.	.	.	.	.	24	9
		12	Pithouse 1 (10047)	Unknown layer	0.2	2165	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pithouse 1 (26320)			Unknown layer	0.1	101	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Pithouse 1 (10319)			Unknown layer	0.2	845	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
House 11 (36325)			Unknown layer	0.1	461	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
13		House 11 (35039)	Unknown layer	0.5	1612	.	27	11	.	61	235	.	.	13	.	.	.	1	.	.	.	.	.	1	2	
		Bårhuset	Floor deposit	0.4	9360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
10		Bårhuset	Floor deposit	0.4	9880	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
		Bårhuset	Floor deposit	0.8	7410	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
		Bårhuset	Floor deposit	0.8	8320	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LRIA	9	House - phase 4	Floor deposit	12.1	35	.	17	.	.	1	.	.	22	.	.	.	.	.	.	.	.	.	.	.	.	
	15	Artesian area (K309)	Unknown layer	1.1	57	.	.	.	.	.	.	.	22	.	.	.	.	.	.	.	.	.	.	.	.	
		Artisean area (K310/K294)	Occupational layer	2.2	39	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	1	.	
ERIA	14	Trench B (110965)	Hearth	0.9	22	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
		Trench B (109784)	Large hearth	7.7	67	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
		Trench B (110985)	Hearth	0.9	52	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
		Trench B (110987)	Hearth	0.9	49	.	.	.	.	.	1	.	6	2	.	.	.	.	.	.	.	.	.	1	.	
		Trench B (110970)	Hearth	1.5	46	.	.	.	.	.	1	1	19	.	.	.	.	.	.	.	.	.	.	.	.	
		Trench B (110332)	Hearth	0.9	54	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

Table 6. Other areas on Uppåkra

