

Student Workshop Score

Please fill in this assessment for your students

*Required

Online or F2F

Choose



Suturing technique

Yes

No

Needle held at one-third off
length away from the base of the
needle

☐☐

Distance between sutures
equals twice the thickness of
wound

☐☐


Does not touch needle with
hand

☐☐

Right angle entry to tissue on first
side

☐☐

Distance from wound equals

☐☐☐☐

thickness of tissue on first side

Distance from wound equals
thickness of tissue on second
side

Right angle exit from second
side

Knott: 2 throws in one
direction

Knott: 1 throw in the other
direction

Knott: 1 throw in the initial direction

Knott: tied with adequate
tension

Knott: lays to one side

Length of suture ends
adequate

Whole suture lies at right
angle to wound



Tendon Repair Technique

	Yes	Partially	No
Sutures places parallel to tendon ((1cm from edges))	☐	☐	☐
Hand tied knot effectively	☐	☐	☐
Uses needle holder, not fingers, to handle needle	☐	☐	☐
Suture bites not too close to edge off tendon	☐	☐	☐
Tendon edges abutting, not gaping or bunching	☐	☐	☐



Anastomosis Technique

	Yes,	Partially	No
Correct arteriotomy	☐	☐	☐
Matches cut end to arteriotomy size	☐	☐	☐
Continuous repair performed	☐	☐	☐
Choose appropriate sutures	☐	☐	☐
Uses needle holder not fingers to handle needle	☐	☐	☐
Passes needle from inside—outside off artery	☐	☐	☐
Suture bites equidistant from both edges off vessels	☐	☐	☐
Sutures spaced evenly	☐	☐	☐
Everted edges	☐	☐	☐
Hand tied knot	☐	☐	☐
Sutures knotted at midpoint off arteriotomy not apex	☐	☐	☐
Anastomosis	☐	☐	☐



completed in time



Submit