

Table S1. Checklist of alien plants in the Republic of Korea

List	Introduction period	Classification		Notation	Spread Level
Pteridophytes					
Salviniaceae					
1. Azolla cristata Kaulf.	Neo.	NP			PS
2. Azolla filiculoides Lam.	Neo.	NP			PS
Gymnosperm					
Cycadaceae					
3. Cunninghamia lanceolata (Lamb.) Hook.	Neo.	CAP	Cul.		PS
4. Taxodium distichum (L.) Rich.	Neo.	CAP	Cul.		PS
5. Thujopsis dolabrata (L.f.) Siebold & Zucc.	Neo.	CAP	Cul.		PS
Ginkgoaceae					
6. Ginkgo biloba L.	Arc.	CAP	Cul.		PS
Pinaceae					
7. Abies firma Siebold & Zucc.	Neo.	CAP	Cul.		PS
8. Cedrus deodara (Roxb. ex D.Don) G.Don	Neo.	CAP	Cul.		PS
9. Larix kaempferi (Lamb.) Carrière	Neo.	CAP	Cul.	Con.	CS
10. Picea abies (L.) H.Karst.	Neo.	CAP	Cul.		PS

11.	<i>Pinus banksiana</i> Lamb.	Neo.	CAP	Cul.		PS
12.	<i>Pinus bungeana</i> Zucc. ex Endl.	Arc.	CAP	Cul.		PS
13.	<i>Pinus pungens</i> Lamb.	Neo.	CAP	Cul.		PS
14.	<i>Pinus rigida</i> Mill.	Neo.	CAP	Cul.	Con.	CS
15.	<i>Pinus strobus</i> L.	Neo.	CAP	Cul.		PS
16.	<i>Pinus sylvestris</i> L.	Neo.	CAP	Cul.		PS
17.	<i>Pinus taeda</i> L.	Neo.	CAP	Cul.		PS
18.	<i>Tsuga sieboldii</i> Carrière	Neo.	CAP	Cul.		PS

Sciadopityaceae

19.	<i>Sciadopitys verticillata</i> (Thunb.) Siebold & Zucc.	Neo.	CAP	Cul.		PS
-----	--	------	-----	------	--	----

Cupressaceae

20.	<i>Chamaecyparis obtusa</i> (Siebold & Zucc.) Endl.	Neo.	CAP	Cul.		MS
21.	<i>Chamaecyparis pisifera</i> (Siebold & Zucc.) Endl.	Neo.	CAP	Cul.		PS
22.	<i>Cryptomeria japonica</i> (Thunb. ex L.f.) D.Don	Neo.	CAP	Cul.		MS
23.	<i>Juniperus virginiana</i> L.	Neo.	CAP	Cul.		PS
24.	<i>Metasequoia glyptostroboides</i> Hu & W.C.Cheng	Neo.	CAP	Cul.		PS
25.	<i>Thuja occidentalis</i> L.	Neo.	CAP	Cul.		PS

Angiospermae

Cabombaceae

- | | | | | | |
|-----|-----------------------------------|------|----|------|----|
| 26. | <i>Cabomba caroliniana</i> A.Gray | Neo. | NP | Cul. | PS |
|-----|-----------------------------------|------|----|------|----|

Nymphaeaceae

- | | | | | | |
|-----|-------------------------------|------|----|------|----|
| 27. | <i>Nymphaea alba</i> L. | Neo. | NP | Cul. | PS |
| 28. | <i>Nymphaea odorata</i> Aiton | Neo. | NP | Cul. | PS |

Lauraceae

- | | | | | | |
|-----|--|------|-----|------|----|
| 29. | <i>Cinnamomum loureiroi</i> Nees | Arc. | CAP | Cul. | PS |
| 30. | <i>Laurus nobilis</i> L. | Neo. | CAP | Cul. | PS |
| 31. | <i>Lindera triloba</i> (Siebold & Zucc.) Blume | Neo. | CAP | Cul. | PS |

Magnoliaceae

- | | | | | | |
|-----|--|------|-----|------|----|
| 32. | <i>Magnolia denudata</i> Desr. | Neo. | CAP | Cul. | PS |
| 33. | <i>Magnolia denudata</i> Desr. var. <i>purpurascens</i> (Maxim.) Rehder & E.H.Wilson | Neo. | CAP | Cul. | PS |
| 34. | <i>Magnolia grandiflora</i> L. | Neo. | CAP | Cul. | PS |
| 35. | <i>Magnolia liliiflora</i> Desr. | Neo. | CAP | Cul. | PS |
| 36. | <i>Magnolia obovata</i> Thunb. | Neo. | NP | Cul. | PS |

Alismataceae

- | | | | | | |
|-----|--|------|----|------|----|
| 37. | <i>Hydrocleys nymphoides</i> (Humb. & Bonpl. ex Willd.) Buchenau | Neo. | NP | Cul. | PS |
|-----|--|------|----|------|----|

Araceae

38.	<i>Amorphophallus konjac</i> K.Koch	Neo.	CAP	Cul.	PS
39.	<i>Pistia stratiotes</i> L.	Neo.	CAP	Cul.	PS
40.	<i>Spirodela punctata</i> (G.Mey.) C.H.Thomps.	Neo.	NP		PS
41.	<i>Wolffia arrhiza</i> (L.) Horkel ex Wimm.	Neo.	CAP		PS

Butomaceae

42.	<i>Butomus umbellatus</i> L.	Neo.	CAP	Cul.	PS
-----	------------------------------	------	-----	------	----

Hydrocharitaceae

43.	<i>Elodea densa</i> (Planch.) Casp.	Neo.	NP	Cul.	PS
-----	-------------------------------------	------	----	------	----

Dioscoreaceae

44.	<i>Dioscorea bulbifera</i> L.	Neo.	CAP	Cul.	PS
-----	-------------------------------	------	-----	------	----

Liliaceae

45.	<i>Lilium formosanum</i> Wallace	Neo.	CAP	Cul.	PS
-----	----------------------------------	------	-----	------	----

Iridaceae

46.	<i>Iris pseudacorus</i> L.	Neo.	NP	Cul.	MS
47.	<i>Iris pumila</i> L.	Neo.	CAP	Cul.	PS
48.	<i>Sisyrinchium micranthum</i> Cav.	Neo.	NP		PS
49.	<i>Sisyrinchium rosulatum</i> E.P.Bicknell	Neo.	NP		PS
50.	<i>Tritonia</i> × <i>crocismiiflora</i> (Lemoine) G.Nicholson	Neo.	NP	Cul.	PS

Xanthorrhoeaceae

- | | | | | | | |
|-----|---|------|-----|------|------|----|
| 51. | <i>Hemerocallis fulva</i> (L.) L. | Arc. | CAP | Cul. | Con. | CS |
| 52. | <i>Hemerocallis fulva</i> (L.) L. f. <i>kwanso</i> (Regel) Kitam. | Arc. | CAP | Cul. | | PS |

Amaryllidaceae

- | | | | | | | |
|-----|---|------|-----|------|--|----|
| 53. | <i>Allium sativum</i> L. | Arc. | CAP | Cul. | | PS |
| 54. | <i>Allium tuberosum</i> Rottler ex Spreng. | Arc. | CAP | Cul. | | MS |
| 55. | <i>Lycoris radiata</i> (L'Hér.) Herb. | Arc. | CAP | Cul. | | PS |
| 56. | <i>Lycoris squamigera</i> Maxim. | Arc. | CAP | Cul. | | PS |
| 57. | <i>Narcissus tazetta</i> L. subsp. <i>chinensis</i> (M.Roem.) Masam. & Yanagita | Arc. | CAP | Cul. | | PS |
| 58. | <i>Zephyranthes candida</i> (Lindl.) Herb. | Neo. | NP | Cul. | | PS |
| 59. | <i>Zephyranthes carinata</i> Herb. | Neo. | CAP | Cul. | | PS |

Asparagaceae

- | | | | | | | |
|-----|--|------|-----|------|--|----|
| 60. | <i>Anemarrhena asphodeloides</i> Bunge | Arc. | CAP | Cul. | | PS |
| 61. | <i>Asparagus officinalis</i> L. | Neo. | CAP | Cul. | | PS |
| 62. | <i>Hosta</i> × <i>tardiva</i> Nakai | Arc. | CAP | Cul. | | PS |
| 63. | <i>Hosta longipes</i> (Franch. & Sav.) Matsum. | Arc. | NP | Cul. | | MS |
| 64. | <i>Hosta plantaginea</i> (Lam.) Asch. | Arc. | CAP | Cul. | | PS |
| 65. | <i>Hosta sieboldiana</i> (Hook.) Engl. | Arc. | CAP | Cul. | | PS |

66.	<i>Maianthemum racemosum</i> (L.) Link	Neo.	CAP	Cul.	PS
67.	<i>Yucca filamentosa</i> L.	Neo.	CAP	Cul.	PS
68.	<i>Yucca treculiana</i> Carrière	Neo.	CAP	Cul.	PS

Commelinaceae

69.	<i>Commelina benghalensis</i> L.	Neo.	NP		PS
70.	<i>Commelina caroliniana</i> Walter	Neo.	NP (IP)		PS
71.	<i>Murdannia loriformis</i> (Hassk.) R.S.Rao & Kammathy	Neo.	CAP		PS
72.	<i>Murdannia nudiflora</i> (L.) Brenan	Neo.	NP (IP)		PS
73.	<i>Rohdea japonica</i> (Thunb.) Roth	Arc.	NP	Cul.	PS
74.	<i>Tradescantia fluminensis</i> Vell.	Neo.	CAP	Cul.	PS
75.	<i>Tradescantia ohiensis</i> Raf.	Neo.	NP	Cul.	PS
76.	<i>Tradescantia spathacea</i> Sw.	Neo.	NP	Cul.	PS

Pontederiaceae

77.	<i>Eichhornia crassipes</i> (Mart.) Solms	Neo.	NP	Cul.	PS
-----	---	------	----	------	----

Juncaceae

78.	<i>Juncus torreyi</i> Coville	Neo.	CAP		PS
-----	-------------------------------	------	-----	--	----

Cyperaceae

79.	<i>Carex annectens</i> (E.P.Bicknell) E.P.Bicknell	Neo.	CAP		PS
-----	--	------	-----	--	----

80.	<i>Carex brevior</i> (Dewey) Mack. ex Lunell	Neo.	CAP		PS
81.	<i>Carex gravida</i> L.H.Bailey	Neo.	CAP		PS
82.	<i>Carex hirsutella</i> Mack.	Neo.	CAP		PS
83.	<i>Carex molesta</i> Mack.	Neo.	CAP		PS
84.	<i>Carex molestiformis</i> Reznicek & Rothrock	Neo.	CAP		PS
85.	<i>Carex muehlenbergii</i> Willd. var. <i>enervis</i> Boott	Neo.	NP		PS
86.	<i>Carex oklahomensis</i> Mack.	Neo.	CAP		PS
87.	<i>Carex scoparia</i> Schkuhr ex Willd.	Neo.	CAP		PS
88.	<i>Cyperus eragrostis</i> Lam.	Neo.	NP		PS
89.	<i>Cyperus esculentus</i> L.	Neo.	CAP		PS
90.	<i>Cyperus exaltatus</i> Retz. var. <i>iwasakii</i> (Makino) T.Koyama	Arc.	NP	Cul.	PS

Poaceae

91.	<i>Aegilops caudata</i> L.	Neo.	CAP	Unc.	PS
92.	<i>Aegilops cylindrica</i> Host	Neo.	CAP		PS
93.	<i>Agrostis capillaris</i> L.	Neo.	NP		PS
94.	<i>Agrostis stolonifera</i> L.	Neo.	NP		PS
95.	<i>Aira caryophyllea</i> L.	Neo.	NP		PS
96.	<i>Aira elegans</i> Wild. ex Roem. & Schult.	Neo.	CAP		PS

97. <i>Alopecurus geniculatus</i> L.	Neo.	CAP		PS
98. <i>Alopecurus japonicus</i> Steud.	Neo.	NP		MS
99. <i>Alopecurus myosuroides</i> Huds.	Neo.	NP		PS
100. <i>Alopecurus pratensis</i> L.	Neo.	NP (IP)		MS
101. <i>Andropogon virginicus</i> L.	Neo.	NP (IP)		MS
102. <i>Anthoxanthum odoratum</i> L.	Neo.	NP		PS
103. <i>Apera spica-venti</i> (L.) P.Beauv.	Neo.	CAP		PS
104. <i>Arrhenatherum elatius</i> (L.) P.Beauv. ex J.Presl & C.Presl	Neo.	NP		MS
105. <i>Arrhenatherum elatius</i> (L.) P.Beauv. ex J.Presl & C.Presl var. <i>bulbosum</i> (Willd.) Spenn.	Neo.	CAP		PS
106. <i>Arundinaria simonii</i> (Carrière) Rivière & C.Rivière	Arc.	CAP	Cul.	PS
107. <i>Arundo donax</i> L.	Neo.	CAP	Cul.	PS
108. <i>Avena fatua</i> L.	Neo.	NP		Con. CS
109. <i>Avena sativa</i> L.	Arc.	CAP	Cul.	PS
110. <i>Briza minor</i> L.	Neo.	NP		PS
111. <i>Bromus alopecuroides</i> Poir.	Neo.	CAP		PS
112. <i>Bromus arvensis</i> L.	Neo.	CAP		PS
113. <i>Bromus carinatus</i> Hook. & Arn.	Neo.	NP		PS
114. <i>Bromus catharticus</i> Vahl	Neo.	NP		Con. SS

115. <i>Bromus commutatus</i> Schrad.	Neo.	CAP		MS
116. <i>Bromus hordeaceus</i> L.	Neo.	NP		PS
117. <i>Bromus inermis</i> Leyss.	Neo.	NP		MS
118. <i>Bromus racemosus</i> L.	Neo.	NP		PS
119. <i>Bromus rigidus</i> Roth	Neo.	NP		MS
120. <i>Bromus rubens</i> L.	Neo.	CAP		PS
121. <i>Bromus secalinus</i> L.	Neo.	NP		MS
122. <i>Bromus sterilis</i> L.	Neo.	NP		MS
123. <i>Bromus tectorum</i> L.	Neo.	NP	Con.	SS
124. <i>Bromus tectorum</i> L. var. <i>glabratus</i> Spenn.	Neo.	NP		PS
125. <i>Catapodium rigidum</i> (L.) C.E.Hubb.	Neo.	NP		PS
126. <i>Celtica gigantea</i> (Link) F.M.Vázquez & Barkworth	Neo.	CAP	Cul.	PS
127. <i>Cenchrus latifolius</i> (Spreng.) Morrone	Neo.	CAP	Unc.	PS
128. <i>Cenchrus longispinus</i> (Hack.) Fernald	Neo.	NP		PS
129. <i>Chasmanthium latifolium</i> (Michx.) H.O.Yates	Neo.	CAP	Cul.	PS
130. <i>Chloris virgata</i> Sw.	Neo.	NP (IP)		MS
131. <i>Coix lacryma-jobi</i> L.	Neo.	NP	Cul.	PS
132. <i>Coix lacryma-jobi</i> L. var. <i>ma-yuen</i> (Rom.Caill.) Stapf	Arc.	CAP	Cul.	PS

133.	<i>Cortaderia selloana</i> (Schult. & Schult.f.) Asch. & Graebn.	Neo.	CAP	Cul.		PS
134.	<i>Cynosurus cristatus</i> L.	Neo.	CAP	Cul.		PS
135.	<i>Cynosurus echinatus</i> L.	Neo.	CAP			PS
136.	<i>Dactylis glomerata</i> L.	Neo.	NP (IP)		Con.	WS
137.	<i>Dactyloctenium aegyptium</i> (L.) Willd.	Neo.	NP			PS
138.	<i>Danthonia spicata</i> (L.) Roem. & Schult.	Neo.	CAP			PS
139.	<i>Dichanthelium acuminatum</i> (Sw.) Gould & C.A.Clark	Neo.	CAP			PS
140.	<i>Diplachne fusca</i> (L.) P.Beauv. ex Roem. & Schult. subsp. <i>fascicularis</i> (Lam.) P.M.Peterson & N.Snow	Neo.	NP			PS
141.	<i>Diplachne fusca</i> (L.) P.Beauv. ex Roem. & Schult. subsp. <i>uninervia</i> (J.Presl) P.M.Peterson & N.Snow	Neo.	CAP			PS
142.	<i>Echinochloa colonum</i> (L.) Link	Neo.	CAP			PS
143.	<i>Elymus repens</i> (L.) Gould	Neo.	NP		Con.	CS
144.	<i>Eragrostis curvula</i> (Schrud.) Nees	Neo.	NP		Con.	SS
145.	<i>Eragrostis pectinacea</i> (Michx.) Nees	Neo.	NP			PS
146.	<i>Eremochloa ophiuroides</i> (Munro) Hack.	Neo.	NP			PS
147.	<i>Eriochloa contracta</i> Hitchc.	Neo.	CAP			PS
148.	<i>Festuca arundinacea</i> Schreb.	Neo.	NP (IP)		Con.	WS
149.	<i>Festuca heterophylla</i> Lam.	Neo.	NP			MS
150.	<i>Festuca pratensis</i> Huds.	Neo.	NP			PS

151. <i>Glyceria declinata</i> Bréb.	Neo.	NP		PS
152. <i>Hainardia cylindrica</i> (Willd.) Greuter	Neo.	CAP		PS
153. <i>Holcus lanatus</i> L.	Neo.	NP		PS
154. <i>Holcus mollis</i> L.	Neo.	CAP	Unc.	PS
155. <i>Hordeum jubatum</i> L.	Neo.	NP		PS
156. <i>Hordeum murinum</i> L.	Neo.	NP		PS
157. <i>Hordeum pusillum</i> Nutt.	Neo.	NP		PS
158. <i>Hordeum vulgare</i> L.	Arc.	CAP	Cul.	MS
159. <i>Lolium multiflorum</i> Lam.	Neo.	NP		Con. WS
160. <i>Lolium perenne</i> L.	Neo.	NP		Con. WS
161. <i>Lolium rigidum</i> Gaudin	Neo.	NP		PS
162. <i>Lolium temulentum</i> L.	Neo.	CAP		PS
163. <i>Muhlenbergia capillaris</i> (Lam.) Trin.	Neo.	CAP	Cul.	PS
164. <i>Oryza sativa</i> L.	Arc.	CAP	Cul.	PS
165. <i>Panicum dichotomiflorum</i> Michx.	Neo.	NP		Con. WS
166. <i>Panicum miliaceum</i> L.	Arc.	NP	Cul.	PS
167. <i>Panicum virgatum</i> L.	Neo.	NP		PS
168. <i>Parapholis incurva</i> (L.) C.E.Hubb.	Neo.	NP		PS

169. <i>Paspalum dilatatum</i> Poir.	Neo.	NP (IP)		PS
170. <i>Paspalum distichum</i> L.	Neo.	NP (IP)	Reg.	MS
171. <i>Paspalum distichum</i> L. var. <i>indutum</i> Shinnery	Neo.	NP (IP)	Reg.	PS
172. <i>Paspalum notatum</i> Flügge	Neo.	CAP		PS
173. <i>Paspalum urvillei</i> Steud.	Neo.	CAP		PS
174. <i>Pennisetum flaccidum</i> Griseb.	Neo.	CAP		PS
175. <i>Phalaris canariensis</i> L.	Neo.	NP		PS
176. <i>Phalaris minor</i> Retz.	Neo.	NP		PS
177. <i>Phalaris paradoxa</i> L.	Neo.	CAP		PS
178. <i>Phleum paniculatum</i> Huds.	Neo.	NP		PS
179. <i>Phleum pratense</i> L.	Neo.	NP	Con.	CS
180. <i>Phyllostachys nigra</i> (Lodd. ex Lindl.) Munro	Arc.	CAP	Cul.	PS
181. <i>Phyllostachys reticulata</i> (Rupr.) K.Koch	Arc.	CAP	Cul.	PS
182. <i>Poa bulbosa</i> L.	Neo.	CAP		PS
183. <i>Poa bulbosa</i> L. subsp. <i>vivipara</i> (Koeler) Arcang.	Neo.	CAP		PS
184. <i>Poa compressa</i> L.	Neo.	NP	Con.	CS
185. <i>Poa pratensis</i> L.	Neo.	NP (IP)	Con.	WS
186. <i>Poa trivialis</i> L.	Neo.	NP	Con.	CS

187. <i>Puccinellia distans</i> (Jacq.) Parl.	Neo.	CAP			PS
188. <i>Rottboellia cochinchinensis</i> (Lour.) Clayton	Neo.	CAP			PS
189. <i>Saccharum arundinaceum</i> Retz.	Neo.	CAP			PS
190. <i>Saccharum spontaneum</i> L.	Neo.	NP			PS
191. <i>Secale cereale</i> L.	Neo.	CAP	Cul.		MS
192. <i>Setaria italica</i> (L.) P.Beauv.	Arc.	CAP	Cul.		PS
193. <i>Setaria verticillata</i> (L.) P.Beauv.	Neo.	CAP		Unc.	PS
194. <i>Sorghum bicolor</i> (L.) Moench	Arc.	CAP	Cul.		PS
195. <i>Sorghum halepense</i> (L.) Pers.	Neo.	NP			MS
196. <i>Spartina alterniflora</i> Loisel.	Neo.	NP (IP)		Reg.	PS
197. <i>Spartina anglica</i> C.E.Hubb.	Neo.	NP (IP)		Reg.	PS
198. <i>Stipa tirsia</i> Steven	Neo.	CAP	Cul.		PS
199. <i>Triticum aestivum</i> L.	Arc.	CAP	Cul.		PS
200. <i>Vulpia bromoides</i> (L.) Gray	Neo.	NP			PS
201. <i>Vulpia myuros</i> (L.) C.C.Gmel.	Neo.	NP		Con.	SS
202. <i>Vulpia myuros</i> (L.) C.C.Gmel. subsp. <i>megalura</i> (Nutt.) Soják	Neo.	CAP			PS
203. <i>Vulpia octoflora</i> (Walter) Rydb.	Neo.	NP			PS
204. <i>Zea mays</i> L.	Arc.	CAP	Cul.		PS

205. <i>Zoysia matrella</i> (L.) Merr.	Neo.	CAP	Cul.	PS
206. <i>Zoysia pacifica</i> (Goudswaard) M.Hotta & Kuroki	Neo.	CAP	Cul.	PS
Cannaceae				
207. <i>Canna</i> × <i>generalis</i> L.H.Bailey	Neo.	CAP	Cul.	PS
Marantaceae				
208. <i>Thalia dealbata</i> Fraser	Neo.	CAP	Cul.	PS
Zingiberaceae				
209. <i>Hedychium coronarium</i> J.Koenig	Neo.	CAP	Cul.	PS
210. <i>Zingiber mioga</i> (Thunb.) Roscoe	Neo.	NP	Cul.	PS
Berberidaceae				
211. <i>Berberis thunbergii</i> DC.	Neo.	CAP	Cul.	PS
212. <i>Nandina domestica</i> Thunb.	Arc.	CAP	Cul.	PS
Ranunculaceae				
213. <i>Clematis florida</i> Thunb.	Arc.	CAP	Cul.	PS
214. <i>Delphinium ajacis</i> L.	Neo.	CAP	Cul.	PS
215. <i>Delphinium consolida</i> L.	Neo.	CAP		PS
216. <i>Eriocapitella hupehensis</i> (É.Lemoine) Christenh. & Byng	Arc.	CAP	Cul.	PS
217. <i>Ranunculus arvensis</i> L.	Neo.	CAP		Unc. PS

218. <i>Ranunculus muricatus</i> L.	Neo.	NP		PS
219. <i>Ranunculus sardous</i> Crantz	Neo.	NP		PS

Papaveraceae

220. <i>Dactylicapnos scandens</i> (D.Don) Hutch.	Neo.	CAP	Cul.	PS
221. <i>Dactylicapnos torulosa</i> (Hook.f. & Thomson) Hutch.	Neo.	CAP	Cul.	PS
222. <i>Dicentra formosa</i> (Andrews) Walp.	Neo.	CAP	Cul.	PS
223. <i>Eschscholzia californica</i> Cham.	Neo.	CAP	Cul.	PS
224. <i>Fumaria officinalis</i> L.	Neo.	NP		PS
225. <i>Papaver dubium</i> L.	Neo.	NP		PS
226. <i>Papaver hybridum</i> L.	Neo.	CAP		PS
227. <i>Papaver rhoeas</i> L.	Arc.	NP	Cul.	Con. CS
228. <i>Papaver somniferum</i> L.	Arc.	CAP	Cul.	PS
229. <i>Papaver somniferum</i> L. subsp. <i>setigerum</i> (DC.) Arcang.	Neo.	CAP	Cul.	PS
230. <i>Sarcocapnos crassifolia</i> (Desf.) DC.	Neo.	CAP	Cul.	PS

Nelumbonaceae

231. <i>Nelumbo nucifera</i> Gaertn.	Arc.	CAP	Cul.	PS
--------------------------------------	------	-----	------	----

Platanaceae

232. <i>Platanus</i> × <i>hispanica</i> Mill. ex Münchh.	Neo.	CAP	Cul.	PS
--	------	-----	------	----

233. <i>Platanus occidentalis</i> L.	Neo.	CAP	Cul.	PS
234. <i>Platanus orientalis</i> L.	Neo.	CAP	Cul.	PS
Buxaceae				
235. <i>Buxus microphylla</i> Siebold & Zucc.	Arc.	CAP	Cul.	PS
236. <i>Pachysandra terminalis</i> Siebold & Zucc.	Arc.	CAP	Cul.	PS
Paeoniaceae				
237. <i>Paeonia</i> × <i>suffruticosa</i> Andrews	Arc.	CAP	Cul.	PS
Hamamelidaceae				
238. <i>Hamamelis japonica</i> Siebold & Zucc.	Neo.	CAP	Cul.	PS
Cercidiphyllaceae				
239. <i>Cercidiphyllum japonicum</i> Siebold & Zucc. ex J.J.Hoffm. & J.H.Schult.bis	Neo.	CAP	Cul.	PS
Crassulaceae				
240. <i>Sedum mexicanum</i> Britton	Neo.	CAP	Cul.	PS
Haloragaceae				
241. <i>Myriophyllum aquaticum</i> (Vell.) Verdc.	Neo.	NP (IP)	Cul.	PS
Saxifragaceae				
242. <i>Bergenia stracheyi</i> (Hook.f. & Thomson) Engl.	Neo.	CAP	Cul.	PS
243. <i>Saxifraga stolonifera</i> Curtis	Arc.	CAP	Cul.	PS

Vitaceae

244. <i>Parthenocissus quinquefolia</i> (L.) Planch.	Neo.	CAP	Cul.		PS
--	------	-----	------	--	----

Oxalidaceae

245. <i>Oxalis articulata</i> Savigny	Neo.	NP	Cul.		PS
---------------------------------------	------	----	------	--	----

246. <i>Oxalis bowiei</i> W.T.Aiton ex G.Don	Neo.	CAP	Cul.		PS
--	------	-----	------	--	----

247. <i>Oxalis corniculata</i> L.	Arc.	NP (IP)		Con.	WS
-----------------------------------	------	---------	--	------	----

248. <i>Oxalis debilis</i> Kunth var. <i>corymbosa</i> (DC.) Lourteig	Neo.	NP	Cul.		PS
---	------	----	------	--	----

249. <i>Oxalis dillenii</i> Jacq.	Neo.	NP			MS
-----------------------------------	------	----	--	--	----

Clusiaceae

250. <i>Hypericum perforatum</i> L.	Neo.	CAP	Cul.		PS
-------------------------------------	------	-----	------	--	----

Violaceae

251. <i>Viola arvensis</i> Murray	Neo.	CAP	Cul.		PS
-----------------------------------	------	-----	------	--	----

252. <i>Viola inconspicua</i> Blume	Neo.	NP			PS
-------------------------------------	------	----	--	--	----

253. <i>Viola palmata</i> L.	Neo.	CAP			PS
------------------------------	------	-----	--	--	----

254. <i>Viola sororia</i> Willd.	Neo.	NP	Cul.		MS
----------------------------------	------	----	------	--	----

255. <i>Viola tricolor</i> L.	Neo.	CAP	Cul.		PS
-------------------------------	------	-----	------	--	----

Salicaceae

256. <i>Populus</i> × <i>canadensis</i> Moench	Neo.	NP	Cul.		PS
--	------	----	------	--	----

257. <i>Populus alba</i> L.	Neo.	CAP	Cul.	PS
258. <i>Populus nigra</i> L.	Neo.	CAP	Cul.	PS
259. <i>Salix babylonica</i> L.	Arc.	CAP	Cul.	PS
260. <i>Salix matsudana</i> Koidz. f. <i>tortuosa</i> (Vilm.) Rehder	Neo.	NP	Cul.	PS

Euphorbiaceae

261. <i>Euphorbia cyparissias</i> L.	Neo.	CAP	Cul.	PS
262. <i>Euphorbia dentata</i> Michx.	Neo.	NP		PS
263. <i>Euphorbia enopla</i> Boiss.	Neo.	CAP	Cul.	PS
264. <i>Euphorbia heterophylla</i> L.	Neo.	CAP		PS
265. <i>Euphorbia hirta</i> L.	Neo.	CAP		PS
266. <i>Euphorbia maculata</i> L.	Neo.	NP		Con. WS
267. <i>Euphorbia makinoi</i> Hayata	Neo.	CAP		PS
268. <i>Euphorbia marginata</i> Pursh	Neo.	CAP	Cul.	PS
269. <i>Euphorbia nutans</i> Lag.	Neo.	NP (IP)		Con. SS
270. <i>Euphorbia prostrata</i> Aiton	Neo.	CAP		PS
271. <i>Ricinus communis</i> L.	Arc.	CAP	Cul.	PS
272. <i>Vernicia fordii</i> (Hemsl.) Airy Shaw	Neo.	CAP	Cul.	PS

Linaceae

273. <i>Linum usitatissimum</i> L.	Neo.	CAP	Cul.			PS
274. <i>Linum virginianum</i> L.	Neo.	NP				PS
Cucurbitaceae						
275. <i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai	Arc.	CAP	Cul.			PS
276. <i>Cucumis melo</i> L.	Arc.	CAP	Cul.			PS
277. <i>Lagenaria siceraria</i> (Molina) Standl.	Arc.	CAP	Cul.			PS
278. <i>Sicyos angulatus</i> L.	Neo.	NP (IP)		Reg.	Con.	WS
Fabaceae						
279. <i>Amorpha canescens</i> Pursh	Neo.	CAP	Cul.			PS
280. <i>Amorpha fruticosa</i> L.	Neo.	NP (IP)	Cul.		Con.	WS
281. <i>Astragalus sinicus</i> L.	Arc.	NP	Cul.		Con.	CS
282. <i>Caragana sinica</i> (Buc'hoz) Rehder	Arc.	CAP	Cul.			MS
283. <i>Cercis chinensis</i> Bunge	Arc.	CAP	Cul.			MS
284. <i>Chamaecrista nictitans</i> (L.) Moench	Neo.	CAP				PS
285. <i>Cytisus scoparius</i> (L.) Link	Neo.	CAP	Cul.			PS
286. <i>Desmodium paniculatum</i> (L.) DC.	Neo.	CAP				PS
287. <i>Galega officinalis</i> L.	Neo.	CAP	Cul.			PS
288. <i>Glycyrrhiza uralensis</i> Fisch. ex DC.	Arc.	CAP	Cul.			PS

289. <i>Indigofera bungeana</i> Walp.	Neo.	NP	Cul.	Con.	CS
290. <i>Lathyrus aphaca</i> L.	Neo.	CAP			PS
291. <i>Lespedeza davidii</i> Franch.	Neo.	CAP			PS
292. <i>Lespedeza floribunda</i> Bunge	Neo.	CAP			PS
293. <i>Lespedeza lichiyuniae</i> T.Nemoto, H.Ohashi & T.Itô	Neo.	NP			PS
294. <i>Lespedeza thunbergii</i> (DC.) Nakai subsp. <i>formosa</i> (Vogel) H.Ohashi	Neo.	CAP			PS
295. <i>Lotus corniculatus</i> L.	Neo.	NP		Con.	CS
296. <i>Lotus pedunculatus</i> Cav.	Neo.	NP			PS
297. <i>Lotus tenuis</i> Waldst. & Kit. ex Willd.	Neo.	CAP	Unc.		PS
298. <i>Lupinus angustifolius</i> L.	Neo.	NP			PS
299. <i>Medicago lupulina</i> L.	Neo.	NP		Con.	CS
300. <i>Medicago minima</i> (L.) Bartal.	Neo.	NP			PS
301. <i>Medicago polymorpha</i> L.	Neo.	NP			MS
302. <i>Medicago sativa</i> L.	Neo.	NP (IP)		Con.	WS
303. <i>Melilotus albus</i> Medik.	Neo.	NP (IP)		Con.	CS
304. <i>Melilotus dentatus</i> (Waldst. & Kit.) Desf.	Neo.	CAP			PS
305. <i>Melilotus indicus</i> (L.) All.	Neo.	NP			PS
306. <i>Melilotus officinalis</i> (L.) Lam.	Neo.	CAP			PS

307. <i>Melilotus suaveolens</i> Ledeb.	Arc.	NP		Con.	SS
308. <i>Mimosa pudica</i> L.	Neo.	CAP	Cul.		PS
309. <i>Robinia hispida</i> L.	Neo.	CAP	Cul.		PS
310. <i>Robinia pseudoacacia</i> L.	Neo.	NP (IP)	Cul.	Con.	WS
311. <i>Securigera varia</i> (L.) Lassen	Neo.	CAP			PS
312. <i>Senna occidentalis</i> (L.) Link	Neo.	CAP	Cul.		PS
313. <i>Senna tora</i> (L.) Roxb.	Arc.	CAP	Cul.		PS
314. <i>Styphnolobium japonicum</i> (L.) Schott	Arc.	CAP	Cul.		PS
315. <i>Trifolium campestre</i> Schreb.	Neo.	NP			PS
316. <i>Trifolium dubium</i> Sibth.	Neo.	NP			PS
317. <i>Trifolium hybridum</i> L.	Neo.	NP			MS
318. <i>Trifolium incarnatum</i> L.	Neo.	CAP			PS
319. <i>Trifolium pratense</i> L.	Neo.	NP (IP)		Con.	WS
320. <i>Trifolium repens</i> L.	Neo.	NP (IP)		Con.	WS
321. <i>Trifolium resupinatum</i> L.	Neo.	CAP		Unc.	PS
322. <i>Ulex europaeus</i> L.	Neo.	CAP	Cul.		PS
323. <i>Vicia dasycarpa</i> Ten.	Neo.	NP			MS
324. <i>Vicia grandiflora</i> Scop.	Neo.	CAP			PS

325. <i>Vicia sepium</i> L.	Neo.	CAP			PS
326. <i>Vicia villosa</i> Roth	Neo.	NP		Con.	CS
327. <i>Vigna angularis</i> (Willd.) Ohwi & H. Ohashi	Arc.	CAP	Cul.		MS
Juglandaceae					
328. <i>Juglans regia</i> L.	Arc.	CAP	Cul.		MS
329. <i>Pterocarya stenoptera</i> C.DC.	Neo.	NP	Cul.		PS
Betulaceae					
330. <i>Alnus firma</i> Siebold & Zucc.	Neo.	CAP	Cul.	Con.	CS
331. <i>Alnus pendula</i> Matsum.	Neo.	CAP	Cul.		PS
Rosaceae					
332. <i>Chaenomeles japonica</i> (Thunb.) Lindl. ex Spach	Arc.	CAP	Cul.		PS
333. <i>Chaenomeles speciosa</i> (Sweet) Nakai	Neo.	CAP	Cul.		PS
334. <i>Crataegus scabrida</i> Sarg.	Neo.	CAP	Cul.		PS
335. <i>Eriobotrya japonica</i> (Thunb.) Lindl.	Arc.	CAP	Cul.		PS
336. <i>Fragaria</i> × <i>ananassa</i> (Duchesne ex Weston) Duchesne ex Rozier	Neo.	CAP	Cul.		PS
337. <i>Kerria japonica</i> (L.) DC.	Neo.	CAP	Cul.		PS
338. <i>Photinia glabra</i> (Thunb.) Franch. & Sav.	Neo.	CAP	Cul.		PS
339. <i>Physocarpus opulifolius</i> (L.) Maxim. var. <i>intermedius</i> (Rydb.) B.L. Rob.	Neo.	CAP	Cul.		PS

340. <i>Potentilla supina</i> L. subsp. <i>paradoxa</i> (Nutt.) Soják	Neo.	NP (IP)		Con.	WS
341. <i>Prunus armeniaca</i> L.	Arc.	CAP	Cul.		PS
342. <i>Prunus mume</i> (Siebold) Siebold & Zucc.	Arc.	CAP	Cul.		PS
343. <i>Prunus persica</i> (L.) Batsch	Arc.	CAP	Cul.	Con.	WS
344. <i>Prunus salicina</i> Lindl.	Arc.	CAP	Cul.		PS
345. <i>Prunus tomentosa</i> Thunb.	Arc.	CAP	Cul.		MS
346. <i>Pseudocydonia sinensis</i> (Dum.Cours.) C.K.Schneid.	Arc.	CAP	Cul.		PS
347. <i>Pyrus pyrifolia</i> (Burm.f.) Nakai var. <i>culta</i> (Makino) Nakai	Arc.	CAP	Cul.		PS
348. <i>Rosa laevigata</i> Michx.	Arc.	CAP			PS
349. <i>Rosa multiflora</i> Thunb. var. <i>platyphylla</i> Thory	Neo.	CAP	Cul.		PS
350. <i>Rubus fruticosus</i> L.	Neo.	NP	Cul.		PS
351. <i>Sanguisorba minor</i> Scop.	Neo.	CAP			PS
352. <i>Sorbaria kirilowii</i> (Regel & Tiling) Maxim.	Neo.	CAP	Cul.		PS
353. <i>Spiraea cantoniensis</i> Lour.	Neo.	CAP	Cul.		PS
354. <i>Spiraea thunbergii</i> Siebold ex Blume	Neo.	CAP	Cul.		PS

Rhamnaceae

355. <i>Ziziphus jujuba</i> Mill.	Arc.	CAP	Cul.		PS
-----------------------------------	------	-----	------	--	----

Elaeagnaceae

356. <i>Elaeagnus multiflora</i> Thunb.	Neo.	CAP	Cul.		PS
357. <i>Elaeagnus pungens</i> Thunb.	Neo.	CAP	Cul.		PS
Cannabaceae					
358. <i>Cannabis sativa</i> L.	Arc.	NP	Cul.		PS
359. <i>Humulus lupulus</i> L.	Neo.	CAP	Cul.		PS
Moraceae					
360. <i>Ficus carica</i> L.	Neo.	CAP	Cul.		PS
361. <i>Morus alba</i> L.	Arc.	NP	Cul.	Con.	CS
Urticaceae					
362. <i>Parietaria pensylvanica</i> Muhl. ex Willd.	Neo.	NP			PS
363. <i>Pilea microphylla</i> (L.) Liebm.	Neo.	CAP			PS
364. <i>Urtica dioica</i> L.	Neo.	NP (IP)			PS
Geraniaceae					
365. <i>Erodium cicutarium</i> (L.) L'Hér.	Neo.	CAP			PS
366. <i>Erodium moschatum</i> (L.) L'Hér.	Neo.	CAP	Cul.		PS
367. <i>Geranium carolinianum</i> L.	Neo.	NP (IP)		Con.	SS
368. <i>Geranium dissectum</i> L.	Neo.	NP			PS
369. <i>Geranium divaricatum</i> Ehrh.	Neo.	CAP			PS

370. <i>Geranium purpureum</i> Vill.	Neo.	NP (IP)			PS
Onagraceae					
371. <i>Epilobium parviflorum</i> Schreb.	Neo.	CAP	Cul.		PS
372. <i>Gaura lindheimeri</i> Engelm. & A.Gray	Neo.	CAP	Cul.		PS
373. <i>Ludwigia peploides</i> (Kunth) P.H.Raven subsp. <i>montevidensis</i> (Spreng.) P.H.Raven	Neo.	NP (IP)	Cul.	Reg.	PS
374. <i>Oenothera biennis</i> L.	Neo.	NP (IP)		Con.	WS
375. <i>Oenothera glazioviana</i> Micheli	Neo.	CAP			MS
376. <i>Oenothera laciniata</i> Hill	Neo.	NP (IP)			PS
377. <i>Oenothera macrocarpa</i> Nutt.	Neo.	CAP	Cul.		PS
378. <i>Oenothera rosea</i> L'Her. ex Aiton	Neo.	CAP	Cul.		PS
379. <i>Oenothera speciosa</i> Nutt.	Neo.	CAP	Cul.		PS
380. <i>Oenothera stricta</i> Ledeb. ex Link	Neo.	CAP	Cul.		PS
Lythraceae					
381. <i>Ammannia coccinea</i> Rottb.	Neo.	CAP			MS
382. <i>Lagerstroemia indica</i> L.	Arc.	CAP	Cul.		PS
Tropaeolaceae					
383. <i>Tropaeolum majus</i> L.	Neo.	CAP	Cul.		PS
Cleomaceae					

384. <i>Cleome houtteana</i> Schltdl.	Neo.	CAP	Cul.		PS
Brassicaceae					
385. <i>Alliaria petiolata</i> (M.Bieb.) Cavara & Grande	Neo.	NP (IP)		Reg.	PS
386. <i>Armoracia rusticana</i> G.Gaertn., B.Mey. & Scherb.	Neo.	CAP	Cul.		PS
387. <i>Barbarea verna</i> (Mill.) Asch.	Neo.	CAP			PS
388. <i>Barbarea vulgaris</i> W.T.Aiton	Neo.	NP (IP)			MS
389. <i>Brassica juncea</i> (L.) Czern.	Arc.	NP	Cul.	Con.	SS
390. <i>Brassica napus</i> L.	Arc.	CAP	Cul.	Con.	CS
391. <i>Brassica rapa</i> L. var. <i>akana</i> (Makino) Kitam.	Neo.	CAP	Cul.		PS
392. <i>Brassica tournefortii</i> Gouan	Neo.	NP			PS
393. <i>Cakile edentula</i> (Bigelow) Hook.	Neo.	CAP			PS
394. <i>Camelina microcarpa</i> Andrz. ex DC.	Neo.	NP			PS
395. <i>Camelina sativa</i> (L.) Crantz	Neo.	NP			PS
396. <i>Cardamine hirsuta</i> L.	Neo.	NP			PS
397. <i>Chorispora tenella</i> (Pall.) DC.	Neo.	NP			PS
398. <i>Conringia orientalis</i> (L.) C.Presl	Neo.	CAP			PS
399. <i>Coronopus didymus</i> (L.) Sm.	Neo.	NP			PS
400. <i>Descurainia pinnata</i> (Walter) Britton	Neo.	CAP		Unc.	PS

401. <i>Descurainia sophia</i> (L.) Webb ex Prantl	Neo.	NP			MS
402. <i>Diplotaxis muralis</i> (L.) DC.	Neo.	NP			PS
403. <i>Eruca vesicaria</i> (L.) Cav.	Neo.	CAP	Cul.		PS
404. <i>Erucastrum gallicum</i> (Willd.) O.E.Schulz	Neo.	CAP		Unc.	PS
405. <i>Erysimum repandum</i> L.	Neo.	CAP			PS
406. <i>Iberis amara</i> L.	Neo.	CAP	Cul.		PS
407. <i>Lepidium bonariense</i> L.	Neo.	NP			PS
408. <i>Lepidium campestre</i> (L.) W.T.Aiton	Neo.	NP			PS
409. <i>Lepidium densiflorum</i> Schrad.	Neo.	NP			MS
410. <i>Lepidium draba</i> L.	Neo.	CAP			PS
411. <i>Lepidium latifolium</i> L.	Neo.	CAP			PS
412. <i>Lepidium perfoliatum</i> L.	Neo.	NP			PS
413. <i>Lepidium pinnatifidum</i> Ledeb.	Neo.	NP			PS
414. <i>Lepidium sativum</i> L.	Neo.	CAP		Unc.	PS
415. <i>Lepidium virginicum</i> L.	Neo.	NP		Con.	WS
416. <i>Myagrum perfoliatum</i> L.	Neo.	CAP		Unc.	PS
417. <i>Nasturtium officinale</i> W.T.Aiton	Neo.	NP			MS
418. <i>Neslia paniculata</i> (L.) Desv.	Neo.	CAP		Unc.	PS

419. <i>Raphanus raphanistrum</i> L.	Neo.	CAP	Unc.	PS
420. <i>Rapistrum rugosum</i> (L.) All.	Neo.	NP		PS
421. <i>Rorippa sylvestris</i> (L.) Besser	Neo.	NP		PS
422. <i>Sinapis arvensis</i> L.	Neo.	NP		PS
423. <i>Sisymbrium altissimum</i> L.	Neo.	NP		PS
424. <i>Sisymbrium irio</i> L.	Neo.	CAP		PS
425. <i>Sisymbrium officinale</i> (L.) Scop.	Neo.	NP		PS
426. <i>Sisymbrium orientale</i> L.	Neo.	NP		PS
427. <i>Thlaspi arvense</i> L.	Arc.	NP (IP)	Con.	WS
Thymelaeaceae				
428. <i>Daphne odora</i> Thunb.	Arc.	CAP	Cul.	PS
429. <i>Edgeworthia chrysantha</i> Lindl.	Arc.	CAP	Cul.	PS
Malvaceae				
430. <i>Abutilon theophrasti</i> Medik.	Arc.	NP	Con.	SS
431. <i>Alcea rosea</i> L.	Arc.	CAP	Cul.	PS
432. <i>Anoda cristata</i> (L.) Schltldl.	Neo.	CAP		PS
433. <i>Corchorus capsularis</i> L.	Neo.	CAP	Cul.	PS
434. <i>Firmiana simplex</i> (L.) W.Wight	Arc.	CAP	Cul.	PS

435. <i>Hibiscus mutabilis</i> L.	Arc.	CAP	Cul.	PS
436. <i>Hibiscus syriacus</i> L.	Arc.	CAP	Cul.	PS
437. <i>Hibiscus trionum</i> L.	Arc.	NP		MS
438. <i>Malva neglecta</i> Wallr.	Neo.	NP		MS
439. <i>Malva parviflora</i> L.	Neo.	NP		PS
440. <i>Malva pusilla</i> Sm.	Neo.	NP		PS
441. <i>Malva sylvestris</i> L.	Arc.	NP	Cul.	PS
442. <i>Malva verticillata</i> L.	Arc.	CAP	Cul.	PS
443. <i>Melochia corchorifolia</i> L.	Neo.	NP		PS
444. <i>Modiola caroliniana</i> (L.) G.Don	Neo.	NP		PS
445. <i>Sida rhombifolia</i> L.	Neo.	NP		PS
446. <i>Sida spinosa</i> L.	Neo.	NP		MS

Anacardiaceae

447. <i>Toxicodendron vernicifluum</i> (Stokes) F.A.Barkley	Arc.	NP	Cul.	MS
---	------	----	------	----

Meliaceae

448. <i>Melia azedarach</i> L.	Arc.	NP	Cul.	PS
449. <i>Toona sinensis</i> (A.Juss.) M.Roem.	Arc.	NP	Cul.	PS

Sapindaceae

450. <i>Acer buergerianum</i> Miq.	Neo.	CAP	Cul.		PS
451. <i>Acer negundo</i> L.	Neo.	CAP	Cul.		PS
452. <i>Acer pycnanthum</i> K.Koch	Neo.	CAP	Cul.		PS
453. <i>Acer saccharinum</i> L.	Neo.	CAP	Cul.		PS
454. <i>Aesculus turbinata</i> Blume	Neo.	CAP	Cul.		PS
455. <i>Cardiospermum halicacabum</i> L.	Neo.	CAP	Cul.		PS
456. <i>Sapindus mukorossi</i> Gaertn.	Neo.	CAP	Cul.		PS

Simaroubaceae

457. <i>Ailanthus altissima</i> (Mill.) Swingle	Arc.	NP	Cul.	Con.	SS
---	------	----	------	------	----

Amaranthaceae

458. <i>Alternanthera sessilis</i> (L.) R.Br. ex DC.	Neo.	CAP		Unc.	PS
459. <i>Amaranthus albus</i> L.	Neo.	CAP		Unc.	PS
460. <i>Amaranthus arenicola</i> I.M.Johnst.	Neo.	CAP		Unc.	PS
461. <i>Amaranthus blitum</i> L. subsp. <i>oleraceus</i> (L.) Costea	Arc.	NP		Con.	WS
462. <i>Amaranthus caudatus</i> L.	Arc.	NP	Cul.		PS
463. <i>Amaranthus deflexus</i> L.	Neo.	CAP		Unc.	PS
464. <i>Amaranthus hybridus</i> L.	Neo.	NP		Con.	SS
465. <i>Amaranthus palmeri</i> S.Watson	Neo.	CAP		Unc.	PS

466. <i>Amaranthus patulus</i> Bertol.	Neo.	NP		Con.	WS
467. <i>Amaranthus powellii</i> S.Watson	Neo.	CAP			PS
468. <i>Amaranthus retroflexus</i> L.	Neo.	NP		Con.	SS
469. <i>Amaranthus spinosus</i> L.	Neo.	NP			PS
470. <i>Amaranthus tricolor</i> L.	Arc.	NP	Cul.		PS
471. <i>Amaranthus viridis</i> L.	Neo.	NP		Con.	CS
472. <i>Atriplex prostrata</i> Boucher ex DC.	Neo.	NP			PS
473. <i>Atriplex prostrata</i> Boucher ex DC. subsp. <i>calotheca</i> (Rafn) M.A.Gust.	Neo.	NP			PS
474. <i>Bassia scoparia</i> (L.) A.J.Scott	Neo.	NP	Cul.		MS
475. <i>Celosia argentea</i> L.	Arc.	NP	Cul.		PS
476. <i>Celosia argentea</i> L. var. <i>cristata</i> (L.) Kuntze	Arc.	CAP	Cul.		PS
477. <i>Chenopodiastrum hybridum</i> (L.) S.Fuentes, Uotila & Borsch	Neo.	NP			PS
478. <i>Chenopodium album</i> L.	Arc.	NP (IP)		Con.	WS
479. <i>Chenopodium ficifolium</i> Sm.	Neo.	NP (IP)		Con.	WS
480. <i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants	Neo.	NP			MS
481. <i>Dysphania pumilio</i> (R.Br.) Mosyakin & Clemants	Neo.	NP			MS
482. <i>Gomphrena globosa</i> L.	Neo.	CAP	Cul.		PS
483. <i>Oxybasis glauca</i> (L.) S.Fuentes, Uotila & Borsch	Neo.	NP		Con.	SS

Cactaceae

484. <i>Opuntia ficus-indica</i> (L.) Mill.	Arc.	NP	Cul.	PS
485. <i>Opuntia humifusa</i> (Raf.) Raf.	Neo.	CAP	Cul.	PS
486. <i>Opuntia monacanthos</i> (Willd.) Haw.	Arc.	NP		PS
487. <i>Opuntia stricta</i> (Haw.) Haw.	Arc.	NP		PS

Caryophyllaceae

488. <i>Agrostemma githago</i> L.	Neo.	CAP	Cul.	PS
489. <i>Cerastium glomeratum</i> Thuill.	Neo.	NP (IP)		Con. WS
490. <i>Cerastium pumilum</i> Curtis	Neo.	CAP		PS
491. <i>Dianthus armeria</i> L.	Neo.	CAP		PS
492. <i>Dianthus caryophyllus</i> L.	Neo.	CAP	Cul.	PS
493. <i>Dianthus deltoides</i> L.	Neo.	CAP	Cul.	PS
494. <i>Gypsophila vaccaria</i> (L.) Sm.	Neo.	CAP	Cul.	PS
495. <i>Holosteum umbellatum</i> L.	Neo.	NP		PS
496. <i>Petrorhagia nanteuillii</i> (Burnat) P.W.Ball & Heywood	Neo.	NP		PS
497. <i>Psammophiliella muralis</i> (L.) Ikonn.	Neo.	CAP	Cul.	PS
498. <i>Sagina micropetala</i> Rauschert	Neo.	NP		PS
499. <i>Sagina procumbens</i> L.	Neo.	NP		PS

500. <i>Saponaria officinalis</i> L.	Neo.	CAP	Cul.		PS
501. <i>Scleranthus annuus</i> L.	Neo.	NP			PS
502. <i>Silene antirrhina</i> L.	Neo.	CAP			PS
503. <i>Silene armeria</i> L.	Neo.	NP	Cul.	Con.	SS
504. <i>Silene conoidea</i> L.	Neo.	CAP		Unc.	PS
505. <i>Silene fissipetala</i> Turcz.	Neo.	CAP			PS
506. <i>Silene gallica</i> L.	Neo.	NP			PS
507. <i>Silene latifolia</i> Poir. subsp. <i>alba</i> (Mill.) Greuter & Burdet	Neo.	NP			PS
508. <i>Silene noctiflora</i> L.	Neo.	NP			PS
509. <i>Spergula arvensis</i> L.	Neo.	NP			PS
510. <i>Spergularia bocconeii</i> (Scheele) Graebn.	Neo.	NP			PS
511. <i>Spergularia rubra</i> (L.) J.Presl & C.Presl	Neo.	NP			PS
512. <i>Stellaria media</i> (L.) Vill.	Arc.	NP		Con.	WS
513. <i>Stellaria pallida</i> (Dumort.) Crép.	Neo.	NP			PS
514. <i>Stellaria ruderalis</i> M.Lepší, P.Lepší, Z.Kaplan & P.Koutecký	Neo.	NP			PS

Droseraceae

515. <i>Drosera spatulata</i> Labill.	Neo.	NP	Cul.		PS
---------------------------------------	------	----	------	--	----

Molluginaceae

516. <i>Mollugo verticillata</i> L.	Neo.	NP			MS
Nepenthaceae					
517. <i>Nepenthes rafflesiana</i> Jack	Neo.	CAP	Cul.		PS
Nyctaginaceae					
518. <i>Mirabilis jalapa</i> L.	Arc.	NP	Cul.		PS
Phytolaccaceae					
519. <i>Phytolacca acinosa</i> Roxb.	Arc.	NP			MS
520. <i>Phytolacca americana</i> L.	Neo.	NP (IP)		Con.	WS
Polygonaceae					
521. <i>Fagopyrum esculentum</i> Moench	Arc.	NP	Cul.	Con.	CS
522. <i>Fagopyrum tataricum</i> (L.) Gaertn.	Arc.	CAP		Unc.	PS
523. <i>Fallopia convolvulus</i> (L.) Á.Löve	Neo.	NP			MS
524. <i>Koenigia polystachya</i> (Wall. ex Meisn.) T.M.Schust. & Reveal	Neo.	NP			PS
525. <i>Persicaria capitata</i> (Buch.-Ham. ex D.Don) H.Gross	Neo.	CAP	Cul.		PS
526. <i>Persicaria orientalis</i> (L.) Spach	Arc.	NP		Con.	CS
527. <i>Persicaria tinctoria</i> (Aiton) Spach	Arc.	NP	Cul.		PS
528. <i>Polygonum equisetiforme</i> Sm.	Neo.	CAP		Unc.	PS
529. <i>Polygonum ramosissimum</i> Michx.	Neo.	CAP			PS

530. <i>Reynoutria multiflora</i> (Thunb.) Moldenke	Arc.	NP	Cul.			PS
531. <i>Rumex acetosella</i> L.	Neo.	NP (IP)		Reg.	Con.	WS
532. <i>Rumex conglomeratus</i> Murray	Neo.	NP				PS
533. <i>Rumex crispus</i> L.	Neo.	NP			Con.	WS
534. <i>Rumex dentatus</i> L.	Arc.	NP			Con.	CS
535. <i>Rumex obtusifolius</i> L.	Neo.	NP			Con.	WS
536. <i>Rumex patientia</i> L.	Neo.	NP				PS
Portulacaceae						
537. <i>Portulaca grandiflora</i> Hook.	Neo.	CAP	Cul.			PS
Tamaricaceae						
538. <i>Tamarix chinensis</i> Lour.	Arc.	NP	Cul.			PS
Cornaceae						
539. <i>Cornus officinalis</i> Siebold & Zucc.	Arc.	CAP	Cul.			MS
Hydrangeaceae						
540. <i>Deutzia crenata</i> Siebold & Zucc.	Neo.	CAP	Cul.			PS
541. <i>Hydrangea macrophylla</i> (Thunb.) Ser.	Arc.	CAP	Cul.			PS
542. <i>Hydrangea paniculata</i> Siebold	Neo.	CAP	Cul.			PS
543. <i>Philadelphus pekinensis</i> Rupr.	Neo.	CAP	Cul.			MS

Actinidiaceae

- | | | | | |
|---|------|-----|------|----|
| 544. <i>Actinidia chinensis</i> Planch. var. <i>deliciosa</i> (A.Chev.) A.Chev. | Neo. | CAP | Cul. | PS |
| 545. <i>Actinidia eriantha</i> Benth. | Neo. | CAP | Cul. | PS |

Balsaminaceae

- | | | | | |
|------------------------------------|------|-----|------|----|
| 546. <i>Impatiens balsamina</i> L. | Arc. | CAP | Cul. | PS |
|------------------------------------|------|-----|------|----|

Ebenaceae

- | | | | | |
|-----------------------------------|------|-----|------|----|
| 547. <i>Diospyros kaki</i> Thunb. | Arc. | CAP | Cul. | MS |
|-----------------------------------|------|-----|------|----|

Polemoniaceae

- | | | | | |
|------------------------------------|------|-----|------|----|
| 548. <i>Phlox drummondii</i> Hook. | Neo. | CAP | Cul. | PS |
| 549. <i>Phlox subulata</i> L. | Neo. | CAP | Cul. | PS |

Theaceae

- | | | | | |
|---|------|-----|------|----|
| 550. <i>Camellia sinensis</i> (L.) Kuntze | Arc. | CAP | Cul. | PS |
|---|------|-----|------|----|

Garryaceae

- | | | | | |
|-------------------------------------|------|-----|------|----|
| 551. <i>Eucommia ulmoides</i> Oliv. | Arc. | CAP | Cul. | MS |
|-------------------------------------|------|-----|------|----|

Apocynaceae

- | | | | | |
|--|------|-----|------|----|
| 552. <i>Apocynum cannabinum</i> L. | Neo. | CAP | | PS |
| 553. <i>Cynanchum boudieri</i> H.Lév. & Vaniot | Neo. | CAP | Cul. | PS |
| 554. <i>Nerium oleander</i> L. | Arc. | CAP | Cul. | PS |

Rubiaceae

555. <i>Diodia teres</i> Walter	Neo.	NP		MS
556. <i>Diodia virginiana</i> L.	Neo.	NP		PS
557. <i>Galium aparine</i> L.	Neo.	NP		PS
558. <i>Galium tricornutum</i> Dandy	Neo.	CAP	Unc.	PS
559. <i>Gardenia jasminoides</i> J.Ellis	Arc.	CAP	Cul.	PS
560. <i>Oldenlandia corymbosa</i> L.	Neo.	CAP		PS
561. <i>Richardia brasiliensis</i> Gomes	Neo.	CAP		PS
562. <i>Sherardia arvensis</i> L.	Neo.	CAP		PS
563. <i>Vinca minor</i> L.	Neo.	CAP	Cul.	PS

Boraginaceae

564. <i>Amsinckia lycopsoides</i> Lindl. ex Lehm.	Neo.	CAP	Unc.	PS
565. <i>Asperugo procumbens</i> L.	Neo.	CAP		PS
566. <i>Myosotis alpestris</i> F.W.Schmidt	Neo.	CAP	Cul.	PS
567. <i>Myosotis scorpioides</i> L.	Neo.	CAP	Cul.	PS
568. <i>Symphytum officinale</i> L.	Neo.	NP	Cul.	MS

Convolvulaceae

569. <i>Convolvulus arvensis</i> L.	Neo.	NP		PS
-------------------------------------	------	----	--	----

570. <i>Cuscuta campestris</i> Yunck.	Neo.	NP (IP)		Reg.	Con.	WS
571. <i>Dichondra micrantha</i> Urb.	Neo.	CAP				PS
572. <i>Ipomoea coccinea</i> L.	Neo.	NP (IP)			Con.	WS
573. <i>Ipomoea cristulata</i> Hallier f.	Neo.	NP				PS
574. <i>Ipomoea hederacea</i> Jacq.	Neo.	NP (IP)			Con.	SS
575. <i>Ipomoea heptaphylla</i> Sweet	Neo.	CAP		Unc.		PS
576. <i>Ipomoea lacunosa</i> L.	Neo.	NP			Con.	WS
577. <i>Ipomoea muricata</i> (L.) Jacq.	Neo.	CAP	Cul.			PS
578. <i>Ipomoea nil</i> (L.) Roth	Arc.	NP			Con.	WS
579. <i>Ipomoea purpurea</i> (L.) Roth	Neo.	NP			Con.	WS
580. <i>Ipomoea quamoclit</i> L.	Neo.	NP	Cul.			PS
581. <i>Ipomoea triloba</i> L.	Neo.	NP				MS
582. <i>Jacquemontia tamnifolia</i> (L.) Griseb.	Neo.	CAP		Unc.		PS
Solanaceae						
583. <i>Alkekengi officinarum</i> Moench	Arc.	CAP	Cul.			MS
584. <i>Capsicum annuum</i> L.	Arc.	CAP	Cul.			PS
585. <i>Datura innoxia</i> Mill.	Neo.	NP	Cul.			PS
586. <i>Datura stramonium</i> L.	Neo.	NP	Cul.			PS

587. <i>Datura wrightii</i> Regel	Neo.	NP	Cul.			PS
588. <i>Hyoscyamus niger</i> L.	Arc.	CAP	Cul.			PS
589. <i>Nicandra physalodes</i> (L.) Gaertn.	Neo.	NP				PS
590. <i>Nicotiana tabacum</i> L.	Arc.	CAP	Cul.			PS
591. <i>Petunia</i> × <i>hybrida</i> E.Vilm.	Neo.	CAP	Cul.			PS
592. <i>Physalis angulata</i> L.	Neo.	NP				PS
593. <i>Physalis lagascae</i> Roem. & Schult.	Neo.	CAP				PS
594. <i>Physalis longifolia</i> Nutt.	Neo.	CAP				PS
595. <i>Physalis philadelphica</i> Lam.	Neo.	CAP	Cul.	Unc.		PS
596. <i>Physalis pubescens</i> L.	Neo.	NP			Con.	CS
597. <i>Solanum americanum</i> Mill.	Neo.	NP			Con.	WS
598. <i>Solanum carolinense</i> L.	Neo.	NP (IP)		Reg.	Con.	CS
599. <i>Solanum elaeagnifolium</i> Cav.	Neo.	CAP				PS
600. <i>Solanum lycopersicum</i> L.	Neo.	CAP	Cul.			PS
601. <i>Solanum melongena</i> L.	Arc.	CAP	Cul.			PS
602. <i>Solanum nigrum</i> L.	Arc.	NP			Con.	WS
603. <i>Solanum pseudocapsicum</i> L.	Neo.	CAP	Cul.			PS
604. <i>Solanum rostratum</i> Dunal	Neo.	CAP		Unc.		PS

605. <i>Solanum sarrachoides</i> Sendtn.	Neo.	NP		PS
606. <i>Solanum sisymbriifolium</i> Lam.	Neo.	CAP	Unc.	PS
607. <i>Solanum tuberosum</i> L.	Arc.	CAP	Cul.	PS
608. <i>Solanum viarum</i> Dunal	Neo.	NP		PS
609. <i>Solanum villosum</i> Mill.	Neo.	CAP	Unc.	PS
Oleaceae				
610. <i>Fontanesia philliraeoides</i> Labill.	Neo.	CAP	Cul.	PS
611. <i>Forsythia viridissima</i> Lindl.	Neo.	CAP	Cul.	PS
612. <i>Olea europaea</i> L.	Neo.	CAP	Cul.	PS
613. <i>Osmanthus</i> × <i>fortunei</i> Carrière	Neo.	CAP	Cul.	PS
614. <i>Osmanthus fragrans</i> Lour.	Arc.	CAP	Cul.	PS
615. <i>Osmanthus fragrans</i> Lour. var. <i>aurantiacus</i> Makino	Neo.	CAP	Cul.	PS
616. <i>Osmanthus heterophyllus</i> (G.Don) P.S.Green	Neo.	CAP	Cul.	PS
617. <i>Syringa reticulata</i> (Blume) H.Hara	Neo.	CAP	Cul.	PS
618. <i>Syringa vulgaris</i> L.	Neo.	CAP	Cul.	PS
Plantaginaceae				
619. <i>Antirrhinum majus</i> L.	Neo.	CAP	Cul.	PS
620. <i>Chaenorhinum minus</i> (L.) Lange	Neo.	NP		PS

621. <i>Cymbalaria muralis</i> G.Gaertn., B.Mey. & Scherb.	Neo.	NP	Cul.		PS
622. <i>Digitalis lanata</i> Ehrh.	Neo.	CAP	Cul.		PS
623. <i>Digitalis purpurea</i> L.	Neo.	CAP	Cul.		PS
624. <i>Gratiola neglecta</i> Torr.	Neo.	NP			PS
625. <i>Kickxia elatine</i> (L.) Dumort.	Neo.	NP			PS
626. <i>Linaria bipartita</i> (Vent.) Willd.	Neo.	NP	Cul.		PS
627. <i>Nuttallanthus canadensis</i> (L.) D.A.Sutton	Neo.	NP			PS
628. <i>Plantago aristata</i> Michx.	Neo.	NP (IP)			PS
629. <i>Plantago coronopus</i> L.	Neo.	CAP		Unc.	PS
630. <i>Plantago lanceolata</i> L.	Neo.	NP (IP)			MS
631. <i>Plantago virginica</i> L.	Neo.	NP			MS
632. <i>Veronica americana</i> (Raf.) Schwein. ex Benth.	Neo.	NP			PS
633. <i>Veronica anagallis-aquatica</i> L.	Neo.	NP			MS
634. <i>Veronica arvensis</i> L.	Neo.	NP (IP)		Con.	WS
635. <i>Veronica hederifolia</i> L.	Neo.	NP			MS
636. <i>Veronica peregrina</i> L.	Neo.	NP			MS
637. <i>Veronica persica</i> Poir.	Neo.	NP (IP)		Con.	WS
638. <i>Veronica polita</i> Fr.	Arc.	NP		Con.	CS

639. <i>Veronica serpyllifolia</i> L.	Neo.	CAP		PS
Scrophulariaceae				
640. <i>Verbascum thapsus</i> L.	Neo.	NP	Cul.	PS
Linderniaceae				
641. <i>Lindernia dubia</i> (L.) Pennell	Neo.	NP		Con. SS
642. <i>Lindernia dubia</i> (L.) Pennell var. <i>anagallidea</i> (Michx.) Cooperr.	Neo.	NP		PS
Pedaliaceae				
643. <i>Sesamum indicum</i> L.	Arc.	CAP	Cul.	PS
Bignoniaceae				
644. <i>Campsis grandiflora</i> (Thunb.) K.Schum.	Arc.	CAP	Cul.	PS
645. <i>Catalpa bignonioides</i> Walter	Neo.	CAP	Cul.	PS
646. <i>Catalpa ovata</i> G.Don	Neo.	CAP	Cul.	PS
Verbenaceae				
647. <i>Verbena bonariensis</i> L.	Neo.	NP	Cul.	PS
648. <i>Verbena bracteata</i> Cav. ex Lag. & Rodr.	Neo.	CAP		PS
649. <i>Verbena brasiliensis</i> Vell.	Neo.	NP	Cul.	PS
650. <i>Verbena hastata</i> L.	Neo.	CAP	Cul.	PS
Lamiaceae				

651. <i>Dracocephalum moldavica</i> L.	Neo.	CAP	Unc.	PS
652. <i>Elsholtzia griffithii</i> Hook.f.	Neo.	CAP		PS
653. <i>Lamium purpureum</i> L.	Neo.	NP	Con.	CS
654. <i>Lamium purpureum</i> L. var. <i>hybridum</i> (Vill.) Vill.	Neo.	CAP		PS
655. <i>Mentha</i> × <i>piperita</i> L.	Neo.	CAP	Cul.	PS
656. <i>Mentha pulegium</i> L.	Neo.	CAP	Cul.	PS
657. <i>Mentha spicata</i> L.	Neo.	CAP	Cul.	PS
658. <i>Mentha suaveolens</i> Ehrh.	Neo.	CAP	Cul.	PS
659. <i>Nepeta tenuifolia</i> Benth.	Arc.	CAP	Cul.	PS
660. <i>Perilla frutescens</i> (L.) Britton	Arc.	CAP	Cul.	PS
661. <i>Perilla frutescens</i> (L.) Britton var. <i>crispa</i> (Benth.) W.Deane	Arc.	CAP	Cul.	PS
662. <i>Salvia officinalis</i> L.	Neo.	CAP	Cul.	PS
663. <i>Salvia splendens</i> Sellow ex Nees	Neo.	CAP	Cul.	PS
664. <i>Scutellaria baicalensis</i> Georgi	Arc.	CAP	Cul.	PS
665. <i>Stachys affinis</i> Bunge	Arc.	CAP	Cul.	PS
666. <i>Stachys agraria</i> Schltdl. & Cham.	Neo.	NP		PS
667. <i>Vitex negundo</i> L. var. <i>cannabifolia</i> (Siebold & Zucc.) Hand.-Mazz.	Arc.	CAP	Cul.	PS

Paulowniaceae

668. <i>Paulownia tomentosa</i> (Thunb.) Steud.	Neo.	NP	Cul.			MS
Aquifoliaceae						
669. <i>Ilex serrata</i> Thunb.	Neo.	NP	Cul.			PS
670. <i>Ilex verticillata</i> (L.) A.Gray	Neo.	NP	Cul.			PS
Campanulaceae						
671. <i>Lobelia inflata</i> L.	Neo.	NP	Cul.			PS
672. <i>Triodanis perfoliata</i> (L.) Nieuwl.	Neo.	NP				PS
Asteraceae						
673. <i>Achillea millefolium</i> L.	Neo.	NP	Cul.			MS
674. <i>Ageratina altissima</i> (L.) R.M.King & H.Rob.	Neo.	NP (IP)		Reg.	Con.	CS
675. <i>Ageratum conyzoides</i> L.	Neo.	NP				PS
676. <i>Ageratum houstonianum</i> Mill.	Neo.	CAP	Cul.			PS
677. <i>Ambrosia artemisiifolia</i> L.	Neo.	NP (IP)		Reg.	Con.	WS
678. <i>Ambrosia trifida</i> L.	Neo.	NP (IP)		Reg.	Con.	SS
679. <i>Anthemis arvensis</i> L.	Neo.	NP				PS
680. <i>Anthemis cotula</i> L.	Neo.	NP				PS
681. <i>Arctium lappa</i> L.	Arc.	CAP	Cul.			PS
682. <i>Argyranthemum frutescens</i> (L.) Sch.Bip.	Neo.	CAP	Cul.			PS

683. <i>Bellis perennis</i> L.	Neo.	CAP	Cul.		PS
684. <i>Bidens frondosa</i> L.	Neo.	NP (IP)		Con.	WS
685. <i>Bidens pilosa</i> L.	Neo.	NP (IP)		Con.	SS
686. <i>Bidens polylepis</i> S.F.Blake	Neo.	CAP			PS
687. <i>Bidens subalternans</i> DC.	Neo.	CAP			PS
688. <i>Bracteantha bracteata</i> (Vent.) Anderb. & Haegi	Neo.	CAP	Cul.		PS
689. <i>Calendula arvensis</i> L.	Neo.	CAP	Cul.		PS
690. <i>Carduus crispus</i> L.	Arc.	NP		Con.	SS
691. <i>Carduus nutans</i> L.	Neo.	NP			PS
692. <i>Carthamus lanatus</i> L.	Neo.	CAP		Unc.	PS
693. <i>Carthamus tinctorius</i> L.	Arc.	CAP	Cul.		PS
694. <i>Centaurea cyanus</i> L.	Neo.	NP	Cul.	Con.	CS
695. <i>Chrysanthemum coronaria</i> L.	Arc.	CAP	Cul.		PS
696. <i>Cichorium endivia</i> L.	Neo.	CAP	Cul.		PS
697. <i>Cirsium arvense</i> (L.) Scop.	Neo.	CAP			PS
698. <i>Cirsium vulgare</i> (Savi) Ten.	Neo.	NP			PS
699. <i>Coreopsis basalis</i> (Otto & A.Dietr.) S.F.Blake	Neo.	CAP	Cul.	Unc.	PS
700. <i>Coreopsis lanceolata</i> L.	Neo.	NP	Cul.	Con.	WS

701. <i>Coreopsis tinctoria</i> Nutt.	Neo.	NP	Cul.	Con.	SS
702. <i>Cosmos bipinnatus</i> Cav.	Neo.	NP	Cul.	Con.	WS
703. <i>Cosmos sulphureus</i> Cav.	Neo.	NP	Cul.	Con.	CS
704. <i>Cotula australis</i> (Sieber ex Spreng.) Hook.f.	Neo.	NP			PS
705. <i>Crassocephalum crepidioides</i> (Benth.) S.Moore	Neo.	NP		Con.	SS
706. <i>Crepis tectorum</i> L.	Neo.	NP			PS
707. <i>Dracopis amplexicaulis</i> (Vahl) Less.	Neo.	NP	Cul.		PS
708. <i>Dyssodia papposa</i> (Vent.) Hitchc.	Neo.	NP			PS
709. <i>Echinacea purpurea</i> (L.) Moench	Neo.	CAP	Cul.		PS
710. <i>Eclipta alba</i> (L.) Hassk.	Neo.	NP			MS
711. <i>Eclipta thermalis</i> Bunge	Arc.	NP		Con.	WS
712. <i>Emilia flammea</i> Cass.	Neo.	CAP	Cul.		PS
713. <i>Erechtites hieraciifolius</i> (L.) Raf. ex DC.	Neo.	NP		Con.	WS
714. <i>Erigeron annuus</i> (L.) Desf.	Neo.	NP (IP)		Con.	WS
715. <i>Erigeron bonariensis</i> L.	Neo.	NP		Con.	CS
716. <i>Erigeron canadensis</i> L.	Neo.	NP (IP)		Con.	WS
717. <i>Erigeron philadelphicus</i> L.	Neo.	NP			MS
718. <i>Erigeron pusillus</i> Nutt.	Neo.	NP			PS

719. <i>Erigeron strigosus</i> Muhl. ex Willd.	Neo.	NP		Con.	SS
720. <i>Erigeron sumatrensis</i> Retz.	Neo.	NP		Con.	WS
721. <i>Euthamia graminifolia</i> (L.) Nutt.	Neo.	NP			PS
722. <i>Gaillardia aristata</i> Pursh	Neo.	CAP	Cul.		PS
723. <i>Gaillardia pulchella</i> Foug.	Neo.	CAP	Cul.		PS
724. <i>Galinsoga parviflora</i> Cav.	Neo.	NP		Con.	CS
725. <i>Galinsoga quadriradiata</i> Ruiz & Pav.	Neo.	NP		Con.	WS
726. <i>Gamochaeta calviceps</i> (Fernald) Cabrera	Neo.	NP			PS
727. <i>Gamochaeta pensylvanica</i> (Willd.) Cabrera	Neo.	NP			PS
728. <i>Gamochaeta purpurea</i> (L.) Cabrera	Neo.	NP			PS
729. <i>Gazania rigens</i> (L.) Gaertn.	Neo.	NP	Cul.		PS
730. <i>Hedypnois rhagadioloides</i> (L.) F.W.Schmidt	Neo.	CAP			PS
731. <i>Helianthus annuus</i> L.	Neo.	CAP	Cul.		PS
732. <i>Helianthus debilis</i> Nutt.	Neo.	NP	Cul.		PS
733. <i>Helianthus tuberosus</i> L.	Neo.	NP	Cul.	Con.	WS
734. <i>Heliopsis helianthoides</i> (L.) Sweet	Neo.	CAP	Cul.		PS
735. <i>Hieracium caespitosum</i> Dumort.	Neo.	CAP			PS
736. <i>Hypochaeris radicata</i> L.	Neo.	NP (IP)		Reg.	MS

737. <i>Inula helenium</i> L.	Arc.	CAP	Cul.			PS
738. <i>Lactuca saligna</i> L.	Neo.	CAP				PS
739. <i>Lactuca serriola</i> L.	Neo.	NP (IP)		Reg.	Con.	WS
740. <i>Lapsana communis</i> L.	Neo.	NP				PS
741. <i>Leucanthemum vulgare</i> Lam.	Neo.	NP	Cul.			MS
742. <i>Matricaria chamomilla</i> L.	Neo.	CAP	Cul.			PS
743. <i>Matricaria inodora</i> L.	Neo.	NP	Cul.			PS
744. <i>Matricaria discoidea</i> DC.	Neo.	NP				MS
745. <i>Parthenium hysterophorus</i> L.	Neo.	NP		Reg.		PS
746. <i>Rudbeckia bicolor</i> Nutt.	Neo.	NP	Cul.		Con.	SS
747. <i>Rudbeckia hirta</i> L.	Neo.	NP	Cul.			PS
748. <i>Rudbeckia laciniata</i> L.	Neo.	NP	Cul.			PS
749. <i>Rudbeckia laciniata</i> L. var. <i>hortensia</i> L.H.Bailey	Neo.	NP	Cul.			PS
750. <i>Senecio inaequidens</i> DC.	Neo.	NP				PS
751. <i>Senecio scandens</i> Buch.-Ham. ex D.Don	Neo.	NP				PS
752. <i>Senecio vulgaris</i> L.	Neo.	NP			Con.	WS
753. <i>Silybum marianum</i> (L.) Gaertn.	Neo.	CAP	Cul.			PS
754. <i>Solidago altissima</i> L.	Neo.	NP (IP)		Reg.	Con.	CS

755. <i>Solidago dahurica</i> (Kitag.) Kitag. ex Juz.	Neo.	CAP	Cul.		PS
756. <i>Solidago gigantea</i> Aiton	Neo.	CAP	Cul.		MS
757. <i>Solidago virgaurea</i> L. subsp. <i>minuta</i> (L.) Arcang.	Neo.	CAP	Cul.		PS
758. <i>Sonchus asper</i> (L.) Hill	Neo.	NP		Con.	WS
759. <i>Sonchus oleraceus</i> L.	Neo.	NP		Con.	WS
760. <i>Sonchus palustris</i> L.	Neo.	CAP		Unc.	PS
761. <i>Symphyotrichum expansum</i> (Poepp. ex Spreng.) G.L.Nesom	Neo.	NP		Con.	WS
762. <i>Symphyotrichum novi-belgii</i> (L.) G.L.Nesom	Neo.	CAP	Cul.		PS
763. <i>Symphyotrichum pilosum</i> (Willd.) G.L.Nesom	Neo.	NP (IP)		Reg. Con.	WS
764. <i>Symphyotrichum subulatum</i> (Michx.) G.L.Nesom	Neo.	NP		Con.	SS
765. <i>Tagetes erecta</i> L.	Neo.	CAP	Cul.		PS
766. <i>Tagetes minuta</i> L.	Neo.	NP (IP)		Con.	SS
767. <i>Tagetes patula</i> L.	Neo.	CAP	Cul.		PS
768. <i>Tanacetum cinerariifolium</i> (Trevir.) Sch.Bip.	Neo.	CAP	Cul.		PS
769. <i>Taraxacum laevigatum</i> (Willd.) DC.	Neo.	NP		Con.	CS
770. <i>Taraxacum officinale</i> F.H.Wigg.	Neo.	NP (IP)		Con.	WS
771. <i>Tragopogon dubius</i> Scop.	Neo.	NP			MS
772. <i>Verbesina alternifolia</i> (L.) Britton ex Kearney	Neo.	NP		Con.	CS

773. <i>Xanthium italicum</i> Moretti	Neo.	NP			MS
774. <i>Xanthium orientale</i> L.	Neo.	NP (IP)		Con.	WS
775. <i>Xanthium spinosum</i> L.	Neo.	NP			PS
776. <i>Xanthium strumarium</i> L.	Arc.	NP		Con.	SS
777. <i>Zinnia elegans</i> Jacq.	Arc.	CAP	Cul.		PS

Araliaceae

778. <i>Eleutherococcus sieboldianus</i> (Makino) Koidz.	Neo.	CAP	Cul.		PS
779. <i>Tetrapanax papyrifer</i> (Hook.) K.Koch	Neo.	NP	Cul.		PS

Apiaceae

780. <i>Aethusa cynapium</i> L.	Neo.	CAP			PS
781. <i>Angelica acutiloba</i> (Siebold & Zucc.) Kitag.	Neo.	CAP	Cul.		PS
782. <i>Anthriscus caucalis</i> M.Bieb.	Neo.	NP			MS
783. <i>Bifora radians</i> M.Bieb.	Neo.	CAP		Unc.	PS
784. <i>Bowlesia incana</i> Ruiz & Pav.	Neo.	NP			PS
785. <i>Bupleurum lancifolium</i> Hornem.	Neo.	CAP		Unc.	PS
786. <i>Chaerophyllum tainturieri</i> Hook. & Arn.	Neo.	NP			PS
787. <i>Conium maculatum</i> L.	Neo.	NP			PS
788. <i>Coriandrum sativum</i> L.	Arc.	CAP	Cul.		PS

789. <i>Cyclospermum leptophyllum</i> (Pers.) Sprague ex Britton & P.Wilson	Neo.	NP		PS
790. <i>Daucus carota</i> L.	Neo.	CAP		PS
791. <i>Daucus carota</i> L. subsp. <i>maritimus</i> (Lam.) Batt.	Neo.	CAP	Cul.	PS
792. <i>Foeniculum vulgare</i> Mill.	Arc.	CAP	Cul.	PS
793. <i>Hydrocotyle verticillata</i> Thunb.	Neo.	CAP	Cul.	PS
794. <i>Ligusticum officinale</i> (Makino) Kitag.	Neo.	CAP	Cul.	PS
795. <i>Lisaea heterocarpa</i> (DC.) Boiss.	Neo.	CAP	Unc.	PS
796. <i>Petroselinum crispum</i> (Mill.) Fuss	Neo.	CAP	Cul.	PS
797. <i>Pimpinella saxifraga</i> L.	Neo.	CAP		PS
798. <i>Scandix pecten-veneris</i> L.	Neo.	CAP	Unc.	PS
799. <i>Tordylium maximum</i> L.	Neo.	CAP		PS

Viburnaceae

800. <i>Sambucus canadensis</i> L.	Neo.	CAP	Cul.	PS
801. <i>Sambucus nigra</i> L.	Neo.	CAP	Cul.	PS
802. <i>Viburnum opulus</i> L. var. <i>sargentii</i> (Koehne) Takeda f. <i>hydrangeoides</i> (Nakai) H.Hara	Neo.	CAP	Cul.	PS

Caprifoliaceae

803. <i>Valerianella locusta</i> (L.) Laterr.	Neo.	NP		PS
804. <i>Weigela hortensis</i> (Siebold & Zucc.) K.Koch	Neo.	CAP	Cul.	PS

*Arc.: archeophyte; Neo.: neophyte; CAP: casual alien plants; NP: naturalized plants; Cul.: cultivated plant; Unc.: uncertain status; Reg.: regulated plant; Con.: plant of concern; WS: widespread; SS: serious spread; CS: concerned spread; MS: minor spread; PS: potential spread.