

Statistical modeling of long-term grapevine response to ‘*Candidatus Phytoplasma solani*’ infection in the field

Ana Rotter, Petra Nikolić, Neža Turnšek, Polona Kogovšek, Andrej Blejec, Kristina Gruden, Marina Dermastia*

National Institute of Biology, Department of Systems Biology and Biotechnology, Večna pot 111, SI-1000 Ljubljana, Slovenia

*Corresponding author

Marina Dermastia, National Institute of Biology, Department of Systems Biology and Biotechnology, Večna pot 111, SI-1000 Ljubljana, Slovenia

E-mail: marina.dermastia@nib.si

Table S1. ELISA test for viruses.

In 2008 and 2010 the sampled plants were additionally tested for presence of common grapevine viruses using DAS-ELISA for grapevine virus A (GVA), grapevine fanleaf virus (GFLV), Arabis mosaic virus (ArMV), grapevine fleck virus (GFkV), grapevine leafroll-associated virus 1, 2 and 3 (GLRaV-1, GLRaV-2, GLRaV-3) and grapevine leafroll-associated viruses 4-9 (GLRaV-4-9) antibodies (Bioreba), and using PTA-ELISA for grapevine virus B (GVB) (AgriTest) according to the producer's instructions. The distribution of viruses was the same in both years. The plant numbering corresponds to that in Table 1.

Plant	GVB	GVA	GFLV	ArMV	GFkV	GLRaV1	GLRaV2	GLRaV3	GLRaV4-9
1	-	-	+	-	+	-	-	-	-
2	-	-	-	-	+	-	-	-	-
3	-	-	-	-	+	-	-	-	-
4	-	-	-	-	+	-	-	-	-
5	-	-	-	-	+	-	-	-	-
6	-	-	-	-	-	-	-	-	-
7	-	-	-	-	+	-	-	-	-
8	-	-	-	-	-	-	-	-	-
9	-	-	+	-	-	-	-	-	-
10	-	-	+	-	-	+	-	-	-
11	-	-	+	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-
13	-	-	+	-	-	-	-	-	-
14	-	-	+	-	-	+	-	-	-
15	-	-	-	-	+	-	-	-	-
16	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-
20	-	-	-	-	+	-	-	-	-
22	-	-	-	-	-	-	-	-	-
23	-	-	-	-	+	-	-	-	-
24	-	-	+	-	+	-	-	-	-
25	-	-	-	-	+	-	-	+	-
26	-	-	-	-	+	-	-	-	-
27	-	-	-	-	+	-	-	-	-
29	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	+	-	+	-