

Statistical modeling of long-term grapevine response to ‘*Candidatus Phytoplasma solani*’ infection in the field

Ana Rotter, Petra Nikolić, Neža Turnšek, Polona Kogovšek, Andrej Blejec, Kristina Gruden, Marina Dermastia*

National Institute of Biology, Department of Systems Biology and Biotechnology, Večna pot 111, SI-1000 Ljubljana, Slovenia

*Corresponding author

Marina Dermastia, National Institute of Biology, Department of Systems Biology and Biotechnology, Večna pot 111, SI-1000 Ljubljana, Slovenia
E-mail: marina.dermastia@nib.si

Table S5. Environmental data collected at the portal of the Statistical Office of the Republic of Slovenia for the weather station Bilje nearest to the selected vineyard (45° 53’ N, 13° 38’ E).

Year	Average winter temperature [°C]	Lowest winter temperature [°C]	Annual rainfall [mm]	Average temperature in sampling month [°C]	Summer months rainfall [mm]	Average rainfall from May to October in the season preceded the sampling season [mm]	Aannual relative humidity [%]	Number of rainy days	Number of days with snow	Number of stormy days	Number of days with hail or sleet	Annual snow cover [cm]	Number of cloudy days	Number of sunny days	Annual sun duration [h]	Annual prevalent wind direction [degrees]	Frequency of prevalent wind direction [%]
2004	3.4	3	120	22	97	71.5	72	135	2	48	1	2	103	73	2111	90	28
2005	3	3	207	20.1	121.3	141.2	72	129	7	41	1	12	92	86	2184	90	26.1
2007	6.3	0	84	21.6	77.7	65.5	71	129	0	44	4	0	84	88	2392	90	27.5
2008	4.5	2	89	22.3	135.7	104.2	73	157	1	59	3	2	107	75	2136	112.5	26.4
2009	4.1	3	82	23.8	95	115.5	69	137	5	45	0	3	87	83	2250	112.5	24.1