

Dynamics of bacterial blight disease in resistant and susceptible rice varieties [supplementary material]

Jennifer T. Niones ¹, Ryan T. Sharp ^{2, *}, Dindo King M. Donayre ¹, Eula Gems M. Oreiro ^{3,4}, Alice E. Milne ², Ricardo Oliva ⁴

¹ Philippine Rice Research Institute, Maligaya, Science City of Muñoz, 3119 Nueva Ecija, Philippines.

² Rothamsted Research, Harpenden, Hertfordshire, AL5 2JQ, UK

³ Swedish University of Agricultural Sciences, P.O. Box 7026, 750 07 Uppsala, Sweden

⁴ International Rice Research Institute, Los Baños, Laguna 4031, Philippines

* Corresponding author email: ryan.sharp@rothamsted.ac.uk

Online Resource 1: Spatially and temporally resolved plots of the number of infected tillers from each site-season.




Fig. S1 Pila 2016 wet season data.




Fig. S2 Victoria 2016 wet season data.




Fig. S3 Malayantoc 2016 wet season data.




Fig. S4 Maligaya 2016 wet season data.




Fig. S5 Malayantoc 2017 dry season data.




Fig. S6 Maligaya 2017 dry season data.




Fig. S7 Pila 2017 wet season data.




Fig. S8 Victoria 2017 wet season data.




Fig. S9 Malayantoc 2017 wet season data.




Fig. S10 Maligaya 2017 wet season data.




Fig. S11 Pila 2018 dry season data.




Fig. S12 Victoria 2018 dry season data.




Fig. S13 Malayantoc 2018 dry season data.




Fig. S14 Maligaya 2018 dry season data.




Fig. S15 Pila 2018 wet season data.




Fig. S16 Victoria 2018 wet season data.




Fig. S17 Malayantoc 2018 wet season data.




Fig. S18 Maligaya 2018 wet season data.