

Journal of Insect Conservation : Insect population trends and the IUCN Red List process

Fox R, Harrower C, Bell JR, Shortall CR, Middlebrook I, Wilson RJ.

Online Resource 2. UK macro-moth 10-year population trends for the most recent 10-year period (t) for each of 431 species, and preceding 10-year periods each starting one year earlier than the previous (t-1, t-2, t-3, t-4) and the Red List categories appropriate to each trend according to IUCN Criterion A2 (reduction in population size). Trend values given in bold indicate statistically significant trends at $p < 0.05$. These classifications do not represent the final outcomes of a full Red List process.

Taxon	Vernacular name	Period t				Period t-1				Period t-2				Period t-3				Period t-4			
		start year	end year	10-year % change	IUCN category	start year	end year	10-year % change	IUCN category	start year	end year	10-year % change	IUCN category	start year	end year	10-year % change	IUCN category	start year	end year	10-year % change	IUCN category
<i>Abraxas grossulariata</i>	Magpie	2006	2015	-47.8		2005	2014	-75.0	EN	2004	2013	-79.0	EN	2003	2012	-63.8		2002	2011	-20.63	
<i>Abraxas sylvata</i>	Clouded Magpie	2006	2015	23.2		2005	2014	50.8		2005	2013	116.0		2003	2012	41.2		2002	2011	2.754	
<i>Abrostola tripartita</i>	Spectacle	2006	2015	-8.4		2005	2014	0.3		2004	2013	-21.3		2003	2012	-35.9		2002	2011	0.434	
<i>Abrostola triplasia</i>	Dark Spectacle	2006	2015	39.9		2005	2014	7.0		2004	2013	-21.2		2003	2012	-58.4		2002	2011	-61.49	
<i>Acasis viretata</i>	Yellow-barred Brindle	2006	2015	-28.0		2005	2014	6.4		2004	2013	22.2		2003	2012	15.7		2002	2011	-16.57	
<i>Achlya flavicornis</i>	Yellow Horned	2006	2015	-40.8		2005	2014	10.6		2004	2013	57.6		2003	2012	30.1		2002	2011	12.959	
<i>Acronicta alni</i>	Alder Moth	2007	2015	-51.3		2005	2014	-75.5	EN	2005	2013	-78.4		2003	2012	-19.6		2002	2011	34.142	
<i>Acronicta psi</i>	Grey Dagger	2006	2015	-39.5		2005	2014	-35.6		2004	2013	-55.9		2003	2012	-68.6	EN	2002	2011	-66.89	EN
<i>Acronicta rumicis</i>	Knot Grass	2006	2015	-69.9	EN	2005	2014	-58.3	EN	2004	2013	-57.9	EN	2003	2012	-54.7		2002	2011	-11.3	
<i>Aethalura punctulata</i>	Grey Birch	2006	2015	-42.8		2005	2014	-25.9		2004	2013	-21.8		2003	2012	23.9		2002	2011	118.88	
<i>Agriopis leucophaearia</i>	Spring Usher	2006	2015	-45.8		2005	2014	-4.9		2004	2013	100.8		2003	2012	301.0		2002	2011	337.37	
<i>Agrochola circellaris</i>	Brick	2006	2015	23.8		2005	2014	67.0		2004	2013	76.9		2003	2012	6.4		2002	2011	109.4	
<i>Agrochola helvola</i>	Flounced Chestnut	2006	2015	-18.0		2005	2014	-5.6		2004	2013	35.5		2003	2012	-23.2		2002	2011	-0.605	
<i>Agrochola litura</i>	Brown-spot Pinion	2006	2015	31.9		2005	2014	25.8		2004	2013	30.6		2003	2012	-26.5		2002	2011	-3.477	
<i>Agrochola lota</i>	Red-line Quaker	2006	2015	7.0		2005	2014	14.1		2004	2013	-3.4		2003	2012	-0.4		2002	2011	15.613	
<i>Agrochola lychnidis</i>	Beaded Chestnut	2006	2015	181.6		2005	2014	70.3		2004	2013	-10.3		2003	2012	-38.3		2002	2011	-21.09	
<i>Agrochola macilenta</i>	Yellow-line Quaker	2006	2015	4.3		2005	2014	-10.6		2004	2013	12.5		2003	2012	6.5		2002	2011	59.912	
<i>Agrotis clavis</i>	Heart & Club	2006	2015	15.4		2005	2014	10.0		2004	2013	1.2		2003	2012	33.6		2002	2011	35.675	
<i>Agrotis exclamationis</i>	Heart & Dart	2006	2015	-15.8		2005	2014	-39.8		2004	2013	-52.7		2003	2012	-21.5		2002	2011	10.94	
<i>Agrotis puta</i>	Shuttle-shaped Dart	2006	2015	-55.9		2005	2014	-48.2		2004	2013	-51.5		2003	2012	-51.0		2002	2011	1.471	
<i>Agrotis segetum</i>	Turnip Moth	2006	2015	-40.2		2005	2014	-62.1		2004	2013	-72.4		2003	2012	-52.0		2002	2011	105.28	
<i>Agrotis vestigialis</i>	Archer's Dart	2003	2012	11.3		2002	2011	73.2		2001	2010	-20.5		1995	2004	81.0		1994	2003	43.523	
<i>Alcis jubata</i>	Dotted Carpet	2006	2015	-52.0		2005	2014	5.1		2004	2013	31.3		2003	2012	38.5		2002	2011	15.649	

<i>Alcis repandata</i>	Mottled Beauty	2006	2015	-1.5		2005	2014	3.1		2004	2013	10.7		2003	2012	11.4		2002	2011	27.821	
<i>Allophyes oxyacanthae</i>	Green-brindled Crescent	2006	2015	8.8		2005	2014	45.0		2004	2013	49.4		2003	2012	91.4		2002	2011	92.556	
<i>Alsophila aescularia</i>	March Moth	2006	2015	1.3		2005	2014	10.7		2004	2013	0.1		2003	2012	11.8		2002	2011	12.281	
<i>Amphipoea crinanensis</i>	Crinan Ear	2006	2015	14.3		2005	2014	-37.3		2004	2013	-49.7		2003	2012	-1.4		2002	2011	91.573	
<i>Amphipoea oclea</i>	Ear Moth	2006	2015	-25.1		2005	2014	-9.3		2004	2013	-22.9		2003	2012	-13.1		2002	2011	36.24	
<i>Amphipyra berbera</i>	Svensson's Copper Underwing	2006	2015	-26.5		2005	2014	138.4		2004	2013	327.4		2003	2012	460.1		2002	2011	605.39	
<i>Amphipyra pyramidea</i>	Copper Underwing	2006	2015	-63.7		2005	2014	-75.0	EN	2004	2013	-74.1	EN	2003	2012	-56.3		2002	2011	-24.66	
<i>Amphipyra tragopoginis</i>	Mouse Moth	2006	2015	-27.4		2005	2014	-52.6		2004	2013	-60.2	EN	2003	2012	-61.9	EN	2002	2011	-46.54	VU
<i>Anaplectoides prasina</i>	Green Arches	2006	2015	-3.7		2005	2014	-31.0		2004	2013	-21.3		2003	2012	-36.7		2002	2011	-4.668	
<i>Anarta trifolii</i>	Nutmeg	2005	2014	-46.8		2004	2013	-82.4		2003	2012	-86.8		2002	2011	-27.0		2001	2010	-43.21	
<i>Anorthoa munda</i>	Twin-spotted Quaker	2006	2015	5.5		2005	2014	46.7		2004	2013	57.4		2003	2012	110.0		2002	2011	44.98	
<i>Anticlea derivata</i>	Streamer	2006	2015	-18.2		2005	2014	-13.8		2004	2013	-33.7		2003	2012	1.7		2002	2011	38.728	
<i>Antitype chi</i>	Grey Chi	2006	2015	209.6		2005	2014	65.1		2004	2013	56.9		2003	2012	11.5		2002	2011	-29.94	
<i>Apamea anceps</i>	Large Nutmeg	2006	2015	-67.2		2005	2014	-54.0		2004	2013	-53.2		2003	2012	-35.1		2002	2011	55.589	
<i>Apamea crenata</i>	Clouded-bordered Brindle	2006	2015	-26.6		2005	2014	6.0		2004	2013	-24.4		2003	2012	-17.3		2002	2011	24.965	
<i>Apamea lithoxylaea</i>	Light Arches	2006	2015	20.4		2005	2014	50.1		2004	2013	3.8		2003	2012	10.5		2002	2011	57.109	
<i>Apamea monoglypha</i>	Dark Arches	2006	2015	15.7		2005	2014	2.1		2004	2013	-40.8		2003	2012	-26.0		2002	2011	-0.927	
<i>Apamea remissa</i>	Dusky Brocade	2006	2015	2.4		2005	2014	28.8		2004	2013	-14.8		2003	2012	-27.9		2002	2011	29.356	
<i>Apamea scolopacina</i>	Slender Brindle	2006	2015	155.0		2005	2014	112.1		2004	2013	61.6		2003	2012	35.1		2002	2011	15.52	
<i>Apamea sordens</i>	Rustic Shoulder-knot	2006	2015	-70.6	EN	2005	2014	-38.8		2004	2013	-22.0		2003	2012	11.1		2002	2011	123.94	
<i>Apeira syringaria</i>	Lilac Beauty	2006	2015	-49.4		2005	2014	-58.0		2004	2013	-59.6		2003	2012	-65.5	EN	2002	2011	-29.93	
<i>Aplocera efformata</i>	Lesser Treble-bar	2005	2014	-36.4		2004	2013	-37.3		2003	2012	-44.0		2002	2011	-22.0		2001	2010	38.701	
<i>Aplocera plagiata</i>	Treble-bar	2006	2015	-69.9		2005	2014	-51.7		2004	2013	-20.2		2003	2012	-31.8		2002	2011	-37.71	
<i>Apocheima hispidaria</i>	Small Brindled Beauty	2006	2015	-1.7		2005	2014	181.8		2004	2013	414.3		2003	2012	198.9		2002	2011	52.911	
<i>Aporophyla lueneburgensis</i>	Northern Deep-brown Dart	2005	2013	160.8		2003	2012	125.7		2001	2010	23.4		2000	2009	-73.8	EN	1999	2008	-62.11	
<i>Aporophyla lutulenta</i>	Deep-brown Dart	2006	2015	-6.4		2005	2014	-18.7		2004	2013	-38.3		2003	2012	-25.9		2002	2011	58.352	
<i>Aporophyla nigra</i>	Black Rustic	2006	2015	-40.3		2005	2014	-43.7		2004	2013	-47.1	VU	2003	2012	-47.8	VU	2002	2011	-12.62	
<i>Apterogenum ypsillon</i>	Dingy Shears	2006	2015	-85.3		2005	2014	-59.4		2004	2013	52.2		2003	2012	92.6		2002	2011	560.01	
<i>Arctia caja</i>	Garden Tiger	2006	2015	60.8		2005	2014	44.6		2004	2013	-7.2		2003	2012	-19.9		2002	2011	-41.96	
<i>Aspitates ochrearia</i>	Yellow Belle	2006	2015	-90.9	CR	2005	2014	-96.7	CR	2003	2012	-87.1	CR	2002	2011	-83.0	CR	2001	2010	-67.04	EN
<i>Asteroscopus sphinx</i>	Sprawler	2006	2015	-3.0		2005	2014	10.9		2004	2013	87.2		2003	2012	113.7		2002	2011	126.22	
<i>Asthena albulata</i>	Small White Wave	2006	2015	-40.8		2005	2014	-57.7		2004	2013	-70.2	EN	2003	2012	-56.0		2002	2011	-5.316	
<i>Atethmia centrago</i>	Centre-barred Sallow	2006	2015	-25.3		2005	2014	-18.1		2004	2013	33.5		2003	2012	5.3		2002	2011	54.476	
<i>Autographa bractea</i>	Gold Spangle	2006	2015	-8.9		2005	2014	33.4		2004	2013	30.0		2003	2012	-15.6		2002	2011	-45.9	

<i>Autographa jota</i>	Plain Golden Y	2006	2015	155.8		2005	2014	245.1		2004	2013	175.7		2003	2012	49.7		2002	2011	5.566	
<i>Autographa pulchrina</i>	Beautiful Golden Y	2006	2015	84.3		2005	2014	121.4		2004	2013	121.3		2003	2012	26.0		2002	2011	-14.02	
<i>Axylia putris</i>	Flame	2006	2015	10.4		2005	2014	-19.1		2004	2013	-40.2		2003	2012	-40.1		2002	2011	-24.94	
<i>Bena bicolorana</i>	Scarce Silver-lines	2006	2015	-73.6		2004	2013	-88.1	CR	2002	2011	-1.6		2001	2010	85.3		1999	2008	28.62	
<i>Biston betularia</i>	Peppered Moth	2006	2015	-78.2	EN	2005	2014	-58.6	EN	2004	2013	-56.6	EN	2003	2012	-55.4	EN	2002	2011	-45.4	VU
<i>Biston strataria</i>	Oak Beauty	2006	2015	19.9		2005	2014	58.1		2004	2013	46.2		2003	2012	53.0		2002	2011	69.465	
<i>Brachylomia viminalis</i>	Minor Shoulder-knot	2006	2015	59.4		2005	2014	17.6		2004	2013	13.6		2003	2012	28.8		2002	2011	28.953	
<i>Bryophila domestica</i>	Marbled Beauty	2006	2015	-4.4		2005	2014	-24.0		2004	2013	-43.0		2003	2012	-58.4	EN	2002	2011	-64.22	EN
<i>Bupalus piniaria</i>	Bordered White	2006	2015	166.1		2005	2014	-4.6		2004	2013	-42.7		2003	2012	-31.0		2002	2011	-24.1	
<i>Cabera exanthemata</i>	Common Wave	2006	2015	3.5		2005	2014	33.9		2004	2013	39.0		2003	2012	5.5		2002	2011	48.188	
<i>Cabera pusaria</i>	Common White Wave	2006	2015	20.8		2005	2014	16.4		2004	2013	-19.4		2003	2012	-39.4	VU	2002	2011	-30.36	
<i>Calliteara pudibunda</i>	Pale Tussock	2006	2015	-14.4		2005	2014	-23.9		2004	2013	-43.5		2003	2012	-24.9		2002	2011	31.015	
<i>Campaea margaritata</i>	Light Emerald	2006	2015	27.0		2005	2014	57.8		2004	2013	43.7		2003	2012	21.9		2002	2011	33.422	
<i>Camptogramma bilineata</i>	Yellow Shell	2006	2015	-37.8	VU	2005	2014	-37.4		2004	2013	-32.9		2003	2012	-26.8		2002	2011	6.358	
<i>Caradrina clavipalpis</i>	Pale Mottled Willow	2006	2015	-85.5	CR	2005	2014	-92.7	CR	2004	2013	-93.3	CR	2003	2012	-84.5	CR	2002	2011	-75.77	EN
<i>Caradrina morpheus</i>	Mottled Rustic	2006	2015	70.7		2005	2014	36.9		2004	2013	0.6		2003	2012	-6.1		2002	2011	-6.991	
<i>Catarhoe rubidata</i>	Ruddy Carpet	2006	2015	-91.9	CR	2005	2014	-85.8	CR	2004	2013	-60.9	EN	2003	2012	-36.6		2002	2011	118.95	
<i>Catocala nupta</i>	Red Underwing	2006	2015	41.7		2005	2014	60.1		2004	2013	122.2		2003	2012	54.6		2003	2011	146.26	
<i>Celaena haworthii</i>	Haworth's Minor	2006	2015	198.2		2005	2014	224.7		2004	2013	275.7		2003	2012	27.9		2002	2011	21.682	
<i>Ceramica pisi</i>	Broom Moth	2006	2015	-49.4		2005	2014	-58.0		2004	2013	-70.4	EN	2003	2012	-57.2		2002	2011	-41.62	
<i>Cerapteryx graminis</i>	Antler Moth	2006	2015	-41.0		2005	2014	28.5		2004	2013	83.8		2003	2012	31.5		2002	2011	75.611	
<i>Cerastis leucographa</i>	White-marked	2004	2013	69.5		2004	2012	256.4		2002	2011	357.0		2000	2009	118.7		1999	2008	-0.517	
<i>Cerastis rubricosa</i>	Red Chestnut	2006	2015	-17.5		2005	2014	-12.0		2004	2013	-42.7		2003	2012	4.1		2002	2011	9.153	
<i>Charanyca trigrammica</i>	Treble Lines	2006	2015	4.0		2005	2014	4.4		2004	2013	2.6		2003	2012	116.6		2002	2011	96.133	
<i>Chesias legatella</i>	Streak	2006	2015	-40.9		2005	2014	-51.6		2004	2013	-34.7		2003	2012	-59.8		2002	2011	-17.05	
<i>Chesias rufata</i>	Broom-tip	2004	2013	58.7		2003	2012	15.9		2002	2011	69.2		2001	2010	-6.5		1999	2008	-73.09	
<i>Chiasmia clathrata</i>	Latticed Heath	2006	2015	-40.9		2005	2014	-43.0		2004	2013	-64.8	EN	2003	2012	-68.0	EN	2002	2011	-51.44	
<i>Chloroclysta miata</i>	Autumn Green Carpet	2006	2015	-2.1		2005	2014	52.5		2004	2013	70.8		2003	2012	21.9		2002	2011	40.056	
<i>Chloroclysta siterata</i>	Red-green Carpet	2006	2015	-6.3		2005	2014	29.6		2004	2013	54.1		2003	2012	37.8		2002	2011	63.242	
<i>Chloroclystis v-ata</i>	V-Pug	2006	2015	4.0		2005	2014	37.1		2004	2013	1.5		2003	2012	18.1		2002	2011	104.3	
<i>Cidaria fulvata</i>	Barred Yellow	2006	2015	-11.6		2005	2014	-6.7		2004	2013	-18.4		2003	2012	-51.3		2002	2011	-30.14	
<i>Cilix glaucata</i>	Chinese Character	2006	2015	-21.8		2005	2014	-21.0		2004	2013	-44.1	VU	2003	2012	-52.1	EN	2002	2011	-32.06	
<i>Cirrhia icteritia</i>	Sallow	2006	2015	-27.2		2005	2014	-2.7		2004	2013	24.2		2003	2012	27.2		2002	2011	63.067	
<i>Cleorodes lichenaria</i>	Brussels Lace	2006	2015	6.7		2005	2014	0.3		2004	2013	-26.8		2003	2012	-28.4		2002	2011	-11.85	
<i>Clostera curtula</i>	Chocolate-tip	2006	2015	-32.2		2005	2014	6.7		2004	2013	22.6		2003	2012	79.3		2002	2011	73.483	

<i>Coenobia rufa</i>	Small Rufous	2006	2015	-21.1		2005	2014	-35.5		2004	2013	-73.5	EN	2003	2012	-84.4	CR	2002	2011	-68
<i>Coenoteiphria salicata</i>	Striped Twin-spot Carpet	2006	2015	-19.9		2005	2014	24.2		2004	2013	9.0		2003	2012	-31.3		2002	2011	14.783
<i>Colocasia coryli</i>	Nut-tree Tussock	2006	2015	-21.5		2005	2014	5.3		2004	2013	-30.1		2003	2012	-20.3		2002	2011	6.094
<i>Colostygia pectinataria</i>	Green Carpet	2006	2015	-7.2		2005	2014	4.2		2004	2013	40.9		2003	2012	48.2		2002	2011	41.456
<i>Colotois pennaria</i>	Feathered Thorn	2006	2015	-1.3		2005	2014	23.3		2004	2013	11.7		2003	2012	28.6		2002	2011	23.711
<i>Comibaena bajularia</i>	Blotched Emerald	2006	2015	-82.1	CR	2005	2014	-74.2		2004	2013	-71.6		2003	2012	-43.2		2002	2011	214.27
<i>Conistra ligula</i>	Dark Chestnut	2006	2015	36.8		2005	2014	44.9		2004	2013	27.3		2003	2012	78.6		2002	2011	124.26
<i>Conistra rubiginea</i>	Dotted Chestnut	2006	2015	-43.7		2005	2014	73.6		2004	2013	17.1		2003	2012	-3.6		2002	2011	37.293
<i>Conistra vaccinii</i>	Chestnut	2006	2015	56.2		2005	2014	46.9		2004	2013	44.7		2003	2012	60.0		2002	2011	61.431
<i>Cosmia affinis</i>	Lesser-spotted Pinion	2006	2015	14.4		2005	2014	76.1		2004	2013	58.1		2003	2012	51.1		2002	2011	97.861
<i>Cosmia pyralina</i>	Lunar-spotted Pinion	2006	2015	-40.5		2005	2014	-11.6		2004	2013	-14.5		2003	2012	7.0		2002	2011	154.34
<i>Cosmia trapezina</i>	Dun-bar	2006	2015	-40.4		2005	2014	-2.0		2004	2013	50.8		2003	2012	22.2		2002	2011	77.084
<i>Cosmorhoe ocellata</i>	Purple Bar	2006	2015	6.8		2005	2014	-6.4		2004	2013	-35.9		2003	2012	-51.0	EN	2002	2011	-29.15
<i>Craniophora ligustri</i>	Coronet	2006	2015	26.7		2005	2014	11.8		2004	2013	-19.6		2003	2012	-46.9		2002	2011	-30.52
<i>Crocallis elinguaris</i>	Scalloped Oak	2006	2015	-21.4		2005	2014	-6.3		2004	2013	-7.9		2003	2012	2.8		2002	2011	19.7
<i>Cybosia mesomella</i>	Four-dotted Footman	2006	2015	45.6		2005	2014	24.1		2004	2013	-3.0		2003	2012	2.4		2002	2011	-0.734
<i>Cyclophora albipunctata</i>	Birch Mocha	2006	2015	-34.7		2005	2014	-45.5		2004	2013	-70.0	EN	2003	2012	-39.6		2002	2011	-22.36
<i>Cyclophora linearia</i>	Clay Triple-lines	2006	2015	-74.2		2005	2014	-27.0		2004	2013	-53.1		2003	2012	-58.9		2002	2011	-20.5
<i>Cyclophora punctaria</i>	Maiden's Blush	2006	2015	-60.2	EN	2005	2014	-44.0		2004	2013	-62.8	EN	2003	2012	-66.8	EN	2002	2011	-40.12
<i>Cymatophorina diluta</i>	Oak Lutestring	2006	2015	-98.5	CR	2005	2014	-96.9	CR	2004	2013	-91.5	CR	2003	2012	-47.7		2002	2011	-10.02
<i>Dasypolia templi</i>	Brindled Ochre	2006	2015	178.5		2005	2014	413.0		2004	2013	476.6		2003	2012	82.5		2002	2011	-28.79
<i>Deilephila elpenor</i>	Elephant Hawk-moth	2006	2015	3.6		2005	2014	-37.5		2004	2013	-70.7	EN	2003	2012	-48.5	VU	2002	2011	-39.81
<i>Deileptenia ribeata</i>	Satin Beauty	2006	2015	-24.9		2005	2014	-12.9		2004	2013	-29.0		2003	2012	-54.6	EN	2002	2011	-23.43
<i>Deltote pygarga</i>	Marbled White-spot	2006	2015	680.5		2005	2014	255.0		2004	2013	78.8		2003	2012	32.2		2002	2011	79.49
<i>Deltote uncula</i>	Silver Hook	2005	2014	9.7		2004	2013	1.5		2001	2010	25.8		2000	2009	-21.8		1999	2008	23.396
<i>Denticucullus pygmina</i>	Small Wainscot	2006	2015	16.0		2005	2014	66.0		2004	2013	93.7		2003	2012	44.9		2002	2011	66.784
<i>Diachrysis chrysis</i>	Burnished Brass	2006	2015	10.5		2005	2014	20.3		2004	2013	40.3		2003	2012	13.5		2002	2011	6.051
<i>Diacrisia sannio</i>	Clouded Buff	2006	2015	26.4		2005	2014	5.4		2004	2013	-39.3		2003	2012	-35.0		2002	2011	-49.86
<i>Diaphora mendica</i>	Muslin Moth	2006	2015	-37.2		2005	2014	-32.1		2004	2013	-13.1		2003	2012	89.9		2002	2011	126.85
<i>Diarsia brunnea</i>	Purple Clay	2006	2015	32.5		2005	2014	20.6		2004	2013	5.5		2003	2012	11.4		2002	2011	28.179
<i>Diarsia dahlia</i>	Barred Chestnut	2006	2015	68.8		2005	2014	42.8		2004	2013	38.0		2003	2012	-0.9		2002	2011	23.9
<i>Diarsia mendica</i>	Ingrailed Clay	2006	2015	61.3		2005	2014	18.4		2004	2013	-6.8		2003	2012	-10.4		2002	2011	-14.69
<i>Diarsia rubi</i>	Small Square-spot	2006	2015	13.1		2005	2014	-4.6		2004	2013	-28.0		2003	2012	-21.5		2002	2011	12.224
<i>Diloba caeruleocephala</i>	Figure of Eight	2006	2015	-72.0		2005	2014	-26.8		2003	2012	-31.7		2002	2011	13.6		2001	2010	-21.5
<i>Drepana falcataria</i>	Pebble Hook-tip	2006	2015	-20.0		2005	2014	-24.8		2004	2013	-48.9	VU	2003	2012	-49.0	VU	2002	2011	-13.02

<i>Drymonia dodonaea</i>	Marbled Brown	2006	2015	5.9		2005	2014	-2.9		2004	2013	-20.8		2003	2012	-18.0		2002	2011	-3.368	
<i>Drymonia ruficornis</i>	Lunar Marbled Brown	2006	2015	-74.7		2005	2014	-76.1		2004	2013	-78.5		2003	2012	-23.3		2002	2011	24.247	
<i>Dryobotodes eremita</i>	Brindled Green	2006	2015	-37.4		2005	2014	-24.4		2004	2013	-22.1		2003	2012	-30.6		2002	2011	-5.125	
<i>Dypterygia scabriuscula</i>	Bird's Wing	2005	2014	-13.2		2005	2013	1.3		2003	2012	-74.6	EN	2002	2011	-85.6	CR	1998	2007	-64.33	
<i>Dyscia fagara</i>	Grey Scalloped Bar	2006	2015	13.4		2005	2014	-41.6		2004	2013	20.4		2003	2012	-17.9		2002	2011	-35.62	
<i>Dysstroma citrata</i>	Dark Marbled Carpet	2006	2015	4.0		2005	2014	34.1		2004	2013	37.0		2003	2012	-14.5		2002	2011	-14.1	
<i>Dysstroma truncata</i>	Common Marbled Carpet	2006	2015	39.4		2005	2014	73.7		2004	2013	84.6		2003	2012	19.2		2002	2011	27.797	
<i>Earophila badiata</i>	Shoulder Stripe	2006	2015	2.7		2005	2014	8.4		2004	2013	8.3		2003	2012	63.7		2002	2011	51.413	
<i>Ecliptopera silaceata</i>	Small Phoenix	2006	2015	15.5		2005	2014	85.6		2004	2013	60.6		2003	2012	9.6		2002	2011	28.739	
<i>Ectropis</i> sp.	Engrailed / Small Engrailed	2006	2015	6.8		2005	2014	8.3		2004	2013	5.8		2003	2012	17.8		2002	2011	38.356	
<i>Eilema complana</i>	Scarce Footman	2006	2015	-6.5		2005	2014	-42.7		2004	2013	-43.9		2003	2012	-47.0		2002	2011	-25.4	
<i>Eilema depressa</i>	Buff Footman	2006	2015	96.9		2005	2014	73.1		2004	2013	29.4		2003	2012	5.4		2002	2011	37.401	
<i>Eilema griseola</i>	Dingy Footman	2006	2015	61.2		2005	2014	80.6		2004	2013	33.3		2003	2012	12.6		2002	2011	19.841	
<i>Eilema lurideola</i>	Common Footman	2006	2015	-3.2		2005	2014	-4.2		2004	2013	-19.4		2003	2012	2.6		2002	2011	12.691	
<i>Electrophaes corylata</i>	Broken-barred Carpet	2006	2015	32.2		2005	2014	49.5		2004	2013	11.0		2003	2012	4.5		2002	2011	24.535	
<i>Ennomos alniaria</i>	Canary-shouldered Thorn	2006	2015	-50.9	EN	2005	2014	-49.4	VU	2004	2013	-35.6		2003	2012	-43.0		2002	2011	-22.04	
<i>Ennomos erosaria</i>	September Thorn	2006	2015	111.9		2005	2014	40.4		2004	2013	-30.1		2003	2012	-45.7		2002	2011	-22.41	
<i>Ennomos fuscantaria</i>	Dusky Thorn	2006	2015	2.0		2005	2014	-22.9		2004	2013	-43.9		2003	2012	-72.2	EN	2002	2011	-59.23	EN
<i>Ennomos quercinaria</i>	August Thorn	2006	2015	36.4		2005	2014	81.9		2004	2013	77.5		2003	2012	-3.1		2002	2011	-27.95	
<i>Entephria caesiata</i>	Grey Mountain Carpet	2006	2015	333.0		2005	2014	534.4		2004	2013	351.8		2003	2012	141.1		2002	2011	-39.93	
<i>Epione repandaria</i>	Bordered Beauty	2006	2015	13.1		2005	2014	32.5		2004	2013	25.0		2003	2012	23.8		2002	2011	44.707	
<i>Epirrhoe alternata</i>	Common Carpet	2006	2015	17.3		2005	2014	5.7		2004	2013	-22.6		2003	2012	-50.7	EN	2002	2011	-39.43	
<i>Epirrhoe galiata</i>	Galium Carpet	2006	2015	-50.4		2005	2014	-31.5		2004	2013	-61.3		2003	2012	-84.8	CR	2002	2011	-76.28	EN
<i>Epirrhoe rivata</i>	Wood Carpet	2006	2015	-47.5	VU	2005	2014	-30.8		2004	2013	3.4		2003	2012	-7.1		2002	2011	30.986	
<i>Epirrita autumnata</i>	Autumnal Moth	2006	2015	1.8		2005	2014	7.5		2004	2013	-19.8		2003	2012	-13.4		2002	2011	-23.36	
<i>Epirrita christyi</i>	Pale November Moth	2006	2015	9.2		2005	2014	33.6		2004	2013	54.4		2003	2012	31.7		2002	2011	30.41	
<i>Epirrita dilutata</i>	November Moth	2006	2015	-16.5		2005	2014	-7.5		2004	2013	12.7		2003	2012	16.8		2002	2011	23.806	
<i>Epirrita filigrammaria</i>	Small Autumnal Moth	2006	2015	-42.2		2005	2014	-54.1		2004	2013	-54.6		2003	2012	-78.5	EN	2002	2011	-57.14	
<i>Eremobia ochroleuca</i>	Dusky Sallow	2006	2015	175.5		2005	2014	101.8		2004	2013	33.5		2003	2012	-4.2		2002	2011	-12.18	
<i>Euchoeca nebulata</i>	Dingy Shell	2006	2015	-68.6		2005	2014	-75.1	EN	2004	2013	-72.9	EN	2003	2012	-83.3	CR	2002	2011	-33.34	
<i>Eugnorisma depuncta</i>	Plain Clay	2006	2015	-78.0	EN	2005	2014	-77.1	EN	2004	2013	-55.5		2003	2012	-65.2		2002	2011	-39.06	
<i>Eugnorisma glareosa</i>	Autumnal Rustic	2006	2015	-13.6		2005	2014	-54.8		2004	2013	-50.4		2003	2012	-27.9		2002	2011	-12.89	
<i>Eulithis populata</i>	Northern Spinach	2006	2015	100.9		2005	2014	97.0		2004	2013	46.8		2003	2012	-9.9		2002	2011	-3.512	
<i>Eulithis prunata</i>	Phoenix	2006	2015	-15.9		2005	2014	40.7		2004	2013	40.1		2003	2012	-31.8		2002	2011	-45.11	

<i>Eulithis testata</i>	Chevron	2006	2015	8.0		2005	2014	-11.4		2004	2013	-30.2		2003	2012	-55.2	EN	2002	2011	-36.43	
<i>Euphyia biangulata</i>	Cloaked Carpet	2006	2015	-63.2	EN	2005	2014	-55.7	EN	2004	2013	-53.1		2003	2012	-30.3		2002	2011	21.175	
<i>Euphyia unangulata</i>	Sharp-angled Carpet	2006	2015	-59.7	EN	2005	2014	-61.4	EN	2004	2013	-57.2		2003	2012	-51.7		2002	2011	-35.87	
<i>Eupithecia abbreviata</i>	Brindled Pug	2006	2015	-42.2		2005	2014	3.0		2004	2013	28.7		2003	2012	69.1		2002	2011	90.344	
<i>Eupithecia absinthiata</i>	Wormwood Pug / Ling Pug	2006	2015	35.2		2005	2014	13.4		2004	2013	-23.6		2003	2012	-48.6		2002	2011	29.307	
<i>Eupithecia assimilata</i>	Currant Pug	2006	2015	-52.2		2005	2014	-25.5		2004	2013	-25.8		2003	2012	-26.9		2002	2011	38.521	
<i>Eupithecia centaureata</i>	Lime-speck Pug	2006	2015	-50.7		2005	2014	-36.2		2004	2013	-34.1		2003	2012	-58.5	EN	2002	2011	-37.09	
<i>Eupithecia distinctaria</i>	Thyme Pug	2005	2014	-78.9	EN	2004	2013	-70.5		2003	2012	-78.5	EN	2002	2011	-64.9		2001	2010	-82.3	CR
<i>Eupithecia exiguata</i>	Mottled Pug	2006	2015	-53.5	EN	2005	2014	-45.2		2004	2013	-40.4		2003	2012	-25.1		2002	2011	50.236	
<i>Eupithecia haworthiata</i>	Haworth's Pug	2006	2015	-3.3		2005	2014	-20.0		2004	2013	-51.5		2003	2012	-59.9		2002	2011	4.67	
<i>Eupithecia icterata</i>	Tawny-speckled Pug	2006	2015	24.4		2005	2014	12.5		2004	2013	-4.1		2003	2012	-33.6		2002	2011	-31.44	
<i>Eupithecia innotata</i>	Angle-barred Pug / Ash Pug / Tamarisk Pug	2006	2015	-81.3	CR	2005	2014	-84.7	CR	2004	2013	-68.3		2002	2011	-25.3		2001	2010	57.146	
<i>Eupithecia intricata</i>	Edinburgh Pug / Freyer's Pug / Mere's Pug	2006	2015	-4.1		2005	2014	-32.1		2004	2013	-22.2		2003	2012	-29.0		2002	2011	-26.36	
<i>Eupithecia inturbata</i>	Maple Pug	2006	2015	30.0		2005	2014	-32.8		2004	2013	-30.0		2003	2012	-26.1		2002	2011	-6.478	
<i>Eupithecia lariciata</i>	Larch Pug	2006	2015	-71.2	EN	2005	2014	-42.1		2004	2013	43.4		2003	2012	309.7		2003	2011	504.48	
<i>Eupithecia linariata</i>	Toadflax Pug	2006	2015	-88.2	CR	2005	2014	-89.7	CR	2004	2013	-88.7	CR	2003	2012	-88.7	CR	2002	2011	-75.43	
<i>Eupithecia nanata</i>	Narrow-winged Pug	2006	2015	-43.1		2005	2014	-24.3		2004	2013	-32.6		2003	2012	-43.4		2002	2011	-45.73	
<i>Eupithecia plumbeolata</i>	Lead-coloured Pug	2006	2015	319.9		2005	2014	336.1		2004	2013	75.5		2003	2012	35.3		2002	2011	131.52	
<i>Eupithecia pulchellata</i>	Foxglove Pug	2006	2015	1.6		2005	2014	37.8		2004	2013	-5.5		2003	2012	-11.8		2002	2011	51.664	
<i>Eupithecia pusillata</i>	Juniper Pug	2006	2015	-36.0		2005	2014	-24.3		2004	2013	2.5		2003	2012	-16.7		2002	2011	55.967	
<i>Eupithecia simpliciatia</i>	Plain Pug	2006	2015	65.5		2005	2014	-57.1		2004	2013	-82.4	CR	2003	2012	-75.5		2002	2011	-55.62	
<i>Eupithecia subfuscata</i>	Grey Pug	2006	2015	-46.0		2005	2014	-39.1		2004	2013	-47.7		2003	2012	-21.0		2002	2011	157.77	
<i>Eupithecia subumbrata</i>	Shaded Pug	2006	2015	20.1		2005	2014	80.5		2004	2013	49.8		2003	2012	1.4		2002	2011	25.057	
<i>Eupithecia succenturiata</i>	Bordered Pug	2006	2015	-6.4		2005	2014	-4.8		2004	2013	-22.2		2003	2012	-62.2	EN	2002	2011	-58.03	
<i>Eupithecia tantillaria</i>	Dwarf Pug	2005	2014	-40.5		2004	2013	-1.0		2003	2012	-1.0		2002	2011	71.4		2001	2010	10.23	
<i>Eupithecia tenuiata</i>	Slender Pug	2006	2015	-26.7		2005	2014	-13.4		2004	2013	6.0		2003	2012	20.8		2002	2011	202.56	
<i>Eupithecia tripunctaria</i>	White-spotted Pug	2006	2015	-38.7		2005	2014	-6.5		2004	2013	-12.7		2003	2012	-15.6		2002	2011	119.55	
<i>Eupithecia trisignaria</i>	Triple-spotted Pug	2006	2015	334.9		2005	2014	463.8		2004	2013	373.6		2003	2012	-23.7		2002	2011	-28.05	
<i>Eupithecia valerianata</i>	Valerian Pug	2006	2015	-50.1		2005	2014	-80.3	CR	2004	2013	-83.3	CR	2003	2012	-65.8		2002	2011	-3.533	
<i>Eupithecia venosata</i>	Netted Pug	2005	2014	-86.0	CR	2004	2013	-88.1	CR	2003	2012	-76.2		2002	2011	-78.6		2001	2010	-68.88	
<i>Eupithecia virgaureata</i>	Golden-rod Pug	2006	2015	-59.3		2005	2014	-64.5		2004	2013	-62.6		2003	2012	-58.5		2002	2011	157.64	
<i>Eupithecia vulgata</i>	Common Pug	2006	2015	-22.5		2005	2014	0.5		2004	2013	-11.0		2003	2012	21.9		2002	2011	72.689	
<i>Euplexia lucipara</i>	Small Angle Shades	2006	2015	-0.4		2005	2014	4.1		2004	2013	-17.3		2003	2012	-38.5		2002	2011	-22.59	
<i>Euproctis chrysorrhoea</i>	Brown-tail	2006	2015	11.2		2005	2014	-18.5		2004	2013	-30.5		2003	2012	-32.9		2002	2011	55.75	

<i>Euproctis similis</i>	Yellow-tail	2006	2015	-30.7		2005	2014	-32.2		2004	2013	-45.6		2003	2012	-49.0	VU	2002	2011	-25.92	
<i>Eupsilia transversa</i>	Satellite	2006	2015	-10.6		2005	2014	-3.4		2004	2013	13.2		2003	2012	73.3		2002	2011	140.86	
<i>Euthrix potatoria</i>	Drinker	2006	2015	15.5		2005	2014	-1.4		2004	2013	-32.5		2003	2012	-40.5	VU	2002	2011	-29.67	
<i>Furcula furcula</i>	Sallow Kitten	2006	2015	-64.2		2005	2014	-79.6	EN	2004	2013	-65.4		2003	2012	-78.1		2002	2011	-48.95	
<i>Gandaritis pyraliata</i>	Barred Straw	2006	2015	35.1		2005	2014	32.8		2004	2013	27.6		2003	2012	-7.0		2002	2011	-4.661	
<i>Geometra papilionaria</i>	Large Emerald	2006	2015	-7.5		2005	2014	-6.3		2004	2013	-19.0		2003	2012	-25.6		2002	2011	-10.28	
<i>Gnophos obfuscata</i>	Scotch Annulet	2002	2011	-92.4		2001	2010	-92.9		2000	2009	-87.0		1999	2008	-72.5		1998	2007	-63.47	
<i>Gortyna flavago</i>	Frosted Orange	2006	2015	-20.4		2005	2014	11.5		2004	2013	42.9		2003	2012	7.8		2002	2011	49.63	
<i>Graphiphora augur</i>	Double Dart	2006	2015	182.3		2005	2014	92.3		2004	2013	87.7		2003	2012	3.8		2002	2011	19.946	
<i>Gripesia aprilina</i>	Merveille du Jour	2006	2015	-6.6		2005	2014	-6.1		2004	2013	13.9		2003	2012	-15.0		2002	2011	6.389	
<i>Gymnoscelis rufifasciata</i>	Double-striped Pug	2006	2015	-68.4	EN	2005	2014	-67.6	EN	2004	2013	-74.3	EN	2003	2012	-67.4	EN	2002	2011	-3.876	
<i>Habrosyne pyritoides</i>	Buff Arches	2006	2015	50.0		2005	2014	71.4		2004	2013	96.9		2003	2012	1.4		2002	2011	19.084	
<i>Hada plebeja</i>	Shears	2006	2015	-52.4		2005	2014	-27.2		2004	2013	-38.6		2003	2012	-18.6		2002	2011	-25.88	
<i>Hadena confusa</i>	Marbled Coronet	2005	2014	-46.4		2003	2012	-91.9	CR	2002	2011	-97.3	CR	2001	2010	-94.8	CR	2000	2009	-95.54	CR
<i>Hadena perplexa</i>	Tawny Shears	2006	2015	-4.0		2005	2014	56.7		2004	2013	-42.4		2003	2012	-31.6		2002	2011	-61.96	
<i>Hecatera bicolorata</i>	Broad-barred White	2006	2015	-39.3		2005	2014	2.5		2004	2013	-26.2		2003	2012	-41.6		2002	2011	1.306	
<i>Helotropha leucostigma</i>	Crescent	2006	2015	5.6		2005	2014	-20.6		2004	2013	-21.2		2003	2012	-45.5		2002	2011	10.182	
<i>Hemistola chrysoprasaria</i>	Small Emerald	2006	2015	-62.4	EN	2005	2014	-49.4	VU	2004	2013	-47.8	VU	2003	2012	-13.0		2002	2011	8.816	
<i>Hemitheia aestivaria</i>	Common Emerald	2006	2015	2.1		2005	2014	-12.1		2004	2013	-0.7		2003	2012	-9.3		2002	2011	44.292	
<i>Hepialus humuli</i>	Ghost Moth	2006	2015	-6.6		2005	2014	-31.5		2004	2013	-21.6		2003	2012	-23.5		2002	2011	3.058	
<i>Herminia grisealis</i>	Small Fan-foot	2006	2015	-3.9		2005	2014	-8.3		2004	2013	-16.2		2003	2012	-24.9		2002	2011	2.226	
<i>Herminia tarsipennalis</i>	Fan-foot	2006	2015	34.3		2005	2014	50.7		2004	2013	88.8		2003	2012	53.4		2002	2011	69.573	
<i>Hoplodrina alsines</i>	Uncertain	2006	2015	29.0		2005	2014	24.6		2004	2013	15.0		2003	2012	45.0		2002	2011	71.427	
<i>Hoplodrina ambigua</i>	Vine's Rustic	2006	2015	-29.8		2005	2014	-39.9		2004	2013	-57.2		2003	2012	-47.4		2002	2011	42.069	
<i>Hoplodrina blanda</i>	Rustic	2006	2015	81.8		2005	2014	40.9		2004	2013	0.2		2003	2012	2.6		2002	2011	-14.2	
<i>Horisme tersata</i>	Fern	2006	2015	-29.0		2005	2014	-33.4		2004	2013	-23.8		2003	2012	-29.3		2002	2011	1.276	
<i>Horisme vitalbata</i>	Small Waved Umber	2006	2015	-49.7		2005	2014	-57.4		2004	2013	-62.9	EN	2003	2012	-63.5	EN	2002	2011	-13.61	
<i>Hydraecia micacea</i>	Rosy Rustic	2006	2015	34.8		2005	2014	41.1		2004	2013	27.2		2003	2012	-2.5		2002	2011	46.577	
<i>Hydrelia flammeolaria</i>	Small Yellow Wave	2006	2015	81.2		2005	2014	-56.0		2004	2013	-78.4	EN	2003	2012	-80.9	CR	2002	2011	-67.62	
<i>Hydrelia sylvata</i>	Waved Carpet	2006	2015	24.8		2005	2014	-3.1		2004	2013	66.2		2003	2012	28.0		2002	2011	202.04	
<i>Hydria undulata</i>	Scallop Shell	2006	2015	18.9		2005	2014	-15.4		2004	2013	-30.4		2003	2012	-38.2		2002	2011	17.878	
<i>Hydriomena furcata</i>	July Highflyer	2006	2015	134.2		2005	2014	153.9		2004	2013	87.9		2003	2012	14.6		2002	2011	7.804	
<i>Hydriomena impluviata</i>	May Highflyer	2006	2015	-23.5		2005	2014	-34.4		2004	2013	-59.4		2003	2012	-56.7		2002	2011	-1.452	
<i>Hydriomena ruberata</i>	Ruddy Highflyer	2004	2013	204.4		2003	2012	189.9		2002	2011	70.8		2001	2010	-52.1		2000	2009	-52.03	
<i>Hylaea fasciaria</i>	Barred Red	2006	2015	21.9		2005	2014	44.3		2004	2013	25.3		2003	2012	31.4		2002	2011	19.415	

<i>Hypena crassalis</i>	Beautiful Snout	2006	2015	-68.7		2005	2014	-69.1		2004	2013	-29.1		2003	2012	27.0		2002	2011	111.52	
<i>Hypena proboscidalis</i>	Snout	2006	2015	-4.7		2005	2014	15.6		2004	2013	26.0		2003	2012	-15.6		2002	2011	6.929	
<i>Hypomecis punctinalis</i>	Pale Oak Beauty	2006	2015	-49.4	VU	2005	2014	-47.7	VU	2004	2013	-63.4	EN	2003	2012	-61.1	EN	2002	2011	-42.73	
<i>Hypomecis roboraria</i>	Great Oak Beauty	2005	2014	-12.4		2004	2013	-5.1		2003	2012	-10.2		2002	2011	18.0		2001	2010	9.893	
<i>Hyppa rectilinea</i>	Saxon	2005	2014	54.4		2004	2013	60.2		2003	2012	28.1		2002	2011	31.5		2001	2010	0.466	
<i>Idaea aversata</i>	Riband Wave	2006	2015	-12.2		2005	2014	-3.5		2004	2013	-19.4		2003	2012	0.8		2002	2011	16.987	
<i>Idaea biselata</i>	Small Fan-footed Wave	2006	2015	7.1		2005	2014	21.4		2004	2013	2.0		2003	2012	-6.5		2002	2011	1.997	
<i>Idaea dimidiata</i>	Single-dotted Wave	2006	2015	-30.1		2005	2014	-19.4		2004	2013	-24.4		2003	2012	-21.4		2002	2011	-5.856	
<i>Idaea emarginata</i>	Small Scallop	2006	2015	1.4		2005	2014	27.3		2004	2013	-5.4		2003	2012	14.8		2002	2011	34.389	
<i>Idaea fuscovenosa</i>	Dwarf Cream Wave	2006	2015	-37.0		2005	2014	-39.4		2004	2013	-33.0		2003	2012	-1.1		2002	2011	43.519	
<i>Idaea rusticata</i>	Least Carpet	2006	2015	88.1		2005	2014	126.8		2004	2013	137.7		2003	2012	164.8		2002	2011	193.38	
<i>Idaea seriata</i>	Small Dusty Wave	2006	2015	-36.3		2005	2014	-18.5		2004	2013	-30.5		2003	2012	-38.3		2002	2011	-6.419	
<i>Idaea subsericeata</i>	Satin Wave	2006	2015	-57.4		2005	2014	-72.3	EN	2004	2013	-70.9		2003	2012	-77.5	EN	2002	2011	-42.53	
<i>Idaea trigeminata</i>	Treble Brown Spot	2006	2015	-32.2		2005	2014	-27.8		2004	2013	-39.6		2003	2012	-8.8		2002	2011	71.278	
<i>Jodis lactearia</i>	Little Emerald	2006	2015	57.4		2005	2014	72.1		2004	2013	42.4		2003	2012	13.8		2002	2011	41.506	
<i>Korscheltellus fusconebulosa</i>	Map-winged Swift	2006	2015	19.8		2005	2014	-6.6		2004	2013	71.9		2003	2012	60.6		2002	2011	90.894	
<i>Korscheltellus lupulina</i>	Common Swift	2006	2015	-29.0		2005	2014	-31.4		2004	2013	-34.1		2003	2012	-10.9		2002	2011	-17.71	
<i>Lacanobia contigua</i>	Beautiful Brocade	2005	2012	-71.7	EN	2002	2011	-57.9		2001	2010	-27.3		1998	2007	48.1		1997	2006	146.38	
<i>Lacanobia oleracea</i>	Bright-line Brown-eye	2006	2015	-48.0		2005	2014	-66.6	EN	2004	2013	-77.0	EN	2003	2012	-77.1	EN	2002	2011	-50.34	
<i>Lacanobia suasa</i>	Dog's Tooth	2005	2014	-14.9		2004	2013	-29.8		2004	2010	-2.7		2000	2009	-25.2		1998	2007	110.48	
<i>Lacanobia thalassina</i>	Pale-shouldered Brocade	2006	2015	-1.2		2005	2014	-1.7		2004	2013	-27.5		2003	2012	-24.2		2002	2011	15.928	
<i>Lampropteryx otregiata</i>	Devon Carpet	2006	2015	19.4		2005	2014	57.9		2004	2013	59.9		2003	2012	23.5		2002	2011	45.793	
<i>Lampropteryx suffumata</i>	Water Carpet	2006	2015	76.7		2005	2014	126.7		2004	2013	68.6		2003	2012	70.8		2002	2011	82.38	
<i>Laothoe populi</i>	Poplar Hawk-moth	2006	2015	-11.5		2005	2014	-24.8		2004	2013	-25.0		2003	2012	-14.4		2002	2011	-8.287	
<i>Larentia clavaria</i>	Mallow	2006	2015	-46.8	VU	2005	2014	-49.2	VU	2004	2013	-30.7		2003	2012	-30.3		2002	2011	-19.54	
<i>Lasiocampa quercus</i>	Oak Eggar	2006	2015	13.5		2005	2014	-60.2		2004	2013	-66.9		2003	2012	-81.2		2002	2011	-69.24	
<i>Laspeyria flexula</i>	Beautiful Hook-tip	2006	2015	44.9		2005	2014	97.4		2004	2013	109.5		2003	2012	161.1		2002	2011	540.4	
<i>Lateroligia ophiogramma</i>	Double Lobed	2006	2015	-50.4		2005	2014	-67.6		2004	2013	-75.0		2003	2012	-74.0		2002	2011	-40.95	
<i>Leucania comma</i>	Shoulder-striped Wainscot	2006	2015	-69.7	EN	2005	2014	-72.3	EN	2004	2013	-59.2	EN	2003	2012	-49.2		2002	2011	-18.7	
<i>Ligdia adustata</i>	Scorched Carpet	2006	2015	55.6		2005	2014	43.7		2004	2013	-9.5		2003	2012	-29.6		2002	2011	48.959	
<i>Lithophane leautieri</i>	Blair's Shoulder-knot	2006	2015	17.5		2005	2014	18.3		2004	2013	51.8		2003	2012	-4.0		2002	2011	-22.37	
<i>Lithophane ornitopus</i>	Grey Shoulder-knot	2006	2015	-29.6		2005	2014	-30.5		2004	2013	-17.1		2003	2012	21.2		2002	2011	205.01	
<i>Lithophane socia</i>	Pale Pinion	2006	2015	-76.6		2005	2014	-80.5		2004	2013	-62.2		2003	2012	-64.9		2002	2011	-31.89	
<i>Litoligia literosa</i>	Rosy Minor	2006	2015	-5.8		2005	2014	-8.0		2004	2013	-14.5		2003	2012	-13.2		2002	2011	-63.06	EN

<i>Lobophora halterata</i>	Seraphim	2006	2015	-19.4		2005	2014	-26.8		2004	2013	-42.1		2004	2012	-29.9		2002	2011	-20.25	
<i>Lomasipilis marginata</i>	Clouded Border	2006	2015	3.0		2005	2014	-5.2		2004	2013	-14.1		2003	2012	-8.7		2002	2011	22.789	
<i>Lomographa bimaculata</i>	White-pinion Spotted	2006	2015	-55.2		2005	2014	-36.9		2004	2013	-47.3		2003	2012	-42.2		2002	2011	24.396	
<i>Lomographa temerata</i>	Clouded Silver	2006	2015	58.8		2005	2014	42.2		2004	2013	14.7		2003	2012	-4.6		2002	2011	47.515	
<i>Luperina testacea</i>	Flounced Rustic	2006	2015	-0.6		2005	2014	-2.8		2004	2013	-7.3		2003	2012	0.1		2002	2011	19.897	
<i>Lycia hirtaria</i>	Brindled Beauty	2006	2015	102.9		2005	2014	95.4		2004	2013	67.4		2003	2012	138.6		2002	2011	141.79	
<i>Lycophotia porphyrea</i>	True Lover's Knot	2006	2015	-3.2		2005	2014	-20.1		2004	2013	-39.3		2003	2012	-32.8		2002	2011	-34.66	
<i>Lygephila pastinum</i>	Blackneck	2006	2015	9.7		2005	2014	16.7		2004	2013	17.4		2003	2012	79.0		2002	2011	232.25	
<i>Lymantria monacha</i>	Black Arches	2006	2015	60.9		2005	2014	74.2		2004	2013	41.7		2003	2012	15.9		2002	2011	27.341	
<i>Macaria alternata</i>	Sharp-angled Peacock	2006	2015	-46.8		2005	2014	-51.4		2004	2013	-62.0	EN	2003	2012	-52.7		2002	2011	27.695	
<i>Macaria liturata</i>	Tawny-barred Angle	2006	2015	-73.4	EN	2005	2014	-77.1	EN	2004	2013	-77.3	EN	2003	2012	-72.5	EN	2002	2011	-56.56	
<i>Macaria notata</i>	Peacock Moth	2006	2015	52.7		2005	2014	-0.7		2004	2013	-49.0		2003	2012	-65.6		2002	2011	-41.82	
<i>Macrothylacia rubi</i>	Fox Moth	2006	2015	-15.1		2005	2014	-2.5		2004	2013	-22.8		2003	2012	-10.5		2002	2011	59.175	
<i>Malacosoma neustria</i>	Lackey	2006	2015	-66.0		2005	2014	-46.9		2004	2013	-41.1		2003	2012	-16.9		2002	2011	44.898	
<i>Mamestra brassicae</i>	Cabbage Moth	2006	2015	-44.1		2005	2014	-49.4		2004	2013	-54.1		2003	2012	-74.1	EN	2002	2011	-60.01	
<i>Melanchra persicariae</i>	Dot Moth	2006	2015	31.0		2005	2014	-0.8		2004	2013	-45.4		2003	2012	-76.7	EN	2002	2011	-68.92	
<i>Melanthia procellata</i>	Pretty Chalk Carpet	2006	2015	41.3		2005	2014	99.2		2004	2013	133.8		2003	2012	54.2		2002	2011	35.55	
<i>Menophra abruptaria</i>	Waved Umber	2006	2015	-40.8		2005	2014	8.2		2004	2013	5.4		2003	2012	27.7		2002	2011	85.759	
<i>Mesapamea secalis/didyma</i>	Common Rustic agg.	2006	2015	-1.7		2005	2014	-30.9		2004	2013	-42.6		2003	2012	-48.2		2002	2011	-18.92	
<i>Mesoleuca albicillata</i>	Beautiful Carpet	2006	2015	-37.3		2005	2014	-47.4		2004	2013	-46.9		2003	2012	-65.7	EN	2002	2011	-52.93	
<i>Mesoligia furuncula</i>	Cloaked Minor	2006	2015	-51.0		2005	2014	-19.3		2004	2013	2.7		2003	2012	-7.0		2002	2011	21.033	
<i>Mesotyp didymata</i>	Twin-spot Carpet	2006	2015	133.7		2005	2014	49.0		2004	2013	10.1		2003	2012	-67.2	EN	2002	2011	-74.5	EN
<i>Mitochondria miniata</i>	Rosy Footman	2006	2015	27.3		2005	2014	-1.6		2004	2013	-3.3		2003	2012	-27.1		2002	2011	1.359	
<i>Mimas tiliae</i>	Lime Hawk-moth	2005	2014	-77.3		2004	2013	-86.0	CR	2003	2012	-90.2	CR	2002	2011	-82.6		2001	2010	-70.24	
<i>Mniotype adusta</i>	Dark Brocade	2006	2015	17.4		2005	2014	52.8		2004	2013	34.2		2003	2012	72.9		2002	2011	127.64	
<i>Mythimna albipuncta</i>	White-point	2006	2015	215.6		2005	2014	198.9		2004	2013	76.3		2003	2012	78.7		2002	2011	191.54	
<i>Mythimna conigera</i>	Brown-line Bright-eye	2006	2015	12.8		2005	2014	30.0		2004	2013	33.5		2003	2012	75.7		2002	2011	103.74	
<i>Mythimna ferrago</i>	Clay	2006	2015	133.2		2005	2014	140.5		2004	2013	93.4		2003	2012	52.8		2002	2011	34.517	
<i>Mythimna impura</i>	Smoky Wainscot	2006	2015	-4.8		2005	2014	-20.6		2004	2013	-35.8	VU	2003	2012	-32.9	VU	2002	2011	-19.32	
<i>Mythimna pallens</i>	Common Wainscot	2006	2015	-76.4	EN	2005	2014	-83.8	CR	2004	2013	-86.2	CR	2003	2012	-92.0	CR	2002	2011	-75.17	EN
<i>Naenia typica</i>	Gothic	2006	2015	113.9		2005	2014	345.8		2004	2013	212.8		2003	2012	109.2		2002	2011	40.406	
<i>Noctua comes</i>	Lesser Yellow Underwing	2006	2015	-10.8		2005	2014	-29.7		2004	2013	-24.6		2003	2012	-14.7		2002	2011	29.514	
<i>Noctua fimbriata</i>	Broad-bordered Yellow Underwing	2006	2015	-12.1		2005	2014	-15.8		2004	2013	-19.5		2003	2012	-4.2		2002	2011	40.312	
<i>Noctua interjecta</i>	Least Yellow Underwing	2006	2015	-80.0		2005	2014	-69.5		2004	2013	-82.2	CR	2003	2012	-91.8	CR	2002	2011	-82.46	CR

<i>Noctua pronuba</i>	Large Yellow Underwing	2006	2015	-33.9		2005	2014	-44.8	VU	2004	2013	-47.0	VU	2003	2012	-49.5	VU	2002	2011	-34.1	VU
<i>Nola confusalis</i>	Least Black Arches	2006	2015	-35.0		2005	2014	-31.1		2004	2013	-40.4		2003	2012	-11.9		2002	2011	74.599	
<i>Nola cucullatella</i>	Short-cloaked Moth	2006	2015	-61.7	EN	2005	2014	-31.4		2004	2013	-9.3		2003	2012	-26.2		2002	2011	7.677	
<i>Notodonta dromedarius</i>	Iron Prominent	2006	2015	-61.3	EN	2005	2014	-50.7	EN	2004	2013	-50.0	EN	2003	2012	-56.4	EN	2002	2011	-35.53	
<i>Notodonta ziczac</i>	Pebble Prominent	2006	2015	-4.6		2005	2014	0.7		2004	2013	-23.1		2003	2012	-45.1	VU	2002	2011	-28.99	
<i>Nudaria mundana</i>	Muslin Footman	2006	2015	55.3		2005	2014	144.1		2004	2013	155.4		2003	2012	80.7		2002	2011	67.299	
<i>Nycteola revayana</i>	Oak Nycteoline	2006	2015	-65.7	EN	2005	2014	-65.4	EN	2004	2013	-67.6	EN	2003	2012	-64.9	EN	2002	2011	5.913	
<i>Nyctobrya muralis</i>	Marbled Green	2005	2014	-26.7		2004	2013	-50.0		2003	2012	-15.5		2003	2011	-67.5		1999	2008	-76.75	
<i>Ochropacha duplaris</i>	Common Lutestring	2006	2015	-48.2		2005	2014	-28.8		2004	2013	-36.8		2003	2012	-43.5		2002	2011	-7.56	
<i>Ochropleura plecta</i>	Flame Shoulder	2006	2015	-25.3		2005	2014	-15.9		2004	2013	-21.4		2003	2012	-32.3		2002	2011	-2.105	
<i>Odezia atrata</i>	Chimney Sweeper	2002	2011	87.9		2001	2010	63.3		2001	2009	57.4		1999	2008	-46.0		1998	2007	-63.35	
<i>Odontopera bidentata</i>	Scalloped Hazel	2006	2015	-35.8		2005	2014	13.8		2004	2013	16.1		2003	2012	49.5		2002	2011	32.043	
<i>Odontosia carmelita</i>	Scarce Prominent	2006	2015	28.6		2005	2014	23.5		2004	2013	23.8		2003	2012	5.2		2002	2011	12.107	
<i>Oligia fasciuncula</i>	Middle-barred Minor	2006	2015	-20.1		2005	2014	-14.2		2004	2013	14.9		2003	2012	12.4		2002	2011	85.792	
<i>Oligia latruncula</i>	Tawny Marbled Minor	2006	2015	11.3		2005	2014	34.0		2004	2013	7.6		2003	2012	2.0		2002	2011	18.387	
<i>Oligia strigilis</i>	Marbled Minor	2006	2015	143.0		2005	2014	85.5		2004	2013	49.3		2003	2012	25.7		2002	2011	37.475	
<i>Oligia versicolor</i>	Rufous Minor	2006	2015	58.1		2005	2014	34.4		2004	2013	-3.5		2003	2012	-14.0		2002	2011	8.798	
<i>Omphaloscelis lunosa</i>	Lunar Underwing	2006	2015	-2.6		2005	2014	-46.3		2004	2013	-71.7	EN	2003	2012	-76.2	EN	2002	2011	-55.64	
<i>Opisthograptis luteolata</i>	Brimstone Moth	2006	2015	9.9		2005	2014	22.2		2004	2013	15.5		2003	2012	4.7		2002	2011	22.363	
<i>Orthonama vittata</i>	Oblique Carpet	2006	2015	31.0		2005	2014	-38.6		2004	2013	-48.7		2003	2012	-53.6		2002	2011	-10.56	
<i>Orthosia cerasi</i>	Common Quaker	2006	2015	44.8		2005	2014	62.5		2004	2013	16.3		2003	2012	44.0		2002	2011	5.541	
<i>Orthosia cruda</i>	Small Quaker	2006	2015	-4.1		2005	2014	61.0		2004	2013	132.7		2003	2012	235.1		2002	2011	93.791	
<i>Orthosia gothica</i>	Hebrew Character	2006	2015	34.5		2005	2014	64.9		2004	2013	25.0		2003	2012	42.0		2002	2011	9.272	
<i>Orthosia gracilis</i>	Powdered Quaker	2006	2015	75.5		2005	2014	78.6		2004	2013	73.2		2003	2012	101.1		2002	2011	52.194	
<i>Orthosia incerta</i>	Clouded Drab	2006	2015	-19.9		2005	2014	14.2		2004	2013	-7.6		2003	2012	27.2		2002	2011	24.849	
<i>Orthosia populeti</i>	Lead-coloured Drab	2006	2015	-10.8		2005	2014	52.3		2004	2013	274.2		2003	2012	305.7		2002	2011	252.45	
<i>Ourapteryx sambucaria</i>	Swallow-tail Moth	2006	2015	24.6		2005	2014	22.2		2004	2013	33.9		2003	2012	-17.4		2002	2011	22.325	
<i>Pachycnemia hippocastanaria</i>	Horse Chestnut	2004	2013	103.1		2003	2012	248.1		2002	2011	201.1		2001	2010	138.3		2000	2009	519.99	
<i>Panolis flammea</i>	Pine Beauty	2006	2015	-65.5		2005	2014	-69.2		2004	2013	-85.9	CR	2003	2012	-50.9		2002	2011	-47.05	
<i>Papestra biren</i>	Glaucous Shears	2006	2015	14.9		2005	2014	97.3		2004	2013	46.4		2003	2012	-23.6		2002	2011	-51.26	
<i>Paradarisa consonaria</i>	Square Spot	2005	2014	-35.5		2004	2013	-36.9		2003	2012	-9.5		2002	2011	214.9		2001	2010	154.85	
<i>Parascotia fuliginaria</i>	Waved Black	2006	2015	-32.6		2005	2014	-27.3		2004	2013	-47.4	VU	2003	2012	-46.1	VU	2002	2011	-37.21	
<i>Parectropis similaria</i>	Brindled White-spot	2005	2014	1.0		2004	2013	-40.7		2003	2012	-75.4	EN	2002	2011	-69.2	EN	2001	2010	-63.25	EN
<i>Pasiphila debiliata</i>	Bilberry Pug	2006	2015	236.9		2005	2014	194.7		2004	2013	36.1		2003	2012	-9.1		2002	2011	134.85	
<i>Pasiphila rectangulata</i>	Green Pug	2006	2015	-54.9		2005	2014	-57.5		2004	2013	-50.0		2003	2012	-50.5		2002	2011	-16.5	

<i>Pennithera firmata</i>	Pine Carpet	2006	2015	-31.4		2005	2014	-19.0		2004	2013	28.4		2003	2012	57.2		2002	2011	134.49	
<i>Peribatodes rhomboidaria</i>	Willow Beauty	2006	2015	-44.5	VU	2005	2014	-27.2		2004	2013	-11.0		2003	2012	5.2		2002	2011	27.893	
<i>Peridea anceps</i>	Great Prominent	2006	2015	-2.6		2005	2014	-12.2		2004	2013	-53.0	EN	2003	2012	-53.7	EN	2002	2011	-47.81	VU
<i>Perizoma affinitata</i>	Rivulet	2006	2015	33.3		2005	2014	59.1		2004	2013	23.7		2003	2012	-14.5		2002	2011	5.958	
<i>Perizoma albulata</i>	Grass Rivulet	2006	2015	-35.1		2005	2014	-1.5		2004	2013	-27.6		2003	2012	-54.6		2002	2011	-19.45	
<i>Perizoma alchemillata</i>	Small Rivulet	2006	2015	55.5		2005	2014	71.4		2004	2013	70.7		2003	2012	60.2		2002	2011	49.56	
<i>Perizoma bifaciata</i>	Barred Rivulet	2006	2015	-92.5	CR	2005	2014	-88.4	CR	2004	2013	-75.9	EN	2003	2012	-12.9		2002	2011	36.302	
<i>Perizoma blandiata</i>	Pretty Pinion	2004	2013	-76.5	EN	2003	2012	-73.4	EN	2002	2011	-82.3	CR	2002	2010	-85.1	CR	2000	2009	-55.36	
<i>Perizoma flavofasciata</i>	Sandy Carpet	2006	2015	12.4		2005	2014	18.8		2004	2013	-9.1		2003	2012	-30.1		2002	2011	-5.721	
<i>Petrophora chlorosata</i>	Brown Silver-line	2006	2015	-19.1		2005	2014	-17.7		2004	2013	-22.5		2003	2012	-10.1		2002	2011	42.393	
<i>Phalera bucephala</i>	Buff-tip	2006	2015	21.5		2005	2014	-8.8		2004	2013	-31.5		2003	2012	-37.4		2002	2011	-32.02	
<i>Pheosia gnoma</i>	Lesser Swallow Prominent	2006	2015	-8.9		2005	2014	-12.3		2004	2013	-13.9		2003	2012	34.4		2002	2011	69.786	
<i>Pheosia tremula</i>	Swallow Prominent	2006	2015	-43.5		2005	2014	10.3		2004	2013	14.7		2003	2012	50.0		2002	2011	7.495	
<i>Philereme transversata</i>	Dark Umber	2006	2015	85.9		2005	2014	70.5		2004	2013	86.2		2003	2012	42.5		2002	2011	186.59	
<i>Philereme vetulata</i>	Brown Scallop	2005	2014	34.0		2004	2013	33.3		2003	2012	-31.4		2002	2011	-33.7		2001	2010	-47.94	
<i>Phlogophora meticulosa</i>	Angle Shades	2006	2015	-45.3		2005	2014	-46.8		2004	2013	-46.5		2003	2012	-48.4		2002	2011	-54.78	EN
<i>Photedes fluxa</i>	Mere Wainscot	2005	2014	8.1		2004	2013	12.1		2004	2012	-21.6		2002	2011	71.0		2002	2010	79.625	
<i>Photedes minima</i>	Small Dotted Buff	2006	2015	-4.8		2005	2014	-15.7		2004	2013	-25.0		2003	2012	-18.9		2002	2011	-20.35	
<i>Phragmatobia fuliginosa</i>	Ruby Tiger	2006	2015	-40.6		2005	2014	-17.3		2004	2013	-19.2		2003	2012	-18.4		2002	2011	65.081	
<i>Phymatopus hecta</i>	Gold Swift	2006	2015	228.1		2005	2014	122.8		2004	2013	42.2		2003	2012	29.0		2002	2011	-6.105	
<i>Phytometra viridaria</i>	Small Purple-barred	2006	2015	165.6		2005	2014	50.9		2004	2013	-50.6		2003	2012	-73.1	EN	2003	2011	-69.7	
<i>Plagodis dolabraria</i>	Scorched Wing	2006	2015	-7.6		2005	2014	30.0		2004	2013	-25.8		2003	2012	-27.8		2002	2011	13.004	
<i>Plagodis pulveraria</i>	Barred Umber	2006	2015	36.4		2005	2014	95.7		2004	2013	70.5		2003	2012	52.3		2002	2011	89.091	
<i>Plemyria rubiginata</i>	Blue-bordered Carpet	2006	2015	-34.6		2005	2014	-27.3		2004	2013	-25.2		2003	2012	-56.1		2002	2011	-54.54	
<i>Plusia festucae</i>	Gold Spot	2006	2015	-15.2		2005	2014	20.7		2004	2013	-0.5		2003	2012	-40.6		2002	2011	-36.85	
<i>Plusia putnami</i>	Lempke's Gold Spot	2005	2014	-90.8	CR	2004	2013	-80.2	CR	2003	2012	-69.1	EN	2002	2011	-43.2		2001	2010	0.112	
<i>Poecilocampa populi</i>	December Moth	2006	2015	18.8		2005	2014	22.7		2004	2013	17.2		2003	2012	35.0		2002	2011	34.389	
<i>Polia nebulosa</i>	Grey Arches	2006	2015	169.9		2005	2014	106.2		2004	2013	46.8		2003	2012	18.3		2002	2011	-20.55	
<i>Polymixis flavicincta</i>	Large Ranunculus	2006	2015	-86.9	CR	2005	2014	-91.1	CR	2004	2013	-90.8	CR	2003	2012	-90.1	CR	2002	2011	-86.78	CR
<i>Polymixis lichenea</i>	Feathered Ranunculus	2005	2014	-93.8	CR	2004	2013	-89.0	CR	2003	2012	-49.0	VU	2002	2011	-15.5		2001	2010	12.905	
<i>Polyploca ridens</i>	Frosted Green	2006	2015	-53.6		2005	2014	18.4		2004	2013	78.4		2003	2012	155.3		2002	2011	177.74	
<i>Pseudoips prasinana</i>	Green Silver-lines	2006	2015	-33.3		2005	2014	-9.7		2004	2013	-4.1		2003	2012	-9.7		2002	2011	-21.91	
<i>Pseudoterpna pruinata</i>	Grass Emerald	2006	2015	0.8		2005	2014	-2.7		2004	2013	-47.8		2003	2012	-55.2		2002	2011	-23.91	
<i>Pterapherapteryx sexalata</i>	Small Seraphim	2006	2015	-49.2		2005	2014	-47.5		2004	2013	-62.7		2003	2012	-57.5		2002	2011	7.819	

<i>Pterostoma palpina</i>	Pale Prominent	2006	2015	-37.1		2005	2014	-24.2		2004	2013	-29.0		2003	2012	-31.9		2002	2011	9.066	
<i>Ptilodon capucina</i>	Coxcomb Prominent	2006	2015	23.9		2005	2014	12.8		2004	2013	14.0		2003	2012	-18.3		2002	2011	2.745	
<i>Ptilodon cucullina</i>	Maple Prominent	2006	2014	-40.5		2004	2013	-18.6		2003	2012	12.9		2002	2011	22.8		2002	2010	34.481	
<i>Rivula sericealis</i>	Straw Dot	2006	2015	-57.4		2005	2014	-50.0		2004	2013	-46.3		2003	2012	-47.9		2002	2011	8.425	
<i>Rusina ferruginea</i>	Brown Rustic	2006	2015	-20.4		2005	2014	-19.5		2004	2013	-19.6		2003	2012	-5.8		2002	2011	8.758	
<i>Saturnia pavonia</i>	Emperor Moth	2006	2015	-84.2	CR	2005	2014	-83.3	CR	2004	2013	-30.9		2003	2012	11.0		2002	2011	284.25	
<i>Schrankia taenialis</i>	White-line Snout	2003	2012	-53.8		2002	2011	51.7		2000	2009	-13.9		1999	2008	-56.2		1998	2007	-14.31	
<i>Scopula floslactata</i>	Cream Wave	2006	2015	-58.4	EN	2005	2014	-35.9		2004	2013	-46.4	VU	2003	2012	-41.4	VU	2002	2011	-3.631	
<i>Scopula imitaria</i>	Small Blood-vein	2006	2015	-59.9	EN	2005	2014	-60.5	EN	2004	2013	-62.9	EN	2003	2012	-63.8	EN	2002	2011	-36.06	
<i>Scopula immutata</i>	Lesser Cream Wave	2006	2015	-17.7		2005	2014	6.9		2004	2013	3.1		2003	2012	-3.6		2002	2011	-9.456	
<i>Scopula marginipunctata</i>	Mullein Wave	2004	2013	-70.3	EN	2003	2012	-64.6	EN	2002	2011	-50.6		2001	2010	-65.0		2000	2009	-58.46	
<i>Scopula ternata</i>	Smoky Wave	2006	2015	-80.5	CR	2005	2014	-72.5	EN	2004	2013	-71.2	EN	2003	2012	-23.8		2002	2011	11.702	
<i>Scotopteryx chenopodiata</i>	Shaded Broad-bar	2006	2015	47.5		2005	2014	66.2		2004	2013	42.6		2003	2012	-0.5		2002	2011	-8.277	
<i>Scotopteryx luridata</i>	July Belle	2006	2015	-76.3		2005	2014	-79.3	EN	2004	2013	-56.0		2003	2012	-58.3		2002	2011	6.08	
<i>Scotopteryx mucronata</i>	Lead Belle	2006	2015	274.0		2005	2014	752.1		2004	2013	342.1		2003	2012	148.8		2002	2011	-33.51	
<i>Selenia dentaria</i>	Early Thorn	2006	2015	13.3		2005	2014	66.0		2004	2013	42.9		2003	2012	16.7		2002	2011	19.548	
<i>Selenia lunularia</i>	Lunar Thorn	2006	2015	49.1		2005	2014	71.7		2004	2013	-16.1		2003	2012	-33.7		2002	2011	-14.84	
<i>Selenia tetralunaria</i>	Purple Thorn	2006	2015	50.5		2005	2014	102.7		2004	2013	89.1		2003	2012	66.1		2002	2011	83.158	
<i>Sideridis rivularis</i>	Campion	2006	2015	1.3		2005	2014	-12.5		2004	2013	-37.0		2003	2012	-64.3	EN	2002	2011	-52.69	
<i>Sideridis turbida</i>	White Colon	1986	1995	92.9		1985	1994	-0.3		1984	1993	6.2		1983	1992	20.9		1982	1991	45.711	
<i>Spilosoma lubricipeda</i>	White Ermine	2006	2015	6.7		2005	2014	-8.0		2004	2013	-32.0		2003	2012	-23.5		2002	2011	-15.57	
<i>Spilosoma lutea</i>	Buff Ermine	2006	2015	1.7		2005	2014	-13.6		2004	2013	-29.6		2003	2012	-28.8		2002	2011	-9.004	
<i>Stauropus fagi</i>	Lobster Moth	2006	2015	-66.8	EN	2005	2014	-69.7	EN	2004	2013	-65.5	EN	2003	2012	-53.1	EN	2002	2011	-36.85	
<i>Stilbia anomala</i>	Anomalous	2006	2015	-19.3		2004	2013	-52.7	EN	2003	2012	-60.4	EN	2002	2011	-38.5		2001	2010	-46.05	
<i>Subacronicta megacephala</i>	Poplar Grey	2006	2015	-82.5		2005	2014	-14.3		2004	2013	-45.1		2002	2011	-20.6		2001	2010	36.463	
<i>Syngrapha interrogationis</i>	Scarce Silver Y	2006	2015	-66.9		2005	2014	-59.0		2004	2013	-65.6		2003	2012	15.0		2002	2011	-36.47	
<i>Tethea ocularis</i>	Figure of Eighty	2006	2015	-38.3		2005	2014	-43.4		2004	2013	-54.2		2003	2012	-32.0		2002	2011	28.248	
<i>Tethea or</i>	Poplar Lutestring	2005	2014	-72.0		2004	2013	-50.3		2003	2012	-32.4		2003	2011	-27.1		2001	2010	-18.89	
<i>Tetheella fluctuosa</i>	Satin Lutestring	2005	2014	64.0		2004	2013	7.4		2003	2012	-46.2		2002	2011	-39.9		2001	2010	-40.83	
<i>Thalpophila matura</i>	Straw Underwing	2006	2015	3.2		2005	2014	23.1		2004	2013	34.0		2003	2012	24.2		2002	2011	99.785	
<i>Thera britannica</i>	Spruce Carpet	2006	2015	-56.1		2005	2014	-25.1		2004	2013	17.8		2003	2012	9.8		2002	2011	173.03	
<i>Thera juniperata</i>	Juniper Carpet	2006	2015	-53.0		2005	2014	38.7		2004	2013	98.7		2003	2012	153.7		2002	2011	103.55	
<i>Thera obeliscata</i>	Grey Pine Carpet	2006	2015	-55.4	EN	2005	2014	-51.4		2004	2013	-45.8		2003	2012	-45.1		2002	2011	-10.25	

<i>Theria primaria</i>	Early Moth	2006	2015	-31.4		2005	2014	6.3		2004	2013	9.8		2003	2012	27.2		2002	2011	19.572	
<i>Tholera cespitis</i>	Hedge Rustic	2006	2015	-18.2		2005	2014	-26.2		2004	2013	8.6		2003	2012	-7.6		2002	2011	35.095	
<i>Tholera decimalis</i>	Feathered Gothic	2006	2015	20.1		2005	2014	96.4		2004	2013	207.7		2003	2012	100.6		2002	2011	208.96	
<i>Thumatha senex</i>	Round-winged Muslin	2006	2015	110.8		2005	2014	37.3		2004	2013	25.0		2003	2012	1.5		2002	2011	-27.32	
<i>Thyatira batis</i>	Peach Blossom	2006	2015	3.0		2005	2014	15.4		2004	2013	11.4		2003	2012	-24.0		2002	2011	7.238	
<i>Tiliacea aurago</i>	Barred Sallow	2006	2015	-0.1		2005	2014	20.6		2004	2013	-2.1		2003	2012	28.9		2002	2011	141.84	
<i>Timandra comae</i>	Blood-vein	2006	2015	3.5		2005	2014	-2.4		2004	2013	-29.9		2003	2012	-53.4		2002	2011	-5.924	
<i>Trichiura crataegi</i>	Pale Eggar	2006	2015	-50.8		2005	2014	-43.5		2004	2013	-29.3		2003	2012	-16.0		2002	2011	22.517	
<i>Trichopteryx carpinata</i>	Early Tooth-striped	2006	2015	-27.2		2005	2014	-14.2		2004	2013	-2.7		2003	2012	30.5		2002	2011	105.91	
<i>Triodia sylvina</i>	Orange Swift	2006	2015	23.6		2005	2014	0.7		2004	2013	-29.1		2003	2012	-40.4		2002	2011	-37.21	
<i>Tyria jacobaeae</i>	Cinnabar	2006	2015	9.4		2005	2014	3.9		2004	2013	-31.9		2003	2012	72.2		2002	2011	259.54	
<i>Watsonalla binaria</i>	Oak Hook-tip	2006	2015	-56.4		2005	2014	-35.3		2004	2013	-56.2		2003	2012	-54.4		2002	2011	39.067	
<i>Xanthia togata</i>	Pink-barred Sallow	2006	2015	7.7		2005	2014	1.8		2004	2013	31.2		2003	2012	66.8		2002	2011	86.057	
<i>Xanthorhoe decoloraria</i>	Red Carpet	2006	2015	140.8		2005	2014	165.1		2004	2013	45.9		2003	2012	-38.2		2002	2011	-67.04	
<i>Xanthorhoe designata</i>	Flame Carpet	2006	2015	-10.5		2005	2014	29.2		2004	2013	8.8		2003	2012	-28.0		2002	2011	-0.33	
<i>Xanthorhoe ferrugata</i>	Dark-barred Twin-spot Carpet	2006	2015	-26.4		2005	2014	-5.7		2004	2013	-4.7		2003	2012	-13.4		2002	2011	-10.46	
<i>Xanthorhoe fluctuata</i>	Garden Carpet	2006	2015	-29.0		2005	2014	-16.3		2004	2013	-26.9		2003	2012	-46.9	VU	2002	2011	-38.58	VU
<i>Xanthorhoe montanata</i>	Silver-ground Carpet	2006	2015	40.4		2005	2014	63.8		2004	2013	54.5		2003	2012	13.9		2002	2011	17.502	
<i>Xanthorhoe quadrifasciata</i>	Large Twin-spot Carpet	2006	2015	140.5		2005	2014	143.3		2004	2013	179.7		2003	2012	92.5		2002	2011	67.436	
<i>Xanthorhoe spadicearia</i>	Red Twin-spot Carpet	2006	2015	25.0		2005	2014	81.0		2004	2013	80.1		2003	2012	60.9		2002	2011	101.02	
<i>Xestia agathina</i>	Heath Rustic	2006	2015	-77.6	EN	2005	2014	-65.5		2004	2013	-51.9		2003	2012	-47.1		2002	2011	0.048	
<i>Xestia baja</i>	Dotted Clay	2006	2015	16.5		2005	2014	12.5		2004	2013	28.4		2003	2012	16.3		2002	2011	30.268	
<i>Xestia castanea</i>	Neglected Rustic	2006	2015	42.9		2005	2014	50.7		2004	2013	20.2		2003	2012	21.7		2002	2011	3.074	
<i>Xestia c-nigrum</i>	Setaceous Hebrew Character	2006	2015	-12.1		2005	2014	-17.9		2004	2013	-15.9		2003	2012	-38.9		2002	2011	0.454	
<i>Xestia ditrapezium</i>	Triple-spotted Clay	2006	2015	29.7		2005	2014	126.9		2004	2013	80.3		2003	2012	3.6		2002	2011	-6.907	
<i>Xestia sexstrigata</i>	Six-striped Rustic	2006	2015	75.5		2005	2014	-20.4		2004	2013	-49.2		2003	2012	-63.1	EN	2002	2011	-37.67	
<i>Xestia triangulum</i>	Double Square-spot	2006	2015	48.7		2005	2014	57.1		2004	2013	45.6		2003	2012	31.5		2002	2011	66.436	
<i>Xestia xanthographa</i>	Square-spot Rustic	2006	2015	-11.2		2005	2014	-26.4		2004	2013	-20.2		2003	2012	-29.2		2002	2011	17.819	
<i>Xylena solidaginis</i>	Golden-rod Brindle	2006	2015	128.6		2005	2014	539.2		2004	2013	319.1		2003	2012	112.2		2002	2011	193.73	
<i>Xylena vetusta</i>	Red Sword-grass	2006	2015	26.7		2005	2014	54.1		2004	2013	12.8		2003	2012	50.3		2002	2011	58.262	
<i>Xylocampa areola</i>	Early Grey	2006	2015	-34.6		2005	2014	-21.0		2004	2013	-24.2		2003	2012	35.1		2002	2011	38.65	