

Online Resource 1

Craniodental morphology of *Propotamochoerus palaeochoerus* (Suidae: Suinae) from the Late Miocene of els Hostalets de Pierola (Vallès-Penedès Basin, NE Iberian Peninsula): Systematic and biochronological implications

Souzanna Siarabi^{1,*}, Dimitris S. Kostopoulos², Sara G. Arranz¹, Josep M. Robles¹ and David M. Alba^{1,*}

¹ Institut Català de Paleontologia Miquel Crusafont (ICP-CERCA), Universitat Autònoma de Barcelona, Edifici ICTA-ICP, c/ Columnes s/n, Campus de la UAB, 08193 Cerdanyola del Vallès, Barcelona, Spain; souzanna.siarabi@icp.cat, sara.arranz@icp.cat, josep.robles@icp.cat, david.alba@icp.cat

² School of Geology, Aristotle University of Thessaloniki, 54124, Thessaloniki, Greece; dkostop@geo.auth.gr

*Corresponding authors. E-mails: souzanna.siarabi@icp.cat, david.alba@icp.cat

Table S1 List of occurrences of *Propotamochoerus* spp. from Western Eurasia (other than those from the area of els Hostalets de Pierola; Table 1) depicted in Figure 1. The main citations reporting or describing the material are included

Species	Site	Country	Age	References
<i>P. palaeochoerus</i>	Belvedere (Wien III)	Austria	MN9	Hellmund (1995); Pickford (2016a)
<i>P. palaeochoerus</i>	Brunn am Gebirge	Austria	MN9	Mottl (1966); Hellmund (1995)
<i>P. palaeochoerus</i>	Brunn bei Vösendorf	Austria	MN9	Papp and Thenius (1954); Mottl (1955); Hünemann (1968); Van der Made et al. (2014); Pickford (2016a)
<i>P. palaeochoerus</i>	Eichkogel (Guntramsdorf)	Austria	MN9	Hellmund (1995)
<i>P. palaeochoerus</i>	Götzendorf	Austria	MN9	Van der Made et al. (2014); Pickford (2016a)
<i>P. palaeochoerus</i>	Groß Mugl	Austria	MN9	Hellmund (1995); Van der Made et al. (2014); Pickford (2016a)
<i>P. palaeochoerus</i>	Hennersdorf	Austria	MN9	Hellmund (1995); Van der Made et al. (2014); Pickford (2016a)
<i>P. palaeochoerus</i>	Inzersdorf	Austria	MN9	Hellmund (1995); Pickford (2016a)
<i>P. palaeochoerus</i>	Johnsdorf (bei Feldbach)	Austria	MN9	Mottl (1966); Schmidt- Kittler (1971); Thenius (1972); Hellmund (1995)
<i>P. palaeochoerus</i>	Laßnitzhöhe (bei Graz)	Austria	MN9	Mottl (1955); Hellmund (1995); Pickford (2016a)
<i>P. palaeochoerus</i>	Magersdorf	Austria	MN9	Hünemann (1968); Van der Made et al. (2014); Pickford (2016a)
<i>P. palaeochoerus</i>	Mariathal	Austria	MN9	Van der Made et al. (2014); Pickford (2016a)
<i>P. palaeochoerus</i>	Pyhra	Austria	MN9	Papp and Thenius (1954); Hellmund (1995); Pickford (2016a)
<i>P. palaeochoerus</i>	Saaz bei Feldbach	Austria	MN9	Mottl (1966); Hellmund (1995); Pickford (2016a)
<i>P. palaeochoerus</i>	Schernham b. Haag	Austria	MN10	Daxner-Höck (2004)
<i>P. palaeochoerus</i>	St. Oswald (Wien XII)	Austria	MN9	Papp and Thenius (1954); Van der Made et al. (2014)
<i>P. palaeochoerus</i>	Wienerberg (Wien X)	Austria	MN9	Papp and Thenius (1954); Hellmund (1995); Pickford (2016a)
<i>P. palaeochoerus</i>	Wiesen (Burgenland)	Austria	MN9	Papp and Thenius (1954); Pickford (2016a)
<i>P. palaeochoerus</i>	Estavar	France	MN9	Golpe-Posse (1974); Agustí and Roca (1987)

<i>P. palaeochoerus</i>	Doué-la-Fontaine	France	MN9	Ginsburg et al. (1979); Van der Made et al. (2014); Pickford (2016a)
<i>P. palaeochoerus</i>	Drôme	France	MN9	Depéret (1887); Mottl (1966); Pickford (2016a)
<i>P. palaeochoerus</i>	Montréjeau	France	MN9	Hünemann (1968); Van der Made et al. (2014)
<i>P. palaeochoerus</i>	La Tour-du-Pin	France	MN9	Depéret (1887); Mottl (1966); Pickford (2015, 2016)
<i>P. palaeochoerus</i>	Dintenheim ^a	Germany	MN9	Hünemann (1968); Fortelius et al. (1996); Pickford (2013a, 2016a)
<i>P. palaeochoerus</i>	Eppelsheim ^a	Germany	MN9	Hünemann (1968); Pickford (2013a, 2016); Van der Made et al. (2014)
<i>P. palaeochoerus</i>	Esselborn ^a	Germany	MN9	Hünemann (1968); Pickford (2013a, 2016); Van der Made et al. (2014)
<i>P. palaeochoerus</i>	Gau-Weinheim ^a	Germany	MN9	Hünemann (1968); Pickford (2013a)
<i>P. palaeochoerus</i>	Hammerschmiede 4	Germany	MN7+8 ^b	Lechner and Böhme (2025)
<i>P. palaeochoerus</i>	Melchingen	Germany	MN9 ^c	Hünemann (1968); Pickford (2016a)
<i>P. palaeochoerus</i>	Mörigen	Germany	MN9	Seehuber (2009); Pickford (2016a)
<i>P. palaeochoerus</i>	Isarbett (Flinz von München) ^d	Germany	MN9	Stromer (1928); Mottl (1966); Hünemann (1968); Hellmund (1995); Fortelius et al. (1996); Van der Made et al. (2014); Pickford (2016a)
<i>P. palaeochoerus</i>	Neuhausen	Germany	MN9	Hünemann (1968); Pickford (2016a)
<i>P. palaeochoerus</i>	Salmendingen	Germany	MN9 ^c	Hünemann (1968); Pickford (2015, 2016a)
<i>P. palaeochoerus</i>	Sprendlingen ^a	Germany	MN9	Wagner (1947); Böhme et al. (2012)
<i>P. palaeochoerus</i>	St. Georgen (bei Diesen)	Germany	MN9	Stehlin (1899); Hünemann (1968); Pickford (2016a)
<i>P. palaeochoerus</i>	Steineberg/Edelstahl	Germany	MN9	Van der Made et al. (2014); Pickford (2016a)
<i>P. palaeochoerus</i>	München U-Bahn Tunnel	Germany	MN9	Fortelius et al. (1996); Van der Made et al. (2014)
<i>P. palaeochoerus</i>	Wallertsheim ^a	Germany	MN9	Hünemann (1968); Pickford (2013a, 2016a)
<i>P. palaeochoerus</i>	Westhofen ^a	Germany	MN9	Hünemann (1968); Pickford (2013a, 2016a)
<i>P. palaeochoerus</i>	Wissberg	Germany	MN9	Hünemann (1968); Hellmund (1995); Pickford (2013a); Van der Made et al. (2014)
<i>P. palaeochoerus</i>	Wolfsheim ^a	Germany	MN9	Hünemann (1968); Pickford (2013a, 2016a)
<i>P. cf. palaeochoerus</i>	Plakias	Greece	MN9	Van der Made (1996)

<i>P. cf. palaeochoerus</i>	Kassandreia-Fourka	Greece	MN9–MN10	Lazaridis (2015); Koufos (2024)
<i>P. palaeochoerus</i>	Alsótelekes	Hungary	MN9	Iannucci and Begun (2022)
<i>P. palaeochoerus</i>	Rudabánya	Hungary	MN9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	Azambujeira	Portugal	MN9	Antunes et al. (1983); Van der Made (1990)
<i>P. palaeochoerus</i>	Ballestar	Spain	MN9	Golpe-Posse (1971, 1972); Crusafont-Pairó and Golpe-Posse (1974); Van der Made (1990); Van der Made et al. (2014)
<i>P. palaeochoerus</i>	Can n' Amat	Spain	MN9	Golpe-Posse (1971, 1972) ^e
<i>P. palaeochoerus</i>	Can Llobateres 1	Spain	MN10 ^f	Van der Made (1990); de Bruijn et al. (1992)
<i>P. palaeochoerus</i>	Can Missert 2	Spain	MN9	Alba et al. (2024)
<i>P. palaeochoerus</i>	Can Poncic 1	Spain	MN9	Golpe-Posse (1971, 1972); Van der Made (1990); Van der Made et al. (2014)
<i>P. palaeochoerus</i>	Castell de Barberà	Spain	MN9	Golpe-Posse (1971, 1972); Van der Made (1990); McKenzie et al. (2024)
<i>P. palaeochoerus</i>	Creu de Conill 20	Spain	MN9	Agustí & Galobart (1998); McKenzie et al. (2023)
<i>P. palaeochoerus</i>	Los Valles de Fuentidueña	Spain	MN9	Golpe-Posse (1971, 1972); Van der Made (1997); Alberdi et al. (2009)
<i>P. palaeochoerus</i>	Molina de Aragón	Spain	MN9	Van der Made (1990, 1997); Pickford (2016a) ^g
<i>P. palaeochoerus</i>	Subsòl de Sabadell	Spain	MN9–MN10	Golpe-Posse (1971)
<i>P. palaeochoerus</i>	Teulera del Firal	Spain	MN9	Vidal (1913); Golpe-Posse (1981); Gómez-Alba (1997)
<i>P. palaeochoerus</i>	Grytsiv	Ukraine	MN9	Van der Made et al. (1999, 2014); Pickford (2016a)
<i>P. provincialis</i>	Montpellier	France	MN14	Blainville (1847); Gervais (1850, 1859); Pickford (2013b, 2015)
<i>P. provincialis</i>	Saint Laurent des Arbres	France	MN14	Guerin et al. (1969); authors' unpublished data
<i>P. provincialis</i>	Brisighella	Italy	MN13	Gallai and Rook (2011); Pickford (2013b)
<i>P. provincialis</i>	Velona Basin	Italy	MN13	Rook and Ghetti (1997); Iannucci (2024)
<i>P. cf. provincialis</i>	Mălușteni	Romania	MN15	Simionescu (1930); Radulescu et al. (2003)
<i>P. provincialis</i>	Arenas del Rey	Spain	MN13	Van der Made (1997); Agustí et al. (2006)
<i>P. provincialis</i>	Librilla	Spain	MN13	Agustí et al. (1985, 2006); Van der Made (1990, 1997)

<i>P. provincialis</i>	Milagros	Spain	MN13	Agustí et al. (1985, 2006); Van der Made (1990, 1997)
<i>P. provincialis</i>	Sant Nofre-Campredó	Spain	MN14	Piñero et al. (2024)
<i>P. provincialis</i>	Venta del Moro	Spain	MN13	Morales (1984); Van der Made (1990, 1997)
<i>P. provincialis</i>	Çobanpınar (Sinap 42)	Turkey	MN12	Van der Made (2003); Pickford (2013b)
<i>P. aegaeus</i>	Kalimantsi	Bulgaria	MN11	Geraads et al. (2008)
<i>P. aegaeus</i>	Kalnitsa	N. Macedonia	MN11–MN12	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci	N. Macedonia	MN11–MN12	Geraads et al. (2008)
<i>P. aegaeus</i> ^h	Baccinello V3	Italy	MN13	Van der Made and Moyà-Solà (1989); Fortelius et al. (1996); Van der Made (1999); Gallai (2006); Iannucci et al. (2021); Lazaridis et al. (2022)
<i>P. aegaeus</i> ^h	Casino Basin	Italy	MN13–MN14	Iannucci et al. (2021); Lazaridis et al. (2022)
<i>P. aegaeus</i> ^h	Gravitelli	Italy	MN13	Gallai and Rook (2006); Iannucci (2024); Lazaridis et al. (2022)
<i>P. cf. aegaeus</i>	Achladi	Greece	MN11–MN13	Lazaridis et al. (2022)
<i>P. aegaeus</i>	Kryopigi	Greece	MN12–MN13	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. cf. aegaeus</i>	Maramena	Greece	MN13–MN14	Hellmund (1995); Lazaridis et al. (2022)
<i>P. aegaeus</i>	Polychrono	Greece	MN12	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	Ravin des Zouaves 5	Greece	MN11	de Bonis and Bouvrain (1996); Lazaridis et al. (2022)
<i>P. aegaeus</i>	Samos	Greece	MN12–MN13	Thenius (1950); Sylvestrou and Kostopoulos (2009)
<i>P. aegaeus</i>	Thermopigi	Greece	MN12	Geraads et al. (2008); Lazaridis et al. (2022)
<i>P. cf. aegaeus</i>	Salihpasalar	Turkey	MN12	Lazaridis et al. (2022)
<i>Propotamochoerus</i> sp.	Verduno ⁱ	Italy	MN13	Sorbelli et al. (2019)

^a Eppelsheim , like other Dinotheriensande localities, mixes faunal remains from older and younger deposits (Böhme et al. 2012; Pickford and Pourabrishami, 2013). Although it is generally accepted that most of the remains are Vallesian (MN9–MN10) in age, an older age for some *P. palaeochoerus* remains cannot be entirely excluded.

^b Based on magnetostratigraphic data, this locality has been dated to 11.44 Ma (Kirscher et al. 2016) and, most recently, 11.58 Ma (Lechner and Böhme 2025), although we consider it more likely a somewhat younger, even if pre-Vallesian (MN7+8) age (see main text for further details).

^c Melchingen and Salmendingen are generally correlated to MN9 (Ufrecht 2008; Seehuber 2009; Franzen 2013), although according to Pickford (2015, 2016a, 2016b) they mix faunal elements from the early Vallesian with others from the early Turolian.

^d This site was originally referred as Flinz von München (Stehlin 1900; Stromer 1928), but Stromer (1940) noted that the cranium came in fact from the younger Schweiß-Sande, and it was subsequently referred to Isarbett (Mottl 1966; Hünemann 1969; Fortelius et al. 1996).

^e Golpe-Posse (1971, 1972) reported four suid teeth from the Vallesian site of Ca n' Amat, attributed to *Listriodon splendens*. However, our revision of the material indicates that the specimen reported as an I3 of *L. splendens* (IPS30589 [IPS1118]) is an I2 of *P. palaeochoerus*. The co-occurrence with *L. splendens* indicates an MN9 age.

^f Can Llobateres 1, with an estimated age of 9.8 Ma, has been considered the reference locality for MN9 but may be correlated to MN10 based on a biostratigraphic definition of MN zones (Casanovas-Vilar et al. 2016).

^g Pickford (2016a: fig. 35) attributed the suid from Molina de Aragón to *Parachleuastochoerus valentini* but, based on the abundant crenulations of the enamel and other features (very well-developed mesial cingulum in upper molars and pentaconid of lower molars) we concur with Van der Made (1990, 1997) that it belongs to *P. palaeochoerus*.

^h The *Propotamochoerus* species from Baccinello V3, Casino Basin, and Gravitelli, previously attributed to *P. provincialis* or *Propotamocheorus* sp., are here referred to *P. aegaeus* after Lazaridis et al. (2022).

ⁱ The material from Verduno (Italy) was attributed by Sorbelli et al. (2019) as *Propotamochoerus* sp. Thus, it is not included in Figure 1; however, it still represents a reported occurrence of the genus in Europe.

Table S2 Comparative measurements of *Propotamochoerus* spp. and *Hippopotamodon major* taken from the literature

Species	Catalogue No.	Tooth	Site	MD/ Li	BL/ La	BLI/ Di	References
<i>P. palaeochoerus</i>	IPS1717	I1	Castell de Barberà	15.3	10.5	68.6	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS93091	I1	Castell de Barberà	15.4	10.4	67.5	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS93087	I1	Castell de Barberà	15.2	10.0	65.8	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	LJG 60258	I1	Johnsdorf b. Feldbach	15.1	8.5	56.3	This study
<i>P. palaeochoerus</i>	MAFI1976/121	I1	Rudabánya	23.8	16.8	70.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1987/30	I1	Rudabánya	14.1	15.0	106.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/146	I1	Rudabánya	20.5	17.5	85.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	I1	Rudabánya	19.0	15.2	80.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/104	I1	Rudabánya	17.2	15.7	91.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/105	I1	Rudabánya	18.2	17.6	96.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/110	I1	Rudabánya	17.8	18.0	101.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	HLMD Din 22	I1	Gau-Weinheim Wissberg	15.0	9.5	63.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/95	I1	Gau-Weinheim	16.0	10.2	63.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/287	I1	Gau-Weinheim	17.0	8.0	47.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1950/82	I1	Gau-Weinheim	18.7	8.9	47.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1957/946	I1	Gau-Weinheim	20.0	8.3	41.5	Pickford (2013a)
<i>P. hysudricus</i>	GSP 5509	I1	Middle Siwaliks (India) loc. 310	13.6	7.5	55.1	Pickford (1988)
<i>P. hysudricus</i>	GSP 440	I1	Middle Siwaliks (India) loc. 24	12.7	6.7	52.8	Pickford (1988)
<i>P. hysudricus</i>	GSP 11207	I1	Middle Siwaliks (India) loc. 211	13.2	8.5	64.4	Pickford (1988)
<i>P. hysudricus</i>	GSP 6046	I1	Middle Siwaliks (India) loc. 337	13.5	7.4	54.8	Pickford (1988)
<i>P. hysudricus</i>	GSP 12661	I1	Middle Siwaliks (India) loc. 260	15.0	7.5	50.0	Pickford (1988)
<i>P. hysudricus</i>	PUPC 97/90	I1	Middle Siwaliks (Pakistan)	14.0	10.6	75.7	Aslam et al. (2021)
<i>P. wui</i>	?	I1	Lufeng	10.2	5.5	53.9	Van der Made & Han (1994)
<i>P. wui</i>	?	I1	Lufeng	6.5	3.6	55.4	Van der Made & Han (1994)
<i>P. hyotherioides</i>	?	I1	Lufeng	15.0	9.2	61.3	Van der Made & Han (1994)

<i>P. hyotherioides</i>	?	I1	Lufeng	17.6	10.8	61.4	Van der Made & Han (1994)
<i>P. aegeaus</i>	AFS 2840a	I1	Casino Basin	17.0	9.5	55.9	Gallai (2006)
<i>P. provincialis</i>	FSL 40 159	I1	Montpellier	15.5	9.2	59.3	Pickford (2013b)
<i>P. provincialis</i>	FSL WO 417	I1	Montpellier	13.6	8.5	62.5	Pickford (2013b)
<i>P. provincialis</i>	w/n	I1	Venta del Moro	15.1	6.2	41.1	Morales (1984)
<i>P. provincialis</i>	w/n	I1	Venta del Moro	14.0	6.1	43.6	Morales (1984)
<i>P. provincialis</i>	w/n	I1	Venta del Moro	13.9	6.3	45.3	Morales (1984)
<i>P. provincialis</i>	BRS 25/1	I1	Brisighella	17.8	9.4	52.8	Gallai & Rook (2011)
<i>H. major</i>	SMF DD 2994	I1	Dorn-Dürkheim	16.2	10.9	67.3	Van der Made (1997)
<i>H. major</i>	SMF DD 2999	I1	Dorn-Dürkheim	16.7	9.5	56.9	Van der Made (1997)
<i>H. major</i>	SMF DD 2999	I1	Dorn-Dürkheim	17.6	9.1	51.7	Van der Made (1997)
<i>H. major</i>	SMF DD 3789	I1	Dorn-Dürkheim	17.6	9.8	55.7	Van der Made (1997)
<i>H. major</i>	SMF DD 3937	I1	Dorn-Dürkheim	18.2	9.8	53.8	Van der Made (1997)
<i>H. major</i>	SMF DD 4111	I1	Dorn-Dürkheim	16.6	10.1	60.8	Van der Made (1997)
<i>H. major</i>	SMF DD 4346	I1	Dorn-Dürkheim	17.1	10.4	60.8	Van der Made (1997)
<i>H. major</i>	SMF DD 4802	I1	Dorn-Dürkheim	15.5	9.7	62.6	Van der Made (1997)
<i>H. major</i>	SMF DD 5486	I1	Dorn-Dürkheim	16.9	9.7	57.4	Van der Made (1997)
<i>H. major</i>	SMF DD 2979	I1	Dorn-Dürkheim	17.0	11.7	68.8	Van der Made (1997)
<i>H. major</i>	SMF DD 2990	I1	Dorn-Dürkheim	16.4	10.4	63.4	Van der Made (1997)
<i>H. major</i>	SMF DD 2992	I1	Dorn-Dürkheim	17.2	9.8	57.0	Van der Made (1997)
<i>H. major</i>	SMF DD 2996	I1	Dorn-Dürkheim	16.7	9.5	56.9	Van der Made (1997)
<i>H. major</i>	SMF DD 4719	I1	Dorn-Dürkheim	14.5	10.1	69.7	Van der Made (1997)
<i>H. major</i>	GPIT MA 2350	I1	Melchingen	24.0	10.5	43.8	Pickford (2016a)
<i>H. major</i>	MNCN Bal 10'08 G4.53	I1	Batallones 10	20.2	11.2	55.4	Pickford (2015)
<i>H. major</i>	MNCN BAT 10'10 F4·14 + G4·51	I1	Batallones 10	21.5	12.2	56.7	Pickford (2015)
<i>H. major</i>	MNCN BAT 10'10. F3·42	I1	Batallones 10	20.0	11.9	59.5	Pickford (2015)
<i>H. major</i>	MR 3.008. 428	I1	Cucuron, Luberon (and Vaugines)	19.0	10.0	52.6	Pickford (2015)
<i>H. major</i>	DT RO 2992	I1	La Roma 2	16.5	10.7	64.8	Pickford (2015)

<i>H. major</i>	DT RO 2992	I1	La Roma 2	20.0	10.0	50.0	Pickford (2015)
<i>H. major</i>	IPS1159	I1	Trinxera Nord Autopista	17.9	11.8	65.9	Van der Made et al. (1992)
<i>H. major</i>	IPS1160	I1	Trinxera Nord Autopista	19.4	11.8	60.8	Van der Made et al. (1992)
<i>H. major</i>	NMT 343-13(1)	I1	Udabno	19.7	15.0	76.1	Pickford (2015)
<i>H. major</i>	NMT 1988-6	I1	Udabno	18.0	12.5	69.4	Pickford (2015)
<i>H. major</i>	NMT w/n?	I1	Eldari	18.6	16.0	86.0	Pickford (2015)
<i>H. major</i>	58-HAY-2/45	I1	58-HAY-2 (Sivas)	14.7	9.2	62.6	Van der Made et al. (2013)
<i>H. major</i>	58-HAY-2/45	I1	58-HAY-2 (Sivas)	16.2	9.1	56.2	Van der Made et al. (2013)
<i>P. palaeochoerus</i>	MAFI077	I2	Rudabánya	15.2	11.0	72.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	I2	Rudabánya	15.5	8.9	57.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1991/91	I2	Rudabánya	15.2	12.1	79.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/104	I2	Rudabánya	15.6	8.7	55.8	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/104	I2	Rudabánya	15.1	9.4	62.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/105	I2	Rudabánya	16.7	8.4	50.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/110	I2	Rudabánya	16.8	7.9	47.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	IPS107919	I2	Creu de Conill 20	15.7	6.9	43.9	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS1719	I2	Castell de Barberà	13.3	8.1	60.9	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	MNHM 1931/533	I2	Gau-Weinheim	18.0	8.7	48.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/244	I2	Gau-Weinheim	16.6	8.3	50.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1950/83	I2	Gau-Weinheim	16.0	6.2	38.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1950/84	I2	Gau-Weinheim	16.5	7.0	42.4	Pickford (2013a)
<i>P. hysudricus</i>	GSP 6046	I2	Middle Siwaliks (India) loc. 337	20.6	7.2	35.0	Pickford (1988)
<i>P. hysudricus</i>	PUPC 16/104	I2	Middle Siwaliks (Pakistan)	22.8	8.0	35.1	Aslam et al. (2021)
<i>P. wui</i>	?	I2	Lufeng	16.0	6.1	38.1	Van der Made & Han (1994)
<i>P. wui</i>	?	I2	Lufeng	15.6	5.6	35.9	Van der Made & Han (1994)
<i>P. wui</i>	?	I2	Lufeng	15.2	5.2	34.2	Van der Made & Han (1994)
<i>P. wui</i>	?	I2	Lufeng	16.4	5.3	32.3	Van der Made & Han (1994)
<i>P. provincialis</i>	w/n	I2	Venta del Moro	20.8	7.9	38.0	Morales (1984)

<i>P. provincialis</i>	w/n	I2	Venta del Moro	22.5	8.1	36.0	Morales (1984)
<i>P. hyotherioides</i>	ZT-2015-1166	I2	Shuitangba	16.6	11.5	69.3	Lazaridis (2015)
<i>P. hyotherioides</i>	?	I2	Lufeng	19.4	8.1	41.8	Van der Made & Han (1994)
<i>P. hyotherioides</i>	?	I2	Lufeng	18.6	7.5	40.3	Van der Made & Han (1994)
<i>H. major</i>	SMF DD 2987	I2	Dorn-Dürkheim	21.6	8.6	39.8	Van der Made (1997)
<i>H. major</i>	SMF DD 2988	I2	Dorn-Dürkheim	21.0	8.4	40.0	Van der Made (1997)
<i>H. major</i>	SMF DD 2997	I2	Dorn-Dürkheim	22.5	9.9	44.0	Van der Made (1997)
<i>H. major</i>	SMF DD 4132	I2	Dorn-Dürkheim	26.1	10.1	38.7	Van der Made (1997)
<i>H. major</i>	SMF DD 2988	I2	Dorn-Dürkheim	23.6	9.0	38.1	Van der Made (1997)
<i>H. major</i>	SMF DD 2991	I2	Dorn-Dürkheim	22.3	8.9	39.9	Van der Made (1997)
<i>H. major</i>	MNCN BAT 10'12 F4·20	I2	Batallones 10	21.7	10.2	47.0	Pickford (2015)
<i>H. major</i>	MNCN Bat10·14·E3·46	I2	Batallones 10	23.7	10.2	43.0	Pickford (2015)
<i>H. major</i>	MNCN CL 12-126	I2	Corral de Lobato	22.8	9.0	39.5	Pickford (2015)
<i>H. major</i>	MNHN LUB 660	I2	Cucuron, Luberon (and Vaugines)	22.5	9.5	42.2	Pickford (2015)
<i>H. major</i>	MNHN LUB 660	I2	Cucuron, Luberon (and Vaugines)	22.0	9.0	40.9	Pickford (2015)
<i>H. major</i>	DT RO 2992	I2	La Roma 2	23.4	8.1	34.6	Pickford (2015)
<i>H. major</i>	DT RO 2992	I2	La Roma 2	20.1	7.5	37.3	Pickford (2015)
<i>H. major</i>	IPS Ta 78	I2	Terrassa	24.1	9.7	40.2	Van der Made et al. (1992)
<i>H. major</i>	NMT 343-13(1)	I2	Udabno	18.0	10.7	59.4	Pickford (2015)
<i>H. major</i>	NMT w/n	I2	Eldari	23.5	9.7	41.3	Pickford (2015)
<i>H. major</i>	58-HAY-2/45	I2	58-HAY-2 (Sivas)	23.1	8.9	38.5	Van der Made et al. (2013)
<i>H. major</i>	58-HAY-2/45	I2	58-HAY-2 (Sivas)	22.7	8.7	38.3	Van der Made et al. (2013)
<i>P. palaeochoerus</i>	MAFI1990/156	I3	Rudabánya	10.2	5.4	52.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	I3	Rudabánya	13.3	7.0	52.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	I3	Rudabánya	13.2	7.0	53.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1991/33	I3	Rudabánya	10.0	4.8	48.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/104	I3	Rudabánya	11.8	7.0	59.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	IPS33287a	I3	Castell de Barberà	11.1	6.5	58.6	McKenzie et al. (2024)

<i>P. palaeochoerus</i>	IPS92661	I3	Castell de Barberà	10.8	6.7	62.0	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS128645	I3	Can Missert 2	14.4	5.6	38.9	Alba et al. (2024)
<i>P. palaeochoerus</i>	HLMD Din 20	I3	Gau-Weinheim Wissberg	14.8	8.9	60.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/878	I3	Gau-Weinheim	13.0	6.5	50.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1952/682	I3	Gau-Weinheim	15.0	7.3	48.7	Pickford (2013a)
<i>P. hysudricus</i>	GSP 5285	I3	Middle Siwaliks (India) loc. 211	15.8	6.0	38.0	Pickford (1988)
<i>P. hysudricus</i>	GSP 12419	I3	Middle Siwaliks (India) loc. 327	16.3	6.5	39.9	Pickford (1988)
<i>P. hysudricus</i>	PC-GCUF 12/08	I3	Hasnot, Potwar plateau (Pakistan)	13.2	6.5	49.2	Batool et al. (2015)
<i>P. wui</i>	?	I3	Lufeng	12.2	4.2	34.4	Van der Made & Han (1994)
<i>P. provincialis</i>	w/n	I3	Venta del Moro	16.0	10.0	62.5	Morales (1984)
<i>P. provincialis</i>	w/n	I3	Venta del Moro	16.1	9.8	60.9	Morales (1984)
<i>P. provincialis</i>	w/n	I3	Venta del Moro	18.0	10.0	55.6	Morales (1984)
<i>P. provincialis</i>	w/n	I3	Venta del Moro	16.2	9.9	61.1	Morales (1984)
<i>H. major</i>	SMF DD 3905	I3	Dorn-Dürkheim	18.0	6.2	34.4	Van der Made (1997)
<i>H. major</i>	SMF DD 524	I3	Dorn-Dürkheim	17.5	6.8	38.9	Van der Made (1997)
<i>H. major</i>	SMF DD 528	I3	Dorn-Dürkheim	17.1	5.8	33.9	Van der Made (1997)
<i>H. major</i>	SMF DD 529	I3	Dorn-Dürkheim	18.9	6.7	35.4	Van der Made (1997)
<i>H. major</i>	SMF DD 531	I3	Dorn-Dürkheim	17.5	7.3	41.7	Van der Made (1997)
<i>H. major</i>	SMF DD 535	I3	Dorn-Dürkheim	16.1	6.6	41.0	Van der Made (1997)
<i>H. major</i>	SMF DD 552	I3	Dorn-Dürkheim	18.5	7.0	37.8	Van der Made (1997)
<i>H. major</i>	MNCN BAT 10'12 F4-33	I3	Batallones 10	19.7	7.2	36.5	Pickford (2015)
<i>H. major</i>	MNCN BAT 10'10 F4-3	I3	Batallones 10	18.3	7.0	38.3	Pickford (2015)
<i>H. major</i>	DT RO 2992	I3	La Roma 2	16.9	5.6	33.1	Pickford (2015)
<i>H. major</i>	NHMW Koh	I3	Kohfidisch	15.4	6.0	39.0	Pickford (2015)
<i>H. major</i>	MNHN TRQ 653	I3	Kuşukçekmece	17.6	6.6	37.5	Pickford (2015)
<i>H. major</i>	IPAS Dz 137	I3	Dzedzvtachevi	17.0	10.1	59.4	Pickford (2015)
<i>H. major</i>	NMT 343-13(1)	I3	Udabno	17.3	7.8	45.1	Pickford (2015)
<i>H. major</i>	NMT w/n?	I3	Eldari	15.7	6.7	42.7	Pickford (2015)

<i>H. major</i>	58-HAY-2/45	I3	58-HAY-2 (Sivas)	15.5	6.5	41.9	Van der Made et al. (2013)
<i>P. palaeochoerus</i>	22-951	C1/ f	Grytsiv	12.4	7.4	59.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI176	C1/f	Rudabánya	11.7	7.1	60.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI177	C1/f	Rudabánya	11.6	7.3	62.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI178	C1/f	Rudabánya	9.7	6.4	66.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1975/8	C1/f	Rudabánya	10.4	6.2	59.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1987/112	C1/f	Rudabánya	9.2	4.5	48.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	IPS124843	C1/f	Creu de Conill 20	14.1	9.5	67.4	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS113643	C1/f	Creu de Conill 20	12.8	9.0	70.3	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS106329	C1/f	Creu de Conill 20	15.0	10.2	68.0	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS1718	C1/f	Castell de Barberà	14.7	10.0	68.0	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92387	C1/f	Castell de Barberà	14.7	10.0	68.0	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33287b	C1/f	Castell de Barberà	14.0	8.1	57.9	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33287c	C1/f	Castell de Barberà	13.7	8.2	59.9	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS93150	C1/f	Castell de Barberà	15.3	9.9	64.7	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS1715	C1/f	Castell de Barberà	14.6	10.4	71.2	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS128650 (JLCC92)	C1/f	Can Missert 2	15.1	8.9	58.9	Alba et al. (2024)
<i>P. hysudricus</i>	GSP 9322	C1/f	Middle Siwaliks (India) loc. 337	11.0	8.0	72.7	Pickford (1988)
<i>H. major</i>	MNCN Bat10·14·E3·46	C1/f	Batallones 10	17.6	9.2	52.3	Pickford (2015)
<i>H. major</i>	MNCN Bat10·13·E3·20	C1/f	Batallones 10	16.7	9.0	53.9	Pickford (2015)
<i>H. major</i>	IPS1107	C1/f	Torrent de les Febulines	13.5	12.7	94.1	Van der Made et al. (1992)
<i>H. major</i>	NMT 343-13(1)	C1/f	Udabno	16.2	9.7	59.9	Pickford (2015)
<i>H. major</i>	58-HAY-2/45	C1/f	58-HAY-2 (Sivas)	12.2	8.0	65.6	Van der Made et al. (2013)
<i>P. palaeochoerus</i>	MAFI1974/73	C1/m	Rudabánya	21.0	14.3	68.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1974/73	C1/m	Rudabánya	29.0	13.5	46.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1974/73	C1/m	Rudabánya	22.0	14.8	67.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/22	C1/m	Rudabánya	17.7	14.5	81.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	C1/m	Rudabánya	29.2	16.4	56.2	Fortelius et al. (2005)

<i>P. palaeochoerus</i>	MAFI1990/182	C1/m	Rudabánya	27.6	16.5	59.8	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/104	C1/m	Rudabánya	18.0	14.5	80.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	NHMW w/n CAST	C1/m	Pyhra	18.0	10.7	59.5	Hellmund (1995)
<i>P. hysudricus</i>	GSP 10083	C1/m	Middle Siwaliks (India) loc. 307	18.0	15.0	83.3	Pickford (1988)
<i>P. wui</i>	?	C1/m	Lufeng	12.6	11.1	88.1	Van der Made & Han (1994)
<i>P. wui</i>	?	C1/m	Lufeng	13.1	11.7	89.3	Van der Made & Han (1994)
<i>P. hyotherioides</i>	?	C1/m	Lufeng	26.1	25.0	95.8	Van der Made & Han (1994)
<i>H. major</i>	DT RO 2992	C1/m	La Roma 2	18.0	15.6	86.7	Pickford (2015)
<i>H. major</i>	NMT w/n	C1/m	Eldari	18.0	16.0	88.9	Pickford (2015)
<i>P. palaeochoerus</i>	IPS135531	P1	Can Missert 2	13.5	6.2	45.9	Alba et al. (2024)
<i>P. palaeochoerus</i>	IPS33287d	P1	Castell de Barberà	13.0	5.1	39.2	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33287e	P1	Castell de Barberà	13.1	5.0	38.2	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92392a	P1	Castell de Barberà	13.5	5.5	40.7	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92392b	P1	Castell de Barberà	13.8	5.4	39.1	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92699	P1	Castell de Barberà	13.6	5.5	40.4	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92695	P1	Castell de Barberà	14.0	5.5	39.3	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	MAFI11989/20	P1	Rudabánya	11.4	4.9	43.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/162	P1	Rudabánya	11.5	5.1	44.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1991/23	P1	Rudabánya	10.9	4.5	41.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	BSPG 1956 I 520f	P1	Gau-Weinheim Wissberg	12.3	6.4	52.0	Pickford (2013a)
<i>P. palaeochoerus</i>	BSP AS 103	P1	Isarbett (Münchener Flinz)	13.6	4.9	36.0	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 60258	P1	Johnsdorf b. Feldbach	10.5	4.9	46.2	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 60258	P1	Johnsdorf b. Feldbach	10.9	4.9	44.5	Hellmund (1995)
<i>P. palaeochoerus</i>	NHMW w/n CAST	P1	Pyhra	13.5	4.4	32.6	Hellmund (1995)
<i>P. palaeochoerus</i>	IPS28739	P1	Creu de Conill 20	14.2	6.0	42.3	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114242	P1	Creu de Conill 20	14.5	5.5	37.9	McKenzie et al. (2023)
<i>P. hysudricus</i>	GSP 9322	P1	Middle Siwaliks (India) loc. 337	12.3	5.3	43.1	Pickford (1988)
<i>P. hysudricus</i>	PUPC 99/3	P1	Middle Siwaliks (Pakistan)	12.0	4.6	38.3	Aslam et al. (2021)

<i>P. hysudricus</i>	PUPC 15/28	P1	Middle Siwaliks (Pakistan)	11.6	4.8	41.4	Aslam et al. (2021)
<i>P. wui</i>	? J	P1	Lufeng	10.5	4.6	43.8	Van der Made & Han (1994)
<i>P. wui</i>	?	P1	Lufeng	9.5	4.6	48.4	Van der Made & Han (1994)
<i>H. hyotherioides</i>	ZT-2015-1062	P1	Shuitangba	12.3	6.9	56.1	Hou et al. (2019)
<i>P. aegaeus</i>	Vozarci-271	P1	Vozarci	12.7	4.4	34.6	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-565	P1	Vozarci	12.8	4.5	35.2	Geraads et al. (2008)
<i>P. aegaeus</i>	KRY3820	P1	Kryopigi	12.3	4.4	35.7	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	NHMW-exposition	P1	Samos	12.0	4.7	39.2	Thenius (1950)
<i>H. major</i>	SMF DD 971	P1	Dorn-Dürkheim	11.5	5.2	45.2	Van der Made (1997)
<i>H. major</i>	SMF DD 977	P1	Dorn-Dürkheim	12.6	5.9	46.8	Van der Made (1997)
<i>H. major</i>	SMF DD 4628	P1	Dorn-Dürkheim	12.1	5.7	47.1	Van der Made (1997)
<i>H. major</i>	SMF DD 4822	P1	Dorn-Dürkheim	12.9	6.4	49.6	Van der Made (1997)
<i>H. major</i>	SMF DD 980	P1	Dorn-Dürkheim	10.3	5.0	48.5	Van der Made (1997)
<i>H. major</i>	SMF DD 981	P1	Dorn-Dürkheim	12.5	6.4	51.2	Van der Made (1997)
<i>H. major</i>	SMF DD 988	P1	Dorn-Dürkheim	10.8	5.8	53.7	Van der Made (1997)
<i>H. major</i>	MNCN Bat10·14·E3·46	P1	Batallones 10	14.9	7.0	47.0	Pickford (2015)
<i>H. major</i>	MNCN Bat10·14·E3·46	P1	Batallones 10	14.5	7.2	49.7	Pickford (2015)
<i>H. major</i>	IPS9761 [wrong catalogue number]	P1	Torrent de les Febulines	14.3	6.9	48.3	Pickford (2015)
<i>H. major</i>	IPUW (Krahuletz Museum)	P1	Strätzing bei Krems	12.5	6.1	48.8	Pickford (2015)
<i>H. major</i>	IPUW (Krahuletz Museum)	P1	Strätzing bei Krems	12.3	6.1	49.6	Pickford (2015)
<i>H. major</i>	NKT-68	P1	Nikiti-1	12.2	5.5	44.8	Kostopoulos (1994)
<i>H. major</i>	Tbilisi	P1	Bazaleti	12.5	6.0	48.0	Pickford (2015)
<i>H. major</i>	NMT 343-13(1)	P1	Udabno	15.6	7.6	48.7	Pickford (2015)
<i>H. major</i>	NMT w/n	P1	Eldari	12.7	6.0	47.2	Pickford (2015)
<i>P. palaeochoerus</i>	IPS1755	P2	Castell de Barberà	16.2	9.3	57.4	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33287f	P2	Castell de Barberà	15.9	7.5	47.2	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS1760	P2	Castell de Barberà	16.6	9.5	57.2	McKenzie et al. (2024)

<i>P. palaeochoerus</i>	IPS92697	P2	Castell de Barberà	15.8	8.4	53.2	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92788	P2	Castell de Barberà	16.2	9.0	55.6	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS93159	P2	Castell de Barberà	15.9	7.4	46.5	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	MAFI1976/121	P2	Rudabánya	15.0	8.0	53.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1991/18	P2	Rudabánya	14.6	8.6	58.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	BSP AS 103	P2	Isarbett (Münchener Flinz)	15.2	8.1	53.1	Hellmund (1995)
<i>P. palaeochoerus</i>	BSP AS 103	P2	Isarbett (Münchener Flinz)	15.4	7.7	50.0	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 60258	P2	Johnsdorf b. Feldbach	14.2	7.9	55.5	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 60258	P2	Johnsdorf b. Feldbach	14.3	8.0	56.1	Hellmund (1995)
<i>P. palaeochoerus</i>	NHMW w/n CAST	P2	Pyhra	16.1	6.3	39.1	Hellmund (1995)
<i>P. palaeochoerus</i>	IPS28739	P2	Creu de Conill 20	16.4	8.7	53.0	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS28739	P2	Creu de Conill 20	16.5	9.1	55.2	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS124328	P2	Creu de Conill 20	17.2	9.2	53.5	McKenzie et al. (2023)
<i>P. hysudricus</i>	GSP 9322	P2	Middle Siwaliks (India) loc. 337	14.0	8.7	62.1	Pickford (1988)
<i>P. hysudricus</i>	GSP 9322	P2	Middle Siwaliks (India) loc. 337	13.0	8.7	66.9	Pickford (1988)
<i>P. hysudricus</i>	PUPC 99/3	P2	Middle Siwaliks (Pakistan)	13.1	8.0	61.1	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 15/28	P2	Middle Siwaliks (Pakistan)	13.3	7.6	57.1	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 15/28	P2	Middle Siwaliks (Pakistan)	13.9	6.7	48.2	Aslam et al. (2021)
<i>P. wui</i>	? I	P2	Lufeng	11.3	9.0	79.6	Van der Made & Han (1994)
<i>P. provincialis</i>	VM42	P2	Venta del Moro	14.4	9.5	66.0	Morales (1984)
<i>H. hyotherioides</i>	ZT-2015-2017	P2	Shuitangba	17.0	10.2	60.0	Hou et al. (2019)
<i>H. hyotherioides</i>	?	P2	Lufeng	15.4	9.5	61.7	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	P2	Lufeng	16.7	9.4	56.3	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	P2	Lufeng	16.1	8.7	54.0	Van der Made & Han (1994)
<i>P. aegeaus</i>	AFS 2869d	P2	Casino Basin	17.4	10.6	60.9	Iannucci et al. (2021)
<i>P. aegeaus</i>	AFS 2869f	P2	Casino Basin	16.3	8.3	50.9	Iannucci et al. (2021)
<i>P. aegaeus</i>	Vozarci-271	P2	Vozarci	16.1	9.0	55.9	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-565	P2	Vozarci	16.4	10.0	61.0	Geraads et al. (2008)

<i>P. aegaeus</i>	Kalim. DGUS	P2	Kalimantsi	16.2	11.2	69.1	Geraads et al. (2008)
<i>P. aegaeus</i>	KRY3820	P2	Kryopigi	14.7	8.0	54.5	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	KRY3820	P2	Kryopigi	15.1	8.5	56.1	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	NHMW-exposition	P2	Samos	15.5	8.6	55.5	Thenius (1950)
<i>H. major</i>	SMF DD 4362	P2	Dorn-Dürkheim	16.7	9.7	58.1	Van der Made (1997)
<i>H. major</i>	SMF DD 2967	P2	Dorn-Dürkheim	16.7	10.4	62.3	Van der Made (1997)
<i>H. major</i>	SMF DD 2968	P2	Dorn-Dürkheim	18.1	10.5	58.0	Van der Made (1997)
<i>H. major</i>	SMF DD 861	P2	Dorn-Dürkheim	17.7	9.7	54.8	Van der Made (1997)
<i>H. major</i>	SMF DD 862	P2	Dorn-Dürkheim	17.8	9.9	55.6	Van der Made (1997)
<i>H. major</i>	SMF DD 867	P2	Dorn-Dürkheim	17.7	9.8	55.4	Van der Made (1997)
<i>H. major</i>	MNCN Bat10·14·E3·46	P2	Batallones 10	17.8	11.2	62.9	Pickford (2015)
<i>H. major</i>	MNCN Bat10·14·E3·46	P2	Batallones 10	18.1	10.7	59.1	Pickford (2015)
<i>H. major</i>	NHMB ML 41	P2	Cucuron, Luberon (and Vaugines)	17.0	11.0	64.7	Pickford (2015)
<i>H. major</i>	MR 3.03.442	P2	Cucuron, Luberon (and Vaugines)	17.6	13.7	77.8	Pickford (2015)
<i>H. major</i>	MNHN LUB 660	P2	Cucuron, Luberon (and Vaugines)	17.0	10.5	61.8	Pickford (2015)
<i>H. major</i>	NHMB ML 41	P2	Cucuron, Luberon (and Vaugines)	17.5	11.0	62.9	Pickford (2015)
<i>H. major</i>	CCECL FV 75	P2	St Jean de Bournay	17.8	11.2	62.9	Pickford (2015)
<i>H. major</i>	DT RO 2992	P2	La Roma 2	16.7	9.2	55.1	Pickford (2015)
<i>H. major</i>	DT RO 2992	P2	La Roma 2	16.7	9.3	55.7	Pickford (2015)
<i>H. major</i>	IPS9761 [wrong catalogue number]	P2	Torrent de les Febulines	19.6	11.9	60.7	Pickford (2015)
<i>H. major</i>	IPS2002 [wrong catalogue number]	P2	Piera	18.8	13.0	69.1	Van der Made et al. (1992)
<i>H. major</i>	IPS1682	P2	Torrentet dels Traginers	18.6	13.5	72.6	Van der Made et al. (1992)
<i>H. major</i>	IPUW (Krahuletz Museum)	P2	Strätzing bei Krems	17.7	10.1	57.1	Pickford (2015)
<i>H. major</i>	IPUW (Krahuletz Museum)	P2	Strätzing bei Krems	17.9	10.3	57.5	Pickford (2015)
<i>H. major</i>	NHMW Koh 1956	P2	Kohfidisch	16.0	9.7	60.6	Pickford (2015)
<i>H. major</i>	NHMW A 4210	P2	Baltavar	16.9	10.9	64.5	Pickford (2015)
<i>H. major</i>	FM 2801	P2	Strumyani	18.0	10.4	57.8	Geraads et al. (2011)

<i>H. major</i>	Tbilisi	P2	Bazaleti	18.5	11.7	63.2	Pickford (2015)
<i>H. major</i>	IPAS Oz 135	P2	Dzedzvtachevi	19.0	13.4	70.5	Pickford (2015)
<i>H. major</i>	NMT 343-13(1)	P2	Udabno	20.0	14.4	72.0	Pickford (2015)
<i>H. major</i>	NMT w/n	P2	Eldari	17.6	10.1	57.4	Pickford (2015)
<i>H. major</i>	K-5259	P2	Kalimantsi	17.4	11.0	63.2	Kostopoulos et al. (2001)
<i>H. major</i>	K-5259	P2	Kalimantsi	17.7	11.2	63.3	Kostopoulos et al. (2001)
<i>H. major</i>	MTLA-537	P2	Mytilinii-1A, Samos	18.6	9.9	53.2	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	MTLA-537	P2	Mytilinii-1A, Samos	18.5	10.5	56.8	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20653-Q5	P2	Quarry 5 (Q5), Limitzis, Samos	15.2	8.1	53.3	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20653-Q5	P2	Quarry 5 (Q5), Limitzis, Samos	16.6	9.2	55.4	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20795-Q5	P2	Quarry 5 (Q5), Limitzis, Samos	16.4	9.9	60.4	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	NKT-68	P2	Nikiti-1	17.4	11.5	66.0	Kostopoulos (1994)
<i>H. major</i>	Ng 183	P2	Nagri	17.3	6.8	39.3	Van der Made & Hussain (1989)
<i>H. major</i>	58-HAY-2/45	P2	58-HAY-2 (Sivas)	16.7	10.5	62.9	Van der Made et al. (2013)
<i>P. palaeochoerus</i>	IPS128665	P3	Can Missert 2	15.8	13.5	85.4	Alba et al. (2024)
<i>P. palaeochoerus</i>	IPS1755	P3	Castell de Barberà	18.0	15.0	83.3	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33308a	P3	Castell de Barberà	18.8	13.9	73.9	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92787	P3	Castell de Barberà	17.0	13.8	81.2	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33288	P3	Castell de Barberà	17.0	13.7	80.6	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS93081	P3	Castell de Barberà	18.1	15.1	83.4	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	MAFI075	P3	Rudabánya	15.7	13.0	82.8	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI112	P3	Rudabánya	14.5	13.2	91.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI115	P3	Rudabánya	15.9	13.3	83.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI116	P3	Rudabánya	15.8	12.8	81.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI118	P3	Rudabánya	16.5	13.2	80.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI121	P3	Rudabánya	16.5	14.7	89.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI164	P3	Rudabánya	16.9	12.9	76.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI180	P3	Rudabánya	16.1	13.0	80.7	Fortelius et al. (2005)

<i>P. palaeochoerus</i>	MAFI1976/121	P3	Rudabánya	15.5	12.3	79.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/121	P3	Rudabánya	16.4	12.3	75.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/41	P3	Rudabánya	15.6	12.2	78.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/42	P3	Rudabánya	15.1	12.7	84.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1978/123	P3	Rudabánya	16.1	14.6	90.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	P3	Rudabánya	16.1	13.5	83.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/R2-	P3	Rudabánya	13.9	13.0	93.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1991/182	P3	Rudabánya	16.3	13.0	79.8	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	BSPG 1956 I 520a	P3	Gau-Weinheim Wissberg	16.2	14.5	89.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/493	P3	Gau-Weinheim	16.4	15.0	91.5	Pickford (2013a)
<i>P. palaeochoerus</i>	BSP AS 103	P3	Isarbett (Münchener Flinz)	16.9	12.4	73.4	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 60258	P3	Johnsdorf b. Feldbach	15.3	12.8	83.6	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 60258	P3	Johnsdorf b. Feldbach	14.5	12.8	88.6	Hellmund (1995)
<i>P. palaeochoerus</i>	NHMW w/n CAST	P3	Pyhra	16.3	12.5	76.9	Hellmund (1995)
<i>P. palaeochoerus</i>	?	P3	Dept. Drôme	17.0	15.0	88.2	Mottl (1966)
<i>P. palaeochoerus</i>	MBFSZ V 2019.15.1.	P3	Alsótelekes	15.2	14.1	92.8	Iannucci & Begun (2022)
<i>P. palaeochoerus</i>	IPS28739	P3	Creu de Conill 20	18.0	16.6	92.2	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS28739	P3	Creu de Conill 21	17.5	16.4	93.7	McKenzie et al. (2023)
<i>P. hysudricus</i>	GSP 493	P3	Middle Siwaliks (India) loc. 24	13.0	11.5	88.5	Pickford (1988)
<i>P. hysudricus</i>	GSP 13181	P3	Middle Siwaliks (India) loc. 311	13.5	11.0	81.5	Pickford (1988)
<i>P. hysudricus</i>	GSP 5265	P3	Middle Siwaliks (India) loc. 211	14.7	13.0	88.4	Pickford (1988)
<i>P. hysudricus</i>	PUPC 99/3	P3	Middle Siwaliks (Pakistan)	13.7	10.3	75.2	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 15/28	P3	Middle Siwaliks (Pakistan)	12.3	11.0	89.4	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 15/28	P3	Middle Siwaliks (Pakistan)	12.5	8.9	71.2	Aslam et al. (2021)
<i>P. hysudricus</i>	PC-GCUF 11/182	P3	Hasnot, Potwar plateau (Pakistan)	15.0	11.2	74.7	Batool et al. (2015)
<i>P. hysudricus</i>	PC-GCUF 11/162	P3	Hasnot, Potwar plateau (Pakistan)	13.2	11.4	86.4	Batool et al. (2015)
<i>P. hysudricus</i>	MGW 0003	P3	Thittayagauk & Chaingzauk	15.3	11.4	74.5	Thaung-Htike et al. (2006)
<i>P. provincialis</i>	VM617	P3	Venta del Moro	17.0	14.1	82.9	Morales (1984)

<i>P. wui</i>	? C	P3	Lufeng	11.0	9.7	88.2	Van der Made & Han (1994)
<i>P. wui</i>	? D	P3	Lufeng	11.2	10.3	92.0	Van der Made & Han (1994)
<i>P. wui</i>	? E	P3	Lufeng	10.4	9.8	94.2	Van der Made & Han (1994)
<i>P. wui</i>	? F	P3	Lufeng	10.8	10.3	95.4	Van der Made & Han (1994)
<i>P. wui</i>	? G	P3	Lufeng	10.8	10.2	94.4	Van der Made & Han (1994)
<i>P. wui</i>	? I	P3	Lufeng	10.3	10.4	101.0	Van der Made & Han (1994)
<i>P. wui</i>	?	P3	Lufeng	12.2	10.1	82.8	Van der Made & Han (1994)
<i>H. hyotherioides</i>	ZT-2015-1062	P3	Shuitangba	16.8	14.8	88.1	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-2017	P3	Shuitangba	18.1	14.9	82.3	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-2226	P3	Shuitangba	20.0	15.7	78.5	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-1728	P3	Shuitangba	18.8	13.1	69.7	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2007-01-265	P3	Shuitangba	18.6	13.6	73.1	Hou et al. (2019)
<i>P. aegaeus</i>	AFS 2865	P3	Casino Basin	15.0	13.0	86.7	Gallai (2006)
<i>P. aegaeus</i>	AFS 2869	P3	Casino Basin	14.7	13.5	91.8	Gallai (2006)
<i>P. aegaeus</i>	AFS 2869b	P3	Casino Basin	14.8	13.6	91.9	Iannucci et al. (2021)
<i>P. aegaeus</i>	IGF 5913Vc	P3	Casino Basin	15.3	12.6	82.4	Iannucci et al. (2021)
<i>P. aegaeus</i>	IGF 5913Vd	P3	Casino Basin	15.2	11.1	73.0	Iannucci et al. (2021)
<i>P. aegaeus</i>	Bac. 1020	P3	Baccinello V3	13.8	10.9	79.0	Gallai (2006)
<i>P. aegaeus</i>	Vozarci-271	P3	Vozarci	14.5	13.1	90.3	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-565	P3	Vozarci	14.5	14.7	101.4	Geraads et al. (2008)
<i>P. aegaeus</i>	KRY3820	P3	Kryopigi	14.5	14.0	96.2	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	KRY3820	P3	Kryopigi	14.5	13.8	94.9	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	NHMW-exposition	P3	Samos	15.0	12.2	81.3	Thenius (1950)
<i>H. major</i>	SMF DD 2966	P3	Dorn-Dürkheim	16.4	16.8	102.4	Van der Made (1997)
<i>H. major</i>	SMF DD 2970	P3	Dorn-Dürkheim	17.9	16.5	92.2	Van der Made (1997)
<i>H. major</i>	SMF DD 4714	P3	Dorn-Dürkheim	18.3	17.5	95.6	Van der Made (1997)
<i>H. major</i>	SMF DD 4750	P3	Dorn-Dürkheim	17.5	15.2	86.9	Van der Made (1997)

<i>H. major</i>	SMF DD 5539	P3	Dorn-Dürkheim	17.4	15.3	87.9	Van der Made (1997)
<i>H. major</i>	SMF DD 2974	P3	Dorn-Dürkheim	17.0	16.0	94.1	Van der Made (1997)
<i>H. major</i>	SMF DD 4676	P3	Dorn-Dürkheim	17.0	16.2	95.3	Van der Made (1997)
<i>H. major</i>	SMF DD 859	P3	Dorn-Dürkheim	16.6	15.2	91.6	Van der Made (1997)
<i>H. major</i>	MNCN Bat10·14·E3·46	P3	Batallones 10	20.1	17.8	88.6	Pickford (2015)
<i>H. major</i>	MNCN Bat10·14·E3·46	P3	Batallones 10	19.1	18.0	94.2	Pickford (2015)
<i>H. major</i>	MNHN LUB 660	P3	Cucuron, Luberon (and Vaugines)	18.5	17.3	93.5	Pickford (2015)
<i>H. major</i>	NHMB ML 41	P3	Cucuron, Luberon (and Vaugines)	17.8	18.0	101.1	Pickford (2015)
<i>H. major</i>	MR 303.442	P3	Cucuron, Luberon (and Vaugines)	18.0	18.5	102.8	Pickford (2015)
<i>H. major</i>	NHMB ML 41	P3	Cucuron, Luberon (and Vaugines)	18.0	18.0	100.0	Pickford (2015)
<i>H. major</i>	DTK 288	P3	Dytiko	17.0	17.0	100.0	de Bonis & Bouvrain (1996)
<i>H. major</i>	CCECL FV 75	P3	St Jean de Bournay	17.5	17.7	101.1	Pickford (2015)
<i>H. major</i>	FSL 210 418	P3	Tersanne (Drôme)	18.5	17.0	91.9	Pickford (2015)
<i>H. major</i>	CCECL AA 114	P3	Soblay	17.0	16.7	98.2	Pickford (2015)
<i>H. major</i>	DT RO 2992	P3	La Roma 2	17.1	16.2	94.7	Pickford (2015)
<i>H. major</i>	DT RO 2992	P3	La Roma 2	17.3	15.9	91.9	Pickford (2015)
<i>H. major</i>	IPS9761 [wrong catalogue number]	P3	Torrent de les Febulines	19.2	18.0	93.8	Pickford (2015)
<i>H. major</i>	IPS2002 [wrong catalogue number]	P3	Piera	17.9	19.5	108.9	Van der Made et al. (1992)
<i>H. major</i>	IPS1682	P3	Torrentet dels Traginers	19.0	18.9	99.5	Van der Made et al. (1992)
<i>H. major</i>	IPUW (Krahuletz Museum)	P3	Strätzing bei Krems	18.4	16.9	91.8	Pickford (2015)
<i>H. major</i>	IPUW (Krahuletz Museum)	P3	Strätzing bei Krems	19.0	17.5	92.1	Pickford (2015)
<i>H. major</i>	NHMW Koh	P3	Kohfidisch	18.8	16.0	85.1	Pickford (2015)
<i>H. major</i>	NHMW A 4210	P3	Baltavar	18.0	16.6	92.2	Pickford (2015)
<i>H. major</i>	MNHNEM 24993	P3	Raspopeni	18.0	16.0	88.9	Pickford (2015)
<i>H. major</i>	FM 2801	P3	Strumyani	19.9	15.9	79.9	Geraads et al. (2011)
<i>H. major</i>	AS 94-1799	P3	Sinap Tepe 49	17.5	16.8	96.0	Pickford (2015)
<i>H. major</i>	Tbilisi	P3	Bazaleti	18.5	17.0	91.9	Pickford (2015)
<i>H. major</i>	IPAS Dz 135	P3	Dzedzvtachevi	19.4	17.4	89.7	Pickford (2015)

<i>H. major</i>	NMT 343-13(1)	P3	Udabno	20.7	20.4	98.6	Pickford (2015)
<i>H. major</i>	NMT w/n	P3	Eldari	20.9	18.4	88.0	Pickford (2015)
<i>H. major</i>	K-5260	P3	Kalimantsi	19.0	11.8	62.1	Kostopoulos et al. (2001)
<i>H. major</i>	K-5259	P3	Kalimantsi	20.1	14.6	72.6	Kostopoulos et al. (2001)
<i>H. major</i>	K-5269	P3	Kalimantsi	19.0	14.6	76.8	Kostopoulos et al. (2001)
<i>H. major</i>	K-5268	P3	Kalimantsi	17.6	15.3	86.9	Kostopoulos et al. (2001)
<i>H. major</i>	K-5266	P3	Kalimantsi	16.8	16.1	95.8	Kostopoulos et al. (2001)
<i>H. major</i>	MTLA-537	P3	Mytilinii-1A, Samos	19.8	14.3	72.2	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	MTLA-537	P3	Mytilinii-1A, Samos	19.7	15.4	78.2	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20653-Q5	P3	Quarry 5 (Q5), Limitzis, Samos	17.8	12.1	68.0	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20653-Q5	P3	Quarry 5 (Q5), Limitzis, Samos	16.9	13.9	82.2	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20795-Q5	P3	Quarry 5 (Q5), Limitzis, Samos	18.6	15.5	83.3	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	NKT-68	P3	Nikiti-1	18.0	17.2	96.0	Kostopoulos (1994)
<i>H. major</i>	GSI B 354	P3	Siwaliks?	18.6	17.4	93.5	Van der Made & Hussain (1989)
<i>H. major</i>	58-HAY-2/45	P3	58-HAY-2 (Sivas)	17.9	15.2	84.9	Van der Made et al. (2013)
<i>H. major</i>	58-HAY-2/45	P3	58-HAY-2 (Sivas)	17.4	16.6	95.4	Van der Made et al. (2013)
<i>P. palaeochoerus</i>	IPS128655	P4	Can Missert 2	14.2	17.5	123.2	Alba et al. (2024)
<i>P. palaeochoerus</i>	IPS128660	P4	Can Missert 2	14.3	16.8	117.5	Alba et al. (2024)
<i>P. palaeochoerus</i>	IPS33308a	P4	Castell de Barberà	15.0	18.9	126.0	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33308a	P4	Castell de Barberà	14.4	19.2	133.3	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS1759	P4	Castell de Barberà	16.1	18.2	113.0	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS1754	P4	Castell de Barberà	16.3	18.4	112.9	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92380	P4	Castell de Barberà	15.3	18.1	118.3	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92379	P4	Castell de Barberà	15.5	18.2	117.4	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS93158	P4	Castell de Barberà	14.6	17.4	119.2	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33289a	P4	Castell de Barberà	15.0	18.3	122.0	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33289b	P4	Castell de Barberà	15.3	18.7	122.2	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33294	P4	Castell de Barberà	15.0	17.5	116.7	McKenzie et al. (2024)

<i>P. palaeochoerus</i>	IPS92737	P4	Castell de Barberà	14.1	17.1	121.3	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	MAFI088	P4	Rudabánya	13.8	14.2	102.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI110	P4	Rudabánya	14.2	16.1	113.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI111	P4	Rudabánya	14.1	16.2	114.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI112	P4	Rudabánya	14.3	15.8	110.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI114	P4	Rudabánya	13.8	15.9	115.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI117	P4	Rudabánya	14.4	16.2	112.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI121	P4	Rudabánya	14.8	17.6	118.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI163	P4	Rudabánya	14.6	15.8	108.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/121	P4	Rudabánya	14.2	16.2	114.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/121	P4	Rudabánya	13.9	16.5	118.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/58	P4	Rudabánya	13.7	16.6	121.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1978/123	P4	Rudabánya	13.8	17.0	123.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1988/74	P4	Rudabánya	12.8	15.5	121.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	P4	Rudabánya	13.7	16.5	120.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	P4	Rudabánya	13.7	16.2	118.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/205	P4	Rudabánya	13.1	15.7	119.8	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1991/18	P4	Rudabánya	13.1	15.2	116.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1991/34	P4	Rudabánya	14.2	16.0	112.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	22-1064	P4	Grytsiv	14.2	16.5	116.2	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1063	P4	Grytsiv	14.9	16.7	112.1	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1025	P4	Grytsiv	14.0	16.0	114.3	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	HLMD Din 67	P4	Eppelsheim	14.6	17.6	120.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1931/36	P4	Gau-Weinheim	15.0	17.0	113.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/498	P4	Gau-Weinheim	15.0	17.4	116.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/861	P4	Gau-Weinheim	15.6	17.6	112.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/869	P4	Gau-Weinheim	15.0	17.8	118.7	Pickford (2013a)
<i>P. palaeochoerus</i>	BSPG 1956 I 520	P4	Gau-Weinheim Wissberg	13.3	16.3	122.2	Pickford (2013a)

<i>P. palaeochoerus</i>	HLMD Din 66a	P4	Eppelsheim	13.3	15.4	115.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1930/502	P4	Gau-Weinheim	14.0	15.3	109.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/551	P4	Gau-Weinheim	15.2	17.5	115.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/565	P4	Gau-Weinheim	14.3	16.6	116.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/753	P4	Gau-Weinheim	13.7	16.1	117.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/903	P4	Gau-Weinheim	15.8	16.8	106.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/867	P4	Gau-Weinheim	14.7	16.0	108.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1935/853	P4	Gau-Weinheim	13.0	15.3	117.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1952/681	P4	Gau-Weinheim	15.1	17.7	117.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1956/120	P4	Gau-Weinheim	15.1	17.3	114.6	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 98	P4	Gau-Weinheim Wissberg	14.4	17.3	120.1	Pickford (2013a)
<i>P. palaeochoerus</i>	BSP AS 103	P4	Isarbett (Münchener Flinz)	13.5	17.0	125.9	Hellmund (1995)
<i>P. palaeochoerus</i>	BSP AS 103	P4	Isarbett (Münchener Flinz)	13.2	17.1	129.5	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 60258	P4	Johnsdorf b. Feldbach	13.0	15.4	118.9	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 60258	P4	Johnsdorf b. Feldbach	13.7	15.3	111.7	Hellmund (1995)
<i>P. palaeochoerus</i>	NHMW w/n CAST	P4	Pyhra	15.0	15.8	105.3	Hellmund (1995)
<i>P. palaeochoerus</i>	MBFSZ V 2019.15.1.	P4	Alsótelekes	13.9	16.3	117.3	Iannucci & Begun (2022)
<i>P. palaeochoerus</i>	IPS28739	P4	Creu de Conill 20	14.3	19.4	135.7	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS28739	P4	Creu de Conill 20	15.6	20.0	128.2	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS107194	P4	Creu de Conill 20	15.1	17.9	118.5	McKenzie et al. (2023)
<i>H. hyotherioides</i>	ZT-2015-1062	P4	Shuitangba	15.4	18.8	122.1	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-2017	P4	Shuitangba	14.5	19.2	132.4	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-2226	P4	Shuitangba	15.0	18.0	120.0	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-1728	P4	Shuitangba	15.2	18.4	121.1	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2009-03-547	P4	Shuitangba	13.2	17.4	131.8	Hou et al. (2019)
<i>H. hyotherioides</i>	?	P4	Lufeng	15.7	17.2	109.6	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	P4	Lufeng	14.8	16.4	110.8	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	P4	Lufeng	15.4	16.8	109.1	Van der Made & Han (1994)

<i>P. aegaeus</i>	Vozarci-271	P4	Vozarci	13.2	16.6	125.8	Geraads et al. (2008)
<i>P. aegaeus</i>	KRY3820	P4	Kryopigi	13.7	17.9	130.5	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	KRY3820	P4	Kryopigi	13.1	17.2	130.9	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	NHMW-exposition	P4	Samos	13.5	16.0	118.5	Thenius (1950)
<i>P. aegaeus</i>	IGF 5913Va	P4	Casino Basin	13.2	15.5	117.4	Iannucci et al. (2021)
<i>P. aegaeus</i>	AFS 2865	P4	Casino Basin	13.1	16.8	128.2	Gallai (2006)
<i>P. aegaeus</i>	IGF9261V	P4	Gravitelli	13.9	16.0	115.1	Gallai & Rook (2006)
<i>P. aegaeus</i>	Bac. 1020	P4	Baccinello V3	12.8	15.2	118.8	Gallai (2006)
<i>P. aegaeus</i>	J. H119	P4	Baccinello V3	12.1	15.6	128.9	Gallai (2006)
<i>P. aegaeus</i>	J. H119	P4	Baccinello V3	12.3	16.0	123.6	Gallai (2006)
<i>P. hysudricus</i>	GSP 5999	P4	Middle Siwaliks (India) loc. 337	13.6	16.2	119.1	Pickford (1988)
<i>P. hysudricus</i>	GSP 5265	P4	Middle Siwaliks (India) loc. 211	13.2	15.9	120.5	Pickford (1988)
<i>P. hysudricus</i>	GSP 10967	P4	Middle Siwaliks (India) loc. 314	14.6	17.0	116.4	Pickford (1988)
<i>P. hysudricus</i>	GSP 6137	P4	Middle Siwaliks (India) loc. 221	14.0	16.1	115.0	Pickford (1988)
<i>P. hysudricus</i>	GSP B46	P4	Middle Siwaliks (India): Hasnot	12.5	15.0	120.0	Pickford (1988)
<i>P. hysudricus</i>	PUPC 99/3	P4	Middle Siwaliks (Pakistan)	12.3	14.2	115.4	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 15/28	P4	Middle Siwaliks (Pakistan)	12.0	13.8	115.0	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 15/28	P4	Middle Siwaliks (Pakistan)	10.7	13.2	123.4	Aslam et al. (2021)
<i>P. hysudricus</i>	PC-GCUF 11/162	P4	Hasnot, Potwar Plateau (Pakistan)	12.7	14.4	113.4	Batool et al. (2015)
<i>P. hysudricus</i>	PC-GCUF 12/03	P4	Hasnot, Potwar Plateau (Pakistan)	12.3	14.5	117.9	Batool et al. (2015)
<i>P. hysudricus</i>	MGW 0003	P4	Thittiyagauk & Chaingzauk	12.9	14.6	113.2	Thaung-Htike et al. (2006)
<i>P. wui</i>	? A	P4	Lufeng	9.6	11.3	117.7	Van der Made & Han (1994)
<i>P. wui</i>	? B	P4	Lufeng	9.6	11.3	117.7	Van der Made & Han (1994)
<i>P. wui</i>	? C	P4	Lufeng	10.1	11.9	117.8	Van der Made & Han (1994)
<i>P. wui</i>	? D	P4	Lufeng	9.8	12.6	128.6	Van der Made & Han (1994)
<i>P. wui</i>	? E	P4	Lufeng	9.3	11.7	125.8	Van der Made & Han (1994)
<i>P. wui</i>	? F	P4	Lufeng	9.6	12.9	134.4	Van der Made & Han (1994)

<i>P. wui</i>	? G	P4	Lufeng	9.9	12.0	121.2	Van der Made & Han (1994)
<i>P. wui</i>	? I	P4	Lufeng	9.6	12.7	132.3	Van der Made & Han (1994)
<i>P. wui</i>	?	P4	Lufeng	10.2	12.3	120.6	Van der Made & Han (1994)
<i>P. wui</i>	?	P4	Lufeng	10.9	11.0	100.9	Van der Made & Han (1994)
<i>P. wui</i>	?	P4	Lufeng	9.6	11.3	117.7	Van der Made & Han (1994)
<i>P. wui</i>	?	P4	Lufeng	10.5	12.1	115.2	Van der Made & Han (1994)
<i>P. provincialis</i>	VM625	P4	Venta del Moro	15.1	16.8	111.3	Morales (1984)
<i>H. major</i>	SMF DD 4430	P4	Dorn-Dürkheim	16.3	17.7	108.6	Van der Made (1997)
<i>H. major</i>	SMF DD 2969	P4	Dorn-Dürkheim	16.6	18.9	113.9	Van der Made (1997)
<i>H. major</i>	SMF DD 4639	P4	Dorn-Dürkheim	16.4	18.3	111.6	Van der Made (1997)
<i>H. major</i>	SMF DD 5558	P4	Dorn-Dürkheim	17.1	18.2	106.4	Van der Made (1997)
<i>H. major</i>	SMF DD 852	P4	Dorn-Dürkheim	16.3	17.7	108.6	Van der Made (1997)
<i>H. major</i>	SMF DD 852	P4	Dorn-Dürkheim	16.8	17.8	106.0	Van der Made (1997)
<i>H. major</i>	SMF DD 855	P4	Dorn-Dürkheim	15.8	18.4	116.5	Van der Made (1997)
<i>H. major</i>	SMF DD 858	P4	Dorn-Dürkheim	15.7	17.4	110.8	Van der Made (1997)
<i>H. major</i>	SMF DD 865	P4	Dorn-Dürkheim	16.3	18.5	113.5	Van der Made (1997)
<i>H. major</i>	SMF DD 2962	P4	Dorn-Dürkheim	16.3	18.4	112.9	Van der Made (1997)
<i>H. major</i>	SMF DD 2963	P4	Dorn-Dürkheim	16.7	20.1	120.4	Van der Made (1997)
<i>H. major</i>	SMF DD 2964	P4	Dorn-Dürkheim	17.1	18.7	109.4	Van der Made (1997)
<i>H. major</i>	SMF DD 2973	P4	Dorn-Dürkheim	17.1	19.2	112.3	Van der Made (1997)
<i>H. major</i>	SMF DD 2976	P4	Dorn-Dürkheim	16.6	17.7	106.6	Van der Made (1997)
<i>H. major</i>	SMF DD 2984	P4	Dorn-Dürkheim	18.5	19.3	104.3	Van der Made (1997)
<i>H. major</i>	SMF DD 4680	P4	Dorn-Dürkheim	16.6	19.8	119.3	Van der Made (1997)
<i>H. major</i>	SMF DD 851	P4	Dorn-Dürkheim	16.4	17.6	107.3	Van der Made (1997)
<i>H. major</i>	SMF DD 856	P4	Dorn-Dürkheim	15.9	18.2	114.5	Van der Made (1997)
<i>H. major</i>	SMF DD 857	P4	Dorn-Dürkheim	16.5	18.2	110.3	Van der Made (1997)
<i>H. major</i>	SMF DD 863	P4	Dorn-Dürkheim	16.7	20.4	122.2	Van der Made (1997)
<i>H. major</i>	MNHM 1934/688	P4	Gau-Weinheim	16.8	18.2	108.3	Pickford (2013a)

<i>H. major</i>	MNCN Bat10·14·E3·46	P4	Batallones 10	17.2	20.1	116.9	Pickford (2015)
<i>H. major</i>	MNCN Bat10·14·E3·46	P4	Batallones 10	17.2	20.0	116.3	Pickford (2015)
<i>H. major</i>	MNCN CL 12-124	P4	Corral de Lobato	18.0	18.2	101.1	Pickford (2015)
<i>H. major</i>	MR 303.647	P4	Cucuron, Luberon (and Vaugines)	19.8	22.0	111.1	Pickford (2015)
<i>H. major</i>	NHMB ML 41	P4	Cucuron, Luberon (and Vaugines)	17.4	20.5	117.8	Pickford (2015)
<i>H. major</i>	MR 3.03.442	P4	Cucuron, Luberon (and Vaugines)	19.0	22.3	117.4	Pickford (2015)
<i>H. major</i>	MNHN LUB 660	P4	Cucuron, Luberon (and Vaugines)	18.2	21.3	132.2	Pickford (2015)
<i>H. major</i>	NHMB ML 41	P4	Cucuron, Luberon (and Vaugines)	17.5	20.7	118.3	Pickford (2015)
<i>H. major</i>	DTK 288	P4	Dytiko	18.0	19.9	110.6	de Bonis & Bouvrain (1996)
<i>H. major</i>	DTK 288	P4	Dytiko	17.8	20.4	114.6	de Bonis & Bouvrain (1996)
<i>H. major</i>	FSL 210 182	P4	Montredon	17.8	22.0	123.6	Pickford (2015)
<i>H. major</i>	FSL 210 190	P4	Montredon	18.0	22.2	123.3	Pickford (2015)
<i>H. major</i>	FSL 210 182	P4	Montredon	20.4	24.8	121.6	Pickford (2015)
<i>H. major</i>	MHNT 96 ICT 566 cast	P4	St Bauzile	19.0	19.0	100.0	Pickford (2015)
<i>H. major</i>	CCECL AA 11	P4	Soblay	15.4	19.4	126.0	Pickford (2015)
<i>H. major</i>	CCECL AA 114	P4	Soblay	15.0	19.3	128.7	Pickford (2015)
<i>H. major</i>	FSL 520 030	P4	Soblay	16.7	18.7	112.0	Pickford (2015)
<i>H. major</i>	DT RO 2992	P4	La Roma 2	16.1	19.2	119.3	Pickford (2015)
<i>H. major</i>	DT RO 2992	P4	La Roma 2	17.0	19.5	114.7	Pickford (2015)
<i>H. major</i>	IPS9761 [wrong catalogue number]	P4	Torrent de les Febulines	19.0	22.8	120.0	Pickford (2015)
<i>H. major</i>	IPS9761 wrong catalogue number]	P4	Torrent de les Febulines	19.3	22.7	117.6	Pickford (2015)
<i>H. major</i>	IPS1126	P4	Torrent de les Febulines	16.7	20.8	124.6	Van der Made et al. (1992)
<i>H. major</i>	IPS8956	P4	Torrentet dels Traginers	17.0	21.7	127.6	Van der Made et al. (1992)
<i>H. major</i>	IPS2002	P4	Piera	18.5	23.3	125.9	Van der Made et al. (1992)
<i>H. major</i>	IPS1682	P4	Torrentet dels Traginers	16.7	21.0	125.7	Van der Made et al. (1992)
<i>H. major</i>	IPUW (Krahuletz Museum)	P4	Strätzing bei Krems	16.0	21.6	135.0	Pickford (2015)
<i>H. major</i>	NHMW Koh	P4	Kohfidisch	19.7	21.6	109.6	Pickford (2015)
<i>H. major</i>	NHMW Koh 1963	P4	Kohfidisch	16.0	19.7	123.1	Pickford (2015)

<i>H. major</i>	MNHNEM 24993	P4	Raspopeni	16.5	20.5	124.2	Pickford (2015)
<i>H. major</i>	FM 2801	P4	Strumyani	15.9	19.6	123.3	Geraads et al. (2011)
<i>H. major</i>	AS 94-1799	P4	Sinap Tepe 49	16.5	20.7	125.5	Pickford (2015)
<i>H. major</i>	Tbilisi	P4	Bazaleti	18.1	20.2	111.6	Pickford (2015)
<i>H. major</i>	IPAS Oz 135	P4	Dzedzvtachevi	16.8	21.3	126.8	Pickford (2015)
<i>H. major</i>	NMT 343-13(1)	P4	Udabno	17.6	22.6	128.4	Pickford (2015)
<i>H. major</i>	NMT w/n	P4	Eldari	17.0	21.4	125.9	Pickford (2015)
<i>H. major</i>	NMT w/n	P4	Eldari	19.9	22.5	113.1	Pickford (2015)
<i>H. major</i>	K-5256	P4	Kalimantsi	16.1	19.7	122.4	Kostopoulos et al. (2001)
<i>H. major</i>	K-5259	P4	Kalimantsi	15.9	18.4	115.7	Kostopoulos et al. (2001)
<i>H. major</i>	K-5259	P4	Kalimantsi	15.7	18.6	118.5	Kostopoulos et al. (2001)
<i>H. major</i>	K-5267	P4	Kalimantsi	16.5	19.4	117.6	Kostopoulos et al. (2001)
<i>H. major</i>	K-5261	P4	Kalimantsi	20.5	19.6	95.6	Kostopoulos et al. (2001)
<i>H. major</i>	K-5269	P4	Kalimantsi	16.8	19.2	114.3	Kostopoulos et al. (2001)
<i>H. major</i>	K-5268	P4	Kalimantsi	15.0	17.7	118.0	Kostopoulos et al. (2001)
<i>H. major</i>	K-5266	P4	Kalimantsi	15.6	18.5	118.6	Kostopoulos et al. (2001)
<i>H. major</i>	MTLA-537	P4	Mytilinii-1A, Samos	17.1	19.0	111.1	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	MTLA-537	P4	Mytilinii-1A, Samos	16.5	19.6	118.8	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20653-Q5	P4	Quarry 5 (Q5), Limitzis, Samos	14.8	16.0	108.1	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20653-Q5	P4	Quarry 5 (Q5), Limitzis, Samos	15.7	18.1	115.3	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20795-Q5	P4	Quarry 5 (Q5), Limitzis, Samos	15.3	19.5	127.5	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	mean n=2 NKT-68	P4	Nikiti-1	17.1	19.8	115.5	Kostopoulos (1994)
<i>H. major</i>	GSI B 354	P4	Siwaliks?	17.5	21.7	124.0	Van der Made & Hussain (1989)
<i>H. major</i>	58-HAY-2/45	P4	58-HAY-2 (Sivas)	16.9	19.8	117.2	Van der Made et al. (2013)
<i>H. major</i>	58-HAY-2/45	P4	58-HAY-2 (Sivas)	16.5	19.9	120.6	Van der Made et al. (2013)
<i>H. major</i>	58-HAY-2/43	P4	58-HAY-2 (Sivas)	15.9	18.0	113.2	Van der Made et al. (2013)
<i>P. palaeochoerus</i>	MAFI040	M1	Rudabánya	19.8	17.4	87.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI041	M1	Rudabánya	19.2	17.4	90.6	Fortelius et al. (2005)

<i>P. palaeochoerus</i>	MAFI044	M1	Rudabánya	19.2	18.5	96.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI046	M1	Rudabánya	19.4	17.2	88.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI047	M1	Rudabánya	18.4	16.2	88.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI048	M1	Rudabánya	20.0	15.7	78.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI049	M1	Rudabánya	17.3	16.1	93.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI050	M1	Rudabánya	18.0	15.9	88.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI080	M1	Rudabánya	15.9	16.5	103.8	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI129	M1	Rudabánya	18.7	16.0	85.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI154	M1	Rudabánya	20.0	16.7	83.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/121	M1	Rudabánya	19.1	16.8	88.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/121	M1	Rudabánya	19.6	17.0	86.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/121	M1	Rudabánya	19.1	16.8	88.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/42	M1	Rudabánya	19.7	17.0	86.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/58	M1	Rudabánya	19.4	17.2	88.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1978/123	M1	Rudabánya	17.2	16.5	95.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	M1	Rudabánya	18.0	17.5	97.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	M1	Rudabánya	18.7	17.4	93.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/205	M1	Rudabánya	19.2	15.8	82.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/42	M1	Rudabánya	18.7	17.0	90.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/72	M1	Rudabánya	18.5	15.6	84.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	22-1064	M1	Grytsiv	18.6	16.8	90.3	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1063	M1	Grytsiv	18.4	16.7	90.8	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1073	M1	Grytsiv	18.9	17.1	90.5	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1074	M1	Grytsiv	19.0	16.9	88.9	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	BSPG 1956 I 522	M1	Gau-Weinheim Wissberg	17.9	17.3	96.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1930/378	M1	Gau-Weinheim	18.9	16.0	84.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/855	M1	Gau-Weinheim	18.0	18.1	100.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1954/9	M1	Gau-Weinheim	16.6	17.3	104.2	Pickford (2013a)

<i>P. palaeochoerus</i>	BSPG 1956 I 520	M1	Gau-Weinheim Wissberg	18.8	16.1	85.6	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 66a	M1	Eppelsheim	18.6	17.2	92.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/401	M1	Gau-Weinheim	21.0	19.2	91.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/68	M1	Gau-Weinheim	19.7	16.8	85.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/817	M1	Gau-Weinheim	17.7	15.8	89.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/747	M1	Gau-Weinheim	23.3	19.0	81.5	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 61	M1	Gau-Weinheim Wissberg	21.1	17.2	81.5	Pickford (2013a)
<i>P. palaeochoerus</i>	BSPG 1957 I 420	M1	Gau-Weinheim Wissberg	19.0	16.2	85.0	Pickford (2013a)
<i>P. palaeochoerus</i>	BSP AS 103	M1	Isarbett (Münchener Flinz)	16.5	16.5	100.0	Hellmund (1995)
<i>P. palaeochoerus</i>	BSP AS 103	M1	Isarbett (Münchener Flinz)	16.2	16.4	101.2	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 57094	M1	Laßnitzhöhe bei Graz (Schottergrube Grießl)	16.5	15.0	91.2	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 60258	M1	Johnsdorf b. Feldbach	16.8	17.4	103.3	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 60258	M1	Johnsdorf b. Feldbach	17.0	17.4	102.4	Hellmund (1995)
<i>P. palaeochoerus</i>	NHMW w/n CAST	M1	Pyhra	18.4	16.5	89.7	Hellmund (1995)
<i>P. palaeochoerus</i>	?	M1	Dept. Drôme	15.0	15.0	100.0	Mottl (1966)
<i>P. palaeochoerus</i>	GPIT MA 1178-36	M1	Melchingen	18.3	16.7	91.3	Pickford (2015)
<i>P. palaeochoerus</i>	MBFSZ V 2019.15.1.	M1	Alsótelekes	16.5	15.7	95.2	Iannucci & Begun (2022)
<i>P. palaeochoerus</i>	IPS28739	M1	Creu de Conill 20	19.6	18.7	95.4	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS28739	M1	Creu de Conill 20	20.2	19.2	95.0	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS113741	M1	Creu de Conill 20	21.2	17.4	82.1	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS107114	M1	Creu de Conill 20	22.0	17.8	80.9	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114191	M1	Creu de Conill 20	20.6	17.2	83.5	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114098	M1	Creu de Conill 20	20.5	17.6	85.9	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS128040	M1	Creu de Conill 20	21.0	18.5	88.1	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS33308a	M1	Castell de Barberà	17.0	17.7	104.1	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33289c	M1	Castell de Barberà	16.8	17.3	103.0	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS1753	M1	Castell de Barberà	17.4	17.3	99.4	McKenzie et al. (2024)

<i>P. palaeochoerus</i>	IPS1758	M1	Castell de Barberà	17.2	17.0	98.8	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92381	M1	Castell de Barberà	18.2	18.1	99.5	McKenzie et al. (2024)
<i>P. hysudricus</i>	YUGD-094	M1	Irrawaddy Formation (Myanmar)	19.0	13.3	70.0	Chit Sein et al. (2009)
<i>P. hysudricus</i>	GSP 11204	M1	Middle Siwaliks (India) loc. 211	16.0	17.0	106.3	Pickford (1988)
<i>P. hysudricus</i>	GSP 85	M1	Middle Siwaliks (India) loc. 10	16.3	15.5	95.1	Pickford (1988)
<i>P. hysudricus</i>	GSP 7437	M1	Middle Siwaliks (India) loc. 240	17.5	15.5	88.6	Pickford (1988)
<i>P. hysudricus</i>	B29	M1	Middle Siwaliks (India): Jabi	16.0	15.1	94.4	Pickford (1988)
<i>P. hysudricus</i>	B46	M1	Middle Siwaliks (India): Hasnot	17.0	15.5	91.2	Pickford (1988)
<i>P. hysudricus</i>	GSP 6137	M1	Middle Siwaliks (India) loc. 221	16.4	16.0	97.6	Pickford (1988)
<i>P. hysudricus</i>	PUPC 99/3	M1	Middle Siwaliks (Pakistan)	15.0	14.7	98.0	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 15/28	M1	Middle Siwaliks (Pakistan)	14.7	14.8	100.7	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 15/28	M1	Middle Siwaliks (Pakistan)	15.1	14.6	96.7	Aslam et al. (2021)
<i>P. hysudricus</i>	AMNH 19724	M1	Middle Siwaliks, Hasnot	15.0	16.0	106.7	Colbert (1935)
<i>P. hysudricus</i>	AMNH w/n	M1	Middle Siwaliks	16.0	15.5	96.9	Colbert (1935)
<i>P. hysudricus</i>	MGW 0003	M1	Thittayagauk & Chaingzauk	15.6	15.2	97.4	Thaung-Htike et al. (2006)
<i>P. wui</i>	? B	M1	Lufeng	13.4	11.7	87.3	Van der Made & Han (1994)
<i>P. wui</i>	? E	M1	Lufeng	13.3	11.9	89.5	Van der Made & Han (1994)
<i>P. wui</i>	? F	M1	Lufeng	14.9	12.8	85.9	Van der Made & Han (1994)
<i>P. wui</i>	? G	M1	Lufeng	14.0	12.4	88.6	Van der Made & Han (1994)
<i>P. wui</i>	? I	M1	Lufeng	13.0	13.0	100.0	Van der Made & Han (1994)
<i>P. wui</i>	?	M1	Lufeng	13.3	12.3	92.5	Van der Made & Han (1994)
<i>P. wui</i>	?	M1	Lufeng	14.0	12.2	87.1	Van der Made & Han (1994)
<i>P. wui</i>	?	M1	Lufeng	13.3	12.4	93.2	Van der Made & Han (1994)
<i>P. wui</i>	?	M1	Lufeng	13.2	12.3	93.2	Van der Made & Han (1994)
<i>P. wui</i>	?	M1	Lufeng	13.5	12.2	90.4	Van der Made & Han (1994)
<i>P. wui</i>	?	M1	Lufeng	13.6	12.3	90.4	Van der Made & Han (1994)
<i>P. provincialis</i>	FSL 40 156	M1	Montpellier	19.0	17.1	90.0	Pickford (2013b)
<i>P. provincialis</i>	w/n	M1	Venta del Moro	17.5	17.0	97.1	Morales (1984)

<i>H. hyotherioides</i>	ZT-2015-1062	M1	Shuitangba	21.4	17.5	81.8	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-1062	M1	Shuitangba	20.3	17.1	84.2	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-2017	M1	Shuitangba	18.9	18.8	99.5	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-1728	M1	Shuitangba	21.1	18.5	87.7	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-0758	M1	Shuitangba	17.6	17.1	97.2	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2009-03-547	M1	Shuitangba	20.0	18.5	92.5	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-1503	M1	Shuitangba	20.5	17.0	82.9	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2009-03-109	M1	Shuitangba	18.0	10.6	58.9	Hou et al. (2019)
<i>P. aegaeus</i>	IGF9261V	M1	Gravitelli	18.2	15.9	87.4	Gallai & Rook (2006)
<i>P. aegaeus</i>	AFS 2865	M1	Casino Basin	18.6	17.1	91.9	Iannucci et al. (2021)
<i>P. aegaeus</i>	AFS 2868	M1	Casino Basin	20.8	16.6	79.8	Iannucci et al. (2021)
<i>P. aegaeus</i>	J. H119	M1	Bacinello V3	16.5	16.0	97.0	Gallai (2006)
<i>P. aegaeus</i>	J. H119	M1	Bacinello V3	16.4	15.6	95.1	Gallai (2006)
<i>P. aegaeus</i>	Bac. 1021	M1	Bacinello V3	16.2	15.7	96.9	Gallai (2006)
<i>P. aegaeus</i>	Bac. 1022	M1	Bacinello V3	16.2	14.5	89.5	Gallai (2006)
<i>P. cf. aegaeus</i>	AMGP-MA 501	M1	Maramena	18.0	16.3	90.3	Hellmund (1995)
<i>P. cf. aegaeus</i>	AMGP-MA 501	M1	Maramena	17.7	16.7	94.4	Hellmund (1995)
<i>P. cf. aegaeus</i>	AMGP-MA 502	M1	Maramena	17.1	16.9	98.5	Hellmund (1995)
<i>P. cf. aegaeus</i>	AMGP-MA 503	M1	Maramena	17.1	15.4	89.8	Hellmund (1995)
<i>P. cf. aegaeus</i>	AMGP-MA 517	M1	Maramena	18.4	15.9	86.6	Hellmund (1995)
<i>P. aegaeus</i>	NHMW-exposition	M1	Samos	17.1	15.0	87.7	Thenius (1950)
<i>H. major</i>	SMF DD 2956	M1	Dorn-Dürkheim	23.8	20.6	86.6	Van der Made (1997)
<i>H. major</i>	SMF DD 2960	M1	Dorn-Dürkheim	22.6	19.6	86.7	Van der Made (1997)
<i>H. major</i>	SMF DD 2961	M1	Dorn-Dürkheim	22.9	18.3	79.9	Van der Made (1997)
<i>H. major</i>	SMF DD 3950	M1	Dorn-Dürkheim	21.8	20.3	93.1	Van der Made (1997)
<i>H. major</i>	SMF DD 4128	M1	Dorn-Dürkheim	24.2	20.9	86.4	Van der Made (1997)
<i>H. major</i>	SMF DD 872	M1	Dorn-Dürkheim	23.0	18.3	79.6	Van der Made (1997)
<i>H. major</i>	SMF DD 2958	M1	Dorn-Dürkheim	21.9	20.2	92.2	Van der Made (1997)

<i>H. major</i>	SMF DD 2959	M1	Dorn-Dürkheim	23.2	20.1	86.6	Van der Made (1997)
<i>H. major</i>	SMF DD 2962	M1	Dorn-Dürkheim	22.6	20.1	88.9	Van der Made (1997)
<i>H. major</i>	SMF DD 4740	M1	Dorn-Dürkheim	24.0	19.4	80.8	Van der Made (1997)
<i>H. major</i>	SMF DD 5500	M1	Dorn-Dürkheim	20.7	18.6	89.9	Van der Made (1997)
<i>H. major</i>	SMF DD 877	M1	Dorn-Dürkheim	20.0	19.2	96.0	Van der Made (1997)
<i>H. major</i>	MNCN Bat10·14·E3·46	M1	Batallones 10	22.6	20.8	92.0	Pickford (2015)
<i>H. major</i>	MNCN Bat10·14·E3·46	M1	Batallones 10	23.3	21.3	91.4	Pickford (2015)
<i>H. major</i>	MR 3.03.442	M1	Cucuron, Luberon (and Vaugines)	21.5	23.6	109.8	Pickford (2015)
<i>H. major</i>	MR 3.03.647	M1	Cucuron, Luberon (and Vaugines)	34.0	22.3	65.6	Pickford (2015)
<i>H. major</i>	MR 3.03.648	M1	Cucuron, Luberon (and Vaugines)	25.0	22.4	89.6	Pickford (2015)
<i>H. major</i>	NHMB ML 41	M1	Cucuron, Luberon (and Vaugines)	23.5	21.7	92.3	Pickford (2015)
<i>H. major</i>	MR 3.03.648	M1	Cucuron, Luberon (and Vaugines)	24.8	22.9	92.3	Pickford (2015)
<i>H. major</i>	MNHN LUB 659	M1	Cucuron, Luberon (and Vaugines)	24.4	21.9	89.8	Pickford (2015)
<i>H. major</i>	MNHN LUB 661	M1	Cucuron, Luberon (and Vaugines)	24.2	21.9	90.5	Pickford (2015)
<i>H. major</i>	NHMB ML 41	M1	Cucuron, Luberon (and Vaugines)	23.6	22.7	96.2	Pickford (2015)
<i>H. major</i>	DTK 288	M1	Dytiko	22.4	21.0	93.8	de Bonis & Bouvrain (1996)
<i>H. major</i>	DTK 288	M1	Dytiko	22.0	20.6	93.6	de Bonis & Bouvrain (1996)
<i>H. major</i>	FSL 210 200	M1	Montredon	23.6	21.3	90.3	Pickford (2015)
<i>H. major</i>	MHNT 96 ICT 566 cast	M1	St Bauzile	27.5	27.5	100.0	Pickford (2015)
<i>H. major</i>	CCECL FV 1	M1	Villette Serpaize	20.0	17.0	85.0	Pickford (2015)
<i>H. major</i>	CCECL AA 114	M1	Soblay	22.8	19.8	86.8	Pickford (2015)
<i>H. major</i>	FSL 520 030	M1	Soblay	20.0	18.7	93.5	Pickford (2015)
<i>H. major</i>	DT RO 2992	M1	La Roma 2	20.1	18.4	91.5	Pickford (2015)
<i>H. major</i>	DT RO 2992	M1	La Roma 2	19.8	18.8	94.9	Pickford (2015)
<i>H. major</i>	IPS9761 [wrong catalogue number]	M1	Torrent de les Febulines	25.8	23.2	89.9	Pickford (2015)
<i>H. major</i>	IPS1116	M1	Torrent de les Febulines	21.9	19.9	90.9	Pickford (2015)
<i>H. major</i>	IPS9761 [wrong catalogue number]	M1	Torrent de les Febulines	25.5	22.6	88.6	Pickford (2015)
<i>H. major</i>	IPS1682	M1	Torrentet dels Traginers	23.4	22.9	97.9	Van der Made et al. (1992)

<i>H. major</i>	NHFW Koh 62	M1	Kohfidisch	22.0	20.7	94.1	Pickford (2015)
<i>H. major</i>	MNHNM 24993	M1	Raspopeni	21.6	20.1	93.1	Pickford (2015)
<i>H. major</i>	MNHNM 24993	M1	Raspopeni	22.0	20.6	93.6	Pickford (2015)
<i>H. major</i>	FM 2801	M1	Strumyani	24.4	22.2	91.0	Geraads et al. (2011)
<i>H. major</i>	AS 94-1799	M1	Sinap Tepe 49	23.7	25.7	108.4	Pickford (2015)
<i>H. major</i>	Tbilisi	M1	Bazaleti	21.0	21.5	102.4	Pickford (2015)
<i>H. major</i>	IPAS Dz 135	M1	Dzedzvtachevi	23.0	21.9	95.2	Pickford (2015)
<i>H. major</i>	NMT 343-13(1)	M1	Udabno	22.2	23.9	107.7	Pickford (2015)
<i>H. major</i>	NMT w/n	M1	Eldari	21.2	22.0	103.8	Pickford (2015)
<i>H. major</i>	K-5257	M1	Kalimantsi	23.3	20.0	85.8	Kostopoulos et al. (2001)
<i>H. major</i>	K-5259	M1	Kalimantsi	22.5	20.2	89.8	Kostopoulos et al. (2001)
<i>H. major</i>	K-5267	M1	Kalimantsi	21.3	21.3	100.0	Kostopoulos et al. (2001)
<i>H. major</i>	K-5261	M1	Kalimantsi	27.0	21.1	78.1	Kostopoulos et al. (2001)
<i>H. major</i>	K-5269	M1	Kalimantsi	24.3	21.1	86.8	Kostopoulos et al. (2001)
<i>H. major</i>	K-5268	M1	Kalimantsi	22.7	19.8	87.2	Kostopoulos et al. (2001)
<i>H. major</i>	PER-1265	M1	Perivolaki	21.2	19.4	91.5	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	PER-1268	M1	Perivolaki	20.9	19.0	90.9	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	MTLA-537	M1	Mytilinii-1A, Samos	24.0	20.5	85.4	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	MTLA-537	M1	Mytilinii-1A, Samos	22.9	20.3	88.6	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20653-Q5	M1	Quarry 5 (Q5), Limitzis, Samos	20.4	17.9	87.7	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20795-Q5	M1	Quarry 5 (Q5), Limitzis, Samos	22.9	20.0	87.3	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20616-Q1	M1	Quarry 1 (Q1), Adrianos ravine, Samos	23.0	19.0	82.6	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20797	M1	Quarry 1 (Q1), Adrianos ravine, Samos	24.0	20.2	84.2	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20797	M1	Quarry 1 (Q1), Adrianos ravine, Samos	23.7	20.5	86.5	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	mean n=4/3 NKt-68+NKT-164	M1	Nikiti-1	25.3	22.2	87.7	Kostopoulos (1994)
<i>H. major</i>	GSI B 354	M1	Siwaliks?	23.5	21.1	89.8	Van der Made & Hussain (1989)
<i>H. major</i>	58-HAY-2/45	M1	58-HAY-2 (Sivas)	20.6	19.9	96.6	Van der Made et al. (2013)

<i>H. major</i>	PIMUZ AN 2026 cast	M1	Plakias	21.0	17.3	82.4	Pickford (2015)
<i>P. palaeochoerus</i>	MAFI038	M2	Rudabánya	23.3	20.2	86.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI039	M2	Rudabánya	21.4	19.8	92.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI042	M2	Rudabánya	23.3	19.1	82.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI043	M2	Rudabánya	21.3	19.2	90.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI045	M2	Rudabánya	22.1	18.6	84.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI074	M2	Rudabánya	22.5	19.4	86.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI121	M2	Rudabánya	22.4	20.3	90.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI155	M2	Rudabánya	24.0	18.9	78.8	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI156	M2	Rudabánya	22.5	19.9	88.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI157	M2	Rudabánya	23.8	19.4	81.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/121	M2	Rudabánya	23.8	20.6	86.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/121	M2	Rudabánya	23.4	20.4	87.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/41	M2	Rudabánya	23.0	19.7	85.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/58	M2	Rudabánya	23.5	20.2	86.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1978/123	M2	Rudabánya	20.4	19.4	95.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1988/74	M2	Rudabánya	22.8	18.4	80.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/167	M2	Rudabánya	22.9	19.8	86.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/191	M2	Rudabánya	23.6	20.4	86.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1991/18	M2	Rudabánya	20.4	19.3	94.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/556	M2	Rudabánya	23.2	19.3	83.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/983	M2	Rudabánya	22.3	19.4	87.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	22-1064	M2	Grytsiv	22.4	19.1	85.3	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1063	M2	Grytsiv	22.6	19.9	88.1	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1070	M2	Grytsiv	22.5	19.8	88.0	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	MNHM 2002/302 LS	M2	Eppelsheim	21.0	19.3	91.9	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 77	M2	Esselborn	22.6	20.9	92.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1931/204	M2	Gau-Weinheim	22.3	19.8	88.8	Pickford (2013a)

<i>P. palaeochoerus</i>	MNHM 1931/87	M2	Gau-Weinheim	22.4	19.0	84.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/275	M2	Gau-Weinheim	21.6	18.5	85.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/276	M2	Gau-Weinheim	22.7	19.3	85.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/847	M2	Gau-Weinheim	23.3	19.5	83.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/902	M2	Gau-Weinheim	22.7	19.7	86.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/336	M2	Gau-Weinheim	23.2	19.7	84.9	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/936	M2	Gau-Weinheim	22.3	21.0	94.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1952/583	M2	Gau-Weinheim	21.6	18.3	84.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1952/680	M2	Gau-Weinheim	20.4	18.3	89.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1954/118	M2	Gau-Weinheim	22.3	19.0	85.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1954/16	M2	Gau-Weinheim	23.4	20.7	88.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1954/17	M2	Gau-Weinheim	22.0	19.0	86.4	Pickford (2013a)
<i>P. palaeochoerus</i>	BSPG 1956 I 520	M2	Gau-Weinheim Wissberg	22.9	19.5	85.2	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 87	M2	Wallertsheim	22.7	20.3	89.4	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 12	M2	Eppelsheim	23.6	21.1	89.4	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 66b	M2	Eppelsheim	23.3	20.9	89.7	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 93	M2	Esselborn	23.0	20.4	88.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1931/449	M2	Gau-Weinheim	22.8	19.8	86.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1931/89	M2	Gau-Weinheim	21.4	19.2	89.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/247	M2	Gau-Weinheim	23.0	21.0	91.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/484	M2	Gau-Weinheim	22.3	19.2	86.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/550	M2	Gau-Weinheim	21.5	18.9	87.9	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/360	M2	Gau-Weinheim	21.0	18.4	87.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/364	M2	Gau-Weinheim	21.7	18.6	85.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/749	M2	Gau-Weinheim	21.6	19.5	90.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/846	M2	Gau-Weinheim	23.0	21.0	91.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/848	M2	Gau-Weinheim	23.0	20.0	87.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/851a	M2	Gau-Weinheim	23.3	20.4	87.6	Pickford (2013a)

<i>P. palaeochoerus</i>	MNHM 1934/852	M2	Gau-Weinheim	23.2	19.3	83.2	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 71	M2	Gau-Weinheim Wissberg	23.4	19.7	84.2	Pickford (2013a)
<i>P. palaeochoerus</i>	BSPG 1956 I 521	M2	Gau-Weinheim Wissberg	22.0	19.5	88.6	Pickford (2013a)
<i>P. palaeochoerus</i>	BSP AS 103	M2	Isarbett (Münchener Flinz)	19.8	20.0	100.8	Hellmund (1995)
<i>P. palaeochoerus</i>	BSP AS 103	M2	Isarbett (Münchener Flinz)	19.9	20.3	102.0	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 57094	M2	Laßnitzhöhe bei Graz (Schottergrube Grießl)	20.7	19.5	94.2	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 60258	M2	Johnsdorf b. Feldbach	20.8	20.7	99.5	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 60258	M2	Johnsdorf b. Feldbach	20.3	20.7	102.0	Hellmund (1995)
<i>P. palaeochoerus</i>	NHMW A 4212	M2	Wien X, Wienerberg	21.5	20.7	96.3	Hellmund (1995)
<i>P. palaeochoerus</i>	NHMW 1974/1685/20	M2	Wienerberg	21.8	19.9	91.5	Hellmund (1995)
<i>P. palaeochoerus</i>	NHMW 102/1954	M2	Eichkogel (Guntramsdorf)	22.0	19.7	89.5	Hellmund (1995)
<i>P. palaeochoerus</i>	NHMW w/n CAST	M2	Pyhra	22.0	19.3	87.7	Hellmund (1995)
<i>P. palaeochoerus</i>	?	M2	Dept. Drôme	21.0	19.0	90.5	Mottl (1966)
<i>P. palaeochoerus</i>	IPS28739	M2	Creu de Conill 20	25.0	22.6	90.4	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS28739	M2	Creu de Conill 20	25.3	22.7	89.7	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS128039	M2	Creu de Conill 20	27.5	23.0	83.6	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS33308a	M2	Castell de Barberà	21.9	21.3	97.3	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33289d	M2	Castell de Barberà	21.9	21.8	99.5	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33289e	M2	Castell de Barberà	23.1	21.7	93.9	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS1757	M2	Castell de Barberà	22.8	21.2	93.0	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS1752	M2	Castell de Barberà	22.7	22.1	97.4	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92840	M2	Castell de Barberà	24.5	20.4	83.3	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	MBFSZ V 2019.15.1.	M2	Alsótelekes	21.7	18.7	86.2	Iannucci & Begun (2022)
<i>P. hysudricus</i>	GSP 11204	M2	Middle Siwaliks (India) loc. 211	22.0	22.0	100.0	Pickford (1988)
<i>P. hysudricus</i>	GSP	M2	Middle Siwaliks (India) loc. 10	22.0	19.0	86.4	Pickford (1988)
<i>P. hysudricus</i>	B29	M2	Middle Siwaliks (India): Jabi	20.8	19.0	91.3	Pickford (1988)
<i>P. hysudricus</i>	B46	M2	Middle Siwaliks (India): Hasnot	21.4	18.5	86.4	Pickford (1988)

<i>P. hysudricus</i>	GSP 5939	M2	Middle Siwaliks (India): loc. 339	22.5	21.0	93.3	Pickford (1988)
<i>P. hysudricus</i>	GSP 4690	M2	Middle Siwaliks (India): loc. 196	21.6	20.2	93.5	Pickford (1988)
<i>P. hysudricus</i>	GSP 10486	M2	Middle Siwaliks (India): Loc. 311	25.0	21.5	86.0	Pickford (1988)
<i>P. hysudricus</i>	GSP 4355	M2	Middle Siwaliks (India): loc. 202	21.0	20.0	95.2	Pickford (1988)
<i>P. hysudricus</i>	GSP 4815	M2	Middle Siwaliks (India): loc. 203	21.5	19.2	89.3	Pickford (1988)
<i>P. hysudricus</i>	GSP 9927	M2	Middle Siwaliks (India): Jabi	23.5	18.3	77.9	Pickford (1988)
<i>P. hysudricus</i>	PUPC 15/17	M2	Hasnot, Potwar plateau (Pakistan)	24.7	20.0	81.0	Sarwar et al. (2016)
<i>P. hysudricus</i>	PUPC 99/3	M2	Middle Siwaliks (Pakistan)	20.9	12.5	59.8	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 15/28	M2	Middle Siwaliks (Pakistan)	21.3	17.7	83.1	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 15/28	M2	Middle Siwaliks (Pakistan)	21.6	17.7	81.9	Aslam et al. (2021)
<i>P. hysudricus</i>	AMNH 19724	M2	Middle Siwaliks, Hasnot	21.0	20.0	95.2	Colbert (1935)
<i>P. hysudricus</i>	AMNH w/n	M2	Middle Siwaliks	22.0	20.0	90.9	Colbert (1935)
<i>P. hysudricus</i>	PC-GCUF 10/78	M2	Hasnot, Potwar plateau (Pakistan)	19.5	20.0	102.6	Batool et al. (2015)
<i>P. hysudricus</i>	PC-GCUF 11/156	M2	Hasnot, Potwar plateau (Pakistan)	21.5	19.1	88.8	Batool et al. (2015)
<i>P. hysudricus</i>	PC-GCUF 12/34	M2	Hasnot, Potwar plateau (Pakistan)	23.4	18.8	80.3	Batool et al. (2015)
<i>P. hysudricus</i>	MGW 0003	M2	Thittiyagauk & Chaingzauk	21.7	18.6	85.7	Thaung-Htike et al. (2006)
<i>P. wui</i>	? B	M2	Lufeng	16.5	15.5	93.9	Van der Made & Han (1994)
<i>P. wui</i>	? C	M2	Lufeng	17.1	15.4	90.1	Van der Made & Han (1994)
<i>P. wui</i>	? D	M2	Lufeng	17.3	16.6	96.0	Van der Made & Han (1994)
<i>P. wui</i>	? E	M2	Lufeng	16.5	15.1	91.5	Van der Made & Han (1994)
<i>P. wui</i>	? F	M2	Lufeng	17.6	16.4	93.2	Van der Made & Han (1994)
<i>P. wui</i>	? G	M2	Lufeng	17.2	15.0	87.2	Van der Made & Han (1994)
<i>P. wui</i>	? H	M2	Lufeng	18.2	16.6	91.2	Van der Made & Han (1994)
<i>P. wui</i>	? I	M2	Lufeng	17.2	15.6	90.7	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	16.5	15.9	96.4	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	18.1	15.9	87.8	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	17.0	16.0	94.1	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	16.8	15.8	94.0	Van der Made & Han (1994)

<i>P. wui</i>	?	M2	Lufeng	17.2	15.7	91.3	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	17.0	15.7	92.4	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	17.5	16.2	92.6	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	18.1	16.0	88.4	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	16.6	15.8	95.2	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	16.7	15.9	95.2	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	17.8	17.0	95.5	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	17.6	17.7	100.6	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	17.8	17.7	99.4	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	18.6	15.5	83.3	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	17.9	16.6	92.7	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	18.4	16.4	89.1	Van der Made & Han (1994)
<i>P. wui</i>	?	M2	Lufeng	19.0	16.7	87.9	Van der Made & Han (1994)
<i>P. provincialis</i>	UM SM 461	M2	Montpellier	22.5	19.7	87.6	Pickford (2013b)
<i>P. provincialis</i>	VM 605	M2	Venta del Moro	25.0	21.8	87.2	Morales (1984)
<i>P. provincialis</i>	VM 114	M2	Venta del Moro	24.5	22.0	89.8	Morales (1984)
<i>P. provincialis</i>	w/n	M2	Venta del Moro	25.0	22.0	88.0	Morales (1984)
<i>H. hyotherioides</i>	ZT-2015-1062	M2	Shuitangba	25.5	23.0	90.2	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-1062	M2	Shuitangba	26.3	23.0	87.5	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-2226	M2	Shuitangba	24.0	23.0	95.8	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-1728	M2	Shuitangba	25.6	23.0	89.8	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-0758	M2	Shuitangba	22.2	19.9	89.6	Hou et al. (2019)
<i>H. hyotherioides</i>	?	M2	Lufeng	24.0	23.1	96.3	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	M2	Lufeng	22.2	19.8	89.2	Van der Made & Han (1994)
<i>P. cf. aegaeus</i>	AMGP-MA 501	M2	Maramena	24.4	19.8	81.1	Hellmund (1995)
<i>P. aegaeus</i>	J. H119	M2	Baccinello V3	21.8	20.9	95.9	Gallai (2006)
<i>P. cf. aegaeus</i>	AMGP-MA 502	M2	Maramena	22.5	20.0	88.9	Hellmund (1995)
<i>P. cf. aegaeus</i>	AMGP-MA 503	M2	Maramena	23.0	19.8	86.1	Hellmund (1995)

<i>P. aegaeus</i>	Vozarci-271	M2	Vozarci	22.3	21.3	95.5	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-895	M2	Vozarci	22.8	20.1	88.2	Geraads et al. (2008)
<i>P. aegaeus</i>	KRY3820	M2	Kryopigi	21.4	21.1	98.7	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	KRY3820	M2	Kryopigi	20.2	22.5	111.2	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	NHMHW-exposition	M2	Samos	23.0	20.3	88.3	Thenius (1950)
<i>H. major</i>	SMF DD 2953	M2	Dorn-Dürkheim	27.8	26.4	95.0	Van der Made (1997)
<i>H. major</i>	SMF DD 2957	M2	Dorn-Dürkheim	27.9	24.9	89.2	Van der Made (1997)
<i>H. major</i>	SMF DD 4555	M2	Dorn-Dürkheim	32.3	27.4	84.8	Van der Made (1997)
<i>H. major</i>	SMF DD 4635	M2	Dorn-Dürkheim	28.2	24.3	86.2	Van der Made (1997)
<i>H. major</i>	SMF DD 4762	M2	Dorn-Dürkheim	28.1	24.2	86.1	Van der Made (1997)
<i>H. major</i>	SMF DD 5235	M2	Dorn-Dürkheim	27.2	22.6	83.1	Van der Made (1997)
<i>H. major</i>	SMF DD 2951	M2	Dorn-Dürkheim	27.6	24.1	87.3	Van der Made (1997)
<i>H. major</i>	SMF DD 2954	M2	Dorn-Dürkheim	28.1	24.0	85.4	Van der Made (1997)
<i>H. major</i>	SMF DD 2956	M2	Dorn-Dürkheim	30.1	24.7	82.1	Van der Made (1997)
<i>H. major</i>	SMF DD 2962	M2	Dorn-Dürkheim	28.0	25.0	89.3	Van der Made (1997)
<i>H. major</i>	SMF DD 5533	M2	Dorn-Dürkheim	29.0	23.7	81.7	Van der Made (1997)
<i>H. major</i>	MNCN Bat10·14·E3·46	M2	Batallones 10	30.1	26.3	87.4	Pickford (2015)
<i>H. major</i>	MNCN Bat10·14·E3·46	M2	Batallones 10	30.0	26.5	88.3	Pickford (2015)
<i>H. major</i>	MR 303.442	M2	Cucuron, Luberon (and Vaugines)	30.6	29.3	95.8	Pickford (2015)
<i>H. major</i>	MR 3.03.647	M2	Cucuron, Luberon (and Vaugines)	31.7	29.0	91.5	Pickford (2015)
<i>H. major</i>	MNHN LUB 660	M2	Cucuron, Luberon (and Vaugines)	29.4	28.2	95.9	Pickford (2015)
<i>H. major</i>	NHMB ML 41	M2	Cucuron, Luberon (and Vaugines)	31.8	27.7	87.1	Pickford (2015)
<i>H. major</i>	MNHN LUB 660	M2	Cucuron, Luberon (and Vaugines)	30.4	29.1	95.7	Pickford (2015)
<i>H. major</i>	NHMB ML 41	M2	Cucuron, Luberon (and Vaugines)	31.5	27.3	86.7	Pickford (2015)
<i>H. major</i>	DTK 288	M2	Dytiko	29.1	26.3	90.4	de Bonis & Bouvrain (1996)
<i>H. major</i>	DTK 288	M2	Dytiko	31.7	27.0	85.2	de Bonis & Bouvrain (1996)
<i>H. major</i>	CCECL FV 44	M2	St Jean de Bournay	28.0	25.3	90.4	Pickford (2015)

<i>H. major</i>	CCECL AA 11	M2	Soblay	27.6	23.7	85.9	Pickford (2015)
<i>H. major</i>	CCECL AA 114	M2	Soblay	27.0	23.4	86.7	Pickford (2015)
<i>H. major</i>	FSL 520 030	M2	Soblay	27.0	23.3	86.3	Pickford (2015)
<i>H. major</i>	DT RO 2992	M2	La Roma 2	26.8	23.2	86.6	Pickford (2015)
<i>H. major</i>	DT RO 2992	M2	La Roma 2	27.4	23.5	85.8	Pickford (2015)
<i>H. major</i>	IPS9761 [wrong catalogue number]	M2	Torrent de les Febulines	32.0	28.2	88.1	Pickford (2015)
<i>H. major</i>	IPS9761 [wrong catalogue number]	M2	Torrent de les Febulines	32.0	28.3	88.4	Pickford (2015)
<i>H. major</i>	IPS1185	M2	Trinxera Nord Autopista	30.6	24.8	81.0	Pickford (2015)
<i>H. major</i>	IPS 2002 [wrong catalogue number]	M2	Piera	32.4	30.6	94.4	Van der Made et al. (1992)
<i>H. major</i>	IPS 2002 [wrong catalogue number]	M2	Piera	32.4	30.3	93.5	Van der Made et al. (1992)
<i>H. major</i>	IPS1682	M2	Torrentet dels Traginers	31.7	28.8	90.9	Van der Made et al. (1992)
<i>H. major</i>	MGSB30414	M2	Piera	28.2	26.8	95.0	Van der Made et al. (1992)
<i>H. major</i>	IPUW (Krahuletz Museum)	M2	Strätzing bei Krems	31.3	27.8	88.8	Pickford (2015)
<i>H. major</i>	NHMW Koh	M2	Kohfidisch	34.0	28.2	82.9	Pickford (2015)
<i>H. major</i>	MNHNEM 24993	M2	Raspopeni	28.0	25.0	89.3	Pickford (2015)
<i>H. major</i>	FM 2801	M2	Strumyani	30.0	27.9	93.0	Geraads et al. (2011)
<i>H. major</i>	AS 94-1799	M2	Sinap Tepe 49	30.7	26.0	84.7	Pickford (2015)
<i>H. major</i>	Tbilisi	M2	Bazaleti	30.0	26.9	89.7	Pickford (2015)
<i>H. major</i>	IPAS Dz 135	M2	Dzedzvtachevi	31.5	26.6	84.4	Pickford (2015)
<i>H. major</i>	NMT 343-13(1)	M2	Udabno	32.1	28.0	87.2	Pickford (2015)
<i>H. major</i>	NMT w/n	M2	Udabno	25.1	25.5	101.6	Pickford (2015)
<i>H. major</i>	NMT w/n	M2	Eldari	30.8	27.3	88.6	Pickford (2015)
<i>H. major</i>	K-5256	M2	Kalimantsi	29.0	26.0	89.7	Kostopoulos et al. (2001)
<i>H. major</i>	K-5259	M2	Kalimantsi	30.0	24.5	81.7	Kostopoulos et al. (2001)
<i>H. major</i>	K-5267	M2	Kalimantsi	30.0	26.8	89.3	Kostopoulos et al. (2001)
<i>H. major</i>	K-5261	M2	Kalimantsi	28.8	28.7	99.7	Kostopoulos et al. (2001)
<i>H. major</i>	K-5268	M2	Kalimantsi	29.0	24.3	83.8	Kostopoulos et al. (2001)
<i>H. major</i>	K-A2	M2	Kalimantsi	27.3	25.0	91.6	Kostopoulos et al. (2001)

<i>H. major</i>	PER-1265	M2	Perivolaki	29.4	24.9	84.7	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	PER-1269	M2	Perivolaki	29.0	25.1	86.6	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	MTLA-537	M2	Mytilinii-1A, Samos	29.5	25.7	87.1	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	MTLA-537	M2	Mytilinii-1A, Samos	30.7	25.5	83.1	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20653-Q5	M2	Quarry 5 (Q5), Limitzis, Samos	28.7	22.8	79.4	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20653-Q5	M2	Quarry 5 (Q5), Limitzis, Samos	26.4	23.6	89.4	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20795-Q5	M2	Quarry 5 (Q5), Limitzis, Samos	31.0	23.6	76.1	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	NKT-68	M2	Nikiti-1	29.8	25.3	85.0	Kostopoulos (1994)
<i>H. major</i>	GSI B 354	M2	Siwaliks?	29.0	25.2	86.9	Van der Made & Hussain (1989)
<i>H. major</i>	Ng 103	M2	Nagri	29.1	20.6	70.8	Van der Made & Hussain (1989)
<i>H. major</i>	58-HAY-2/45	M2	58-HAY-2 (Sivas)	31.2	25.7	82.4	Van der Made et al. (2013)
<i>H. major</i>	58-HAY-2/45	M2	58-HAY-2 (Sivas)	31.2	25.3	81.1	Van der Made et al. (2013)
<i>H. major</i>	58-HAY-2/43	M2	58-HAY-2 (Sivas)	29.9	23.9	79.9	Van der Made et al. (2013)
<i>P. palaeochoerus</i>	MAFI032	M3	Rudabánya	29.2	20.4	69.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI033	M3	Rudabánya	27.4	20.2	73.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI034	M3	Rudabánya	28.8	20.4	70.8	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI035	M3	Rudabánya	28.9	20.5	70.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI036	M3	Rudabánya	27.1	19.4	71.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI037	M3	Rudabánya	28.2	19.3	68.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI073	M3	Rudabánya	29.5	19.8	67.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI078	M3	Rudabánya	28.0	19.9	71.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI121	M3	Rudabánya	31.7	21.3	67.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1977/120	M3	Rudabánya	30.3	21.6	71.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1978/123	M3	Rudabánya	27.4	20.7	75.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1987/112	M3	Rudabánya	31.7	21.8	68.8	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1987/82	M3	Rudabánya	25.2	20.0	79.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1988/57	M3	Rudabánya	28.7	21.0	73.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1988/74	M3	Rudabánya	29.9	20.2	67.6	Fortelius et al. (2005)

<i>P. palaeochoerus</i>	MAFI1990/182	M3	Rudabánya	29.0	16.7	57.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	M3	Rudabánya	29.0	19.7	67.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1991/18	M3	Rudabánya	27.2	19.2	70.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1991/9	M3	Rudabánya	27.3	19.2	70.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	22-1064	M3	Grytsiv	29.3	19.6	66.9	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1063a	M3	Grytsiv	29.2	19.7	67.5	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-158	M3	Grytsiv	29.7	20.9	70.4	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	Worms P 178	M3	Westhofen	31.0	20.8	67.1	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 5	M3	Eppelsheim	29.7	20.6	69.4	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 7	M3	Eppelsheim	29.7	21.5	72.4	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 53	M3	Esselborn	31.9	20.8	65.2	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 55	M3	Esselborn	29.2	18.7	64.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/118	M3	Gau-Weinheim	31.0	21.1	68.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/266	M3	Gau-Weinheim	28.0	19.7	70.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/716	M3	Gau-Weinheim	28.1	18.6	66.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/177	M3	Gau-Weinheim	29.4	19.0	64.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/389	M3	Gau-Weinheim	31.4	21.0	66.9	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/531	M3	Gau-Weinheim	27.0	19.2	71.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/746	M3	Gau-Weinheim	30.6	19.5	63.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/842	M3	Gau-Weinheim	33.0	22.0	66.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/843	M3	Gau-Weinheim	30.6	21.0	68.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/844	M3	Gau-Weinheim	31.5	21.0	66.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1954/2	M3	Gau-Weinheim	31.0	21.3	68.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1954/8	M3	Gau-Weinheim	29.0	21.0	72.4	Pickford (2013a)
<i>P. palaeochoerus</i>	BSPG 1956 I 520	M3	Gau-Weinheim Wissberg	30.5	20.4	66.9	Pickford (2013a)
<i>P. palaeochoerus</i>	BSPG 1957 I 419	M3	Gau-Weinheim Wissberg	27.6	19.3	69.7	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 99	M3	Wolfsheim	31.0	20.3	65.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 546-04	M3	Eppelsheim	31.0	20.2	65.2	Pickford (2013a)

<i>P. palaeochoerus</i>	HLMD Din 50	M3	Esselborn	33.5	21.1	63.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1931/203	M3	Gau-Weinheim	30.0	20.4	68.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/545	M3	Gau-Weinheim	32.6	21.6	66.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/546	M3	Gau-Weinheim	30.0	20.3	67.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/842	M3	Gau-Weinheim	29.1	20.4	70.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/843	M3	Gau-Weinheim	27.4	20.0	73.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/844	M3	Gau-Weinheim	29.4	20.7	70.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/892	M3	Gau-Weinheim	26.7	19.0	71.2	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 51	M3	Gau-Weinheim Wissberg	27.0	19.5	72.2	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 52	M3	Gau-Weinheim Wissberg	29.1	21.4	73.5	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 54	M3	Gau-Weinheim Wissberg	30.0	20.7	69.0	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 85	M3	Gau-Weinheim Wissberg	31.3	21.0	67.1	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 88	M3	Gau-Weinheim Wissberg	27.5	20.2	73.5	Pickford (2013a)
<i>P. palaeochoerus</i>	BSPG 1957 I 337	M3	Gau-Weinheim Wissberg	30.3	20.3	66.8	Pickford (2013a)
<i>P. palaeochoerus</i>	BSPG 1957 I 418	M3	Gau-Weinheim Wissberg	29.3	19.7	67.4	Pickford (2013a)
<i>P. palaeochoerus</i>	BSP AS 103	M3	Isarbett (Münchener Flinz)	24.1	20.9	86.7	Hellmund (1995)
<i>P. palaeochoerus</i>	BSP AS 103	M3	Isarbett (Münchener Flinz)	24.1	20.8	86.3	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 57094	M3	Laßnitzhöhe bei Graz (Schottergrube Grießl)	27.4	19.6	71.4	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 60107	M3	Saaz b. Feldbach	29.5	21.0	71.2	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 60258	M3	Johnsdorf b. Feldbach	26.1	20.4	78.2	Hellmund (1995)
<i>P. palaeochoerus</i>	LJG 60258	M3	Johnsdorf b. Feldbach	26.0	20.9	80.4	Hellmund (1995)
<i>P. palaeochoerus</i>	NHMW A 4247	M3	Brunn a. Geb.	27.2	19.2	70.4	Hellmund (1995)
<i>P. palaeochoerus</i>	NHMW A 4212	M3	Wien X, Wienerberg	28.5	21.3	74.7	Hellmund (1995)
<i>P. palaeochoerus</i>	NHMW 1974/1685/20	M3	Wienerberg	27.9	20.0	71.7	Hellmund (1995)
<i>P. palaeochoerus</i>	?	M3	Dept. Drôme	29.0	22.0	75.9	Mottl (1966)
<i>P. palaeochoerus</i>	IPS28739	M3	Creu de Conill 20	34.7	22.5	64.8	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS28739	M3	Creu de Conill 20	34.6	21.8	63.0	McKenzie et al. (2023)

<i>P. palaeochoerus</i>	IPS128038	M3	Creu de Conill 20	33.0	22.1	67.0	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS33308a	M3	Castell de Barberà	30.0	25.4	84.7	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33308a	M3	Castell de Barberà	33.2	21.0	63.3	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33289f	M3	Castell de Barberà	32.2	22.7	70.5	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33289g	M3	Castell de Barberà	31.8	22.5	70.8	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS1751	M3	Castell de Barberà	31.0	23.5	75.8	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS1756	M3	Castell de Barberà	31.6	22.3	70.6	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS125636	M3	Castell de Barberà	33.2	21.8	65.7	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS125637	M3	Castell de Barberà	32.0	22.3	69.7	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS125638	M3	Castell de Barberà	30.4	23.0	75.7	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS125640	M3	Castell de Barberà	29.3	19.7	67.2	McKenzie et al. (2024)
<i>P. aegaeus</i>	Vozarci-271	M3	Vozarci	29.5	21.1	71.5	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-895	M3	Vozarci	30.7	21.0	68.4	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-1632	M3	Vozarci	33.4	23.5	70.4	Geraads et al. (2008)
<i>P. aegaeus</i>	Kalim. DGUS-33	M3	Kalimantsi	29.5	19.5	66.1	Geraads et al. (2008)
<i>P. aegaeus</i>	KRY3820	M3	Kryopigi	33.6	23.5	69.8	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	KRY3820	M3	Kryopigi	33.5	24.8	74.2	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. cf. aegaeus</i>	AMGP-MA 501	M3	Maramena	32.0	20.8	65.0	Hellmund (1995)
<i>P. cf. aegaeus</i>	AMGP-MA 502	M3	Maramena	32.4	21.0	64.8	Hellmund (1995)
<i>P. aegaeus</i>	AFS 2865	M3	Casino Basin	33.5	23.1	69.0	Iannucci et al. (2021)
<i>P. aegaeus</i>	IGF9262V	M3	Gravitelli	30.5	22.8	74.8	Gallai & Rook (2006)
<i>P. aegaeus</i>	J. H119	M3	Baccinello V3	32.6	22.5	69.0	Gallai (2006)
<i>P. provincialis</i>	FSL 40 157	M3	Montpellier	35.0	22.6	64.6	Pickford (2013b)
<i>P. provincialis</i>	MNHN.F.MON14 (Vidal 34)	M3	Montpellier	37.7	25.9	68.7	Pickford (2013b)
<i>P. provincialis</i>	UM SM 460 (old no. 45)	M3	Montpellier	35.1	26.4	75.2	Pickford (2013b)
<i>P. provincialis</i>	Gervais' (1850) hypodigm, lectotype	M3	Montpellier	35.3	25.9	73.4	Pickford (2013b)
<i>P. provincialis</i>	BRS 25/3	M3	Brisighella	38.1	26.5	69.6	Gallai & Rook (2011)

<i>P. provincialis</i>	VM 61	M3	Venta del Moro	34.1	23.6	69.2	Morales (1984)
<i>H. hyotherioides</i>	ZT-2009-03-547	M3	Shuitangba	36.0	24.3	67.5	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2014-0009	M3	Shuitangba	38.3	24.6	64.2	Hou et al. (2019)
<i>H. hyotherioides</i>	?	M3	Lufeng	34.8	23.3	67.0	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	M3	Lufeng	34.3	24.7	72.0	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	M3	Lufeng	31.3	20.3	64.9	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	M3	Lufeng	33.5	22.5	67.2	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	M3	Lufeng	36.3	26.9	74.1	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	M3	Lufeng	34.5	23.5	68.1	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	M3	Lufeng	33.6	24.7	73.5	Van der Made & Han (1994)
<i>P. hysudricus</i>	GSP 11204	M3	Middle Siwaliks (India) loc. 211	29.9	22.6	75.6	Pickford (1988)
<i>P. hysudricus</i>	B29	M3	Middle Siwaliks (India): Jabi	28.0	20.0	71.4	Pickford (1988)
<i>P. hysudricus</i>	GSP 7017	M3	Middle Siwaliks (India): loc. 221	26.5	18.5	69.8	Pickford (1988)
<i>P. hysudricus</i>	GSP 7385	M3	Middle Siwaliks (India): loc. 243	30.0	21.0	70.0	Pickford (1988)
<i>P. hysudricus</i>	GSP 4591	M3	Middle Siwaliks (India): loc. 192	27.3	20.0	73.3	Pickford (1988)
<i>P. hysudricus</i>	GSP 4813	M3	Middle Siwaliks (India): loc. 203	28.5	17.8	62.5	Pickford (1988)
<i>P. hysudricus</i>	GSP 12295	M3	Middle Siwaliks (India): loc. 320	31.4	22.0	70.1	Pickford (1988)
<i>P. hysudricus</i>	GSP 5841	M3	Middle Siwaliks (India): loc. 214	29.0	20.0	69.0	Pickford (1988)
<i>P. hysudricus</i>	PUPC 15/18	M3	Hasnot, Potwar plateau (Pakistan)	26.0	16.0	61.5	Sarwar et al. (2016)
<i>P. hysudricus</i>	PUPC 99/3	M3	Middle Siwaliks (Pakistan)	26.5	16.3	61.5	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 15/28	M3	Middle Siwaliks (Pakistan)	27.5	16.0	58.2	Aslam et al. (2021)
<i>P. hysudricus</i>	AMNH 19724	M3	Middle Siwaliks Hasnot	34.0	22.0	64.7	Colbert (1935)
<i>P. hysudricus</i>	AMNH 19703	M3	Middle Siwaliks, Dhok Pathan	34.0	22.5	66.2	Colbert (1935)
<i>P. hysudricus</i>	AMNH w/n	M3	Middle Siwaliks	29.0	20.0	69.0	Colbert (1935)
<i>P. hysudricus</i>	PC-GCUF 12/34	M3	Hasnot, Potwar plateau (Pakistan)	29.5	19.0	64.4	Batool et al. (2015)
<i>P. hysudricus</i>	PC-GCUF 12/24	M3	Hasnot, Potwar plateau	26.8	17.2	64.2	Batool et al. (2015)
<i>P. hysudricus</i>	MGW 0003	M3	Thittayagauk & Chaingzauk	29.5	20.1	68.1	Thaung-Htike et al. (2006)
<i>P. wui</i>	? A	M3	Lufeng	20.8	16.5	79.3	Van der Made & Han (1994)

<i>P. wui</i>	? C	M3	Lufeng	25.2	16.3	64.7	Van der Made & Han (1994)
<i>P. wui</i>	? F	M3	Lufeng	25.9	18.5	71.4	Van der Made & Han (1994)
<i>P. wui</i>	? H	M3	Lufeng	24.3	18.3	75.3	Van der Made & Han (1994)
<i>P. wui</i>	?	M3	Lufeng	25.6	18.4	71.9	Van der Made & Han (1994)
<i>P. wui</i>	?	M3	Lufeng	23.1	16.4	71.0	Van der Made & Han (1994)
<i>P. wui</i>	?	M3	Lufeng	21.1	16.7	79.1	Van der Made & Han (1994)
<i>P. wui</i>	?	M3	Lufeng	23.9	17.3	72.4	Van der Made & Han (1994)
<i>P. wui</i>	?	M3	Lufeng	24.5	18.5	75.5	Van der Made & Han (1994)
<i>P. wui</i>	?	M3	Lufeng	20.9	15.0	71.8	Van der Made & Han (1994)
<i>P. wui</i>	?	M3	Lufeng	23.3	17.0	73.0	Van der Made & Han (1994)
<i>P. wui</i>	?	M3	Lufeng	21.5	16.2	75.3	Van der Made & Han (1994)
<i>P. wui</i>	?	M3	Lufeng	22.0	15.3	69.5	Van der Made & Han (1994)
<i>P. wui</i>	?	M3	Lufeng	22.6	18.5	81.9	Van der Made & Han (1994)
<i>P. wui</i>	?	M3	Lufeng	22.8	16.6	72.8	Van der Made & Han (1994)
<i>H. major</i>	SMF DD 2938	M3	Dorn-Dürkheim	40.7	28.4	69.8	Van der Made (1997)
<i>H. major</i>	SMF DD 2944	M3	Dorn-Dürkheim	42.7	27.9	65.3	Van der Made (1997)
<i>H. major</i>	SMF DD 2946	M3	Dorn-Dürkheim	43.2	26.7	61.8	Van der Made (1997)
<i>H. major</i>	SMF DD 3821	M3	Dorn-Dürkheim	40.1	26.6	66.3	Van der Made (1997)
<i>H. major</i>	SMF DD 3838	M3	Dorn-Dürkheim	41.5	26.5	63.9	Van der Made (1997)
<i>H. major</i>	SMF DD 4542	M3	Dorn-Dürkheim	38.6	28.5	73.8	Van der Made (1997)
<i>H. major</i>	SMF DD 2941	M3	Dorn-Dürkheim	43.3	28.0	64.7	Van der Made (1997)
<i>H. major</i>	SMF DD 2945	M3	Dorn-Dürkheim	40.9	26.0	63.6	Van der Made (1997)
<i>H. major</i>	SMF DD 2947	M3	Dorn-Dürkheim	40.5	26.3	64.9	Van der Made (1997)
<i>H. major</i>	SMF DD 2948	M3	Dorn-Dürkheim	40.1	25.4	63.3	Van der Made (1997)
<i>H. major</i>	SMF DD 2949	M3	Dorn-Dürkheim	42.0	27.5	65.5	Van der Made (1997)
<i>H. major</i>	SMF DD 2950	M3	Dorn-Dürkheim	40.0	26.3	65.8	Van der Made (1997)
<i>H. major</i>	SMF DD 2985	M3	Dorn-Dürkheim	39.8	25.7	64.6	Van der Made (1997)
<i>H. major</i>	SMF DD 4716	M3	Dorn-Dürkheim	38.6	26.1	67.6	Van der Made (1997)

<i>H. major</i>	SMF DD 5535	M3	Dorn-Dürkheim	42.0	26.2	62.4	Van der Made (1997)
<i>H. major</i>	SMF DD 5538	M3	Dorn-Dürkheim	42.0	28.3	67.4	Van der Made (1997)
<i>H. major</i>	SMF DD 5542	M3	Dorn-Dürkheim	39.4	25.4	64.5	Van der Made (1997)
<i>H. major</i>	SMF DD 5556	M3	Dorn-Dürkheim	43.7	26.9	61.6	Van der Made (1997)
<i>H. major</i>	MNCN Bat10·14·E3·46	M3	Batallones 10	43.6	28.4	65.1	Pickford (2015)
<i>H. major</i>	MNCN Bat10·14·E3·46	M3	Batallones 10	44.5	28.3	63.6	Pickford (2015)
<i>H. major</i>	MNCN CL 390	M3	Corral de Lobato	43.6	28.5	65.4	Pickford (2015)
<i>H. major</i>	MNCN CL 390	M3	Corral de Lobato	44.0	28.7	65.2	Pickford (2015)
<i>H. major</i>	w/n	M3	Cucuron, Luberon (and Vaugines)	45.0	30.0	66.7	Van der Made & Moyà-Solà (1989)
<i>H. major</i>	MR 3.03442	M3	Cucuron, Luberon (and Vaugines)	45.5	31.8	69.9	Pickford (2015)
<i>H. major</i>	MR 3.03.647	M3	Cucuron, Luberon (and Vaugines)	45.7	31.7	69.4	Pickford (2015)
<i>H. major</i>	MNHN LUB 660	M3	Cucuron, Luberon (and Vaugines)	45.5	31.3	68.8	Pickford (2015)
<i>H. major</i>	NHMB ML 41	M3	Cucuron, Luberon (and Vaugines)	46.7	30.0	64.2	Pickford (2015)
<i>H. major</i>	MNHN LUB 660	M3	Cucuron, Luberon (and Vaugines)	46.3	31.2	67.4	Pickford (2015)
<i>H. major</i>	NHMB ML 41	M3	Cucuron, Luberon (and Vaugines)	45.0	29.7	66.0	Pickford (2015)
<i>H. major</i>	DTK 288	M3	Dytiko	45.2	29.9	66.2	de Bonis & Bouvrain (1996)
<i>H. major</i>	DTK 288	M3	Dytiko	46.3	29.5	63.7	de Bonis & Bouvrain (1996)
<i>H. major</i>	FSL 210 190	M3	Montredon	44.0	31.0	70.5	Pickford (2015)
<i>H. major</i>	CCECL MA 27	M3	Montredon	49.5	32.7	66.1	Pickford (2015)
<i>H. major</i>	MHNT 96 ICT 566 cast	M3	St Bauzile	47.0	31.6	67.2	Pickford (2015)
<i>H. major</i>	CCECL AA 10	M3	Soblay	39.3	26.7	67.9	Pickford (2015)
<i>H. major</i>	FSL Coll. Mein Mus Seyliel, cast	M3	Soblay	43.0	27.0	62.8	Pickford (2015)
<i>H. major</i>	CCECL AA 114	M3	Soblay	38.8	26.5	68.3	Pickford (2015)
<i>H. major</i>	IM R 951·28·27 (33)	M3	Red Crag	47.7	27.9	58.5	Pickford (2015)
<i>H. major</i>	DT RO 2992	M3	La Roma 2	43.0	27.1	63.0	Pickford (2015)
<i>H. major</i>	DT RO 2992	M3	La Roma 2	41.4	26.5	64.0	Pickford (2015)
<i>H. major</i>	IPS9761 [wrong catalogue number]	M3	Torrent de les Febulines	47.3	31.4	66.4	Pickford (2015)

<i>H. major</i>	IPS9761 [wrong catalogue number]	M3	Torrent de les Febulines	46.0	31.3	68.0	Pickford (2015)
<i>H. major</i>	IPS 2002 [wrong catalogue number]	M3	Piera	48.8	31.6	64.8	Van der Made et al. (1992)
<i>H. major</i>	IPS 2002 [wrong catalogue number]	M3	Piera	48.5	31.6	65.2	Van der Made et al. (1992)
<i>H. major</i>	MGSB30414	M3	Piera	47.0	30.0	63.8	Van der Made et al. (1992)
<i>H. major</i>	IPUW (Krahuletz Museum)	M3	Strätzing bei Krems	44.0	28.4	64.5	Pickford (2015)
<i>H. major</i>	IPUW (Krahuletz Museum)	M3	Strätzing bei Krems	44.0	28.4	64.5	Pickford (2015)
<i>H. major</i>	NHMW KO 4	M3	Kohfidisch	44.0	27.8	63.2	Pickford (2015)
<i>H. major</i>	SMF Polgardi	M3	Polgardi	43.6	29.8	68.3	Pickford (2015)
<i>H. major</i>	NHMW 1888 XIII 103	M3	Kis Bossan	43.0	25.0	58.1	Pickford (2015)
<i>H. major</i>	FM 2801	M3	Strumyani	45.4	30.8	67.8	Geraads et al. (2011)
<i>H. major</i>	GPIT MA 4535	M3	Strumyani	45.5	27.0	59.3	Pickford (2015)
<i>H. major</i>	Tbilisi	M3	Bazaleti	44.0	29.8	67.7	Pickford (2015)
<i>H. major</i>	IPAS Dz 137	M3	Dzedzvtachevi	44.1	29.3	66.4	Pickford (2015)
<i>H. major</i>	NMT 343-13(1)	M3	Udabno	50.5	31.0	61.4	Pickford (2015)
<i>H. major</i>	NMT w/n	M3	Udabno	42.5	26.7	62.8	Pickford (2015)
<i>H. major</i>	NMT w/n	M3	Eldari	49.4	30.3	61.3	Pickford (2015)
<i>H. major</i>	NMT w/n	M3	Eldari	47.6	31.0	65.1	Pickford (2015)
<i>H. major</i>	K-5260	M3	Kalimantsi	42.9	28.2	65.7	Kostopoulos et al. (2001)
<i>H. major</i>	K-5260	M3	Kalimantsi	42.6	28.7	67.4	Kostopoulos et al. (2001)
<i>H. major</i>	K-5263	M3	Kalimantsi	43.4	26.6	61.3	Kostopoulos et al. (2001)
<i>H. major</i>	K-5256	M3	Kalimantsi	38.5	27.5	71.4	Kostopoulos et al. (2001)
<i>H. major</i>	K-5256	M3	Kalimantsi	43.2	28.2	65.3	Kostopoulos et al. (2001)
<i>H. major</i>	K-5257	M3	Kalimantsi	41.1	28.2	68.6	Kostopoulos et al. (2001)
<i>H. major</i>	K-5267	M3	Kalimantsi	44.7	29.7	66.4	Kostopoulos et al. (2001)
<i>H. major</i>	K-5261	M3	Kalimantsi	41.8	28.1	67.2	Kostopoulos et al. (2001)
<i>H. major</i>	K-743	M3	Kalimantsi	42.3	26.2	61.9	Kostopoulos et al. (2001)
<i>H. major</i>	K-5253	M3	Kalimantsi	43.1	28.1	65.2	Kostopoulos et al. (2001)
<i>H. major</i>	K-A1	M3	Kalimantsi	44.9	27.8	61.9	Kostopoulos et al. (2001)

<i>H. major</i>	K-A2	M3	Kalimantsi	34.0	26.2	77.1	Kostopoulos et al. (2001)
<i>H. major</i>	PER-1269	M3	Perivolaki	40.0	27.4	68.5	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	PER-1265	M3	Perivolaki	41.3	27.9	67.6	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	PER-1540	M3	Perivolaki	39.0	26.5	67.9	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	MTLA-537	M3	Mytilinii-1A, Samos	43.6	27.7	63.5	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	MTLA-537	M3	Mytilinii-1A, Samos	43.1	27.6	64.0	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20653-Q5	M3	Quarry 5 (Q5), Limitzis, Samos	37.8	26.2	69.3	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20653-Q5	M3	Quarry 5 (Q5), Limitzis, Samos	36.7	25.8	70.3	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20795-Q5	M3	Quarry 5 (Q5), Limitzis, Samos	39.3	27.5	70.0	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	NKT-68	M3	Nikiti-1	43.5	27.8	63.9	Kostopoulos (1994)
<i>H. major</i>	GSI B 354	M3	Siwaliks?	45.6	30.6	67.1	Van der Made & Hussain (1989)
<i>H. major</i>	Ng 103	M3	Nagri	46.1	23.1	50.1	Van der Made & Hussain (1989)
<i>H. major</i>	58-HAY-2/45	M3	58-HAY-2 (Sivas)	42.0	27.4	65.2	Van der Made et al. (2013)
<i>H. major</i>	58-HAY-2/45	M3	58-HAY-2 (Sivas)	45.6	27.7	60.7	Van der Made et al. (2013)
<i>H. major</i>	58-HAY-2/43	M3	58-HAY-2 (Sivas)	40.8	25.6	62.7	Van der Made et al. (2013)
<i>H. major</i>	58-HAY-2/43	M3	58-HAY-2 (Sivas)	40.3	25.6	63.5	Van der Made et al. (2013)
<i>H. major</i>	58-HAY-2/25	M3	58-HAY-2 (Sivas)	41.3	26.7	64.6	Van der Made et al. (2013)
<i>P. palaeochoerus</i>	22-1079	i1	Grytsiv	6.6	9.9	150.0	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1077	i1	Grytsiv	6.7	10.0	149.3	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1078	i1	Grytsiv	6.6	10.7	162.1	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	MAFI134	i1	Rudabánya	11.0	11.5	104.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI134	i1	Rudabánya	10.7	11.1	103.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI142	i1	Rudabánya	11.2	11.7	104.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI145	i1	Rudabánya	9.8	10.3	105.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/208	i1	Rudabánya	10.1	10.4	103.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	i1	Rudabánya	10.4	10.4	100.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	i1	Rudabánya	10.3	10.6	102.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/866	i1	Rudabánya	9.4	9.6	102.1	Fortelius et al. (2005)

<i>P. palaeochoerus</i>	MAFI1994/866	il	Rudabánya	9.4	9.4	100.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MBFSZ V 2017.21.1.	il	Alsótelekes	6.9	9.6	139.1	Iannucci & Begun (2022)
<i>P. palaeochoerus</i>	IPS93088	il	Castell de Barberà	7.4	11.1	150.0	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS93089	il	Castell de Barberà	7.7	11.7	151.9	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS93090	il	Castell de Barberà	7.5	11.5	153.3	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	MNHM 1932/265	il	Gau-Weinheim	6.7	12.0	179.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/485	il	Gau-Weinheim	6.5	10.7	164.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/485	il	Gau-Weinheim	6.1	11.0	180.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/54	il	Gau-Weinheim	6.0	9.6	160.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/819	il	Gau-Weinheim	5.8	9.7	167.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/820	il	Gau-Weinheim	6.2	11.3	182.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/820	il	Gau-Weinheim	6.0	11.2	186.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/54	il	Gau-Weinheim	7.1	11.4	160.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/54	il	Gau-Weinheim	7.0	11.5	164.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/880	il	Gau-Weinheim	6.2	11.0	177.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/888	il	Gau-Weinheim	6.2	11.0	177.4	Pickford (2013a)
<i>P. hysudricus</i>	GSP 4028	il	Middle Siwaliks (India) loc. 216	7.0	10.1	144.3	Pickford (1988)
<i>P. hysudricus</i>	GSP 6821	il	Middle Siwaliks (India) loc. 221	6.4	8.6	134.4	Pickford (1988)
<i>P. hysudricus</i>	GSP 7091	il	Middle Siwaliks (India) loc. 311	6.0	9.3	155.0	Pickford (1988)
<i>P. hysudricus</i>	GSP 6126	il	Middle Siwaliks (India) loc. 228	6.6	8.8	133.3	Pickford (1988)
<i>P. hysudricus</i>	PUPC 15/38	il	Middle Siwaliks	6.3	6.5	103.2	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 15/38	il	Middle Siwaliks	6.0	6.2	103.3	Aslam et al. (2021)
<i>P. wui</i>	Holotype	il	Lufeng	4.3	9.2	214.0	Van der Made & Han (1994)
<i>P. wui</i>	?	il	Lufeng	4.7	7.5	159.6	Van der Made & Han (1994)
<i>P. wui</i>	?	il	Lufeng	4.7	7.3	155.3	Van der Made & Han (1994)
<i>P. wui</i>	?	il	Lufeng	5.2	8.8	169.2	Van der Made & Han (1994)
<i>P. wui</i>	?	il	Lufeng	5.7	9.0	157.9	Van der Made & Han (1994)
<i>P. wui</i>	?	il	Lufeng	4.6	6.8	147.8	Van der Made & Han (1994)

<i>P. wui</i>	?	i1	Lufeng	4.5	8.3	184.4	Van der Made & Han (1994)
<i>P. hyotherioides</i>	ZT-2015-0240	i1	Shuitangba	7.0	12.5	178.6	Lazaridis (2015)
<i>P. hyotherioides</i>	ZT-2015-0366	i1	Shuitangba	8.0	12.5	156.3	Lazaridis (2015)
<i>P. hyotherioides</i>	ZT-2007-01-149	i1	Shuitangba	8.3	12.6	151.8	Lazaridis (2015)
<i>P. hyotherioides</i>	?	i1	Lufeng	7.7	13.0	168.8	Van der Made & Han (1994)
<i>P. provincialis</i>	MNHN.F.MON16	i1	Montpellier	6.0	9.3	155.0	Pickford (2013b)
<i>P. provincialis</i>	MNHN.F.MON16	i1	Montpellier	5.5	9.3	169.1	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 144	i1	Montpellier	7.3	11.6	158.9	Pickford (2013b)
<i>P. provincialis</i>	IPS100657	i1	Campredó-VF	7.8	11.1	142.3	Piñero et al. (2024)
<i>P. aegaeus</i>	KRY3490+1094	i1	Kryopigi	7.5	14.6	194.7	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	KRY3490+1094	i1	Kryopigi	8.0	14.8	185.0	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	RZO 330	i1	Ravin des Zouaves n° 5	7.2	11.0	152.8	de Bonis & Bouvrain (1996)
<i>P. aegaeus</i>	RZO 330	i1	Ravin des Zouaves n° 5	7.0	10.8	154.3	de Bonis & Bouvrain (1996)
<i>H. major</i>	SMF DD 3063	i1	Dorn-Dürkheim	8.1	13.1	161.7	Van der Made (1997)
<i>H. major</i>	SMF DD 4636	i1	Dorn-Dürkheim	8.3	12.3	148.2	Van der Made (1997)
<i>H. major</i>	MNCN BAT 10'09 G2-B3	i1	Batallones 10	10.4	14.9	143.3	Pickford (2015)
<i>H. major</i>	MNCN BAT 10'12 F2·65	i1	Batallones 10	10.2	13.7	134.3	Pickford (2015)
<i>H. major</i>	MNHN LUB 657	i1	Cucuron, Luberon (and Vaugines)	9.7	16.0	164.9	Pickford (2015)
<i>H. major</i>	MNHN LUB 657	i1	Cucuron, Luberon (and Vaugines)	10.0	15.9	159.0	Pickford (2015)
<i>H. major</i>	DTK 286	i1	Dytiko	8.0	11.7	146.3	de Bonis & Bouvrain (1996)
<i>H. major</i>	DTK 286	i1	Dytiko	8.8	10.9	123.9	de Bonis & Bouvrain (1996)
<i>H. major</i>	CCECL A.Pri 1e	i1	Alissas près Privas	10.4	16.0	153.8	Pickford (2015)
<i>H. major</i>	IPS1108	i1	Trinxera Nord Autopista	9.4	15.8	168.1	Van der Made et al. (1992)
<i>H. major</i>	AS95-46	i1	Sinap Tepe 49 Igbek	9.2	14.5	157.6	Van der Made (2003)
<i>H. major</i>	IPAS Dz 105	i1	Dzedzvtachevi	9.6	14.7	153.1	Pickford (2015)
<i>P. palaeochoerus</i>	22-1080	i2	Grytsiv	8.5	11.5	135.3	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-167	i2	Grytsiv	8.4	12.5	148.8	Van der Made et al. (1999)

<i>P. palaeochoerus</i>	MAFI132	i2	Rudabánya	13.2	13.8	104.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI133	i2	Rudabánya	11.4	11.9	104.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI134	i2	Rudabánya	13.4	14.1	105.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI135	i2	Rudabánya	11.6	11.8	101.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI137	i2	Rudabánya	11.9	11.9	100.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI137	i2	Rudabánya	12.4	12.4	100.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI138	i2	Rudabánya	13.5	13.6	100.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1987/83	i2	Rudabánya	12.5	12.5	100.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/274	i2	Rudabánya	12.7	12.1	95.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	i2	Rudabánya	11.6	11.9	102.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	i2	Rudabánya	11.7	11.9	101.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/63	i2	Rudabánya	11.8	12.5	105.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MBFSZ V 2017.21.1.	i2	Alsótelekes	8.6	10.5	122.1	Iannucci & Begun (2022)
<i>P. palaeochoerus</i>	IPS113817	i2	Creu de Conill 20	8.4	11.9	141.7	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS28725	i2	Creu de Conill 20	9.1	13.0	142.9	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS106358	i2	Creu de Conill 20	9.2	11.1	120.7	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS107877	i2	Creu de Conill 20	9.7	11.8	121.6	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS124327	i2	Creu de Conill 20	7.9	9.5	120.3	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS124322	i2	Creu de Conill 20	9.6	11.8	122.9	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS92815	i2	Castell de Barberà	8.7	13.7	157.5	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS1721	i2	Castell de Barberà	9.0	13.2	146.7	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92406	i2	Castell de Barberà	9.8	12.9	131.6	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS128648	i2	Can Missert 2	8.2	13.5	164.6	Alba et al. (2024)
<i>P. palaeochoerus</i>	HLMD Din 21	i2	Eppelsheim	7.0	10.3	147.1	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 32	i2	Eppelsheim	7.8	13.4	171.8	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 30	i2	Eppelsheim	7.7	12.5	162.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/380	i2	Gau-Weinheim	7.9	13.8	174.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/559	i2	Gau-Weinheim	6.9	12.4	179.7	Pickford (2013a)

<i>P. palaeochoerus</i>	MNHM 1933/36	i2	Gau-Weinheim	8.4	12.2	145.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/533	i2	Gau-Weinheim	8.7	13.5	155.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/854	i2	Gau-Weinheim	7.9	12.6	159.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/247	i2	Gau-Weinheim	9.0	13.4	148.9	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/881	i2	Gau-Weinheim	7.0	11.5	164.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1952/535	i2	Gau-Weinheim	6.9	11.6	168.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1952/587	i2	Gau-Weinheim	7.0	11.1	158.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1952/588	i2	Gau-Weinheim	7.0	12.9	184.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1959/81	i2	Gau-Weinheim	7.6	12.6	165.8	Pickford (2013a)
<i>P. hysudricus</i>	GSP 7091	i2	Middle Siwaliks (India) loc. 311	5.7	10.5	184.2	Pickford (1988)
<i>P. hysudricus</i>	GSP 6226	i2	Middle Siwaliks (India) loc. 228	6.6	10.4	157.6	Pickford (1988)
<i>P. hysudricus</i>	GSP 12315	i2	Middle Siwaliks (India) loc. 311	6.7	10.0	149.3	Pickford (1988)
<i>P. hysudricus</i>	GSP 9767	i2	Middle Siwaliks (India) loc. 260	7.0	10.6	151.4	Pickford (1988)
<i>P. hysudricus</i>	PUPC 16/75	i2	Middle Siwaliks	9.8	18.5	188.8	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 15/38	i2	Middle Siwaliks	6.4	6.7	104.7	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 15/38	i2	Middle Siwaliks	5.0	5.9	118.0	Aslam et al. (2021)
<i>P. wui</i>	Holotype	i2	Lufeng	4.1	8.8	214.6	Van der Made & Han (1994)
<i>P. wui</i>	Holotype	i2	Lufeng	4.8	9.0	187.5	Van der Made & Han (1994)
<i>P. wui</i>	?	i2	Lufeng	5.3	9.0	169.8	Van der Made & Han (1994)
<i>P. wui</i>	?	i2	Lufeng	5.2	9.4	180.8	Van der Made & Han (1994)
<i>P. wui</i>	?	i2	Lufeng	4.9	8.4	171.4	Van der Made & Han (1994)
<i>P. wui</i>	?	i2	Lufeng	5.0	8.2	164.0	Van der Made & Han (1994)
<i>P. wui</i>	?	i2	Lufeng	5.2	9.2	176.9	Van der Made & Han (1994)
<i>P. wui</i>	?	i2	Lufeng	5.2	8.4	161.5	Van der Made & Han (1994)
<i>P. provincialis</i>	FSL 40 072	i2	Montpellier	7.3	13.0	178.1	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 160	i2	Montpellier	7.0	12.6	180.0	Pickford (2013b)
<i>P. provincialis</i>	w/n	i2	Venta del Moro	8.0	12.2	152.5	Morales (1984)
<i>P. hyotherioides</i>	?	i2	Lufeng	6.8	12.3	180.9	Van der Made & Han (1994)

<i>P. hyotherioides</i>	?	i2	Lufeng	8.5	14.6	171.8	Van der Made & Han (1994)
<i>P. aegaeus</i>	KRY3490+1094	i2	Kryopigi	6.4	15.8	246.9	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	KRY3490+1094	i2	Kryopigi	7.1	18.0	253.5	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	RZO 330	i2	Ravin des Zouaves n° 5	8.5	13.0	152.9	de Bonis & Bouvrain (1996)
<i>P. aegaeus</i>	RZO 330	i2	Ravin des Zouaves n° 5	8.2	12.9	157.3	de Bonis & Bouvrain (1996)
<i>H. major</i>	SMF DD 3056	i2	Dorn-Dürkheim	8.4	14.4	171.4	Van der Made (1997)
<i>H. major</i>	SMF DD 3065	i2	Dorn-Dürkheim	8.2	15.1	184.1	Van der Made (1997)
<i>H. major</i>	SMF DD 4039	i2	Dorn-Dürkheim	9.3	15.2	163.4	Van der Made (1997)
<i>H. major</i>	SMF DD 3045	i2	Dorn-Dürkheim	9.7	16.8	173.2	Van der Made (1997)
<i>H. major</i>	SMF DD 3052	i2	Dorn-Dürkheim	8.7	15.4	177.0	Van der Made (1997)
<i>H. major</i>	SMF DD 3053	i2	Dorn-Dürkheim	8.7	15.6	179.3	Van der Made (1997)
<i>H. major</i>	MNCN Bal 10'11 G2·122	i2	Batallones 10	10.7	15.5	144.9	Pickford (2015)
<i>H. major</i>	MNHN LUB 657	i2	Cucuron, Luberon (and Vaugines)	9.0	15.0	166.7	Pickford (2015)
<i>H. major</i>	MNHN LUB 666	i2	Cucuron, Luberon (and Vaugines)	6.2	9.2	148.4	Pickford (2015)
<i>H. major</i>	DTK 286	i2	Dytiko	8.2	10.6	129.3	de Bonis & Bouvrain (1996)
<i>H. major</i>	CCECL A.Pri 1e	i2	Alissas près Privas	10.5	18.3	174.3	Pickford (2015)
<i>H. major</i>	YORYM 2011.1115	i2	Red Crag	9.5	13.2	138.9	Pickford (2015)
<i>H. major</i>	NHMW Koh	i2	Kohfidisch	8.4	14.2	169.0	Pickford (2015)
<i>H. major</i>	IPAS Dz 105	i2	Dzedzvtachevi	10.6	15.5	146.2	Pickford (2015)
<i>H. major</i>	NMT 343-13(3)	i2	Udabno	9.7	17.6	181.4	Pickford (2015)
<i>P. palaeochoerus</i>	22-1081	i3	Grytsiv	10.2	6.5	63.7	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1053	i3	Grytsiv	9.6	6.5	67.7	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1082	i3	Grytsiv	9.4	6.5	69.1	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-379	i3	Grytsiv	10.5	6.3	60.0	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	MAFI1989/243	i3	Rudabánya	10.1	5.5	54.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/260	i3	Rudabánya	9.4	4.9	52.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	IPS113840	i3	Creu de Conill 20	12.0	6.3	52.5	McKenzie et al. (2023)

<i>P. palaeochoerus</i>	IPS124323	i3	Creu de Conill 20	10.5	7.6	72.4	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114221	i3	Creu de Conill 20	14.1	6.8	48.2	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114299	i3	Creu de Conill 20	13.8	6.7	48.6	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS113983	i3	Creu de Conill 20	10.8	5.4	50.0	McKenzie et al. (2023)
<i>P. wui</i>	?	i3	Lufeng	8.5	5.0	58.8	Van der Made & Han (1994)
<i>P. wui</i>	?	i3	Lufeng	9.2	4.4	47.8	Van der Made & Han (1994)
<i>P. hyotherioides</i>	?	i3	Lufeng	9.5	5.4	56.8	Van der Made & Han (1994)
<i>P. hyotherioides</i>	?	i3	Lufeng	9.0	8.4	93.3	Van der Made & Han (1994)
<i>P. provincialis</i>	w/n	i3	Venta del Moro	9.5	4.8	50.5	Morales (1984)
<i>H. major</i>	SMF DD 2930	i3	Dorn-Dürkheim	9.7	8.4	86.6	Van der Made (1997)
<i>H. major</i>	SMF DD 4236	i3	Dorn-Dürkheim	9.8	8.4	85.7	Van der Made (1997)
<i>H. major</i>	SMF DD 521	i3	Dorn-Dürkheim	9.5	7.6	80.0	Van der Made (1997)
<i>H. major</i>	SMF DD 522	i3	Dorn-Dürkheim	11.3	9.0	79.6	Van der Made (1997)
<i>H. major</i>	SMF DD 523	i3	Dorn-Dürkheim	10.8	8.8	81.5	Van der Made (1997)
<i>H. major</i>	SMF DD 532	i3	Dorn-Dürkheim	10.6	7.5	70.8	Van der Made (1997)
<i>H. major</i>	SMF DD 482	i3	Dorn-Dürkheim	11.5	9.2	80.0	Van der Made (1997)
<i>H. major</i>	SMF DD 551	i3	Dorn-Dürkheim	10.7	8.2	76.6	Van der Made (1997)
<i>H. major</i>	SMF DD 882	i3	Dorn-Dürkheim	8.3	9.8	118.1	Van der Made (1997)
<i>H. major</i>	IPAS Dz 105	i3	Dzedzvtachevi	13.3	8.0	60.2	Pickford (2015)
<i>P. palaeochoerus</i>	HLMD Din 41	C/1f?	Eppelsheim	9.8	6.1	62.2	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 41	C/1f?	Eppelsheim	13.3	10.0	75.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/799	C/1f?	Gau-Weinheim	12.5	11.8	94.4	Pickford (2013a)
<i>P. palaeochoerus</i>	NHMW A 4213	C/1f	Wien III, Belvedere	8.0	5.7	70.6	Hellmund (1995)
<i>P. palaeochoerus</i>	MBFSZ V 2017.21.1.	C/1f	Alsótelekes	9.2	7.3	79.3	Iannucci & Begun (2022)
<i>P. palaeochoerus</i>	IPS124330	C/1f	Creu de Conill 20	12.2	8.1	66.4	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114311	C/1f	Creu de Conill 20	12.7	9.5	74.8	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114338	C/1f	Creu de Conill 20	10.7	7.8	72.9	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS1722	C/1f	Castell de Barberà	13.2	8.0	60.6	McKenzie et al. (2024)

<i>P. palaeochoerus</i>	IPS93086	C/1f	Castell de Barberà	13.9	8.6	61.9	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS128649	C/1f	Can Missert 2	11.7	6.4	54.7	Alba et al. (2024)
<i>P. hysudricus</i>	GSP 6226	C/1f	Middle Siwaliks (India) loc. 228	11.0	6.6	60.0	Pickford (1988)
<i>P. hysudricus</i>	GSP 149	C/1f	Middle Siwaliks (India) loc. 15	8.6	5.7	66.3	Pickford (1988)
<i>P. hysudricus</i>	GSP 2807	C/1f	Middle Siwaliks (India) loc. 105	10.0	6.0	60.0	Pickford (1988)
<i>P. hysudricus</i>	PUPC 92/3	C/1f	Middle Siwaliks	12.3	10.4	84.6	Aslam et al. (2021)
<i>P. wui</i>	?	C/1f	Lufeng	8.7	6.4	73.6	Van der Made & Han (1994)
<i>P. wui</i>	?	C/1f	Lufeng	8.7	6.7	77.0	Van der Made & Han (1994)
<i>P. wui</i>	?	C/1f	Lufeng	9.4	5.7	60.6	Van der Made & Han (1994)
<i>H. major</i>	MNCN BAT 10'09 G2-83	C/1f	Batallones 10	16.0	8.6	53.8	Pickford (2015); alveolus
<i>H. major</i>	MNCN BAT 10'09 G2-83	C/1f	Batallones 10	16.5	8.6	52.1	Pickford (2015); alveolus
<i>H. major</i>	MNCN BAT 10'12 F2-30	C/1f	Batallones 10	16.0	8.5	53.1	Pickford (2015)
<i>P. palaeochoerus</i>	22-1915	C/1m	Grytsiv	11.0	10.5	10.1	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	IPS113663	C/1m	Creu de Conill 20	14.3	14.0	13.1	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS113857	C/1m	Creu de Conill 20	15.1	13.5	13.5	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS113964	C/1m	Creu de Conill 20	16.1	14.0	13.8	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS92656	C/1m	Castell de Barberà	13.0	12.2	13.0	McKenzie et al. (2024)
<i>P. wui</i>	Holotype	C/1m	Lufeng	11.7	8.0	10.6	Van der Made & Han (1994)
<i>P. wui</i>	?	C/1m	Lufeng	12.8	8.8	9.6	Van der Made & Han (1994)
<i>P. wui</i>	?	C/1m	Lufeng	9.6	8.6	7.5	Van der Made & Han (1994)
<i>P. wui</i>	?	C/1m	Lufeng	11.5	9.2	9.0	Van der Made & Han (1994)
<i>P. wui</i>	?	C/1m	Lufeng	9.8	8.1	7.3	Van der Made & Han (1994)
<i>P. hyotherioides</i>	?	C/1m	Lufeng	18.0	15.7	13.3	Van der Made & Han (1994)
<i>P. hyotherioides</i>	?	C/1m	Lufeng	17.4	14.9	12.2	Van der Made & Han (1994)
<i>P. hyotherioides</i>	?	C/1m	Lufeng	21.5	19.3	17.2	Van der Made & Han (1994)
<i>P. hyotherioides</i>	?	C/1m	Lufeng	21.6	18.0	14.9	Van der Made & Han (1994)
<i>P. provincialis</i>	MNH.N.F.MON16	C/1m	Montpellier	14.8	13.6	12.6	Pickford (2013b)

<i>P. aegaeus</i>	KRY3490+1094	C/1m	Kryopigi	12.7	11.2	9.4	Lazaridis (2015); Lazaridis et al. (2022)
<i>H. major</i>	IPS1130	C/1m	Torrent de les Febulines	12.4	13.9	12.2	Van der Made et al. (1992)
<i>P. palaeochoerus</i>	IPS33304	p1	Castell de Barberà	12.5	6.0	48.0	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92385	p1	Castell de Barberà	11.2	5.3	47.3	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS39522	p1	Castell de Barberà	11.2	4.9	43.8	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	MAFI132	p1	Rudabánya	11.3	5.3	46.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	p1	Rudabánya	11.5	5.4	47.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/463	p1	Rudabánya	9.7	5.0	51.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/489	p1	Rudabánya	10.7	5.0	46.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MBFSZ V 2017.21.1.	p1	Alsótelekes	10.4	5.3	51.0	Iannucci & Begun (2022)
<i>P. palaeochoerus</i>	IPS107146	p1	Creu de Conill 20	12.8	5.5	43.0	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS107648	p1	Creu de Conill 20	12.5	5.2	41.6	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS95728	p1	Creu de Conill 20	12.2	5.1	41.8	McKenzie et al. (2023)
<i>P. wui</i>	Holotype	p1	Lufeng	9.8	3.6	36.7	Van der Made & Han (1994)
<i>P. wui</i>	Holotype	p1	Lufeng	9.9	3.8	38.4	Van der Made & Han (1994)
<i>P. wui</i>	?	p1	Lufeng	10.3	3.8	36.9	Van der Made & Han (1994)
<i>P. wui</i>	?	p1	Lufeng	8.7	3.4	39.1	Van der Made & Han (1994)
<i>P. wui</i>	?	p1	Lufeng	10.2	4.0	39.2	Van der Made & Han (1994)
<i>P. provincialis</i>	w/n	p1	Venta del Moro	13.4	5.7	42.5	Morales (1984)
<i>P. provincialis</i>	BRS 25/14	p1	Brisighella	11.1	5.0	45.0	Gallai & Rook (2011)
<i>P. provincialis</i>	MNHN.F.MON16	p1	Montpellier	9.8	4.7	48.0	Pickford (2013b)
<i>P. provincialis</i>	MNHN.F.MON16	p1	Montpellier	9.6	4.8	50.0	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 072	p1	Montpellier	10.2	5.1	50.0	Pickford (2013b)
<i>P. aegaeus</i>	RZO 330	p1	Ravin des Zouaves n° 5	12.2	7.1	58.2	de Bonis & Bouvrain (1996)
<i>P. aegaeus</i>	NHMW-exposition	p1	Samos	11.9	4.8	40.3	Thenius (1950)
<i>H. major</i>	SMF DD 4642	p1	Dorn-Dürkheim	11.5	5.3	46.1	Van der Made (1997)
<i>H. major</i>	SMF DD 969	p1	Dorn-Dürkheim	12.9	6.1	47.3	Van der Made (1997)

<i>H. major</i>	MNCN BAT·10·09 G2·B3	p1	Batallones 10	14.7	6.3	42.9	Pickford (2015)
<i>H. major</i>	MNCN BAT·10·09 G2·B3	p1	Batallones 10	14.9	6.6	44.3	Pickford (2015)
<i>H. major</i>	FSL 210 152	p1	Montredon	18.0	8.0	44.4	Pickford (2015)
<i>H. major</i>	FSL 520 029	p1	Soblay	13.5	6.2	45.9	Pickford (2015)
<i>H. major</i>	Tbilisi	p1	Bazaleti	17.3	8.0	46.2	Pickford (2015)
<i>P. palaeochoerus</i>	IPS92694	p2	Castell de Barberà	16.5	7.4	44.8	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92698	p2	Castell de Barberà	16.7	7.1	42.5	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	22-1067	p2	Grytsiv	14.4	6.2	43.1	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1068	p2	Grytsiv	14.0	6.0	42.9	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-105	p2	Grytsiv	12.8	5.4	42.2	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	MAFI066	p2	Rudabánya	14.5	6.9	47.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI067	p2	Rudabánya	14.4	7.2	50.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI068	p2	Rudabánya	13.5	5.9	43.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI132	p2	Rudabánya	16.1	6.8	42.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI133	p2	Rudabánya	16.4	6.9	42.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	p2	Rudabánya	14.8	6.3	42.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1991/29	p2	Rudabánya	14.9	6.5	43.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1991/96	p2	Rudabánya	15.1	6.3	41.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MNHM 1932/486	p2	Gau-Weinheim	12.8	5.7	44.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/935	p2	Gau-Weinheim	12.7	6.3	49.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/486	p2	Gau-Weinheim	12.9	5.6	43.4	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 1138	p2	Gau-Weinheim Wissberg	16.2	6.7	41.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MBFSZ V 2017.21.1.	p2	Alsótelekes	12.4	5.5	44.4	Iannucci & Begun (2022)
<i>P. palaeochoerus</i>	IPS107069	p2	Creu de Conill 20	15.1	7.0	46.4	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114339	p2	Creu de Conill 20	15.2	6.3	41.4	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS28732	p2	Creu de Conill 20	15.0	7.6	50.7	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114256	p2	Creu de Conill 20	16.6	7.3	44.0	McKenzie et al. (2023)
<i>P. hysudricus</i>	GSP 2807	p2	Middle Siwaliks (India) loc. 105	14.7	6.4	43.5	Pickford (1988)

<i>P. wui</i>	?	p2	Lufeng	12.4	5.4	43.5	Van der Made & Han (1994)
<i>P. wui</i>	Holotype	p2	Lufeng	12.3	5.6	45.5	Van der Made & Han (1994)
<i>P. provincialis</i>	FSL 40 884	p2	Montpellier	16.0	7.8	48.8	Pickford (2013b)
<i>P. provincialis</i>	UM SM 395	p2	Montpellier	15.7	7.2	45.9	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 072	p2	Montpellier	15.6	7.6	48.7	Pickford (2013b)
<i>P. aegaeus</i>	RZO 330	p2	Ravin des Zouaves n° 5	16.9	6.7	39.6	de Bonis & Bouvrain (1996)
<i>P. aegaeus</i>	RZO 330	p2	Ravin des Zouaves n° 5	17.0	8.0	47.1	de Bonis & Bouvrain (1996)
<i>P. aegaeus</i>	Kalnitsa	p2	Kalnitsa	14.4	6.3	43.8	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-1544	p2	Vozarci	16.6	6.8	41.0	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-no N°	p2	Vozarci	16.0	7.5	46.9	Geraads et al. (2008)
<i>P. aegaeus</i>	KRY3490+1094	p2	Kryopigi	15.9	6.2	39.2	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	NHFW-exposition	p2	Samos	16.4	6.8	41.5	Thenius (1950)
<i>H. major</i>	SMF DD 3015	p2	Dorn-Dürkheim	16.5	6.5	39.4	Van der Made (1997)
<i>H. major</i>	SMF DD 3025	p2	Dorn-Dürkheim	17.2	8.0	46.5	Van der Made (1997)
<i>H. major</i>	SMF DD 3024	p2	Dorn-Dürkheim	15.9	7.1	44.7	Van der Made (1997)
<i>H. major</i>	SMF DD 4525	p2	Dorn-Dürkheim	15.5	7.2	46.5	Van der Made (1997)
<i>H. major</i>	SMF DD 5537	p2	Dorn-Dürkheim	15.7	6.9	43.9	Van der Made (1997)
<i>H. major</i>	MNCN BAT·10·09 G2·B3	p2	Batallones 10	19.0	8.2	43.2	Pickford (2015)
<i>H. major</i>	MNCN BAT·10·09 G2·B3	p2	Batallones 10	17.7	8.3	46.9	Pickford (2015)
<i>H. major</i>	MNCN CL 391	p2	Corral de Lobato	16.5	8.5	51.5	Pickford (2015)
<i>H. major</i>	MNHN LUB 656	p2	Cucuron, Luberon (and Vaugines)	17.3	8.4	48.6	Pickford (2015)
<i>H. major</i>	MNHN LUB 657	p2	Cucuron, Luberon (and Vaugines)	15.3	7.9	51.6	Pickford (2015)
<i>H. major</i>	MNHN LUB 658	p2	Cucuron, Luberon (and Vaugines)	15.0	7.3	48.7	Pickford (2015)
<i>H. major</i>	DTK 286	p2	Dytiko	15.4	7.6	49.4	de Bonis & Bouvrain (1996)
<i>H. major</i>	FSL 210 411	p2	Châlon (Drôme)	16.3	8.4	51.5	Pickford (2015)
<i>H. major</i>	MNCN AD 27 J cast	p2	La Roma 2	16.8	8.0	47.6	Pickford (2015)
<i>H. major</i>	RO 8J	p2	La Roma 2	17.1	7.1	41.5	Van der Made et al. (1992)

<i>H. major</i>	FM 2327	p2	Strumyani	13.9	7.2	51.8	Geraads et al. (2011)
<i>H. major</i>	IPAS Oz 104	p2	Dzedzvtachevi	16.9	8.7	51.5	Pickford (2015)
<i>H. major</i>	IPAS Oz 133	p2	Dzedzvtachevi	16.8	8.9	53.0	Pickford (2015)
<i>H. major</i>	NMT 351-6	p2	Udabno	13.7	7.6	55.5	Pickford (2015)
<i>H. major</i>	NMT 343-13(3)	p2	Udabno	17.0	8.7	51.2	Pickford (2015)
<i>H. major</i>	NMT 343-13(2)	p2	Udabno	17.2	9.5	55.2	Pickford (2015)
<i>H. major</i>	K-5276	p2	Kalimantsi	15.4	8.2	53.2	Kostopoulos et al. (2001)
<i>H. major</i>	K-5276	p2	Kalimantsi	15.7	8.0	51.0	Kostopoulos et al. (2001)
<i>H. major</i>	K-5278	p2	Kalimantsi	13.2	6.9	52.3	Kostopoulos et al. (2001)
<i>H. major</i>	K-5282	p2	Kalimantsi	15.8	7.4	46.8	Kostopoulos et al. (2001)
<i>H. major</i>	PER-360	p2	Perivolaki	12.6	6.0	47.6	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	MTLA-479	p2	Mytilinii-1A, Samos	14.0	6.4	45.7	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	NHMW 1911v211	p2	Samos	15.4	7.2	46.8	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	58-HAY-05	p2	58-HAY-19 (Sivas)	14.9	7.8	52.3	Van der Made et al. (2013)
<i>P. palaeochoerus</i>	22-1067	p3	Grytsiv	15.8	8.4	53.2	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1068	p3	Grytsiv	16.4	8.3	50.6	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	MAFI006	p3	Rudabánya	16.1	8.7	54.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI059	p3	Rudabánya	16.6	9.4	56.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI060	p3	Rudabánya	16.9	9.9	58.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI062	p3	Rudabánya	15.9	9.0	56.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI063	p3	Rudabánya	15.8	8.0	50.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI064	p3	Rudabánya	16.2	8.6	53.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI065	p3	Rudabánya	15.9	8.1	50.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI120	p3	Rudabánya	16.2	7.4	45.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI132	p3	Rudabánya	16.8	9.6	57.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI133	p3	Rudabánya	17.6	9.7	55.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI139	p3	Rudabánya	17.2	9.5	55.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/232	p3	Rudabánya	15.9	7.8	49.1	Fortelius et al. (2005)

<i>P. palaeochoerus</i>	MAFI1994/489	p3	Rudabánya	16.2	8.5	52.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MNHM 1932/799	p3	Gau-Weinheim	15.6	7.6	48.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/30	p3	Gau-Weinheim	17.2	8.7	50.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/595	p3	Gau-Weinheim	17.0	8.4	49.4	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 3	p3	Eppelsheim	15.4	8.3	53.9	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/445	p3	Gau-Weinheim	17.8	9.5	53.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/595	p3	Gau-Weinheim	16.7	8.2	49.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/858	p3	Gau-Weinheim	17.0	9.5	55.9	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/874	p3	Gau-Weinheim	17.2	9.0	52.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1952/585	p3	Gau-Weinheim	16.3	9.3	57.1	Pickford (2013a)
<i>P. palaeochoerus</i>	NHMW A 4213	p3	Wien III, Belvedere	16.0	8.0	50.0	Hellmund (1995)
<i>P. palaeochoerus</i>	MBFSZ V 2017.21.1.	p3	Alsótelekes	13.9	7.5	54.0	Iannucci & Begun (2022)
<i>P. palaeochoerus</i>	IPS107069	p3	Creu de Conill 20	19.5	10.4	53.3	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS107069	p3	Creu de Conill 20	19.0	10.1	53.2	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114386	p3	Creu de Conill 20	18.5	8.5	45.9	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114386	p3	Creu de Conill 20	19.2	8.5	44.3	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS113968	p3	Creu de Conill 20	17.6	10.8	61.4	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS93147	p3	Castell de Barberà	17.8	10.7	60.1	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92395	p3	Castell de Barberà	17.4	9.1	52.3	McKenzie et al. (2024)
<i>P. hysudricus</i>	B32	p3	Middle Siwaliks (India) Potwar	16.7	10.0	59.9	Pickford (1988)
<i>P. hysudricus</i>	B39	p3	Middle Siwaliks (India) Hasnot	14.7	8.0	54.4	Pickford (1988)
<i>P. hysudricus</i>	GSP 2807	p3	Middle Siwaliks (India) loc. 105	15.0	9.1	60.7	Pickford (1988)
<i>P. hysudricus</i>	GSP 457	p3	Middle Siwaliks (India) loc. 24	15.0	8.6	57.3	Pickford (1988)
<i>P. hysudricus</i>	GSP 2503	p3	Middle Siwaliks (India) loc. ?	15.1	8.2	54.3	Pickford (1988)
<i>P. hysudricus</i>	GSP 10998	p3	Middle Siwaliks (India) loc. 314	15.7	8.2	52.2	Pickford (1988)
<i>P. hysudricus</i>	PUPC 97/41	p3	Middle Siwaliks (Pakistan)	16.3	7.5	46.0	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 97/40	p3	Middle Siwaliks (Pakistan)	16.3	8.1	49.7	Aslam et al. (2021)
<i>P. hysudricus</i>	PC-GCUF 11/186	p3	Hasnot, Potwar plateau (Pakistan)	13.7	7.7	56.2	Batool et al. (2015)

<i>P. hysudricus</i>	NMMP-KU-IR 0190	p3	Thittyagauk & Chaingzauk	16.2	7.6	46.7	Thaung-Htike et al. (2006)
<i>P. wui</i>	Holotype	p3	Lufeng	12.9	7.0	54.3	Van der Made & Han (1994)
<i>P. wui</i>	Holotype	p3	Lufeng	12.9	6.9	53.5	Van der Made & Han (1994)
<i>P. wui</i>	? 1	p3	Lufeng	13.2	6.2	47.0	Van der Made & Han (1994)
<i>P. wui</i>	? 2	p3	Lufeng	13.4	6.1	45.5	Van der Made & Han (1994)
<i>P. wui</i>	? 3	p3	Lufeng	12.4	6.5	52.4	Van der Made & Han (1994)
<i>P. wui</i>	? 4	p3	Lufeng	11.3	5.9	52.2	Van der Made & Han (1994)
<i>P. wui</i>	? 7	p3	Lufeng	13.6	6.8	50.0	Van der Made & Han (1994)
<i>P. wui</i>	?	p3	Lufeng	13.3	6.8	51.1	Van der Made & Han (1994)
<i>P. wui</i>	?	p3	Lufeng	12.7	6.0	47.2	Van der Made & Han (1994)
<i>P. wui</i>	?	p3	Lufeng	13.2	6.3	47.7	Van der Made & Han (1994)
<i>P. wui</i>	?	p3	Lufeng	14.0	6.2	44.3	Van der Made & Han (1994)
<i>P. wui</i>	?	p3	Lufeng	13.2	6.4	48.5	Van der Made & Han (1994)
<i>P. wui</i>	?	p3	Lufeng	13.4	7.4	55.2	Van der Made & Han (1994)
<i>P. provincialis</i>	w/n	p3	Venta del Moro	17.2	11.5	66.9	Morales (1984)
<i>P. provincialis</i>	FSL 40 884	p3	Montpellier	17.0	11.0	64.7	Pickford (2013b)
<i>P. provincialis</i>	UM SM 395	p3	Montpellier	17.6	10.9	61.9	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 071	p3	Montpellier	16.4	10.0	61.0	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 072	p3	Montpellier	16.4	11.4	69.5	Pickford (2013b)
<i>P. provincialis</i>	MNHN Cast	p3	Montpellier	17.7	11.1	62.7	Pickford (2013b)
<i>P. provincialis</i>	UM SM 392	p3	Montpellier	17.6	11.1	63.1	Pickford (2013b)
<i>H. hyotherioides</i>	ZT-2007-01-170	p3	Shuitangba	16.3	8.0	49.1	Hou et al. (2019)
<i>P. hyotherioides</i>	ZT-2015-2649	p3	Shuitangba	17.7	9.1	51.4	Hou et al. (2019)
<i>H. hyotherioides</i>	?	p3	Lufeng	17.4	8.9	51.1	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	p3	Lufeng	16.7	9.0	53.9	Van der Made & Han (1994)
<i>P. aegaeus</i>	RZO 330	p3	Ravin des Zouaves n° 5	17.4	10.0	57.5	de Bonis & Bouvrain (1996)
<i>P. aegaeus</i>	RZO 330	p3	Ravin des Zouaves n° 5	17.8	10.3	57.9	de Bonis & Bouvrain (1996)
<i>P. aegaeus</i>	Kalnitsa	p3	Kalnitsa	15.5	9.7	62.6	Geraads et al. (2008)

<i>P. aegaeus</i>	Vozarci-564	p3	Vozarci	16.9	10.4	61.5	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-1544	p3	Vozarci	16.8	10.0	59.5	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-no N°	p3	Vozarci	16.5	10.0	60.6	Geraads et al. (2008)
<i>P. aegaeus</i>	AFS 2869e	p3	Casino Basin	17.4	9.9	56.9	Iannucci et al. (2021)
<i>P. aegaeus</i>	KRY3490+1094	p3	Kryopigi	16.6	9.8	59.0	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	NHMW-exposition	p3	Samos	16.5	9.5	57.6	Thenius (1950)
<i>H. major</i>	SMF DD 3017	p3	Dorn-Dürkheim	20.0	10.9	54.5	Van der Made (1997)
<i>H. major</i>	SMF DD 3020	p3	Dorn-Dürkheim	19.3	10.6	54.9	Van der Made (1997)
<i>H. major</i>	SMF DD 5540	p3	Dorn-Dürkheim	18.8	10.2	54.3	Van der Made (1997)
<i>H. major</i>	SMF DD 5546	p3	Dorn-Dürkheim	19.6	10.8	55.1	Van der Made (1997)
<i>H. major</i>	SMF DD 3024	p3	Dorn-Dürkheim	15.5	9.8	63.2	Van der Made (1997)
<i>H. major</i>	SMF DD 4681	p3	Dorn-Dürkheim	17.8	8.8	49.4	Van der Made (1997)
<i>H. major</i>	SMF DD 990	p3	Dorn-Dürkheim	16.7	8.5	50.9	Van der Made (1997)
<i>H. major</i>	MNCN BAT·10·09 G2·B3	p3	Batallones 10	21.2	10.4	49.1	Pickford (2015)
<i>H. major</i>	MNCN BAT·10·09 G2·B3	p3	Batallones 10	21.5	10.3	47.9	Pickford (2015)
<i>H. major</i>	MNHN LUB 656	p3	Cucuron, Luberon (and Vaugines)	19.1	10.8	56.5	Pickford (2015)
<i>H. major</i>	MNHN LUB 657	p3	Cucuron, Luberon (and Vaugines)	19.6	9.8	50.0	Pickford (2015)
<i>H. major</i>	MNHN LUB 658	p3	Cucuron, Luberon (and Vaugines)	18.5	10.0	54.1	Pickford (2015)
<i>H. major</i>	F5L 56127	p3	Cucuron, Luberon (and Vaugines)	18.7	12.7	67.9	Pickford (2015)
<i>H. major</i>	MNHN LUB 656	p3	Cucuron, Luberon (and Vaugines)	20.4	10.8	52.9	Pickford (2015)
<i>H. major</i>	MNHN LUB 657	p3	Cucuron, Luberon (and Vaugines)	18.0	9.7	53.9	Pickford (2015)
<i>H. major</i>	MNHN LUB 658	p3	Cucuron, Luberon (and Vaugines)	18.0	10.0	55.6	Pickford (2015)
<i>H. major</i>	DTK 286	p3	Dytiko	18.9	10.2	54.0	de Bonis & Bouvrain (1996)
<i>H. major</i>	DTK 286	p3	Dytiko	18.7	9.7	51.9	de Bonis & Bouvrain (1996)
<i>H. major</i>	FSL 210 208	p3	Montredon	20.2	10.0	49.5	Pickford (2015)
<i>H. major</i>	FSL 210 391	p3	Montredon	21.0	11.5	54.8	Pickford (2015)
<i>H. major</i>	CCECL A.Pri 1e	p3	Alissas près Privas	23.3	10.5	45.1	Pickford (2015)

<i>H. major</i>	FSL 210 411	p3	Châlon (Drôme)	19.2	11.8	61.5	Pickford (2015)
<i>H. major</i>	MNCN AD 27 J cast	p3	La Roma 2	20.6	11.2	54.4	Pickford (2015)
<i>H. major</i>	IPS8954	p3	Torrentet dels Traginers	20.8	11.3	54.3	Van der Made et al. (1992)
<i>H. major</i>	IPS1681	p3	Torrentet dels Traginers	20.9	11.3	54.1	Van der Made et al. (1992)
<i>H. major</i>	RO 8J	p3	La Roma 2	20.0	11.4	57.0	Van der Made et al. (1992)
<i>H. major</i>	GPIT MA 1178-25	p3	Salmendingen	21.0	13.4	63.8	Pickford (2015)
<i>H. major</i>	NHMW 1957 286	p3	Strätzing bei Krems	18.6	10.0	53.8	Pickford (2015)
<i>H. major</i>	NHMW A 4636	p3	Baltavar	18.2	10.0	54.9	Pickford (2015)
<i>H. major</i>	FM 2327	p3	Strumyani	20.0	10.5	52.5	Geraads et al. (2011)
<i>H. major</i>	MNHN TRQ 675	p3	Kuşukçekmece	22.6	12.3	54.4	Pickford (2015)
<i>H. major</i>	Tbilisi	p3	Bazaleti	21.7	15.6	71.9	Pickford (2015)
<i>H. major</i>	IPAS Dz 104	p3	Dzedzvtachevi	18.2	11.8	64.8	Pickford (2015)
<i>H. major</i>	IPAS Dz 133	p3	Dzedzvtachevi	19.3	11.6	60.1	Pickford (2015)
<i>H. major</i>	NMT 351-6	p3	Udabno	18.8	12.2	64.9	Pickford (2015)
<i>H. major</i>	NMT 343-13(3)	p3	Udabno	19.6	11.3	57.7	Pickford (2015)
<i>H. major</i>	NMT 353-6	p3	Udabno	18.5	11.4	61.6	Pickford (2015)
<i>H. major</i>	NMT 343-13(2)	p3	Udabno	20.1	14.1	70.1	Pickford (2015)
<i>H. major</i>	K-5277	p3	Kalimantsi	18.8	9.3	49.5	Kostopoulos et al. (2001)
<i>H. major</i>	K-5276	p3	Kalimantsi	20.4	11.5	56.4	Kostopoulos et al. (2001)
<i>H. major</i>	K-5276	p3	Kalimantsi	19.8	11.5	58.1	Kostopoulos et al. (2001)
<i>H. major</i>	K-5282	p3	Kalimantsi	19.5	10.7	54.9	Kostopoulos et al. (2001)
<i>H. major</i>	PER-360	p3	Perivolaki	17.6	9.4	53.4	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	MTLA-479	p3	Mytilinii-1A, Samos	18.0	8.3	46.1	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	MTLA-300	p3	Mytilinii-1A, Samos	20.1	10.1	50.2	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	MTLA-300	p3	Mytilinii-1A, Samos	20.2	9.8	48.5	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	NHMW 1911v211	p3	Samos	18.5	10.2	55.1	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	58-HAY-05	p3	58-HAY-19 (Sivas)	17.3	8.8	50.9	Van der Made et al. (2013)
<i>H. major</i>	58-HAY-05	p3	58-HAY-19 (Sivas)	17.3	9.1	52.6	Van der Made et al. (2013)

<i>P. palaeochoerus</i>	IPS128651	p4	Can Missert 2	18.4	13.1	71.2	Alba et al. (2024)
<i>P. palaeochoerus</i>	IPS128664	p4	Can Missert 2	18.0	12.9	71.7	Alba et al. (2024)
<i>P. palaeochoerus</i>	MAFI051	p4	Rudabánya	17.8	13.2	74.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI052	p4	Rudabánya	17.4	12.9	74.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI054	p4	Rudabánya	16.2	12.0	74.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI055	p4	Rudabánya	17.6	13.4	76.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI056	p4	Rudabánya	16.7	12.0	71.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI057	p4	Rudabánya	16.7	11.3	67.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI058	p4	Rudabánya	16.2	11.1	68.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI089	p4	Rudabánya	17.3	13.0	75.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI133a	p4	Rudabánya	17.7	13.1	74.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1978/127	p4	Rudabánya	17.7	12.4	70.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	p4	Rudabánya	17.4	12.1	69.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/184	p4	Rudabánya	17.1	12.7	74.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1991/18	p4	Rudabánya	16.7	12.5	74.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1991/18	p4	Rudabánya	16.7	12.2	73.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/439	p4	Rudabánya	16.9	12.3	72.8	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI247	p4	Rudabánya	17.9	12.8	71.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI251	p4	Rudabánya	17.7	15.1	85.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	22-1067	p4	Grytsiv	16.5	11.6	70.3	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1068	p4	Grytsiv	16.6	11.7	70.5	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	MNHN 82-07	p4	Eppelsheim	18.9	12.3	65.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHN PW 2002/301 LS	p4	Eppelsheim	18.0	12.2	67.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHN 1932/799	p4	Gau-Weinheim	17.8	14.0	78.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHN 1932/96	p4	Gau-Weinheim	18.0	12.9	71.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHN 1933/595	p4	Gau-Weinheim	16.8	12.5	74.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHN 1949/22	p4	Gau-Weinheim	17.6	12.6	71.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHN 1962/1017	p4	Gau-Weinheim	18.0	12.9	71.7	Pickford (2013a)

<i>P. palaeochoerus</i>	HLMD Din 1082 cast	p4	Gau-Weinheim Wissberg	18.0	12.4	68.9	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 3	p4	Eppelsheim	17.0	11.9	70.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 2012/2 LS	p4	Eppelsheim	18.3	12.4	67.8	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 48	p4	Esselborn	19.5	13.4	68.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/799	p4	Gau-Weinheim	18.2	13.0	71.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/595	p4	Gau-Weinheim	16.8	13.4	79.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/256	p4	Gau-Weinheim	18.6	13.0	69.9	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/257	p4	Gau-Weinheim	16.7	13.0	77.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/355	p4	Gau-Weinheim	18.4	12.4	67.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/840	p4	Gau-Weinheim	17.5	12.6	72.0	Pickford (2013a)
<i>P. palaeochoerus</i>	NHMW w/n	p4	Hennersdorf ("Wien")	14.4	12.8	88.5	Hellmund (1995)
<i>P. palaeochoerus</i>	NHMW A 4213	p4	Wien III, Belvedere	17.1	11.7	68.4	Hellmund (1995)
<i>P. palaeochoerus</i>	MBFSZ V 2017.21.1.	p4	Alsótelekes	15.8	12.2	77.2	Iannucci & Begun (2022)
<i>P. palaeochoerus</i>	IPS107069	p4	Creu de Conill 20	21.2	13.2	62.3	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS107069	p4	Creu de Conill 20	20.4	13.9	68.1	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114386	p4	Creu de Conill 20	19.0	12.6	66.3	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114386	p4	Creu de Conill 20	18.8	13.3	70.7	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS93147	p4	Castell de Barberà	17.6	14.0	79.5	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS93154	p4	Castell de Barberà	20.1	13.5	67.2	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92382	p4	Castell de Barberà	18.6	14.2	76.3	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92415	p4	Castell de Barberà	18.1	13.1	72.4	McKenzie et al. (2024)
<i>P. hysudricus</i>	GSP 12342	p4	Middle Siwaliks (India) loc. 324	16.7	9.2	55.1	Pickford (1988)
<i>P. hysudricus</i>	GSP 5823	p4	Middle Siwaliks (India) loc. 214	14.4	11.3	78.5	Pickford (1988)
<i>P. hysudricus</i>	GSP 9355	p4	Middle Siwaliks (India) loc. 260	16.6	11.4	68.7	Pickford (1988)
<i>P. hysudricus</i>	GSP 12732	p4	Middle Siwaliks (India) loc. 262	16.0	9.6	60.0	Pickford (1988)
<i>P. hysudricus</i>	GSP 457	p4	Middle Siwaliks (India) loc. 24	15.0	11.4	76.0	Pickford (1988)
<i>P. hysudricus</i>	GSP 5230	p4	Middle Siwaliks (India) loc. 211	16.4	10.8	65.9	Pickford (1988)
<i>P. hysudricus</i>	GSP 2807	p4	Middle Siwaliks (India) loc. 105	14.5	10.0	69.0	Pickford (1988)

<i>P. hysudricus</i>	GSP 7017	p4	Middle Siwaliks (India) loc. 231	15.6	12.6	80.8	Pickford (1988)
<i>P. hysudricus</i>	GSP 2503	p4	Middle Siwaliks (India) loc. ?	13.6	11.6	85.3	Pickford (1988)
<i>P. hysudricus</i>	GSP 10998	p4	Middle Siwaliks (India) loc. 314	15.5	11.6	74.8	Pickford (1988)
<i>P. hysudricus</i>	B742	p4	Middle Siwaliks (India) South of Soan R.	15.3	10.7	69.9	Pickford (1988)
<i>P. hysudricus</i>	B39	p4	Middle Siwaliks (India) Hasnot	13.9	9.9	71.2	Pickford (1988)
<i>P. hysudricus</i>	B32	p4	Middle Siwaliks (India) Potwar	18.0	12.0	66.7	Pickford (1988)
<i>P. hysudricus</i>	B715	p4	Middle Siwaliks (India) Hasnot	17.5	12.5	71.4	Pickford (1988)
<i>P. hysudricus</i>	PUPC 97/41	p4	Middle Siwaliks (Pakistan)	16.7	10.7	64.1	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 97/40	p4	Middle Siwaliks (Pakistan)	15.9	10.0	62.9	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 16/86	p4	Middle Siwaliks (Pakistan)	18.3	12.3	67.2	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 94/65	p4	Middle Siwaliks (Pakistan)	14.8	9.3	62.8	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 99/02	p4	Dhok Pathan	14.5	11.0	75.9	Khan et al. (2010)
<i>P. hysudricus</i>	PUPC 07/32	p4	Dhok Pathan	14.4	10.5	72.9	Khan et al. (2010)
<i>P. hysudricus</i>	PUPC 94/65	p4	Dhok Pathan	15.0	9.5	63.3	Khan et al. (2010)
<i>P. hysudricus</i>	PUPC 13/63	p4	Dhok Pathan type locality	15.0	10.7	71.3	Dar et al. (2019)
<i>P. hysudricus</i>	PUPC 09/95	p4	Dhok Pathan type locality	15.2	11.7	77.0	Dar et al. (2019)
<i>P. hysudricus</i>	PC-GCUF 11/181	p4	Hasnot, Potwar plateau (Pakistan)	15.3	9.5	62.1	Batool et al. (2015)
<i>P. hysudricus</i>	MGW 0004	p4	Thittayagauk & Chaingzauk	15.6	10.9	69.9	Thaung-Htike et al. (2006)
<i>P. hysudricus</i>	NMMP-KU-IR 0190	p4	Thittayagauk & Chaingzauk	15.3	10.9	71.2	Thaung-Htike et al. (2006)
<i>P. wui</i>	YUGD-095	p4	Irrawaddy Formation (Myanmar)	12.8	9.3	72.7	Chit Sein et al. (2009)
<i>P. wui</i>	Holotype	p4	Lufeng	12.4	9.3	75.0	Van der Made & Han (1994)
<i>P. wui</i>	Holotype	p4	Lufeng	12.6	9.3	73.8	Van der Made & Han (1994)
<i>P. wui</i>	? 1	p4	Lufeng	12.4	8.3	66.9	Van der Made & Han (1994)
<i>P. wui</i>	? 2	p4	Lufeng	13.0	8.9	68.5	Van der Made & Han (1994)
<i>P. wui</i>	? 3	p4	Lufeng	12.5	9.2	73.6	Van der Made & Han (1994)
<i>P. wui</i>	? 4	p4	Lufeng	12.4	7.9	63.7	Van der Made & Han (1994)
<i>P. wui</i>	? 5	p4	Lufeng	12.3	9.0	73.2	Van der Made & Han (1994)

<i>P. wui</i>	? 7	p4	Lufeng	12.8	9.3	72.7	Van der Made & Han (1994)
<i>P. wui</i>	? 10	p4	Lufeng	12.0	8.3	69.2	Van der Made & Han (1994)
<i>P. wui</i>	? 12	p4	Lufeng	11.7	9.0	76.9	Van der Made & Han (1994)
<i>P. wui</i>	?	p4	Lufeng	12.6	8.8	69.8	Van der Made & Han (1994)
<i>P. wui</i>	?	p4	Lufeng	12.1	8.1	66.9	Van der Made & Han (1994)
<i>P. wui</i>	?	p4	Lufeng	13.3	8.9	66.9	Van der Made & Han (1994)
<i>P. wui</i>	?	p4	Lufeng	12.3	8.4	68.3	Van der Made & Han (1994)
<i>P. wui</i>	?	p4	Lufeng	12.3	7.9	64.2	Van der Made & Han (1994)
<i>P. wui</i>	?	p4	Lufeng	13.2	9.4	71.2	Van der Made & Han (1994)
<i>P. wui</i>	?	p4	Lufeng	13.1	9.6	73.3	Van der Made & Han (1994)
<i>P. wui</i>	?	p4	Lufeng	13.6	9.4	69.1	Van der Made & Han (1994)
<i>P. wui</i>	?	p4	Lufeng	12.6	8.0	63.5	Van der Made & Han (1994)
<i>P. wui</i>	?	p4	Lufeng	12.4	8.7	70.2	Van der Made & Han (1994)
<i>P. wui</i>	?	p4	Lufeng	12.3	8.6	69.9	Van der Made & Han (1994)
<i>P. wui</i>	?	p4	Lufeng	11.9	9.0	75.6	Van der Made & Han (1994)
<i>P. wui</i>	?	p4	Lufeng	12.5	8.8	70.4	Van der Made & Han (1994)
<i>P. wui</i>	?	p4	Lufeng	12.9	8.8	68.2	Van der Made & Han (1994)
<i>P. provincialis</i>	MNHN.F.MON16	p4	Montpellier	17.0	13.1	77.1	Pickford (2013b)
<i>P. provincialis</i>	MNHN.F.MON17	p4	Montpellier	16.8	12.2	72.6	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 881	p4	Montpellier	18.7	12.0	64.2	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 884	p4	Montpellier	15.2	12.2	80.3	Pickford (2013b)
<i>P. provincialis</i>	MNHN.F.MON16	p4	Montpellier	17.2	12.9	75.0	Pickford (2013b)
<i>P. provincialis</i>	UM SM 395	p4	Montpellier	18.0	12.5	69.4	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 071	p4	Montpellier	17.3	11.7	67.6	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 072	p4	Montpellier	17.8	13.4	75.3	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 884	p4	Montpellier	17.0	12.5	73.5	Pickford (2013b)
<i>P. provincialis</i>	MNHN Cast	p4	Montpellier	17.3	12.4	71.7	Pickford (2013b)
<i>P. provincialis</i>	MNHN.F.MON16	p4	Montpellier	17.2	12.2	70.9	Pickford (2013b)

<i>P. provincialis</i>	UM SM 392	p4	Montpellier	18.3	12.3	67.2	Pickford (2013b)
<i>P. provincialis</i>	w/n	p4	Venta del Moro	20.2	14.6	72.3	Morales (1984)
<i>P. provincialis</i>	w/n	p4	Venta del Moro	17.7	11.8	66.7	Morales (1984)
<i>P. provincialis</i>	w/n	p4	Venta del Moro	17.3	12.8	74.0	Morales (1984)
<i>P. provincialis</i>	w/n	p4	Venta del Moro	17.6	12.7	72.2	Morales (1984)
<i>H. hyotherioides</i>	ZT-2015-0798	p4	Shuitangba	17.0	11.4	67.1	Hou et al. (2019)
<i>P. hyotherioides</i>	ZT-2015-2649	p4	Shuitangba	19.3	12.1	62.7	Hou et al. (2019)
<i>H. hyotherioides</i>	?	p4	Lufeng	16.2	10.7	66.0	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	p4	Lufeng	17.6	11.8	67.0	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	p4	Lufeng	17.0	11.1	65.3	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	p4	Lufeng	16.9	13.2	78.1	Van der Made & Han (1994)
<i>P. aegaeus</i>	AFS 2869c	p4	Casino Basin	16.1	11.3	70.2	Iannucci et al. (2021)
<i>P. aegaeus</i>	RZO 330	p4	Ravin des Zouaves n° 5	16.2	11.9	73.5	de Bonis & Bouvrain (1996)
<i>P. aegaeus</i>	RZO 330	p4	Ravin des Zouaves n° 5	15.9	12.3	77.4	de Bonis & Bouvrain (1996)
<i>P. aegaeus</i>	Kalnitsa	p4	Kalnitsa	15.8	12.1	76.6	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-564	p4	Vozarci	16.3	12.5	76.7	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-1544	p4	Vozarci	15.3	11.8	77.1	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-no N°	p4	Vozarci	14.0	12.2	87.1	Geraads et al. (2008)
<i>P. aegaeus</i>	KRY3490+1094	p4	Kryopigi	15.7	12.1	77.3	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	NHMW-exposition	p4	Samos	15.9	11.6	73.0	Thenius (1950)
<i>H. major</i>	GPIT MA 1319	p4	Melchingen	20.2	15.0	74.3	Pickford (2015)
<i>H. major</i>	SMF DD 4398	p4	Dorn-Dürkheim	20.2	13.1	64.9	Van der Made (1997)
<i>H. major</i>	SMF DD 973	p4	Dorn-Dürkheim	20.0	14.0	70.0	Van der Made (1997)
<i>H. major</i>	SMF DD 975	p4	Dorn-Dürkheim	20.4	13.9	68.1	Van der Made (1997)
<i>H. major</i>	MNHM 796-05	p4	Eppelsheim	19.6	12.7	64.8	Pickford (2013a)
<i>H. major</i>	SMF DD 3022	p4	Dorn-Dürkheim	21.0	14.4	68.6	Van der Made (1997)
<i>H. major</i>	SMF DD 3858	p4	Dorn-Dürkheim	19.8	14.9	75.3	Van der Made (1997)

<i>H. major</i>	SMF DD 3931	p4	Dorn-Dürkheim	20.2	15.3	75.7	Van der Made (1997)
<i>H. major</i>	SMF DD 4764	p4	Dorn-Dürkheim	18.9	14.0	74.1	Van der Made (1997)
<i>H. major</i>	SMF DD 5547	p4	Dorn-Dürkheim	21.9	15.3	69.9	Van der Made (1997)
<i>H. major</i>	SMF DD 975	p4	Dorn-Dürkheim	19.8	13.5	68.2	Van der Made (1997)
<i>H. major</i>	SMF DD 982	p4	Dorn-Dürkheim	18.8	14.2	75.5	Van der Made (1997)
<i>H. major</i>	SMF DD 990	p4	Dorn-Dürkheim	20.2	12.9	63.9	Van der Made (1997)
<i>H. major</i>	HLMD Din 94	p4	Esselborn	20.3	14.1	69.5	Pickford (2013a)
<i>H. major</i>	MNHM 1933/859	p4	Gau-Weinheim	19.5	13.4	68.7	Pickford (2013a)
<i>H. major</i>	MNCN BAT·10·09 G2·B3	p4	Batallones 10	22.6	14.6	64.6	Pickford (2015)
<i>H. major</i>	MNCN BAT·10·09 G2·B3	p4	Batallones 10	22.0	14.9	67.7	Pickford (2015)
<i>H. major</i>	MNHN LUB 656	p4	Cucuron, Luberon (and Vaugines)	20.9	16.7	79.9	Pickford (2015)
<i>H. major</i>	MNHN LUB 657	p4	Cucuron, Luberon (and Vaugines)	19.7	14.5	73.6	Pickford (2015)
<i>H. major</i>	MNHN LUB 658	p4	Cucuron, Luberon (and Vaugines)	21.0	16.0	76.2	Pickford (2015)
<i>H. major</i>	FSL 56127	p4	Cucuron, Luberon (and Vaugines)	21.0	17.0	81.0	Pickford (2015)
<i>H. major</i>	MNHN LUB 656	p4	Cucuron, Luberon (and Vaugines)	20.0	17.2	86.0	Pickford (2015)
<i>H. major</i>	MNHN LUB 657	p4	Cucuron, Luberon (and Vaugines)	20.0	14.5	72.5	Pickford (2015)
<i>H. major</i>	MNHN LUB 658	p4	Cucuron, Luberon (and Vaugines)	21.5	15.4	71.6	Pickford (2015)
<i>H. major</i>	DTK 286	p4	Dytiko	19.0	15.7	82.6	de Bonis & Bouvrain (1996)
<i>H. major</i>	DTK 286	p4	Dytiko	20.6	15.2	73.8	de Bonis & Bouvrain (1996)
<i>H. major</i>	FSL 214 217	p4	Montredon	22.7	16.1	70.9	Pickford (2015)
<i>H. major</i>	FSL 210 153	p4	Montredon	20.5	15.0	73.2	Pickford (2015)
<i>H. major</i>	FSL 210 391	p4	Montredon	22.2	15.0	67.6	Pickford (2015)
<i>H. major</i>	CCECL A.Pri 1e	p4	Alissas près Privas	21.5	15.8	73.5	Pickford (2015)
<i>H. major</i>	FSL 210 411	p4	Châlon (Drôme)	20.0	17.0	85.0	Pickford (2015)
<i>H. major</i>	FSL 210 407	p4	Dionay (Isère)	20.0	16.0	80.0	Pickford (2015)
<i>H. major</i>	MHNT 96 ICT 566 cast	p4	St Bauzile	23.0	16.0	69.6	Pickford (2015)
<i>H. major</i>	CCECL FV 1	p4	Villette Serpaize	20.0	16.0	80.0	Pickford (2015)
<i>H. major</i>	FSL 210 208	p4	Montredon	22.6	16.0	70.8	Ginsburg (1988)

<i>H. major</i>	FSL 520 033	p4	Soblay	20.2	15.4	76.2	Pickford (2015)
<i>H. major</i>	MNCN AD 27 J cast	p4	La Roma 2	20.1	14.4	71.6	Pickford (2015)
<i>H. major</i>	IPS1104	p4	Torrent de les Febulines N10	20.9	14.7	70.3	Pickford (2015)
<i>H. major</i>	IPS1186	p4	Trinxera Nord Autopista	21.9	15.4	70.3	Pickford (2015)
<i>H. major</i>	IPS1683	p4	Torrentet dels Traginers	21.3	16.4	77.0	Van der Made et al. (1992)
<i>H. major</i>	IPS8954	p4	Torrentet dels Traginers	21.1	16.1	76.3	Van der Made et al. (1992)
<i>H. major</i>	IPS168	p4	Torrentet dels Traginers	21.7	15.7	72.4	Van der Made et al. (1992)
<i>H. major</i>	RO 8J	p4	La Roma 2	20.7	14.9	72.0	Van der Made et al. (1992)
<i>H. major</i>	NHMB TD 807	p4	Salmendingen	21.0	15.2	72.4	Pickford (2015)
<i>H. major</i>	NHMW 1957 286	p4	Strätzing bei Krems	19.6	14.6	74.5	Pickford (2015)
<i>H. major</i>	NHMW Koh	p4	Kohfidisch	19.9	14.9	74.9	Pickford (2015)
<i>H. major</i>	NHMW Koh	p4	Kohfidisch	20.2	15.0	74.3	Pickford (2015)
<i>H. major</i>	NHMW A 4636	p4	Baltavar	20.4	15.5	76.0	Pickford (2015)
<i>H. major</i>	FM 2327	p4	Strumyani	21.2	16.1	75.9	Geraads et al. (2011)
<i>H. major</i>	Tbilisi	p4	Bazaleti	22.2	16.0	72.1	Pickford (2015)
<i>H. major</i>	IPAS Oz 104	p4	Dzedzvtachevi	22.9	16.2	70.7	Pickford (2015)
<i>H. major</i>	IPAS Oz 133	p4	Dzedzvtachevi	22.5	16.4	72.9	Pickford (2015)
<i>H. major</i>	NMT 351-6	p4	Udabno	22.7	16.1	70.9	Pickford (2015)
<i>H. major</i>	NMT 353-6	p4	Udabno	21.8	16.3	74.8	Pickford (2015)
<i>H. major</i>	NMT 343-13(2)	p4	Udabno	20.3	16.3	80.3	Pickford (2015)
<i>H. major</i>	NMT 343-13(3)	p4	Udabno	22.4	16.3	72.8	Pickford (2015)
<i>H. major</i>	K-5292	p4	Kalimantsi	19.2	14.2	74.0	Kostopoulos et al. (2001)
<i>H. major</i>	K-5277	p4	Kalimantsi	22.0	13.8	62.7	Kostopoulos et al. (2001)
<i>H. major</i>	K-5276	p4	Kalimantsi	21.4	16.1	75.2	Kostopoulos et al. (2001)
<i>H. major</i>	K-5276	p4	Kalimantsi	21.8	15.4	70.6	Kostopoulos et al. (2001)
<i>H. major</i>	K-5280	p4	Kalimantsi	19.8	14.6	73.7	Kostopoulos et al. (2001)
<i>H. major</i>	K-5282	p4	Kalimantsi	21.0	15.5	73.8	Kostopoulos et al. (2001)
<i>H. major</i>	PER-360	p4	Perivolaki	19.7	13.6	69.0	Sylvestrou & Kostopoulos (2006)

<i>H. major</i>	MTLA-479	p4	Mytilinii-1A, Samos	21.5	13.5	62.8	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	MTLA-300	p4	Mytilinii-1A, Samos	20.8	15.3	73.6	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	MTLA-300	p4	Mytilinii-1A, Samos	20.8	15.1	72.6	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	NHMW 1911v211	p4	Samos	19.9	15.3	76.9	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	58-HAY-05	p4	58-HAY-19 (Sivas)	19.4	14.5	74.7	Van der Made et al. (2013)
<i>H. major</i>	58-HAY-05	p4	58-HAY-19 (Sivas)	19.4	14.6	75.3	Van der Made et al. (2013)
<i>P. palaeochoerus</i>	IPS128666	m1	Can Missert 2	19.3	13.5	69.9	Alba et al. (2024)
<i>P. palaeochoerus</i>	IPS93146a	m1	Castell de Barberà	18.6	13.7	73.7	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92760	m1	Castell de Barberà	19.0	13.0	68.4	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	22-1067	m1	Grytsiv	18.2	12.9	70.9	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1068	m1	Grytsiv	18.1	12.7	70.2	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	MAFI001	m1	Rudabánya	19.2	14.5	75.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI002	m1	Rudabánya	18.9	12.8	67.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI023	m1	Rudabánya	20.2	13.0	64.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI024	m1	Rudabánya	17.1	13.0	76.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI025	m1	Rudabánya	17.2	12.2	70.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI026	m1	Rudabánya	18.9	13.3	70.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI029	m1	Rudabánya	19.8	13.0	65.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI030	m1	Rudabánya	19.3	13.0	67.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI081	m1	Rudabánya	18.2	12.9	70.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI082	m1	Rudabánya	20.7	14.4	69.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI089	m1	Rudabánya	18.3	14.2	77.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI089	m1	Rudabánya	18.1	13.8	76.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1975/119	m1	Rudabánya	17.1	12.9	75.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/121	m1	Rudabánya	19.3	12.8	66.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/24	m1	Rudabánya	20.0	12.4	62.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1978/127	m1	Rudabánya	18.9	13.7	72.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/5	m1	Rudabánya	19.9	11.9	59.8	Fortelius et al. (2005)

<i>P. palaeochoerus</i>	MAFI1989/7	m1	Rudabánya	20.1	12.0	59.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/184	m1	Rudabánya	19.3	13.9	72.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/111	m1	Rudabánya	19.8	12.5	63.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/489	m1	Rudabánya	18.7	12.4	66.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/489	m1	Rudabánya	18.4	12.4	67.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/541	m1	Rudabánya	19.1	13.2	69.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI249	m1	Rudabánya	19.6	13.5	68.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MNHM PW 2002/301 LS	m1	Eppelsheim	19.0	12.4	65.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1931/624	m1	Gau-Weinheim	17.1	12.7	74.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/213	m1	Gau-Weinheim	20.1	14.4	71.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/799	m1	Gau-Weinheim	18.6	14.1	75.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/595	m1	Gau-Weinheim	17.7	13.1	74.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/750	m1	Gau-Weinheim	18.4	13.2	71.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/751	m1	Gau-Weinheim	22.0	14.0	63.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/902a	m1	Gau-Weinheim	21.5	15.0	69.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1950/291	m1	Gau-Weinheim	18.9	15.0	79.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1954/25	m1	Gau-Weinheim	17.5	12.4	70.9	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 83	m1	Gau-Weinheim	20.1	13.7	68.2	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 3;	m1	Eppelsheim	18.5	12.8	69.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/250	m1	Gau-Weinheim	19.4	12.6	64.9	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/58	m1	Gau-Weinheim	21.6	13.3	61.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/799	m1	Gau-Weinheim	18.7	13.9	74.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/830	m1	Gau-Weinheim	21.0	15.9	75.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/840	m1	Gau-Weinheim	18.4	13.2	71.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/864	m1	Gau-Weinheim	19.3	15.1	78.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1954/11	m1	Gau-Weinheim	20.5	14.0	68.3	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 46	m1	Gau-Weinheim	19.3	14.3	74.1	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 69	m1	Gau-Weinheim	18.6	13.7	73.7	Pickford (2013a)

<i>P. palaeochoerus</i>	NHMW w/n	m1	Hennersdorf ("Wien")	18.3	12.7	69.4	Hellmund (1995)
<i>P. palaeochoerus</i>	NHMW A 4213	m1	Wien III, Belvedere	18.2	12.2	67.0	Hellmund (1995)
<i>P. palaeochoerus</i>	MBFSZ V 2017.21.1.	m1	Alsótelekes	18.1	12.8	70.7	Iannucci & Begun (2022)
<i>P. palaeochoerus</i>	IPS107069	m1	Creu de Conill 20	21.6	15.1	69.9	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114386	m1	Creu de Conill 20	19.2	14.1	73.4	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114386	m1	Creu de Conill 20	17.4	14.3	82.2	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114003	m1	Creu de Conill 20	21.3	14.5	68.1	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS124336b	m1	Creu de Conill 20	22.4	14.7	65.6	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS124336a	m1	Creu de Conill 20	21.6	14.6	67.6	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS95707	m1	Creu de Conill 20	23.0	14.4	62.6	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS107263	m1	Creu de Conill 20	21.0	13.8	65.7	McKenzie et al. (2023)
<i>P. hysudricus</i>	GSP 10998	m1	Middle Siwaliks (India) loc. 314	17.6	13.0	73.9	Pickford (1988)
<i>P. hysudricus</i>	GSP 2807	m1	Middle Siwaliks (India) loc. 105	16.0	12.0	75.0	Pickford (1988)
<i>P. hysudricus</i>	GSP 457	m1	Middle Siwaliks (India) loc. 24	16.8	11.5	68.5	Pickford (1988)
<i>P. hysudricus</i>	GSP 6226	m1	Middle Siwaliks (India) loc. 228	16.7	12.0	71.9	Pickford (1988)
<i>P. hysudricus</i>	GSP 7017	m1	Middle Siwaliks (India) loc. 231	14.6	13.0	89.0	Pickford (1988)
<i>P. hysudricus</i>	GSP 6727	m1	Middle Siwaliks (India) loc. 227	16.3	11.4	69.9	Pickford (1988)
<i>P. hysudricus</i>	GSP 4773	m1	Middle Siwaliks (India) loc. 119	16.6	12.5	75.3	Pickford (1988)
<i>P. hysudricus</i>	GSP 5112	m1	Middle Siwaliks (India) loc. 211	18.4	11.7	63.6	Pickford (1988)
<i>P. hysudricus</i>	GSP 7384	m1	Middle Siwaliks (India) loc. 243	17.5	12.4	70.9	Pickford (1988)
<i>P. hysudricus</i>	GSP 594	m1	Middle Siwaliks (India) loc. 23	16.5	11.9	72.1	Pickford (1988)
<i>P. hysudricus</i>	GSP 10082	m1	Middle Siwaliks (India) loc. 307	17.0	13.0	76.5	Pickford (1988)
<i>P. hysudricus</i>	GSP 4088	m1	Middle Siwaliks (India) loc. 159	18.8	12.3	65.4	Pickford (1988)
<i>P. hysudricus</i>	GSP 149	m1	Middle Siwaliks (India) loc. 15	16.0	10.8	67.5	Pickford (1988)
<i>P. hysudricus</i>	GSP 9146	m1	Middle Siwaliks (India) Malhuwala	16.0	11.0	68.8	Pickford (1988)
<i>P. hysudricus</i>	GSP 9355	m1	Middle Siwaliks (India) loc. 260	17.4	12.0	69.0	Pickford (1988)
<i>P. hysudricus</i>	GSP 12732	m1	Middle Siwaliks (India) loc. 262	18.0	12.0	66.7	Pickford (1988)

<i>P. hysudricus</i>	GSI 18082	m1	Middle Siwaliks (India) Haritalyangar	16.0	12.5	78.1	Pickford (1988)
<i>P. hysudricus</i>	B32	m1	Middle Siwaliks (India) Potwar	17.0	13.0	76.5	Pickford (1988)
<i>P. hysudricus</i>	B715	m1	Middle Siwaliks (India) Hasnot	16.7	13.0	77.8	Pickford (1988)
<i>P. hysudricus</i>	B742	m1	Middle Siwaliks (India) South of Soan R.	14.5	11.0	75.9	Pickford (1988)
<i>P. hysudricus</i>	B50	m1	Middle Siwaliks (India) Hasnot	16.7	11.6	69.5	Pickford (1988)
<i>P. hysudricus</i>	B50	m1	Middle Siwaliks (India) Hasnot	14.5	11.0	75.9	Pickford (1988)
<i>P. hysudricus</i>	PUPC 95/15	m1	Middle Siwaliks (Pakistan)	16.4	12.5	76.2	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 97/41	m1	Middle Siwaliks (Pakistan)	16.8	12.8	76.2	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 97/40	m1	Middle Siwaliks (Pakistan)	16.8	12.7	75.6	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 94/65	m1	Middle Siwaliks (Pakistan)	15.5	11.8	76.1	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 02/69	m1	Middle Siwaliks (Pakistan)	13.7	10.7	78.1	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 16/188	m1	Middle Siwaliks (Pakistan)	18.7	12.2	65.2	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 99/02	m1	Dhok Pathan	15.2	11.2	73.7	Khan et al. (2010)
<i>P. hysudricus</i>	PUPC 07/32	m1	Dhok Pathan	16.0	12.0	75.0	Khan et al. (2010)
<i>P. hysudricus</i>	PUPC 94/65	m1	Dhok Pathan	16.0	12.0	75.0	Khan et al. (2010)
<i>P. hysudricus</i>	AMNH 19728	m1	Middle Siwaliks, Hasnot	15.0	12.5	83.3	Colbert (1935)
<i>P. hysudricus</i>	AMNH 19534	m1	Middle Siwaliks, Hasnot	15.0	12.5	83.3	Colbert (1935)
<i>P. hysudricus</i>	NMMP-KU-IR 0190	m1	Thittayagauk & Chaingzaik	16.0	11.8	73.8	Thaung-Htike et al. (2006)
<i>P. hysudricus</i>	MGW 0004	m1	Thittayagauk & Chaingzaik	14.7	11.8	80.3	Thaung-Htike et al. (2006)
<i>P. wui</i>	YUGD-095	m1	Irrawaddy Formation (Myanmar)	14.0	10.5	75.0	Chit Sein et al. (2009)
<i>P. wui</i>	holotype	m1	Lufeng	11.7	10.1	86.3	Van der Made & Han (1994)
<i>P. wui</i>	holotype	m1	Lufeng	11.8	10.1	85.6	Van der Made & Han (1994)
<i>P. wui</i>	? 1	m1	Lufeng	12.3	9.8	79.7	Van der Made & Han (1994)
<i>P. wui</i>	? 2	m1	Lufeng	12.9	9.9	76.7	Van der Made & Han (1994)
<i>P. wui</i>	? 8	m1	Lufeng	13.8	10.2	73.9	Van der Made & Han (1994)
<i>P. wui</i>	? 10	m1	Lufeng	13.5	9.6	71.1	Van der Made & Han (1994)
<i>P. wui</i>	? 11	m1	Lufeng	13.5	9.1	67.4	Van der Made & Han (1994)

<i>P. wui</i>	? 12	m1	Lufeng	14.3	10.7	74.8	Van der Made & Han (1994)
<i>P. wui</i>	? 13	m1	Lufeng	13.5	9.8	72.6	Van der Made & Han (1994)
<i>P. wui</i>	?	m1	Lufeng	14.5	10.0	69.0	Van der Made & Han (1994)
<i>P. wui</i>	?	m1	Lufeng	13.4	9.3	69.4	Van der Made & Han (1994)
<i>P. wui</i>	?	m1	Lufeng	12.6	8.9	70.6	Van der Made & Han (1994)
<i>P. wui</i>	?	m1	Lufeng	14.1	9.7	68.8	Van der Made & Han (1994)
<i>P. wui</i>	?	m1	Lufeng	13.8	10.0	72.5	Van der Made & Han (1994)
<i>P. wui</i>	?	m1	Lufeng	13.3	9.3	69.9	Van der Made & Han (1994)
<i>P. wui</i>	?	m1	Lufeng	13.9	9.5	68.3	Van der Made & Han (1994)
<i>P. provincialis</i>	w/n	m1	Venta del Moro	18.6	14.4	77.4	Morales (1984)
<i>P. provincialis</i>	IPS100656	m1	Campredó-VF	20.3	13.9	68.5	Piñero et al. (2024)
<i>P. provincialis</i>	PDTFAU w/n	m1	Sinap Tepe 42 (Çobanpinar)	19.8	13.2	66.7	Van der Made (2003)
<i>P. provincialis</i>	PDTFAU ÇBP 12	m1	Sinap Tepe 42 (Çobanpinar)	19.4	13.2	68.0	Van der Made (2003)
<i>P. provincialis</i>	MNHN.F.MON16	m1	Montpellier	18.9	15.6	82.5	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 145	m1	Montpellier	18.8	14.3	76.1	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 161	m1	Montpellier	19.0	13.0	68.4	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 881	m1	Montpellier	20.0	14.3	71.5	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 884	m1	Montpellier	18.0	14.0	77.8	Pickford (2013b)
<i>P. provincialis</i>	MNHN.F.MON16	m1	Montpellier	18.8	15.6	83.0	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 071	m1	Montpellier	19.0	13.6	71.6	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 072	m1	Montpellier	19.0	15.5	81.6	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 884	m1	Montpellier	18.5	15.5	83.8	Pickford (2013b)
<i>P. provincialis</i>	UM SM 392	m1	Montpellier	19.2	14.4	75.0	Pickford (2013b)
<i>P. aegaeus</i>	Bac. 1042	m1	Baccinello V3	17.2	11.7	68.9	Gallai (2006)
<i>P. aegaeus</i>	Bac. 1048	m1	Baccinello V3	16.1	12.5	77.6	Gallai (2006)
<i>P. aegaeus</i>	Bac. 1048	m1	Baccinello V3	15.7	12.5	79.6	Gallai (2006)
<i>P. aegaeus</i>	Bac. 1027	m1	Baccinello V3	17.2	11.9	69.2	Gallai (2006)
<i>P. aegaeus</i>	RZO 330	m1	Ravin des Zouaves n° 5	16.7	12.4	74.3	de Bonis & Bouvrain (1996)

<i>P. aegaeus</i>	RZO 330	m1	Ravin des Zouaves n° 5	17.0	12.6	74.1	de Bonis & Bouvrain (1996)
<i>P. aegaeus</i>	RZO 331	m1	Ravin des Zouaves n° 5	18.0	13.2	73.3	de Bonis & Bouvrain (1996)
<i>P. cf. aegaeus</i>	AMGP-MA 510	m1	Maramena	16.9	13.3	78.4	Hellmund (1995)
<i>P. aegaeus</i>	Vozarci-1544	m1	Vozarci	15.0	12.7	84.7	Geraads et al. (2008)
<i>P. aegaeus</i>	KRY3490+1094	m1	Kryopigi	14.9	13.3	89.5	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	NHMW-exposition	m1	Samos	18.3	11.9	65.0	Thenius (1950)
<i>H. major</i>	SMF DD 5554	m1	Dorn-Dürkheim	23.1	16.4	71.0	Van der Made (1997)
<i>H. major</i>	SMF DD 868	m1	Dorn-Dürkheim	23.0	15.5	67.4	Van der Made (1997)
<i>H. major</i>	SMF DD 959	m1	Dorn-Dürkheim	21.7	14.8	68.2	Van der Made (1997)
<i>H. major</i>	SMF DD 961	m1	Dorn-Dürkheim	21.8	13.9	63.8	Van der Made (1997)
<i>H. major</i>	SMF DD 962	m1	Dorn-Dürkheim	22.1	14.7	66.5	Van der Made (1997)
<i>H. major</i>	SMF DD 967	m1	Dorn-Dürkheim	22.4	14.7	65.6	Van der Made (1997)
<i>H. major</i>	SMF DD 4320	m1	Dorn-Dürkheim	20.7	14.9	72.0	Van der Made (1997)
<i>H. major</i>	SMF DD 968	m1	Dorn-Dürkheim	23.1	14.8	64.1	Van der Made (1997)
<i>H. major</i>	MNCN BAT·10·09 G2·B3	m1	Batallones 10	23.2	16.4	70.7	Pickford (2015)
<i>H. major</i>	MNCN BAT·10·09 G2·B3	m1	Batallones 10	23.0	16.6	72.2	Pickford (2015)
<i>H. major</i>	MR 3.008.991	m1	Cucuron, Luberon (and Vaugines)	26.0	19.0	73.1	Pickford (2015)
<i>H. major</i>	MNHN LUB 656	m1	Cucuron, Luberon (and Vaugines)	22.1	17.9	81.0	Pickford (2015)
<i>H. major</i>	MNHN LUB 658	m1	Cucuron, Luberon (and Vaugines)	22.5	16.4	72.9	Pickford (2015)
<i>H. major</i>	MNHN LUB 659	m1	Cucuron, Luberon (and Vaugines)	25.0	17.0	68.0	Pickford (2015)
<i>H. major</i>	MR 3.008991	m1	Cucuron, Luberon (and Vaugines)	27.0	18.2	67.4	Pickford (2015)
<i>H. major</i>	MNHN LUB 656	m1	Cucuron, Luberon (and Vaugines)	23.2	18.2	78.4	Pickford (2015)
<i>H. major</i>	MNHN LUB 659	m1	Cucuron, Luberon (and Vaugines)	26.0	17.6	67.7	Pickford (2015)
<i>H. major</i>	DTK 286	m1	Dytiko	22.3	16.6	74.4	de Bonis & Bouvrain (1996)
<i>H. major</i>	DTK 286	m1	Dytiko	21.0	16.1	76.7	de Bonis & Bouvrain (1996)
<i>H. major</i>	FSL 210 210	m1	Montredon	23.0	15.8	68.7	Pickford (2015)
<i>H. major</i>	FSL 210 153	m1	Montredon	22.0	16.0	72.7	Pickford (2015)

<i>H. major</i>	FSL 210 391	m1	Montredon	22.7	16.0	70.5	Pickford (2015)
<i>H. major</i>	CCECL A.Pri 1e	m1	Alissas près Privas	21.6	17.2	79.6	Pickford (2015)
<i>H. major</i>	FSL 210 407	m1	Dionay (Isère)	22.0	17.0	77.3	Pickford (2015)
<i>H. major</i>	FSL 520 039	m1	Soblay	23.2	15.2	65.5	Pickford (2015)
<i>H. major</i>	FSL 520 031	m1	Soblay	24.8	16.0	64.5	Pickford (2015)
<i>H. major</i>	FSL 520 028	m1	Soblay	22.5	15.0	66.7	Pickford (2015)
<i>H. major</i>	NHMUK M 7827	m1	Casteani	21.0	17.0	81.0	Pickford (2015)
<i>H. major</i>	IPS1179	m1	Santa Margarida N4-5	23.6	15.8	66.9	Pickford (2015)
<i>H. major</i>	IPS8954	m1	Torrentet dels Traginers	23.9	17.1	71.5	Van der Made et al. (1992)
<i>H. major</i>	IPS1681	m1	Torrentet dels Traginers	24.1	16.8	69.7	Van der Made et al. (1992)
<i>H. major</i>	18495	m1	Piera	24.8	16.8	67.7	Van der Made et al. (1992)
<i>H. major</i>	NHMW 1957 286	m1	Strätzing bei Krems	21.3	16.3	76.5	Pickford (2015)
<i>H. major</i>	NHMW Koh	m1	Kohfidisch	22.6	15.4	68.1	Pickford (2015)
<i>H. major</i>	NHMW A 4636	m1	Baltavar	21.0	16.9	80.5	Pickford (2015)
<i>H. major</i>	LPUB 881	m1	Cimislia	22.1	15.1	68.3	Pickford (2015)
<i>H. major</i>	FM 2327	m1	Strumyani	22.5	16.9	75.1	Geraads et al. (2011)
<i>H. major</i>	FM 2802	m1	Strumyani	23.6	15.8	66.9	Geraads et al. (2011)
<i>H. major</i>	Tbilisi	m1	Bazaleti	23.7	16.0	67.5	Pickford (2015)
<i>H. major</i>	IPAS Dz 104	m1	Dzedzvtachevi	22.7	16.5	72.7	Pickford (2015)
<i>H. major</i>	IPAS Dz 133	m1	Dzedzvtachevi	23.1	16.6	71.9	Pickford (2015)
<i>H. major</i>	NMT 343-13(3)	m1	Udabno	24.0	17.3	72.1	Pickford (2015)
<i>H. major</i>	K-5277	m1	Kalimantsi	25.5	16.7	65.5	Kostopoulos et al. (2001)
<i>H. major</i>	K-5276	m1	Kalimantsi	21.9	17.0	77.6	Kostopoulos et al. (2001)
<i>H. major</i>	K-5276	m1	Kalimantsi	21.6	17.0	78.7	Kostopoulos et al. (2001)
<i>H. major</i>	Eldari	m1	Eldari	20.0	16.0	80.0	Pickford (2015)
<i>H. major</i>	PER-360	m1	Perivolaki	19.9	14.7	73.9	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	MTLA-479	m1	Mytilinii-1A, Samos	21.2	15.9	75.0	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	MTLA-300	m1	Mytilinii-1A, Samos	22.1	16.8	76.0	Sylvestrou & Kostopoulos (2006)

<i>H. major</i>	MTLA-300	m1	Mytilinii-1A, Samos	23.1	17.2	74.5	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	NHMW 1911v211	m1	Samos	20.9	16.2	77.5	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	AMNH 22882-Q4	m1	Quarry 4 (Q4), Potamies ravine, Samos	22.4	15.9	71.0	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	AMNH 22882-Q4	m1	Quarry 4 (Q4), Potamies ravine, Samos	23.0	15.7	68.3	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	NKT-126	m1	Nikiti-1	24.0	16.2	67.5	Kostopoulos (1994)
<i>H. major</i>	58-HAY-19/250	m1	58-HAY-19 (Sivas)	23.4	15.8	67.5	Van der Made et al. (2013)
<i>P. palaeochoerus</i>	IPS12866	m2	Can Missert 2 [CMI2]	21.3	15.5	72.8	Alba et al. (2024)
<i>P. palaeochoerus</i>	IPS93146a	m2	Castell de Barberà	22.0	17.1	77.7	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS87621	m2	Castell de Barberà	23.6	17.2	72.9	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92391	m2	Castell de Barberà	24.7	18.2	73.7	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	22-1067	m2	Grytsiv	21.9	15.2	69.4	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1068	m2	Grytsiv	22.0	15.0	68.2	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1072	m2	Grytsiv	22.5	15.7	69.8	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	MAFI001	m2	Rudabánya	22.4	17.4	77.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI010	m2	Rudabánya	21.5	14.9	69.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI011	m2	Rudabánya	22.8	15.5	68.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI013&022	m2	Rudabánya	21.4	14.8	69.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI015	m2	Rudabánya	23.4	16.3	69.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI016	m2	Rudabánya	22.9	15.6	68.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI017	m2	Rudabánya	22.8	15.9	69.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI018	m2	Rudabánya	23.8	16.3	68.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI020	m2	Rudabánya	22.9	15.9	69.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI079	m2	Rudabánya	22.5	16.0	71.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI089	m2	Rudabánya	22.4	16.7	74.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI089	m2	Rudabánya	22.1	16.7	75.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1975/119	m2	Rudabánya	20.8	16.0	76.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/121	m2	Rudabánya	20.5	14.2	69.3	Fortelius et al. (2005)

<i>P. palaeochoerus</i>	MAFI1978/127	m2	Rudabánya	23.0	16.2	70.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	m2	Rudabánya	23.6	15.7	66.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/184	m2	Rudabánya	22.7	15.9	70.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/489	m2	Rudabánya	21.7	15.0	69.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/489	m2	Rudabánya	22.3	15.0	67.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI245	m2	Rudabánya	24.0	16.4	68.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	BSPG 1956 I 524	m2	Gau-Weinheim	21.6	16.9	78.2	Pickford (2013a)
<i>P. palaeochoerus</i>	Worms P 179	m2	Westhofen	23.0	17.2	74.8	Pickford (2013a)
<i>P. palaeochoerus</i>	DME MNHM PW 2001-10066-LS	m2	Eppelsheim	24.0	16.8	70.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM PW 2002/301 LS	m2	Eppelsheim	23.0	15.4	67.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1930/466	m2	Gau-Weinheim	24.9	17.7	71.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1931/624	m2	Gau-Weinheim	23.0	15.5	67.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/14	m2	Gau-Weinheim	23.2	16.4	70.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/549	m2	Gau-Weinheim	22.0	16.8	76.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/791	m2	Gau-Weinheim	24.4	17.4	71.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/799	m2	Gau-Weinheim	22.4	16.7	74.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/293	m2	Gau-Weinheim	22.2	16.0	72.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/595	m2	Gau-Weinheim	21.9	15.7	71.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/78	m2	Gau-Weinheim	22.0	16.1	73.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/837	m2	Gau-Weinheim	23.4	16.7	71.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/841	m2	Gau-Weinheim	21.6	17.6	81.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/861	m2	Gau-Weinheim	22.6	16.7	73.9	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1950/100	m2	Gau-Weinheim	23.1	18.0	77.9	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1950/78	m2	Gau-Weinheim	23.7	15.8	66.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1952/584	m2	Gau-Weinheim	24.7	16.4	66.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1952/593	m2	Gau-Weinheim	23.1	15.6	67.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1955/130	m2	Gau-Weinheim	20.5	16.6	81.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1962/1017	m2	Gau-Weinheim	21.4	15.9	74.3	Pickford (2013a)

<i>P. palaeochoerus</i>	MNHM 1962/1018	m2	Gau-Weinheim	21.2	17.2	81.1	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 43	m2	Gau-Weinheim	21.2	16.5	77.8	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 70	m2	Gau-Weinheim	22.0	16.5	75.0	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 72	m2	Gau-Weinheim	22.0	16.3	74.1	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 73	m2	Gau-Weinheim	25.0	16.2	64.8	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 3	m2	Eppelsheim	23.3	16.3	70.0	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 74	m2	Eppelsheim	23.4	15.7	67.1	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 76	m2	Eppelsheim	23.4	16.8	71.8	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 79	m2	Esselborn	22.8	17.3	75.9	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1931/369	m2	Gau-Weinheim	23.7	17.2	72.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/547	m2	Gau-Weinheim	24.8	18.2	73.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/557	m2	Gau-Weinheim	21.5	16.6	77.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/799	m2	Gau-Weinheim	22.7	16.8	74.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/322	m2	Gau-Weinheim	22.0	18.0	81.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/393	m2	Gau-Weinheim	22.4	18.0	80.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/497	m2	Gau-Weinheim	22.8	15.7	68.9	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/595	m2	Gau-Weinheim	22.0	16.0	72.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/830	m2	Gau-Weinheim	21.2	16.0	75.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/838	m2	Gau-Weinheim	25.6	16.7	65.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/839	m2	Gau-Weinheim	22.0	15.0	68.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/246	m2	Gau-Weinheim	25.0	16.3	65.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/840	m2	Gau-Weinheim	21.0	15.4	73.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/859	m2	Gau-Weinheim	25.0	17.4	69.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/860	m2	Gau-Weinheim	23.4	16.4	70.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/863	m2	Gau-Weinheim	23.5	16.1	68.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1952/594	m2	Gau-Weinheim	22.7	15.5	68.3	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 46	m2	Gau-Weinheim Wissberg	23.0	17.4	75.7	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 69	m2	Gau-Weinheim Wissberg	24.0	16.9	70.4	Pickford (2013a)

<i>P. palaeochoerus</i>	NHMW A 4208	m2	Groß Mugl	22.1	16.5	74.7	Hellmund (1995)
<i>P. palaeochoerus</i>	NHMW w/n	m2	Hennersdorf ("Wien")	22.8	15.8	69.3	Hellmund (1995)
<i>P. palaeochoerus</i>	MBFSZ V 2017.21.1.	m2	Alsótelekes	21.4	15.1	70.6	Iannucci & Begun (2022)
<i>P. palaeochoerus</i>	IPS107069	m2	Creu de Conill 20	27.1	17.8	65.7	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS107069	m2	Creu de Conill 20	25.5	17.9	70.2	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114386	m2	Creu de Conill 20	23.3	17.7	76.0	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114386	m2	Creu de Conill 20	23.4	17.8	76.1	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS95623	m2	Creu de Conill 20	25.0	17.9	71.6	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS113969	m2	Creu de Conill 20	21.6	16.9	78.2	McKenzie et al. (2023)
<i>P. hysudricus</i>	YUGD-092	m2	Irrawaddy Formation (Myanmar)	19.1	15.5	81.2	Chit Sein et al. (2009)
<i>P. hysudricus</i>	GSP 12201	m2	Middle Siwaliks (India) loc. 311	22.5	16.5	73.3	Pickford (1988)
<i>P. hysudricus</i>	GSP 10082	m2	Middle Siwaliks (India) loc. 307	22.0	17.3	78.6	Pickford (1988)
<i>P. hysudricus</i>	GSP 6011	m2	Middle Siwaliks (India) loc. 341	22.3	16.3	73.1	Pickford (1988)
<i>P. hysudricus</i>	GSP 10098	m2	Middle Siwaliks (India) loc. 314	22.2	16.3	73.4	Pickford (1988)
<i>P. hysudricus</i>	GSP 2807	m2	Middle Siwaliks (India) loc. 105	20.6	14.3	69.4	Pickford (1988)
<i>P. hysudricus</i>	GSP 457	m2	Middle Siwaliks (India) loc. 24	22.0	16.0	72.7	Pickford (1988)
<i>P. hysudricus</i>	GSP 7384	m2	Middle Siwaliks (India) loc. 243	22.0	15.0	68.2	Pickford (1988)
<i>P. hysudricus</i>	GSP 7017	m2	Middle Siwaliks (India) loc. 231	20.7	14.7	71.0	Pickford (1988)
<i>P. hysudricus</i>	GSP 2503	m2	Middle Siwaliks (India) loc. ?	21.0	17.0	81.0	Pickford (1988)
<i>P. hysudricus</i>	GSP 4773	m2	Middle Siwaliks (India) loc. 119	23.5	16.7	71.1	Pickford (1988)
<i>P. hysudricus</i>	GSP 5212	m2	Middle Siwaliks (India) loc. 211	24.0	18.0	75.0	Pickford (1988)
<i>P. hysudricus</i>	GSP 9145	m2	Middle Siwaliks (India) Malhuwala	19.3	16.0	82.9	Pickford (1988)
<i>P. hysudricus</i>	GSP 9403	m2	Middle Siwaliks (India) loc. 97	23.0	17.0	73.9	Pickford (1988)
<i>P. hysudricus</i>	GSP 9355	m2	Middle Siwaliks (India) loc. 260	22.7	15.5	68.3	Pickford (1988)
<i>P. hysudricus</i>	B742	m2	Middle Siwaliks (India) South of Soan R.	20.0	13.9	69.5	Pickford (1988)
<i>P. hysudricus</i>	B39	m2	Middle Siwaliks (India) Hasnot	19.0	14.5	76.3	Pickford (1988)
<i>P. hysudricus</i>	B32	m2	Middle Siwaliks (India) Potwar	23.0	17.0	73.9	Pickford (1988)

<i>P. hysudricus</i>	B715	m2	Middle Siwaliks (India) Hasnot	23.0	16.4	71.3	Pickford (1988)
<i>P. hysudricus</i>	PUPC 15/20	m2	Hasnot, Potwar plateau (Pakistan)	21.4	14.3	66.8	Sarwar et al. (2016)
<i>P. hysudricus</i>	PUPC 16/103	m2	Middle Siwaliks (Pakistan)	21.0	15.3	72.9	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 95/15	m2	Middle Siwaliks (Pakistan)	23.4	16.0	68.4	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 97/41	m2	Middle Siwaliks (Pakistan)	20.9	16.8	80.4	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 97/40	m2	Middle Siwaliks (Pakistan)	22.0	16.0	72.7	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 99/1	m2	Middle Siwaliks (Pakistan)	27.9	18.7	67.0	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 99/1	m2	Middle Siwaliks (Pakistan)	19.4	16.8	86.6	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 16/73	m2	Middle Siwaliks (Pakistan)	20.0	13.4	67.0	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 94/65	m2	Middle Siwaliks (Pakistan)	20.0	15.6	78.0	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 02/69	m2	Middle Siwaliks (Pakistan)	19.2	13.3	69.3	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 16/187	m2	Middle Siwaliks (Pakistan)	19.3	16.7	86.5	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 07/32	m2	Dhok Pathan	20.5	15.4	75.1	Khan et al. (2010)
<i>P. hysudricus</i>	PUPC 94/65	m2	Dhok Pathan	21.0	15.0	71.4	Khan et al. (2010)
<i>P. hysudricus</i>	AMNH 19724	m2	Middle Siwaliks, Hasnot	22.0	17.0	77.3	Colbert (1935)
<i>P. hysudricus</i>	AMNH 19728	m2	Middle Siwaliks, Hasnot	22.0	18.0	81.8	Colbert (1935)
<i>P. hysudricus</i>	AMNH 19534	m2	Middle Siwaliks, Hasnot	21.0	17.0	81.0	Colbert (1935)
<i>P. hysudricus</i>	MGW 0004	m2	Thittayagauk & Chaingzauk	20.5	15.1	73.7	Thaung-Htike et al. (2006)
<i>P. hysudricus</i>	NMMP-KU-IR 0190	m2	Thittayagauk & Chaingzauk	19.7	14.4	73.1	Thaung-Htike et al. (2006)
<i>P. wui</i>	YUGD-095	m2	Irrawaddy Formation (Myanmar)	19.0	13.3	70.0	Chit Sein et al. (2009)
<i>P. wui</i>	Holotype	m2	Lufeng	16.6	14.0	84.3	Van der Made & Han (1994)
<i>P. wui</i>	Holotype	m2	Lufeng	16.7	14.0	83.8	Van der Made & Han (1994)
<i>P. wui</i>	? 1	m2	Lufeng	16.8	12.9	76.8	Van der Made & Han (1994)
<i>P. wui</i>	? 2	m2	Lufeng	16.7	13.3	79.6	Van der Made & Han (1994)
<i>P. wui</i>	? 3	m2	Lufeng	16.3	14.2	87.1	Van der Made & Han (1994)
<i>P. wui</i>	? 8	m2	Lufeng	17.8	14.3	80.3	Van der Made & Han (1994)
<i>P. wui</i>	? 9	m2	Lufeng	16.2	13.4	82.7	Van der Made & Han (1994)
<i>P. wui</i>	? 11	m2	Lufeng	17.5	12.6	72.0	Van der Made & Han (1994)

<i>P. wui</i>	? 13	m2	Lufeng	17.3	13.2	76.3	Van der Made & Han (1994)
<i>P. wui</i>	?	m2	Lufeng	16.7	13.0	77.8	Van der Made & Han (1994)
<i>P. wui</i>	?	m2	Lufeng	16.7	13.7	82.0	Van der Made & Han (1994)
<i>P. wui</i>	?	m2	Lufeng	17.2	12.5	72.7	Van der Made & Han (1994)
<i>P. wui</i>	?	m2	Lufeng	17.4	12.5	71.8	Van der Made & Han (1994)
<i>P. wui</i>	?	m2	Lufeng	16.7	13.4	80.2	Van der Made & Han (1994)
<i>P. wui</i>	?	m2	Lufeng	17.6	13.5	76.7	Van der Made & Han (1994)
<i>P. wui</i>	?	m2	Lufeng	18.2	13.0	71.4	Van der Made & Han (1994)
<i>P. wui</i>	?	m2	Lufeng	17.0	12.7	74.7	Van der Made & Han (1994)
<i>P. wui</i>	?	m2	Lufeng	17.2	13.7	79.7	Van der Made & Han (1994)
<i>P. wui</i>	?	m2	Lufeng	17.8	13.3	74.7	Van der Made & Han (1994)
<i>P. wui</i>	?	m2	Lufeng	17.9	13.5	75.4	Van der Made & Han (1994)
<i>P. wui</i>	?	m2	Lufeng	17.7	12.6	71.2	Van der Made & Han (1994)
<i>P. provincialis</i>	MNHN.F.MON16	m2	Montpellier	25.0	20.0	80.0	Pickford (2013b)
<i>P. provincialis</i>	MNHN.F.MON15	m2	Montpellier	25.0	18.6	74.4	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 072	m2	Montpellier	24.4	18.5	75.8	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 161	m2	Montpellier	24.5	17.4	71.0	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 881	m2	Montpellier	26.3	18.4	70.0	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 884	m2	Montpellier	24.5	18.2	74.3	Pickford (2013b)
<i>P. provincialis</i>	MNHN.F.MON16	m2	Montpellier	24.8	18.5	74.6	Pickford (2013b)
<i>P. provincialis</i>	MNHN.F.MON15	m2	Montpellier	25.5	19.8	77.6	Pickford (2013b)
<i>P. provincialis</i>	UM SM 462	m2	Montpellier	24.9	18.0	72.3	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 070	m2	Montpellier	25.7	18.4	71.6	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 071	m2	Montpellier	25.5	17.2	67.5	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 072	m2	Montpellier	24.1	18.5	76.8	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 884	m2	Montpellier	25.3	18.3	72.3	Pickford (2013b)
<i>P. provincialis</i>	UM SM 392	m2	Montpellier	25.0	18.2	72.8	Pickford (2013b)
<i>P. provincialis</i>	w/n	m2	Venta del Moro	25.5	18.3	71.8	Morales (1984)

<i>P. provincialis</i>	w/n	m2	Venta del Moro	25.0	17.0	68.0	Morales (1984)
<i>P. provincialis</i>	w/n	m2	Venta del Moro	25.4	18.0	70.9	Morales (1984)
<i>P. provincialis</i>	w/n	m2	Venta del Moro	24.5	17.6	71.8	Morales (1984)
<i>P. aegaeus</i>	Bac. 1048	m2	Baccinello V3	22.3	16.5	74.0	Gallai (2006)
<i>P. aegaeus</i>	Bac. 1048	m2	Baccinello V3	22.7	17.0	74.9	Gallai (2006)
<i>P. aegaeus</i>	RZO 330	m2	Ravin des Zouaves n° 5	21.0	16.0	76.2	de Bonis & Bouvrain (1996)
<i>P. aegaeus</i>	RZO 330	m2	Ravin des Zouaves n° 5	22.6	16.3	72.1	de Bonis & Bouvrain (1996)
<i>P. aegaeus</i>	RZO 331	m2	Ravin des Zouaves n° 5	22.4	17.0	75.9	de Bonis & Bouvrain (1996)
<i>P. cf. aegaeus</i>	AMGP-MA 507	m2	Maramena	24.3	16.0	65.8	Hellmund (1995)
<i>P. cf. aegaeus</i>	AMGP-MA 510	m2	Maramena	24.4	16.5	67.6	Hellmund (1995)
<i>P. aegaeus</i>	Kalnitsa	m2	Kalnitsa	21.2	16.8	79.2	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-1544	m2	Vozarci	21.2	16.0	75.5	Geraads et al. (2008)
<i>P. aegaeus</i>	KRY3490+1094	m2	Kryopigi	23.3	18.9	80.9	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	KPO2	m2	Polychrono	22.7	17.7	78.2	Lazaridis (2015)
<i>P. aegaeus</i>	KPO3	m2	Polychrono	33.4	18.4	55.2	Lazaridis (2015)
<i>P. aegaeus</i>	NHMW-exposition	m2	Samos	22.2	15.4	69.4	Thenius (1950)
<i>H. major</i>	SMF DD 3066	m2	Dorn-Dürkheim	29.4	21.0	71.4	Van der Made (1997)
<i>H. major</i>	SMF DD 3068	m2	Dorn-Dürkheim	28.5	18.3	64.2	Van der Made (1997)
<i>H. major</i>	SMF DD 3075	m2	Dorn-Dürkheim	28.8	21.0	72.9	Van der Made (1997)
<i>H. major</i>	SMF DD 3076	m2	Dorn-Dürkheim	28.0	19.7	70.4	Van der Made (1997)
<i>H. major</i>	SMF DD 3948	m2	Dorn-Dürkheim	26.9	18.7	69.5	Van der Made (1997)
<i>H. major</i>	SMF DD 4673	m2	Dorn-Dürkheim	26.1	18.9	72.4	Van der Made (1997)
<i>H. major</i>	SMF DD 5506	m2	Dorn-Dürkheim	26.8	19.5	72.8	Van der Made (1997)
<i>H. major</i>	SMF DD 5541	m2	Dorn-Dürkheim	27.9	18.5	66.3	Van der Made (1997)
<i>H. major</i>	MNCN BAT·10·09 G2·B3	m2	Batallones 10	30.1	20.3	67.4	Pickford (2015)
<i>H. major</i>	MNCN BAT·10·09 G2·B3	m2	Batallones 10	30.0	20.4	68.0	Pickford (2015)
<i>H. major</i>	MNCN CL 12·123	m2	Corral de Lobato	31.0	23.3	75.2	Pickford (2015)

<i>H. major</i>	MNCN CL 14	m2	Corral de Lobato	31.1	22.0	70.7	Pickford (2015)
<i>H. major</i>	MNHN LUB 656	m2	Cucuron, Luberon (and Vaugines)	30.0	23.2	77.3	Pickford (2015)
<i>H. major</i>	MNHN LUB 657	m2	Cucuron, Luberon (and Vaugines)	27.0	20.7	76.7	Pickford (2015)
<i>H. major</i>	MNHN LUB 658	m2	Cucuron, Luberon (and Vaugines)	29.0	20.8	71.7	Pickford (2015)
<i>H. major</i>	MNHN LUB 656	m2	Cucuron, Luberon (and Vaugines)	29.7	23.4	78.8	Pickford (2015)
<i>H. major</i>	MNHN LUB 658	m2	Cucuron, Luberon (and Vaugines)	29.0	21.0	72.4	Pickford (2015)
<i>H. major</i>	DTK 286	m2	Dytiko	28.8	21.5	74.7	de Bonis & Bouvrain (1996)
<i>H. major</i>	DTK 286	m2	Dytiko	27.9	20.3	72.8	de Bonis & Bouvrain (1996)
<i>H. major</i>	FSL 210 208	m2	Montredon	29.2	20.8	71.2	Pickford (2015)
<i>H. major</i>	FSL 210 391	m2	Montredon	29.0	19.2	66.2	Pickford (2015)
<i>H. major</i>	FSL 210 167	m2	Montredon	32.4	22.2	68.5	Pickford (2015)
<i>H. major</i>	FSL 210 391	m2	Montredon	28.0	19.3	68.9	Pickford (2015)
<i>H. major</i>	FSL 210 407	m2	Dionay (Isère)	28.7	22.4	78.0	Pickford (2015)
<i>H. major</i>	CCECL FV 1	m2	Villette Serpaize	26.0	21.0	80.8	Pickford (2015)
<i>H. major</i>	NHMUK M 7827	m2	Casteani	28.0	20.2	72.1	Pickford (2015)
<i>H. major</i>	MNCN AD 27 J cast	m2	La Roma 2	28.3	19.5	68.9	Pickford (2015)
<i>H. major</i>	IPS1178	m2	Santa Margarida N4-5	27.6	19.5	70.7	Pickford (2015)
<i>H. major</i>	IPS1179	m2	Santa Margarida N4-5	27.8	19.8	71.2	Pickford (2015)
<i>H. major</i>	IPS1683	m2	Torrentet dels Traginers	27.9	22.5	80.6	Van der Made et al. (1992)
<i>H. major</i>	IPS8954	m2	Torrentet dels Traginers	29.4	21.5	73.1	Van der Made et al. (1992)
<i>H. major</i>	IPS1681	m2	Torrentet dels Traginers	29.7	21.0	70.7	Van der Made et al. (1992)
<i>H. major</i>	RO 8J	m2	La Roma 2	28.5	20.1	70.5	Van der Made et al. (1992)
<i>H. major</i>	NHMW 1957 286	m2	Strätzing bei Krems	26.0	19.5	75.0	Pickford (2015)
<i>H. major</i>	NHMW A 4636	m2	Baltavar	28.0	21.9	78.2	Pickford (2015)
<i>H. major</i>	NHMW A 4211	m2	Baltavar	27.4	21.5	78.5	Pickford (2015)
<i>H. major</i>	FM 2327	m2	Strumyani	29.2	21.7	74.3	Geraads et al. (2011)
<i>H. major</i>	FM 2802	m2	Strumyani	29.7	20.9	70.4	Geraads et al. (2011)
<i>H. major</i>	Kuşukçekmece	m2	Kuşukçekmece	24.0	19.0	79.2	Pickford (2015)

<i>H. major</i>	Tbilisi	m2	Bazaleti	28.6	19.2	67.1	Pickford (2015)
<i>H. major</i>	IPAS Dz 104	m2	Dzedzvtachevi	29.3	20.8	71.0	Pickford (2015)
<i>H. major</i>	IPAS Dz 133	m2	Dzedzvtachevi	29.5	21.1	71.5	Pickford (2015)
<i>H. major</i>	NMT 351-6	m2	Udabno	28.0	20.5	73.2	Pickford (2015)
<i>H. major</i>	NMT 343-13(31	m2	Udabno	31.1	22.5	72.3	Pickford (2015)
<i>H. major</i>	NMT 353-6	m2	Udabno	28.6	21.4	74.8	Pickford (2015)
<i>H. major</i>	NMT 343-13(2)	m2	Udabno	27.9	23.3	83.5	Pickford (2015)
<i>H. major</i>	Eldari	m2	Eldari	27.0	20.0	74.1	Pickford (2015)
<i>H. major</i>	Eldari	m2	Eldari	29.0	22.0	75.9	Pickford (2015)
<i>H. major</i>	K-5292	m2	Kalimantsi	27.5	20.2	73.5	Kostopoulos et al. (2001)
<i>H. major</i>	K-5277	m2	Kalimantsi	30.5	21.3	69.8	Kostopoulos et al. (2001)
<i>H. major</i>	K-5276	m2	Kalimantsi	28.4	21.0	73.9	Kostopoulos et al. (2001)
<i>H. major</i>	K-5276	m2	Kalimantsi	29.6	21.6	73.0	Kostopoulos et al. (2001)
<i>H. major</i>	K-5278	m2	Kalimantsi	26.5	20.2	76.2	Kostopoulos et al. (2001)
<i>H. major</i>	K-5280	m2	Kalimantsi	26.5	19.2	72.5	Kostopoulos et al. (2001)
<i>H. major</i>	K-5298	m2	Kalimantsi	29.2	21.6	74.0	Kostopoulos et al. (2001)
<i>H. major</i>	PER-360	m2	Perivolaki	25.5	17.4	68.2	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	PER-1226	m2	Perivolaki	27.8	18.8	67.6	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	PER-1227	m2	Perivolaki	27.8	18.9	68.0	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	MTLA-479	m2	Mytilinii-1A, Samos	29.9	20.4	68.2	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	MTLA-300	m2	Mytilinii-1A, Samos	30.7	21.6	70.4	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	MTLA-300	m2	Mytilinii-1A, Samos	30.3	21.0	69.3	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	K-5290	m2	Kalimantsi	27.5	21.0	76.4	Kostopoulos et al. (2001)
<i>H. major</i>	NHMW 1911v211	m2	Samos	30.1	21.6	71.8	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	NKT-126	m2	Nikiti-1	30.5	20.5	67.2	Kostopoulos (1994)
<i>P. palaeochoerus</i>	IPS128653	m3	Can Missert 2	32.3	17.4	53.9	Alba et al. (2024)
<i>P. palaeochoerus</i>	MAFI001	m3	Rudabánya	32.0	17.8	55.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI004	m3	Rudabánya	28.9	15.9	55.0	Fortelius et al. (2005)

<i>P. palaeochoerus</i>	MAFI005	m3	Rudabánya	31.8	17.0	53.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI006	m3	Rudabánya	32.0	18.3	57.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI007	m3	Rudabánya	29.1	15.6	53.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI089	m3	Rudabánya	33.0	18.5	56.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI089	m3	Rudabánya	30.1	18.6	61.8	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI124	m3	Rudabánya	30.8	15.5	50.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI125	m3	Rudabánya	33.1	17.1	51.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1975/119	m3	Rudabánya	31.4	16.3	51.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1978/127	m3	Rudabánya	30.5	16.4	53.8	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/184	m3	Rudabánya	31.2	16.2	51.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/116	m3	Rudabánya	29.7	16.4	55.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	22-1067	m3	Grytsiv	31.2	16.8	53.8	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1068	m3	Grytsiv	31.2	16.5	52.9	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	22-1071	m3	Grytsiv	29.3	16.2	55.3	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	MNHM PW 2002/301 LS	m3	Eppelsheim	34.0	17.4	51.2	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 49	m3	Esselborn	34.0	18.0	52.9	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 95	m3	Gau-Weinheim	35.8	17.6	49.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1930/500	m3	Gau-Weinheim	34.0	17.7	52.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1931/153	m3	Gau-Weinheim	30.6	15.7	51.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1931/223	m3	Gau-Weinheim	35.1	16.6	47.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1931/34	m3	Gau-Weinheim	32.8	17.1	52.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1931/448	m3	Gau-Weinheim	36.5	18.3	50.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1931/624	m3	Gau-Weinheim	30.2	15.9	52.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/483	m3	Gau-Weinheim	32.3	15.8	48.9	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/553	m3	Gau-Weinheim	33.5	17.5	52.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/69	m3	Gau-Weinheim	30.9	15.8	51.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/799	m3	Gau-Weinheim	31.6	18.0	57.0	Pickford (2013a)

<i>P. palaeochoerus</i>	MNHM 1932/816	m3	Gau-Weinheim	31.5	16.1	51.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/290	m3	Gau-Weinheim	32.8	17.6	53.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/390	m3	Gau-Weinheim	31.2	16.8	53.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/395	m3	Gau-Weinheim	36.5	18.3	50.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/595	m3	Gau-Weinheim	31.5	16.3	51.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/835	m3	Gau-Weinheim	31.0	17.0	54.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/848	m3	Gau-Weinheim	34.6	19.0	54.9	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1950/101	m3	Gau-Weinheim	34.2	18.5	54.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1950/103	m3	Gau-Weinheim	32.7	17.4	53.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1950/172	m3	Gau-Weinheim	32.0	17.2	53.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1950/72	m3	Gau-Weinheim	32.0	17.2	53.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1950/74	m3	Gau-Weinheim	35.6	17.3	48.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1952/590	m3	Gau-Weinheim	30.6	16.0	52.3	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1954/14	m3	Gau-Weinheim	30.3	16.0	52.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1955/130	m3	Gau-Weinheim	29.3	17.0	58.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1962/1017	m3	Gau-Weinheim	31.8	16.8	52.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1962/1018	m3	Gau-Weinheim	34.6	16.7	48.3	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 43	m3	Gau-Weinheim Wissberg	32.5	18.3	56.3	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 44	m3	Gau-Weinheim Wissberg	34.4	17.7	51.5	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 56	m3	Gau-Weinheim Wissberg	34.0	17.2	50.6	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 97	m3	Gau-Weinheim Wissberg	33.5	18.5	55.2	Pickford (2013a)
<i>P. palaeochoerus</i>	BSPG 1955 I 338	m3	Gau-Weinheim Wissberg	32.3	16.9	52.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM P 177 (Worms, P 177)	m3	Westhofen	33.7	18.9	56.1	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 3	m3	Eppelsheim	34.4	18.0	52.3	Pickford (2013a)
<i>P. palaeochoerus</i>	DME MNHM PW 2001-10066-LS	m3	Eppelsheim	33.0	17.3	52.4	Pickford (2013a)
<i>P. palaeochoerus</i>	HLMD Din 4	m3	Eppelsheim	34.2	16.5	48.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 177-04	m3	Eppelsheim	34.6	17.7	51.2	Pickford (2013a)

<i>P. palaeochoerus</i>	MNHM 1932/155	m3	Gau-Weinheim	32.8	17.2	52.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/544	m3	Gau-Weinheim	31.8	16.9	53.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/561	m3	Gau-Weinheim	32.8	17.0	51.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1932/799	m3	Gau-Weinheim	31.3	17.8	56.9	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/393	m3	Gau-Weinheim	34.6	18.0	52.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/496	m3	Gau-Weinheim	32.7	17.0	52.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/595	m3	Gau-Weinheim	30.5	16.0	52.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/830	m3	Gau-Weinheim	31.3	16.0	51.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/831	m3	Gau-Weinheim	34.9	18.2	52.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/832	m3	Gau-Weinheim	33.7	17.0	50.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/899	m3	Gau-Weinheim	31.7	17.6	55.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/900	m3	Gau-Weinheim	29.7	16.7	56.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/334	m3	Gau-Weinheim	29.3	16.7	57.0	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/840	m3	Gau-Weinheim	30.3	16.5	54.5	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/846	m3	Gau-Weinheim	33.7	18.0	53.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1934/847	m3	Gau-Weinheim	32.5	16.6	51.1	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1950/71	m3	Gau-Weinheim	33.4	17.1	51.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1950/73	m3	Gau-Weinheim	31.8	15.4	48.4	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1950/75	m3	Gau-Weinheim	31.0	16.5	53.2	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1952/589	m3	Gau-Weinheim	32.3	17.0	52.6	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1952/591	m3	Gau-Weinheim	32.0	15.6	48.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1954/15	m3	Gau-Weinheim	32.4	17.1	52.8	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1962/874	m3	Gau-Weinheim	32.7	17.0	52.0	Pickford (2013a)
<i>P. palaeochoerus</i>	BSPG 1957 I 415	m3	Gau-Weinheim Wissberg	32.2	15.4	47.8	Pickford (2013a)
<i>P. palaeochoerus</i>	BSPG 1957 I 416	m3	Gau-Weinheim Wissberg	34.7	17.5	50.4	Pickford (2013a)
<i>P. palaeochoerus</i>	NHWM A 4208	m3	Groß Mugl	30.4	17.3	56.9	Hellmund (1995)
<i>P. palaeochoerus</i>	NHWM w/n	m3	Hennersdorf ("Wien")	31.3	17.1	54.6	Hellmund (1995)

<i>P. palaeochoerus</i>	NHMW A 4213	m3	Wien III, Belvedere	31.0	16.9	54.4	Hellmund (1995)
<i>P. palaeochoerus</i>	MBFSZ V 2017.21.1.	m3	Alsótelekes	28.4	14.7	51.8	Iannucci & Begun (2022)
<i>P. palaeochoerus</i>	IPS107069	m3	Creu de Conill 20	34.5	18.9	54.8	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS107069	m3	Creu de Conill 20	36.7	18.5	50.4	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114386	m3	Creu de Conill 20	34.4	18.5	53.8	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114386	m3	Creu de Conill 20	35.0	18.1	51.7	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS95623	m3	Creu de Conill 20	34.5	18.2	52.8	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS93146a	m3	Castell de Barberà	35.8	17.9	50.0	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS93146b	m3	Castell de Barberà	36.5	17.6	48.2	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33285	m3	Castell de Barberà	34.2	17.3	50.6	McKenzie et al. (2024)
<i>P. hysudricus</i>	YUGD-093	m3	Irrawaddy Formation (Myanmar)	29.7	16.2	54.5	Chit Sein et al. (2009)
<i>P. hysudricus</i>	GSP 9145	m3	Middle Siwaliks (India) Malhuwala	31.3	17.0	54.3	Pickford (1988)
<i>P. hysudricus</i>	GSP 9405	m3	Middle Siwaliks (India) loc. 97	34.0	19.0	55.9	Pickford (1988)
<i>P. hysudricus</i>	GSP 9403	m3	Middle Siwaliks (India) loc. 97	33.5	18.0	53.7	Pickford (1988)
<i>P. hysudricus</i>	GSP 11684	m3	Middle Siwaliks (India) loc. 317	32.5	18.0	55.4	Pickford (1988)
<i>P. hysudricus</i>	GSP 9355	m3	Middle Siwaliks (India) loc. 260	34.5	18.5	53.6	Pickford (1988)
<i>P. hysudricus</i>	GSP 10224	m3	Middle Siwaliks (India) loc. 309	34.6	17.9	51.7	Pickford (1988)
<i>P. hysudricus</i>	GSP 10225	m3	Middle Siwaliks (India) loc. 309	34.7	18.8	54.2	Pickford (1988)
<i>P. hysudricus</i>	GSP 6944	m3	Middle Siwaliks (India) loc. 226	32.5	17.6	54.2	Pickford (1988)
<i>P. hysudricus</i>	GSP 10231	m3	Middle Siwaliks (India) loc. 309	31.4	18.5	58.9	Pickford (1988)
<i>P. hysudricus</i>	GSP 7318	m3	Middle Siwaliks (India) loc. 241	35.0	18.5	52.9	Pickford (1988)
<i>P. hysudricus</i>	GSP 2807	m3	Middle Siwaliks (India) loc. 103	28.5	15.9	55.8	Pickford (1988)
<i>P. hysudricus</i>	GSP 6226	m3	Middle Siwaliks (India) loc. 228	31.7	16.0	50.5	Pickford (1988)
<i>P. hysudricus</i>	GSP 7017	m3	Middle Siwaliks (India) loc. 231	34.5	19.3	55.9	Pickford (1988)
<i>P. hysudricus</i>	GSP 12787	m3	Middle Siwaliks (India) loc. 287	32.7	17.8	54.4	Pickford (1988)
<i>P. hysudricus</i>	GSP 7348	m3	Middle Siwaliks (India) ???	31.8	17.0	53.5	Pickford (1988)
<i>P. hysudricus</i>	GSP 2303	m3	Middle Siwaliks (India) loc. ?	32.5	19.3	59.4	Pickford (1988)

<i>P. hysudricus</i>	GSP 12201	m3	Middle Siwaliks (India) loc. 314	34.0	17.8	52.4	Pickford (1988)
<i>P. hysudricus</i>	GSP 10082	m3	Middle Siwaliks (India) loc. 307	35.5	19.0	53.5	Pickford (1988)
<i>P. hysudricus</i>	GSP 11007	m3	Middle Siwaliks (India) loc. 314	31.1	17.7	56.9	Pickford (1988)
<i>P. hysudricus</i>	GSP 2453	m3	Middle Siwaliks (India) loc. 13	32.0	16.7	52.2	Pickford (1988)
<i>P. hysudricus</i>	GSP 10998	m3	Middle Siwaliks (India) loc. 314	33.5	18.2	54.3	Pickford (1988)
<i>P. hysudricus</i>	B32	m3	Middle Siwaliks (India) Potwar	36.0	18.0	50.0	Pickford (1988)
<i>P. hysudricus</i>	B715	m3	Middle Siwaliks (India) Hasnot	35.5	19.5	54.9	Pickford (1988)
<i>P. hysudricus</i>	B742	m3	Middle Siwaliks (India) South of Soan R.	31.0	16.0	51.6	Pickford (1988)
<i>P. hysudricus</i>	B39	m3	Middle Siwaliks (India) Hasnot	30.0	15.0	50.0	Pickford (1988)
<i>P. hysudricus</i>	PUPC 15/19	m3	Hasnot, Potwar plateau (Pakistan)	28.9	15.0	51.9	Sarwar et al. (2016)
<i>P. hysudricus</i>	PUPC 16/103	m3	Middle Siwaliks (Pakistan)	31.9	16.4	51.4	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 95/15	m3	Middle Siwaliks (Pakistan)	35.6	18.0	50.6	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 97/41	m3	Middle Siwaliks (Pakistan)	30.0	17.3	57.7	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 97/40	m3	Middle Siwaliks (Pakistan)	34.9	19.5	55.9	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 16/85	m3	Middle Siwaliks (Pakistan)	29.4	15.0	51.0	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 92/5	m3	Middle Siwaliks (Pakistan)	28.9	14.5	50.2	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 02/69	m3	Middle Siwaliks (Pakistan)	27.0	14.0	51.9	Aslam et al. (2021)
<i>P. hysudricus</i>	PUPC 07/32	m3	Dhok Pathan	28.0	16.4	58.6	Khan et al. (2010)
<i>P. hysudricus</i>	PUPC 97/15	m3	Dhok Pathan	32.5	15.5	47.7	Khan et al. (2010)
<i>P. hysudricus</i>	AMNH 19724	m3	Middle Siwaliks, Hasnot	34.0	19.0	55.9	Colbert (1935)
<i>P. hysudricus</i>	AMNH 19728	m3	Middle Siwaliks, Hasnot	40.0	20.0	50.0	Colbert (1935)
<i>P. hysudricus</i>	AMNH 19703	m3	Middle Siwaliks, Dhok Pathan	30.0	15.5	51.7	Colbert (1935)
<i>P. hysudricus</i>	AMNH 19534	m3	Middle Siwaliks, Hasnot	36.0	18.5	51.4	Colbert (1935)
<i>P. hysudricus</i>	AMNH 19698	m3	Middle Siwaliks, Dhok Pathan	33.0	18.0	54.5	Colbert (1935)
<i>P. hysudricus</i>	AMNH 19707	m3	Middle Siwaliks, Dhok Pathan	31.5	15.6	49.5	Colbert (1935)
<i>P. hysudricus</i>	PC-GCUF 12/17	m3	Hasnot, Potwar plateau (Pakistan)	29.4	14.1	48.0	Batool et al. (2015)
<i>P. hysudricus</i>	MGW 0004	m3	Thittiyagauk & Chaingzauk	32.5	16.9	52.0	Thaung-Htike et al. (2006)

<i>P. wui</i>	Holotype	m3	Lufeng	26.1	14.0	53.6	Van der Made & Han (1994)
<i>P. wui</i>	? 1	m3	Lufeng	24.0	13.5	56.3	Van der Made & Han (1994)
<i>P. wui</i>	? 2	m3	Lufeng	25.4	14.0	55.1	Van der Made & Han (1994)
<i>P. wui</i>	? 3	m3	Lufeng	25.2	14.1	56.0	Van der Made & Han (1994)
<i>P. wui</i>	? 4	m3	Lufeng	23.1	13.7	59.3	Van der Made & Han (1994)
<i>P. wui</i>	? 8	m3	Lufeng	24.5	13.9	56.7	Van der Made & Han (1994)
<i>P. wui</i>	?	m3	Lufeng	26.6	14.0	52.6	Van der Made & Han (1994)
<i>P. wui</i>	?	m3	Lufeng	24.1	12.9	53.5	Van der Made & Han (1994)
<i>P. wui</i>	?	m3	Lufeng	24.1	12.8	53.1	Van der Made & Han (1994)
<i>P. wui</i>	?	m3	Lufeng	24.4	12.5	51.2	Van der Made & Han (1994)
<i>P. wui</i>	?	m3	Lufeng	26.1	13.6	52.1	Van der Made & Han (1994)
<i>P. wui</i>	?	m3	Lufeng	29.0	16.0	55.2	Van der Made & Han (1994)
<i>P. wui</i>	?	m3	Lufeng	27.4	14.8	54.0	Van der Made & Han (1994)
<i>P. wui</i>	?	m3	Lufeng	26.8	14.7	54.9	Van der Made & Han (1994)
<i>P. wui</i>	?	m3	Lufeng	28.3	14.1	49.8	Van der Made & Han (1994)
<i>P. wui</i>	?	m3	Lufeng	27.6	14.5	52.5	Van der Made & Han (1994)
<i>P. wui</i>	?	m3	Lufeng	27.6	14.3	51.8	Van der Made & Han (1994)
<i>P. wui</i>	?	m3	Lufeng	26.4	13.7	51.9	Van der Made & Han (1994)
<i>P. provincialis</i>	MNHN.F.MON15	m3	Montpellier	35.3	20.2	57.2	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 161	m3	Montpellier	35.3	20.0	56.7	Pickford (2013b)
<i>P. provincialis</i>	MNHN.F.MON15	m3	Montpellier	35.4	20.3	57.3	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 072	m3	Montpellier	35.7	20.0	56.0	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 155	m3	Montpellier	36.7	19.9	54.2	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 881	m3	Montpellier	38.3	19.6	51.2	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 070	m3	Montpellier	36.5	20.0	54.8	Pickford (2013b)
<i>P. provincialis</i>	FSL 40 072	m3	Montpellier	37.6	20.1	53.5	Pickford (2013b)
<i>P. provincialis</i>	UM SM 393	m3	Montpellier	38.2	20.9	54.7	Pickford (2013b)

<i>P. provincialis</i>	w/n	m3	Venta del Moro	38.6	19.4	50.3	Morales (1984)
<i>P. provincialis</i>	w/n	m3	Venta del Moro	37.1	19.7	53.1	Morales (1984)
<i>P. aegaeus</i>	RZO 330	m3	Ravin des Zouaves n° 5	34.5	19.9	57.7	de Bonis & Bouvrain (1996)
<i>P. aegaeus</i>	RZO 330	m3	Ravin des Zouaves n° 5	33.6	19.2	57.1	de Bonis & Bouvrain (1996)
<i>P. cf. aegaeus</i>	AMGP-MA 510	m3	Maramena	33.7	17.2	51.0	Hellmund (1995)
<i>P. aegaeus</i>	Kalnitsa	m3	Kalnitsa	32.0	18.1	56.6	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-563	m3	Vozarci	33.8	18.8	55.6	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-564	m3	Vozarci	34.5	18.7	54.2	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-1108	m3	Vozarci	33.4	18.2	54.5	Geraads et al. (2008)
<i>P. aegaeus</i>	Vozarci-no N°	m3	Vozarci	31.5	17.7	56.2	Geraads et al. (2008)
<i>P. aegaeus</i>	AFS 2869a	m3	Casino Basin	36.8	19.8	53.8	Iannucci et al. (2021)
<i>P. aegaeus</i>	Bac. 1048	m3	Baccinello V3	33.6	15.9	47.3	Gallai (2006)
<i>P. aegaeus</i>	Bac. 1225	m3	Baccinello V3	33.0	17.7	53.6	Gallai (2006)
<i>P. aegaeus</i>	KRY3490+1094	m3	Kryopigi	34.9	18.1	51.7	Lazaridis (2015); Lazaridis et al. (2022)
<i>P. aegaeus</i>	KPO2	m3	Polychrono	33.4	18.4	55.0	Lazaridis (2015)
<i>H. major</i>	SMF DD 3026	m3	Dorn-Dürkheim	44.5	21.3	47.9	Van der Made (1997)
<i>H. major</i>	SMF DD 3035	m3	Dorn-Dürkheim	43.4	20.4	47.0	Van der Made (1997)
<i>H. major</i>	SMF DD 3042	m3	Dorn-Dürkheim	44.3	21.9	49.4	Van der Made (1997)
<i>H. major</i>	SMF DD 4316	m3	Dorn-Dürkheim	47.7	22.5	47.2	Van der Made (1997)
<i>H. major</i>	SMF DD 5534	m3	Dorn-Dürkheim	49.3	22.7	46.0	Van der Made (1997)
<i>H. major</i>	SMF DD 5543	m3	Dorn-Dürkheim	43.1	20.4	47.3	Van der Made (1997)
<i>H. major</i>	SMF DD 5552	m3	Dorn-Dürkheim	45.8	22.8	49.8	Van der Made (1997)
<i>H. major</i>	SMF DD 3039	m3	Dorn-Dürkheim	46.0	22.3	48.5	Van der Made (1997)
<i>H. major</i>	SMF DD 4087	m3	Dorn-Dürkheim	42.6	21.6	50.7	Van der Made (1997)
<i>H. major</i>	SMF DD 4556	m3	Dorn-Dürkheim	45.0	22.5	60.0	Van der Made (1997)
<i>H. major</i>	SMF DD 4781	m3	Dorn-Dürkheim	46.1	22.7	49.2	Van der Made (1997)
<i>H. major</i>	SMF DD 5504	m3	Dorn-Dürkheim	46.2	21.7	47.0	Van der Made (1997)

<i>H. major</i>	MNCN BAT·10·09 G2·B3	m3	Batallones 10	45.2	23.0	50.9	Pickford (2015)
<i>H. major</i>	MNCN BAT·10·09 G2·B3	m3	Batallones 10	45.4	22.8	50.2	Pickford (2015)
<i>H. major</i>	MNCN CL 368	m3	Corral de Lobato	48.0	25.2	52.5	Pickford (2015)
<i>H. major</i>	MNCN CL 12-120	m3	Corral de Lobato	48.8	23.9	49.0	Pickford (2015)
<i>H. major</i>	MNHN LUB 656	m3	Cucuron, Luberon (and Vaugines)	47.0	25.5	54.3	Pickford (2015)
<i>H. major</i>	MNHN LUB 657	m3	Cucuron, Luberon (and Vaugines)	43.4	22.8	52.5	Pickford (2015)
<i>H. major</i>	MNHN LUB 658	m3	Cucuron, Luberon (and Vaugines)	45.4	23.0	50.7	Pickford (2015)
<i>H. major</i>	MNHN LUB 656	m3	Cucuron, Luberon (and Vaugines)	45.0	25.2	56.0	Pickford (2015)
<i>H. major</i>	MNHN LUB 658	m3	Cucuron, Luberon (and Vaugines)	45.4	23.4	51.5	Pickford (2015)
<i>H. major</i>	DTK 286	m3	Dytiko	45.2	24.0	53.1	de Bonis & Bouvrain (1996)
<i>H. major</i>	DTK 286	m3	Dytiko	45.4	23.1	50.9	de Bonis & Bouvrain (1996)
<i>H. major</i>	FSL 210 391	m3	Montredon	45.0	21.5	47.8	Pickford (2015)
<i>H. major</i>	FSL 210 391	m3	Montredon	46.0	21.5	46.7	Pickford (2015)
<i>H. major</i>	FSL 210 201	m3	Montredon	46.4	23.0	49.6	Pickford (2015)
<i>H. major</i>	FSL 210 407	m3	Dionay (Isère)	48.5	25.0	51.5	Pickford (2015)
<i>H. major</i>	CCECL FV 1	m3	Villette Serpaize	44.0	23.2	52.7	Pickford (2015)
<i>H. major</i>	FSL 520 032	m3	Soblay	43.4	22.0	50.7	Pickford (2015)
<i>H. major</i>	FSL 520 036 cast	m3	Soblay	45.0	22.0	48.9	Pickford (2015)
<i>H. major</i>	FSL Coll. Mein Mus Seyliel cast	m3	Soblay	42.0	21.7	51.7	Pickford (2015)
<i>H. major</i>	NHMUK M 7827	m3	Casteani	43.0	23.9	55.6	Pickford (2015)
<i>H. major</i>	MNCN AD 27 J cast	m3	La Roma 2	46.6	23.0	49.4	Pickford (2015)
<i>H. major</i>	IPS1178	m3	Santa Margarida N4-5	43.4	21.5	49.5	Pickford (2015)
<i>H. major</i>	IPS1179	m3	Santa Margarida N4-5	43.8	20.9	47.7	Pickford (2015)
<i>H. major</i>	IPS1683	m3	Torrentet dels Traginers	49.7	25.2	50.7	Van der Made et al. (1992)
<i>H. major</i>	IPS8954	m3	Torrentet dels Traginers	48.2	24.0	49.8	Van der Made et al. (1992)
<i>H. major</i>	IPS1681	m3	Torrentet dels Traginers	49.2	23.5	47.8	Van der Made et al. (1992)
<i>H. major</i>	V 27	m3	Piera	49.8	24.9	50.0	Van der Made et al. (1992)

<i>H. major</i>	RO 7J	m3	La Roma 2	47.7	23.9	50.1	Van der Made et al. (1992)
<i>H. major</i>	NHMW 1957 286	m3	Strätzing bei Krems	40.5	21.3	52.6	Pickford (2015)
<i>H. major</i>	NHMW KO 3	m3	Kohfidisch	44.0	22.8	51.8	Pickford (2015)
<i>H. major</i>	NHMW Koh 1962	m3	Kohfidisch	50.0	24.5	49.0	Pickford (2015)
<i>H. major</i>	NHMB TO 427	m3	Polgardi	48.4	24.0	49.6	Pickford (2015)
<i>H. major</i>	NHMW A 4636	m3	Baltavar	44.6	22.5	50.4	Pickford (2015)
<i>H. major</i>	NHMW 1861.II.3	m3	Baltavar	46.0	24.4	53.0	Pickford (2015)
<i>H. major</i>	Tbilisi	m3	Bazaleti	45.0	22.6	50.2	Pickford (2015)
<i>H. major</i>	IPAS Dz 104	m3	Dzedzvtachevi	48.4	24.9	51.4	Pickford (2015)
<i>H. major</i>	IPAS Dz 133	m3	Dzedzvtachevi	48.0	24.7	51.5	Pickford (2015)
<i>H. major</i>	IPAS Dz IOB	m3	Dzedzvtachevi	43.0	22.2	51.6	Pickford (2015)
<i>H. major</i>	IPAS Dz 107	m3	Dzedzvtachevi	41.4	25.7	62.1	Pickford (2015)
<i>H. major</i>	NMT 351-6	m3	Udabno	48.0	24.0	50.0	Pickford (2015)
<i>H. major</i>	NMT 343-13(3)	m3	Udabno	49.0	24.2	49.4	Pickford (2015)
<i>H. major</i>	NMT 353-6	m3	Udabno	47.0	23.3	49.6	Pickford (2015)
<i>H. major</i>	NMT 343-13(2)	m3	Udabno	47.8	24.3	50.8	Pickford (2015)
<i>H. major</i>	Eldari	m3	Eldari	46.0	25.0	54.3	Pickford (2015)
<i>H. major</i>	Eldari	m3	Eldari	47.0	26.0	55.3	Pickford (2015)
<i>H. major</i>	K-5292	m3	Kalimantsi	41.8	21.5	51.4	Kostopoulos et al. (2001)
<i>H. major</i>	K-5277	m3	Kalimantsi	46.5	23.9	51.4	Kostopoulos et al. (2001)
<i>H. major</i>	K-5276	m3	Kalimantsi	42.6	23.3	54.7	Kostopoulos et al. (2001)
<i>H. major</i>	K-5276	m3	Kalimantsi	47.0	23.5	50.0	Kostopoulos et al. (2001)
<i>H. major</i>	K-5278	m3	Kalimantsi	44.0	22.3	50.7	Kostopoulos et al. (2001)
<i>H. major</i>	K-5280	m3	Kalimantsi	43.0	23.1	53.7	Kostopoulos et al. (2001)
<i>H. major</i>	K-5298	m3	Kalimantsi	48.1	22.8	47.4	Kostopoulos et al. (2001)
<i>H. major</i>	K-5290	m3	Kalimantsi	44.5	23.0	51.7	Kostopoulos et al. (2001)
<i>H. major</i>	K-5286	m3	Kalimantsi	51.8	23.9	46.1	Kostopoulos et al. (2001)

<i>H. major</i>	K-5287	m3	Kalimantsi	46.0	22.9	49.8	Kostopoulos et al. (2001)
<i>H. major</i>	PER-360	m3	Perivolaki	38.1	18.9	49.6	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	PER-1226	m3	Perivolaki	42.4	20.7	48.8	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	PER-1227	m3	Perivolaki	41.0	20.7	50.5	Sylvestrou & Kostopoulos (2006)
<i>H. major</i>	MTLA-479	m3	Mytilinii-1A, Samos	45.5	24.2	53.2	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	MTLA-300	m3	Mytilinii-1A, Samos	45.5	24.0	52.7	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	MTLA-300	m3	Mytilinii-1A, Samos	44.7	24.2	54.1	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20795-Q5	m3	Quarry 5 (Q5), Limitzis, Samos	44.7	19.9	44.5	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	NHMW 1911v211	m3	Samos	46.3	22.5	48.6	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	58-HAY-05	m3	58-HAY-19 (Sivas)	41.7	21.9	52.5	Van der Made et al. (2013)
<i>P. palaeochoerus</i>	MAFI134	DI1	Rudabánya	13.2	13.6	103.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1987/112	DI1	Rudabánya	11.8	5.9	50.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/182	DI1	Rudabánya	10.7	5.8	54.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1990/65	DI1	Rudabánya	9.5	5.7	60.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/70	DI1	Rudabánya	12.9	5.7	44.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/72	DI1	Rudabánya	11.4	5.4	47.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	IPS95713	DI1	Creu de Conill 20	8.5	5.8	68.2	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS107830	DI1	Creu de Conill 20	9.2	6.4	69.6	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS113900	DI1	Creu de Conill 20	8.0	5.0	62.5	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS124844	DI1	Creu de Conill 20	9.8	5.7	58.2	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS92856	DI1	Castell de Barberà	9.8	6.3	64.3	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92858	DI1	Castell de Barberà	9.7	6.3	64.9	McKenzie et al. (2024)
<i>P. hysudricus</i>	GSP 5634	DI1	Middle Siwaliks (India) loc. 209	13.0	4.7	36.2	Pickford (1988)
<i>P. wui</i>	?	DI1	Lufeng	6.5	3.6	55.4	Van der Made & Han (1994)
<i>P. palaeochoerus</i>	MAFI1989/249	DI2	Rudabánya	8.7	4.7	54.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/252	DI2	Rudabánya	9.0	4.4	48.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/72	DI2	Rudabánya	10.2	5.1	50.0	Fortelius et al. (2005)

<i>P. palaeochoerus</i>	IPS95662	DI2	Creu de Conill 20	12.6	6.8	54.0	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS95667	DI2	Creu de Conill 20	12.5	7.0	56.0	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS92384	DI2	Castell de Barberà	8.8	5.7	64.8	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92859	DI2	Castell de Barberà	9.0	5.7	63.3	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92860	DI2	Castell de Barberà	8.9	6.5	73.0	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92866	DI2	Castell de Barberà	8.0	5.4	67.5	McKenzie et al. (2024)
<i>P. hysudricus</i>	GSP 5634	DI2	Middle Siwaliks (India) loc. 309	11.2	4.5	40.2	Pickford (1988)
<i>P. hysudricus</i>	GSP 9780	DI2	Middle Siwaliks (India) loc. 260	14.0	5.0	35.7	Pickford (1988)
<i>P. palaeochoerus</i>	IPS92696	DP2	Castell de Barberà	13.6	6.4	47.1	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92693	DP2	Castell de Barberà	13.6	7.2	52.9	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	MAFI105	DP2	Rudabánya	13.2	6.4	48.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/42	DP2	Rudabánya	11.6	3.7	31.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/236	DP2	Rudabánya	11.8	5.6	47.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/88	DP2	Rudabánya	12.7	6.6	52.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/94	DP2	Rudabánya	12.2	6.8	55.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/72	DP2	Rudabánya	11.8	5.9	50.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	IPS113741	DP2	Creu de Conill 20	14.4	6.7	46.5	McKenzie et al. (2023)
<i>H. major</i>	SMF DD 881	DP2	Dorn-Dürkheim	13.5	8.5	63.0	Pickford (2013a)
<i>H. major</i>	SMF DD 2929	DP2	Dorn-Dürkheim	13.7	8.4	61.3	Pickford (2013a)
<i>H. major</i>	MNCN B 2037	DP2	Batallones 1	14.4	8.6	59.7	Pickford (2015)
<i>H. major</i>	MNCN B 2037	DP2	Batallones 1	14.2	8.2	57.7	Pickford (2015)
<i>H. major</i>	Cimislia	DP2	Cimislia	15.0	8.1	54.0	Pickford (2015)
<i>H. major</i>	AMNH 20797	DP2	Quarry 1 (Q1), Adrianos ravine, Samos	12.8	8.3	64.8	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20797	DP2	Quarry 1 (Q1), Adrianos ravine, Samos	13.1	9.0	68.7	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	NKT-68	DP2	Nikiti-1	14.7	7.7	52.6	Kostopoulos (1994)
<i>P. palaeochoerus</i>	IPS92412	DP3	Castell de Barberà	16.4	11.8	72.0	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92405	DP3	Castell de Barberà	16.1	11.2	69.6	McKenzie et al. (2024)

<i>P. palaeochoerus</i>	IPS92397	DP3	Castell de Barberà	16.2	11.5	71.0	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92846	DP3	Castell de Barberà	16.1	11.5	71.4	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92413	DP3	Castell de Barberà	16.0	12.3	76.9	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	22-2917	DP3	Grytsiv	14.9	11.4	76.5	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	MAFI174	DP3	Rudabánya	14.7	11.1	75.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/102	DP3	Rudabánya	15.2	10.9	71.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/206	DP3	Rudabánya	14.8	10.7	72.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/244	DP3	Rudabánya	15.0	11.1	74.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/89	DP3	Rudabánya	14.4	11.4	79.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/72	DP3	Rudabánya	14.2	10.4	73.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	IPS113741	DP3	Creu de Conill 20	18.6	12.5	67.2	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS113800	DP3	Creu de Conill 20	17.6	11.6	65.9	McKenzie et al. (2023)
<i>P. hysudricus</i>	YUGD-094	DP3	Irrawaddy Formation (Myanmar)	15.1	9.7	64.2	Chit Sein et al. (2009)
<i>P. hysudricus</i>	GSP 7394	DP3	Middle Siwaliks (India) loc. 244	16.0	11.5	71.9	Pickford (1988)
<i>P. wui</i>	?	DP3	Lufeng	13.2	9.2	69.7	Van der Made & Han (1994)
<i>P. wui</i>	?	DP3	Lufeng	13.1	9.3	71.0	Van der Made & Han (1994)
<i>P. wui</i>	?	DP3	Lufeng	14.5	9.8	67.6	Van der Made & Han (1994)
<i>H. hyotherioides</i>	ZT-2015-1062	DP3	Shuitangba	15.0	11.3	75.3	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-1022	DP3	Shuitangba	15.7	12.0	76.4	Hou et al. (2019)
<i>H. hyotherioides</i>	ZT-2015-0538	DP3	Shuitangba	18.3	13.0	71.0	Hou et al. (2019)
<i>H. major</i>	SMF DD 4554	DP3	Dorn-Dürkheim	15.8	12.6	79.7	Pickford (2013a)
<i>H. major</i>	MNCN B 2037	DP3	Batallones 1	18.8	14.5	77.1	Pickford (2015)
<i>H. major</i>	MNCN B 2037	DP3	Batallones 1	18.7	14.1	75.4	Pickford (2015)
<i>H. major</i>	MR 3.03.648	DP3	Cucuron, Luberon (and Vaugines)	19.7	14.5	73.6	Pickford (2015)
<i>H. major</i>	MNHN LUB 659	DP3	Cucuron, Luberon (and Vaugines)	19.4	14.6	75.3	Pickford (2015)
<i>H. major</i>	MNHN LUB 662	DP3	Cucuron, Luberon (and Vaugines)	18.7	14.6	78.1	Pickford (2015)
<i>H. major</i>	MR 3.03.648	DP3	Cucuron, Luberon (and Vaugines)	18.5	14.5	78.4	Pickford (2015)
<i>H. major</i>	FSL 210 198	DP3	Montredon	18.0	13.0	72.2	Pickford (2015)

<i>H. major</i>	NHMW Koh	DP3	Kohfidisch	17.8	13.6	76.4	Pickford (2015)
<i>H. major</i>	NHMW Koh	DP3	Kohfidisch	18.0	14.2	78.9	Pickford (2015)
<i>H. major</i>	w/n	DP3	Cimislia	18.7	13.7	73.3	Pickford (2015)
<i>H. major</i>	AMNH 20616-Q1	DP3	Quarry 1 (Q1), Adrianos ravine, Samos	16.8	12.8	76.2	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20797	DP3	Quarry 1 (Q1), Adrianos ravine, Samos	17.9	13.3	74.3	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20797	DP3	Quarry 1 (Q1), Adrianos ravine, Samos	18.1	13.3	73.5	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	NKT-164	DP3	Nikiti-1	17.4	14.3	82.2	Kostopoulos (1994)
<i>P. palaeochoerus</i>	IPS92404	DP4	Castell de Barberà	17.0	13.7	80.6	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92407	DP4	Castell de Barberà	17.4	13.8	79.3	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33306	DP4	Castell de Barberà	16.3	13.8	84.7	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92337	DP4	Castell de Barberà	16.6	13.6	81.9	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92410	DP4	Castell de Barberà	16.1	12.8	79.5	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92408	DP4	Castell de Barberà	16.8	15.4	91.7	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92734	DP4	Castell de Barberà	15.3	12.7	83.0	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	MAFI095	DP4	Rudabánya	16.6	14.4	86.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI100	DP4	Rudabánya	16.5	13.9	84.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1973/42	DP4	Rudabánya	16.4	13.7	83.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/24	DP4	Rudabánya	14.9	13.0	87.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/41	DP4	Rudabánya	15.7	14.0	89.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/58	DP4	Rudabánya	14.8	14.4	97.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1984/103	DP4	Rudabánya	15.0	13.0	86.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1988/45	DP4	Rudabánya	15.3	13.2	86.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1988/46	DP4	Rudabánya	15.4	13.4	87.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/265	DP4	Rudabánya	15.9	13.0	81.8	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/90	DP4	Rudabánya	15.5	12.9	83.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/72	DP4	Rudabánya	14.8	13.1	88.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MNHM 1934/856	DP4	Gau-Weinheim	18.7	17.1	91.4	Pickford (2013a)

<i>P. palaeochoerus</i>	MNHM 1931/88	DP4	Gau-Weinheim	17.2	15.6	90.7	Pickford (2013a)
<i>P. palaeochoerus</i>	MNHM 1933/851	DP4	Gau-Weinheim	19.6	17.2	87.8	Pickford (2013a)
<i>P. palaeochoerus</i>	IPS113741	DP4	Creu de Conill (2016)	19.0	15.4	81.1	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114191	DP4	Creu de Conill (2016)	18.4	14.2	77.2	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114191	DP4	Creu de Conill (2016)	18.3	15.4	84.2	McKenzie et al. (2023)
<i>P. hysudricus</i>	YUGD-094	DP4	Irrawaddy Formation (Myanmar)	14.0	10.5	75.0	Chit Sein et al. (2009)
<i>P. hysudricus</i>	GSP 7394	DP4	Middle Siwaliks (India) loc. 244	16.0	14.0	87.5	Pickford (1988)
<i>P. hysudricus</i>	GSP 8680	DP4	Middle Siwaliks (India) loc. 24	14.1	11.5	81.6	Pickford (1988)
<i>P. wui</i>	?	DP4	Lufeng	11.7	9.6	82.1	Van der Made & Han (1994)
<i>P. wui</i>	?	DP4	Lufeng	12.1	9.7	80.2	Van der Made & Han (1994)
<i>P. wui</i>	?	DP4	Lufeng	11.4	10.4	91.2	Van der Made & Han (1994)
<i>P. aegeaus</i>	AFS 2868	DP4	Casino Basin	15.9	13.3	83.6	Iannucci et al. (2021)
<i>P. aegeaus</i>	AFS 2868	DP4	Casino Basin	14.9	13.4	89.9	Gallai (2006)
<i>P. aegeaus</i>	Bac. 1022	DP4	Baccinello V3	13.1	11.3	86.3	Gallai (2006)
<i>P. aegeaus</i>	Bac. 1028	DP4	Baccinello V3	14.1	13.3	94.3	Gallai (2006)
<i>P. provincialis</i>	UM SM 394	DP4	Montpellier	16.3	13.7	84.0	Pickford (2013b)
<i>P. provincialis</i>	Gervais' (1850) hypodigm	DP4	Montpellier	17.0	14.4	84.7	Pickford (2013b)
<i>H. hyotherioides</i>	?	DP4	Lufeng	16.0	13.1	81.9	Van der Made & Han (1994)
<i>H. hyotherioides</i>	?	DP4	Lufeng	15.6	13.1	84.0	Van der Made & Han (1994)
<i>H. major</i>	SMF DD 5482	DP4	Dorn-Dürkheim	16.2	16.4	101.2	Pickford (2013a)
<i>H. major</i>	MNCN B 2037	DP4	Batallones 1	19.1	17.2	90.1	Pickford (2015)
<i>H. major</i>	MNCN B 2037	DP4	Batallones 1	19.2	16.7	87.0	Pickford (2015)
<i>H. major</i>	MR 3.03.648	DP4	Cucuron, Luberon (and Vaugines)	19.6	18.6	94.9	Pickford (2015)
<i>H. major</i>	MNHN LUB 659	DP4	Cucuron, Luberon (and Vaugines)	21.6	17.6	81.5	Pickford (2015)
<i>H. major</i>	MNHN LUB 662	DP4	Cucuron, Luberon (and Vaugines)	20.6	17.5	85.0	Pickford (2015)
<i>H. major</i>	MR 3.03.648	DP4	Cucuron, Luberon (and Vaugines)	20.7	17.6	85.0	Pickford (2015)
<i>H. major</i>	MNHN LUB 659	DP4	Cucuron, Luberon (and Vaugines)	20.5	17.3	84.4	Pickford (2015)
<i>H. major</i>	MNHN LUB 661	DP4	Cucuron, Luberon (and Vaugines)	20.3	17.5	86.2	Pickford (2015)

<i>H. major</i>	FSL 210 198	DP4	Montredon	19.0	16.5	86.8	Pickford (2015)
<i>H. major</i>	NHMW Koh 1962	DP4	Kohfidisch	23.4	19.5	83.3	Pickford (2015)
<i>H. major</i>	AMNH 20616-Q1	DP4	Quarry 1 (Q1), Adrianos ravine, Samos	18.6	15.8	84.9	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20797	DP4	Quarry 1 (Q1), Adrianos ravine, Samos	20.4	16.5	80.9	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 20797	DP4	Quarry 1 (Q1), Adrianos ravine, Samos	20.4	16.7	81.9	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	NKT-164	DP4	Nikiti-1	19.7	16.5	83.5	Kostopoulos (1994)
<i>H. major</i>	PIMUZ AN 2026 cast	DP4	Plakias	16.7	13.7	82.0	Pickford (2015)
<i>P. palaeochoerus</i>	MAFI1989/82	di1	Rudabánya	5.5	5.9	107.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/254	di1	Rudabánya	4.8	5.8	120.8	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/84	di1	Rudabánya	5.5	5.7	103.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/496	di1	Rudabánya	6.2	6.1	98.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	IPS28730	di1	Creu de Conill 20	4.5	6.1	135.6	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS106511	di1	Creu de Conill 20	4.2	5.5	131.0	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS114535	di1	Creu de Conill 20	5.2	6.0	115.4	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS124335	di1	Creu de Conill 20	5.2	6.0	115.4	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS124845	di1	Creu de Conill 20	4.6	6.0	130.4	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS33277a	di1	Castell de Barberà	4.6	5.8	126.1	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS33277b	di1	Castell de Barberà	4.4	5.7	129.5	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92359	di1	Castell de Barberà	4.3	5.3	123.3	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	IPS92882	di1	Castell de Barberà	4.1	5.8	141.5	McKenzie et al. (2024)
<i>H. major</i>	MNCN Bal 4946	di1	Batallones 1	5.3	6.7	126.4	Pickford (2015)
<i>P. palaeochoerus</i>	22-2914	di2	Grytsiv	4.9	8.3	169.4	Van der Made et al. (1999)
<i>P. palaeochoerus</i>	MAFI1976/41	di2	Rudabánya	7.7	8.0	104.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/41	di2	Rudabánya	7.8	7.7	98.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/53	di2	Rudabánya	7.6	7.6	100.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1987/34	di2	Rudabánya	6.1	6.6	108.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/43	di2	Rudabánya	6.7	7.0	104.5	Fortelius et al. (2005)

<i>P. palaeochoerus</i>	MAFI1989/83	di2	Rudabánya	7.1	6.9	97.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MNHM 1933/444	di2	Gau-Weinheim	4.8	7.5	156.3	Pickford (2013a)
<i>P. palaeochoerus</i>	IPS92701	di2	Castell de Barberà	5.2	7.2	138.5	McKenzie et al. (2024)
<i>P. wui</i>	?	di2	Lufeng	3.1	4.8	154.8	Van der Made & Han (1994)
<i>H. major</i>	30414	di2	Piera	6.9	10.0	144.9	Van der Made et al. (1992)
<i>P. palaeochoerus</i>	IPS33286	dp3	Castell de Barberà	11.7	5.6	47.9	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	MAFI069	dp3	Rudabánya	13.5	6.6	48.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI070	dp3	Rudabánya	13.3	5.7	42.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/24	dp3	Rudabánya	11.7	5.6	47.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/29	dp3	Rudabánya	11.9	5.9	49.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/81	dp3	Rudabánya	12.5	6.5	52.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1992/71	dp3	Rudabánya	11.8	5.9	50.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/489	dp3	Rudabánya	11.4	6.3	55.3	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	IPS114003	dp3	Creu de Conill 20	13.4	6.7	50.0	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS124336b	dp3	Creu de Conill 20	13.5	6.7	49.6	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS125679	dp3	Creu de Conill 20	13.8	6.4	46.4	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS124841	dp3	Creu de Conill 20	13.3	6.0	45.1	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS124336a	dp3	Creu de Conill 20	13.5	6.3	46.7	McKenzie et al. (2023)
<i>P. provincialis</i>	PDTFAU ÇBP 12	dp3	Sinap Tepe 42 (Çobanpinar)	11.9	6.1	51.3	Van der Made (2003)
<i>H. major</i>	SMF DD 991	dp3	Dorn-Dürkheim	13.6	7.3	53.7	Van der Made (1997)
<i>H. major</i>	MNCN Bat 1'05 F6.259a	dp3	Batallones 1	14.4	7.2	50.0	Pickford (2015)
<i>H. major</i>	MNCN Bat 1'05 F6.259a	dp3	Batallones 1	13.4	7.1	53.0	Pickford (2015)
<i>H. major</i>	18495	dp3	Piera	14.5	8.3	57.2	Van der Made et al. (1992)
<i>H. major</i>	18495	dp3	Piera	14.0	7.8	55.7	Van der Made et al. (1992)
<i>H. major</i>	LPUB 881	dp3	Cimislia	15.3	7.4	48.4	Pickford (2015)
<i>H. major</i>	NMT 269-30	dp3	Udabno	13.6	7.9	58.1	Pickford (2015)
<i>H. major</i>	AMNH 22882-Q4	dp3	Quarry 4 (Q4), Potamies ravine, Samos	12.5	7.4	59.2	Sylvestrou & Kostopoulos (2009)

<i>H. major</i>	AMNH 22882-Q4	dp3	Quarry 4 (Q4), Potamies ravine, Samos	14.0	8.1	57.9	Sylvestrou & Kostopoulos (2009)
<i>P. palaeochoerus</i>	IPS92758	dp4	Castell de Barberà	21.5	10.4	48.4	McKenzie et al. (2024)
<i>P. palaeochoerus</i>	MAFI1989/100&	dp4	Rudabánya	21.7	8.4	38.7	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1083	dp4	Rudabánya	22.1	9.2	41.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1103	dp4	Rudabánya	22.3	8.8	39.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1104	dp4	Rudabánya	21.1	8.6	40.8	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1105	dp4	Rudabánya	22.2	8.9	40.1	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1106	dp4	Rudabánya	22.0	8.9	40.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1107	dp4	Rudabánya	19.3	8.4	43.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1172	dp4	Rudabánya	22.1	9.1	41.2	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1976/57	dp4	Rudabánya	22.7	9.5	41.9	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/31	dp4	Rudabánya	20.5	7.9	38.5	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/39	dp4	Rudabánya	20.5	8.4	41.0	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1989/85	dp4	Rudabánya	21.6	8.5	39.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI1994/489	dp4	Rudabánya	19.8	8.4	42.4	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	MAFI246	dp4	Rudabánya	21.6	9.2	42.6	Fortelius et al. (2005)
<i>P. palaeochoerus</i>	IPS114003	dp4	Creu de Conill 20	24.0	11.7	48.8	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS124336b	dp4	Creu de Conill 20	23.4	10.7	45.7	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS124336a	dp4	Creu de Conill 20	23.9	10.5	43.9	McKenzie et al. (2023)
<i>P. palaeochoerus</i>	IPS124842	dp4	Creu de Conill 20	23.7	11.1	46.8	McKenzie et al. (2023)
<i>P. hysudricus</i>	GSI 18082	dp4	Middle Siwaliks (India) Haritalyangar	20.5	10.0	48.8	Pickford (1988)
<i>P. hysudricus</i>	B50	dp4	Middle Siwaliks (India) Hasnot	17.2	8.6	50.0	Pickford (1988)
<i>P. hysudricus</i>	B53	dp4	Middle Siwaliks (India) Jabi	18.3	9.2	50.3	Pickford (1988)
<i>P. wui</i>	?	dp4	Lufeng	16.6	7.7	46.4	Van der Made & Han (1994)
<i>P. wui</i>	?	dp4	Lufeng	20.4	10.5	51.5	Van der Made & Han (1994)
<i>P. hyotherioides</i>	ZT-2015-1591	dp4	Shuitangba	25.5	11.4	44.7	Hou et al. (2019)

<i>P. hyotherioides</i>	ZT-2015-0989	dp4	Shuitangba	22.0	10.9	49.5	Hou et al. (2019)
<i>P. hyotherioides</i>	ZT-2009-03-057	dp4	Shuitangba	23.0	12.0	52.2	Hou et al. (2019)
<i>P. hyotherioides</i>	?	dp4	Lufeng	20.4	10.6	52.0	Van der Made & Han (1994)
<i>P. hyotherioides</i>	?	dp4	Lufeng	16.6	7.4	44.6	Van der Made & Han (1994)
<i>P. provincialis</i>	AS94-644	dp4	Sinap Tepe 42 (Çobanpınar)	22.0	10.0	45.5	Van der Made (2003)
<i>H. major</i>	MNCN Bal 1'05 F6.259a	dp4	Batallones 1	26.6	12.4	46.6	Pickford (2015)
<i>H. major</i>	MNCN Bal 1'05 F6.259a	dp4	Batallones 1	26.7	12.2	45.7	Pickford (2015)
<i>H. major</i>	MR 3.008.991	dp4	Cucuron, Luberon (and Vaugines)	26.0	15.0	57.7	Pickford (2015)
<i>H. major</i>	MNHN LUB 659	dp4	Cucuron, Luberon (and Vaugines)	28.3	12.5	44.2	Pickford (2015)
<i>H. major</i>	18495	dp4	Piera	27.6	12.6	45.7	Van der Made et al. (1992)
<i>H. major</i>	NHMW Koh	dp4	Kohfidisch	27.6	12.2	44.2	Pickford (2015)
<i>H. major</i>	NHMW Koh 62	dp4	Kohfidisch	26.7	12.2	45.7	Pickford (2015)
<i>H. major</i>	NHMW Koh	dp4	Kohfidisch	26.0	11.3	43.5	Pickford (2015)
<i>H. major</i>	NHMB TO 429	dp4	Polgardi	29.8	13.3	44.6	Pickford (2015)
<i>H. major</i>	LPUB 881	dp4	Cimislia	28.1	11.4	40.6	Pickford (2015)
<i>H. major</i>	NMT 269-30	dp4	Udabno	29.3	15.0	51.2	Pickford (2015)
<i>H. major</i>	NMT 269-30	dp4	Udabno	27.2	13.3	48.9	Pickford (2015)
<i>H. major</i>	AMNH 22882-Q4	dp4	Quarry 4 (Q4), Potamies ravine, Samos	27.3	12.4	45.4	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	AMNH 22882-Q4	dp4	Quarry 4 (Q4), Potamies ravine, Samos	27.3	12.5	45.8	Sylvestrou & Kostopoulos (2009)
<i>H. major</i>	NKT-126	dp4	Nikiti-1	26.8	13.0	48.5	Kostopoulos (1994)

Table S3 Published iconography of *Propotamochoerus palaeochoerus*

Tooth	Published figures
I1	Mottl (1966: pl. II–III); Hünemann (1968: pl. I, figs 8–9); McKenzie et al. (2024: fig. 3a–c)
I2	Hünemann (1968: pl. I, fig. 10); Van der Made and Moyà-Solà (1989: pl. 1, fig. 11); Iannucci and Begun (2022: fig. 5B); McKenzie et al. (2023: fig. 3a, 2024: fig. 3h)
I3	Hünemann (1968: pl. I, fig. 11); Van der Made and Moyà-Solà (1989: pl. 1, fig. 10); McKenzie et al. (2024: fig. 3k–l); Alba et al. (2024: fig. 6a)
C1m	Hünemann (1968: pl. I, figs 25–26)
C1f	Van der Made et al. (1999: pl. 2, fig. 4); McKenzie et al. (2023: fig. 3b–d, 2024: fig. 4a–f); Alba et al. (2024: fig. 6d)
P1	Stromer (1928: pl. II, fig. 20); Hünemann (1968: pl. 1, fig. 2); Schmidt-Kittler (1971: fig. 4); Mottl (1966: pl. IV); McKenzie et al. (2023: fig. 4a–b, 2024: fig. 5a–g); Alba et al. (2024: fig. 6c)
P2	Stromer (1928: pl. II, fig. 20); Mottl (1966: pl. IV); Iannucci and Begun (2022: fig. 2C); McKenzie et al. (2023: fig. 4c–e, 2024: fig. 5j–p)
P3	Stromer (1928: pl. II, fig. 20); Mottl (1966: pl. IV); Hünemann (1968: pl. 1, fig. 2); Fortelius et al. (2005: fig. 5); Iannucci and Begun (2022: fig. 2A); McKenzie et al. (2023: fig. 4f–g, 2024: fig. 5r–w); Alba et al. (2024: fig. 6d)
P4	Stromer (1928: pl. II, fig. 20); Mottl (1966: pl. IV); Hünemann (1968: pl. 1, figs 2–3); Van der Made et al. (1999: pl. 1, fig. 2 and pl. 2, fig. 1); Fortelius et al. (2005: fig. 5); Iannucci and Begun (2022: fig. 2A); McKenzie et al. (2023: fig. 4i–k, 2024: fig. 5z–j’); Alba et al. (2024: fig. 6e–f)
M1	Stromer (1928: pl. II, fig. 20); Mottl (1955: fig. 1, 1966: pl. IV); Hünemann (1968: pl. 1, figs. 2–3); Van der Made et al. (1999: pl. 2, fig. 1); Fortelius et al. (2005: fig. 5); Iannucci and Begun (2022: fig. 2A); McKenzie et al. (2023: fig. 4n–t, v–w, 2024: fig. 6a–f)

M2	Stromer (1928: pl. II, fig. 20); Mottl (1955: fig. 1, 1966: pl. IV); Hünemann (1968: pl. 1, figs 2–3); Van der Made et al. 1999: pl. 2, fig. 1); Fortelius et al. (2005: fig. 5); Iannucci and Begun (2022: fig. 2A); McKenzie et al. (2023: fig. 4 y–a’, 2024: fig. 6r–x)
M3	Stromer 1928: pl. II, fig. 20); Mottl (1955: fig. 1, 1966: pl. IV); Hünemann (1968: pl. 1, fig. 2); Van der Made et al. (1999: pl. 2, fig. 2); McKenzie et al. (2023: fig. 4f’–h’, 2024: fig. 6b’–k’)
i1	Hünemann (1968: pl. 1, fig. 13); Van der Made et al. (1999: pl. 2, fig. 7); Iannucci and Begun (2022: fig. 2D); McKenzie et al. (2023: fig. 7a–d, 2024: fig. 8a–d)
i2	Hünemann (1968: pl. 1, fig. 14); Van der Made et al. (1999: pl. 2, fig. 8); Iannucci and Begun (2022: fig. 2D); McKenzie et al. (2023: fig. 7g–l, 2024: fig. 8f–i); Alba et al. (2024: fig. 6k)
i3	Van der Made et al. (1999: pl. 2, fig. 6); McKenzie et al. (2023: fig. 7p–t)
c1f	Iannucci and Begun (2022: fig. 2D); McKenzie et al. (2023: figs 6a, 8a–c, 2024: fig. 9d–e); Alba et al. (2024: fig. 6l)
c1m	Hünemann (1968: figs. 48–49, 51); Van der Made et al. (1999: pl. 2, fig. 5); McKenzie et al. (2023: fig. 8f–h, 2024: fig. 9a); cross-sectional drawings in Hünemann (1968: figs 48–49, 51)
p1	Iannucci and Begun (2022: fig. 2D); McKenzie et al. (2023: fig. 9a–d, 2024: fig. 10a–c)
p2	Hünemann (1968: pl. 1, fig. 6); Van der Made et al. (1999: pl. 1, figs 1, 4–5 and pl. 2, fig. 3); Iannucci and Begun (2022: fig. 2D); McKenzie et al. (2023: fig. 9f–i, 2024: fig. 10k–l)
p3	Hünemann (1968: pl. 1, figs 1, 7); Van der Made et al. (1999: pl. 1, figs. 1, 4 and pl. 2, fig. 3); Iannucci and Begun (2022: fig. 2D); McKenzie et al. (2023: fig. 9j–m, 2024: fig. 10q–s)
p4	Hünemann (1968, pl. 1, fig. 1); Van der Made et al. (1999: pl. 1, figs 1, 4 and pl. 2, fig. 3); Iannucci and Begun (2022: fig. 2D); McKenzie et al. (2023: fig. 9n–p, 2024: fig. 10u–y)
m1	Hünemann (1968, pl. 1, fig. 1); Van der Made et al. (1999: pl. 1, figs 1, 4); Iannucci and Begun (2022: fig. 2D); McKenzie et al. (2023: fig. 9r–w, 2024: fig. 11a–c); Alba et al. 2024: fig. 6s)

m2	Hünemann (1968, pl. 1, fig. 1); Van der Made et al. (1999: pl. 1, figs 1, 4); Iannucci and Begun (2022: fig. 2D); McKenzie et al. (2023: fig. 9z–b’, 2024: fig. 11k–m); Alba et al. 2024: fig. 6t–v)
m3	Hünemann (1968, pl. 1, fig. 1); Van der Made et al. (1999: pl. 1, figs. 1, 4 and pl. 2, fig. 9); Iannucci and Begun (2022: fig. 2D); McKenzie et al. (2023: fig. 9c’–h’, 2024: fig. 11s–u); Alba et al. (2024: fig. 6y)
DI1	McKenzie et al. (2023: fig. 10a–d, 2024: fig. 12a–b)
DI2	Hünemann (1968: pl. I, fig. 12); McKenzie et al. (2023: fig. 10f–g, 2024: fig. 12g–j)
DI3	McKenzie et al. (2023: fig. 10h, 2024: fig. 12k–l)
DP2	McKenzie et al. (2023: fig. 10i–m, 2024: fig. 12m–o)
DP3	McKenzie et al. (2023: fig. 10n, 2024: fig. 12u–z)
DP4	Hünemann (1968: pl. 1, fig. 17); McKenzie et al. (2023: fig. 10u–x, 2024: fig. 12m’–s’)
di1	McKenzie et al. (2023: fig. 11a–e, 2024: fig. 13a–d)
di2	Hünemann (1968: pl. I, fig. 15); McKenzie et al. (2023: fig. 11h, 2024: fig. 13i)
di3	McKenzie et al. (2023: fig. 11i–k, 2024: fig. 13m–n)
dp3	McKenzie et al. (2023: fig. 11q–u, 2024: fig. 13r)
dp4	McKenzie et al. (2023: fig. 11v–w, 2024: fig. 13w–z)

Table S4 Descriptive statistics for dental measurements of *Propotamochoerus palaeochoerus* described in this study as compared to *Propotamochoerus* spp. from elsewhere and *Hippopotamodon major*, including sample size (n), mean, standard deviation (SD), and minimum–maximum (Min–Max) range. See raw measurements for the described specimens in Appendix Table 2 and for the comparative sample in Online Resource 1: Table S2

Tooth	Species	n	MD				BL				BLI			
			Mean	SD	Min	Max	Mean	SD	Min	Max	Mean	SD	Min	Max
I1	This study	1	17.2	—	17.2	17.2	9.1	—	9.1	9.1	529	—	52.9	52.9
I1	<i>Propotamochoerus palaeochoerus</i>	16	17.4	2.6	14.1	23.8	12.5	3.8	8.0	18.0	72.1	19.8	41.5	106.4
I1	<i>Propotamochoerus hysudricus</i>	6	13.7	0.8	12.7	15.0	8.0	1.4	6.7	10.6	58.8	9.6	50.0	75.7
I1	<i>Propotamochoerus wui</i>	2	16.7	2.6	6.5	10.2	4.6	1.3	3.6	5.5	54.7	1.1	53.9	55.4
I1	<i>Propotamochoerus hyotherioides</i>	2	16.3	1.8	15.0	17.6	10.0	1.1	9.2	10.8	61.4	0.1	61.3	61.4
I1	<i>Propotamochoerus provincialis</i>	6	15.0	1.4	13.6	17.8	7.6	1.4	6.1	9.4	50.8	8.0	41.1	62.5
I1	<i>Propotamochoerus aegaeus</i>	1	17.0	—	17.0	17.0	9.5	—	9.5	9.5	55.9	—	55.9	55.9
I1	<i>Hippopotamodon major</i>	28	17.9	2.1	14.5	24.0	10.8	1.7	9.1	16.0	60.8	8.5	43.8	86.0
I2	This study	5	16.5	1.4	14.7	18.1	7.4	0.7	6.7	8.2	45.0	2.4	42.0	48.5
I2	<i>Propotamochoerus palaeochoerus</i>	13	15.9	1.1	13.3	18.0	8.6	1.6	6.2	12.1	54.5	11.9	38.8	79.6
I2	<i>Propotamochoerus hysudricus</i>	2	21.7	1.6	20.6	22.8	7.6	0.6	7.2	8.0	35.1	0.1	35.0	35.1
I2	<i>Propotamochoerus wui</i>	4	15.8	0.5	15.2	16.4	5.6	0.4	5.2	6.1	35.1	2.5	32.3	38.1
I2	<i>Propotamochoerus hyotherioides</i>	3	18.2	1.4	16.6	19.4	9.0	2.1	7.5	11.5	50.5	16.3	40.3	69.3
I2	<i>Propotamochoerus provincialis</i>	2	21.7	1.2	20.8	22.5	8.0	0.1	7.9	8.1	37.0	1.4	36.0	38.0
I2	<i>Hippopotamodon major</i>	18	22.5	1.7	18.0	26.1	9.2	0.8	7.5	10.7	41.3	5.3	34.6	59.4
I3	This study	4	13.1	1.3	11.6	14.7	6.3	0.6	5.5	6.9	48.5	2.9	44.9	51.1
I3	<i>Propotamochoerus palaeochoerus</i>	11	12.5	1.8	10.0	15.0	6.6	1.1	4.8	8.9	53.1	6.7	38.9	62.0

I3	<i>Propotamochoerus hysudricus</i>	3	15.1	1.7	13.2	16.3	6.3	0.3	6.0	6.5	42.4	6.0	38.0	49.2
I3	<i>Propotamochoerus wui</i>	1	12.2	—	12.2	12.2	4.2	—	4.2	4.2	34.4	—	34.4	34.4
I3	<i>Propotamochoerus provincialis</i>	4	16.6	1.0	16.0	18.0	9.9	0.1	9.8	10.0	60.0	3.0	55.6	62.5
I3	<i>Hippopotamodon major</i>	16	17.9	2.4	15.4	25.7	6.9	1.0	5.6	10.1	38.8	7.0	26.1	59.4
C1f	This study	1	12.4	—	12.4	12.4	7.5	—	7.5	7.5	60.5	—	60.5	60.5
C1f	<i>Propotamochoerus palaeochoerus</i>	16	13.1	2.0	9.2	15.3	8.3	1.7	4.5	10.4	63.3	5.8	48.9	71.2
C1f	<i>Propotamochoerus hysudricus</i>	1	11.0	—	11.0	11.0	8.0	—	8.0	8.0	72.7	—	72.7	72.7
C1f	<i>Hippopotamodon major</i>	5	15.3	2.3	12.2	17.6	9.7	1.8	8.0	12.7	65.2	17.0	52.3	94.1
C1m	This study	3	22.3	0.7	21.5	23.8	19.5	1.4	18.7	21.1	87.3	1.3	86.2	88.7
C1m	<i>Propotamochoerus palaeochoerus</i>	8	22.8	5.0	17.7	29.2	14.4	1.8	10.7	16.5	65.0	12.1	46.6	81.9
C1m	<i>Propotamochoerus hysudricus</i>	1	18.0	—	18.0	18.0	15.0	—	15.0	15.0	83.3	—	83.3	83.3
C1m	<i>Propotamochoerus wui</i>	2	12.9	0.4	12.6	13.1	11.4	0.4	11.1	11.7	88.7	0.8	88.1	89.3
C1m	<i>Propotamochoerus hyotherioides</i>	1	26.1	—	26.1	26.1	25.0	—	25.0	25.0	95.8	—	95.8	95.8
C1m	<i>Hippopotamodon major</i>	2	18.0	0.0	18.0	18.0	15.8	0.3	15.6	16.0	87.8	1.6	86.7	88.9
P1	This study	5	12.3	0.5	11.8	13.0	5.2	0.2	4.8	5.3	41.8	1.3	40.7	43.8
P1	<i>Propotamochoerus palaeochoerus</i>	17	12.8	1.3	10.5	14.5	5.3	0.6	4.4	6.4	41.4	4.5	32.6	52.0
P1	<i>Propotamochoerus hysudricus</i>	3	12.0	0.4	11.6	12.3	4.9	0.4	4.6	5.3	40.9	2.4	38.3	43.1
P1	<i>Propotamochoerus wui</i>	2	10.0	0.7	9.5	10.5	4.6	0.0	4.6	4.6	46.1	3.3	43.8	48.4
P1	<i>Propotamochoerus hyotherioides</i>	1	12.3	—	12.3	12.3	6.9	—	6.9	6.9	56.1	—	56.1	56.1
P1	<i>Propotamochoerus aegaeus</i>	4	12.4	0.4	12.0	12.8	4.5	0.1	4.4	4.7	36.2	2.0	34.6	39.2
P1	<i>Hippopotamodon major</i>	16	12.8	1.5	10.3	15.6	6.2	0.7	5.0	7.6	48.5	2.2	44.8	53.7
P2	This study	5	15.5	0.2	15.2	16.1	7.3	0.2	7.1	7.5	46.9	1.1	45.3	47.8
P2	<i>Propotamochoerus palaeochoerus</i>	16	15.7	0.9	14.2	17.2	8.3	0.8	6.3	9.5	52.8	5.0	39.1	58.9

P2	<i>Propotamochoerus hysudricus</i>	5	13.5	0.5	13.0	14.0	7.9	0.8	6.7	8.7	59.1	7.0	48.2	66.9
P2	<i>Propotamochoerus wui</i>	1	11.3	—	11.3	11.3	9.0	—	9.0	9.0	79.6	—	79.6	79.6
P2	<i>Propotamochoerus provincialis</i>	1	14.4	—	14.4	14.4	9.5	—	9.5	9.5	66.0	—	66.0	66.0
P2	<i>Propotamochoerus hyotherioides</i>	4	16.3	0.7	15.4	17.0	9.0	0.6	8.7	10.2	58.0	3.5	54.0	61.7
P2	<i>Propotamochoerus aegaeus</i>	8	15.9	0.8	14.7	17.4	9.3	1.2	8.0	11.2	58.0	5.6	50.9	69.1
P2	<i>Hippopotamodon major</i>	37	17.6	1.0	15.2	20.0	10.7	1.5	6.8	14.4	60.6	6.8	39.3	77.8
P3	This study	8	17.0	0.6	16.1	17.9	13.9	0.8	12.6	14.8	81.6	5.4	74.0	87.6
P3	<i>Propotamochoerus palaeochoerus</i>	32	16.3	1.1	13.9	18.8	13.6	1.2	12.2	16.6	84.0	6.0	73.4	93.7
P3	<i>Propotamochoerus hysudricus</i>	9	13.7	1.1	12.3	15.3	11.1	1.1	8.9	13.0	81.1	7.3	71.2	89.4
P3	<i>Propotamochoerus wui</i>	7	11.0	0.6	10.3	12.2	10.1	0.3	9.7	10.4	92.6	5.8	82.8	101.0
P3	<i>Propotamochoerus provincialis</i>	1	17.0	—	17.0	17.0	14.1	—	14.1	14.1	82.9	—	82.9	82.9
P3	<i>Propotamochoerus hyotherioides</i>	5	18.5	1.2	16.8	20.0	14.4	1.1	13.1	15.7	78.3	7.3	69.7	88.1
P3	<i>Propotamochoerus aegaeus</i>	11	14.7	0.4	13.8	15.3	13.0	1.2	10.9	14.7	88.1	8.4	73.0	101.4
P3	<i>Hippopotamodon major</i>	48	18.3	1.1	16.4	20.9	16.5	1.6	11.8	20.4	90.6	9.4	62.1	108.9
P4	This study	7	14.2	0.3	13.7	14.5	17.0	0.6	16.3	18.1	119.6	4.9	114.0	127.7
P4	<i>Propotamochoerus palaeochoerus</i>	60	14.4	0.8	12.8	16.3	16.9	1.3	14.2	20.0	117.4	6.1	102.9	135.7
P4	<i>Propotamochoerus hysudricus</i>	11	12.8	1.1	10.7	14.6	15.0	1.2	13.2	17.0	117.2	3.2	113.2	123.4
P4	<i>Propotamochoerus wui</i>	12	9.9	0.5	9.3	10.9	11.9	0.6	11.0	12.9	120.8	8.9	100.9	134.4
P4	<i>Propotamochoerus provincialis</i>	1	15.1	—	15.1	15.1	16.8	—	16.8	16.8	111.3	—	111.3	111.3
P4	<i>Propotamochoerus hyotherioides</i>	8	14.9	0.8	13.2	15.7	17.8	1.0	16.4	19.2	119.6	9.3	109.1	132.4
P4	<i>Propotamochoerus aegaeus</i>	10	13.1	0.6	12.1	13.9	16.2	0.9	15.2	17.9	123.8	5.9	115.1	130.9
P4	<i>Hippopotamodon major</i>	75	17.0	1.3	14.8	20.5	19.8	1.7	16.0	24.8	116.5	7.5	95.6	135.0
M1	This study	14	17.6	1.3	15.6	19.4	16.6	0.7	15.6	17.8	94.7	6.2	84.0	102.4

M1	<i>Propotamochoerus palaeochoerus</i>	59	18.7	1.6	15.0	23.3	17.0	0.9	15.0	19.2	91.4	6.9	78.5	104.2
M1	<i>Propotamochoerus hysudricus</i>	13	16.1	1.2	14.7	19.0	15.3	0.9	13.3	17.0	95.3	9.1	70.0	106.7
M1	<i>Propotamochoerus wui</i>	11	13.6	0.5	13.0	14.9	12.3	0.4	11.7	13.0	90.7	3.9	85.9	100.0
M1	<i>Propotamochoerus provincialis</i>	2	17.5	1.1	17.5	19.0	17.1	0.1	17.0	17.1	93.6	5.0	90.0	97.1
M1	<i>Propotamochoerus hyotherioides</i>	8	19.7	1.4	17.6	21.4	16.9	2.6	10.6	18.8	85.6	12.6	58.9	99.5
M1	<i>Propotamochoerus aegaeus</i>	13	17.6	1.3	16.2	20.8	16.0	0.7	14.5	17.1	91.2	5.2	79.8	98.5
M1	<i>Hippopotamodon major</i>	63	23.0	2.2	19.8	34.0	20.8	1.9	17.0	27.5	90.6	7.2	65.6	109.8
M2	This study	11	22.1	1.4	20.2	23.8	20.1	0.6	19.0	21.0	91.4	7.2	80.9	101.9
M2	<i>Propotamochoerus palaeochoerus</i>	78	22.5	1.2	19.8	27.5	19.9	1.0	18.3	23.0	88.9	4.9	78.8	102.0
M2	<i>Propotamochoerus hysudricus</i>	20	21.9	1.3	19.5	25.0	19.2	1.9	12.5	22.0	87.4	9.2	59.8	102.6
M2	<i>Propotamochoerus wui</i>	25	17.5	0.7	16.5	19.0	16.1	0.7	15.0	17.7	92.4	3.9	83.3	100.6
M2	<i>Propotamochoerus provincialis</i>	4	24.2	1.2	22.5	25.0	21.4	1.1	19.7	22.0	88.2	1.1	87.2	89.8
M2	<i>Propotamochoerus hyotherioides</i>	7	24.3	1.6	22.2	26.3	22.1	1.5	19.8	23.1	91.2	3.4	97.5	96.3
M2	<i>Propotamochoerus aegaeus</i>	9	22.4	1.2	20.2	24.4	20.6	0.9	19.8	22.5	92.6	8.9	81.1	111.2
M2	<i>Hippopotamodon major</i>	63	29.6	1.8	25.1	34.0	25.9	2.0	20.6	30.6	87.4	5.3	70.8	101.6
M3	This study	5	30.3	3.2	27.5	35.6	21.7	1.5	19.9	23.4	72.0	3.9	65.7	75.9
M3	<i>Propotamochoerus palaeochoerus</i>	81	25.6	2.2	24.1	34.7	20.6	1.2	16.7	25.4	70.0	5.0	57.6	86.7
M3	<i>Propotamochoerus hysudricus</i>	17	29.0	2.4	26.0	34.0	19.5	2.2	16.0	22.6	67.0	4.7	58.2	75.6
M3	<i>Propotamochoerus wui</i>	15	23.2	1.7	20.8	25.9	17.0	1.2	15.0	18.5	73.7	4.3	64.7	81.9
M3	<i>Propotamochoerus provincialis</i>	6	35.9	1.6	34.1	38.1	25.2	1.6	22.6	26.5	70.2	3.7	64.6	75.2
M3	<i>Propotamochoerus hyotherioides</i>	9	34.7	2.0	31.3	38.3	23.9	1.8	20.3	26.9	68.7	3.6	64.2	74.1
M3	<i>Propotamochoerus aegaeus</i>	11	31.9	1.6	29.5	33.6	21.1	1.6	19.5	24.8	69.4	3.3	64.8	74.8
M3	<i>Hippopotamodon major</i>	86	43.2	3.1	34.0	50.5	28.2	2.0	23.1	32.7	65.4	3.6	50.1	77.1

i1	This study	4	7.0	0.4	6.7	7.6	10.9	0.7	10.0	11.7	155.5	8.6	144.9	165.7
i1	<i>Propotamochoerus palaeochoerus</i>	27	7.8	1.8	5.8	11.2	10.7	0.8	9.4	12.0	143.8	31.5	100.0	186.7
i1	<i>Propotamochoerus hysudricus</i>	6	6.4	0.4	6.0	7.0	8.3	1.6	6.2	10.1	128.9	21.4	103.2	155.0
i1	<i>Propotamochoerus wui</i>	7	4.8	0.5	4.3	5.7	8.1	0.9	6.8	9.2	169.7	22.8	147.8	214.0
i1	<i>Propotamochoerus provincialis</i>	4	6.7	1.1	5.5	7.8	10.3	1.2	9.3	11.6	156.3	11.1	142.3	169.1
i1	<i>Propotamochoerus hyotherioides</i>	4	7.8	0.6	7.0	8.3	12.7	0.3	12.5	13.0	163.9	12.2	151.8	178.6
i1	<i>Propotamochoerus aegaeus</i>	4	7.4	0.4	7.0	8.0	12.8	2.2	10.8	14.8	171.7	21.3	152.8	194.7
i1	<i>Hippopotamodon major</i>	12	9.3	0.9	8.0	10.4	14.1	1.8	10.9	16.0	151.2	12.9	123.9	168.1
i2	This study	3	7.6	0.3	7.2	7.8	13.2	0.7	12.5	13.8	174.9	3.9	171.8	179.2
i2	<i>Propotamochoerus palaeochoerus</i>	39	9.5	2.1	6.9	13.5	12.3	1.0	9.5	14.1	135.5	27.6	95.3	184.3
i2	<i>Propotamochoerus hysudricus</i>	7	6.2	1.5	5.0	9.8	10.4	4.1	5.9	18.5	150.6	31.1	104.7	188.8
i2	<i>Propotamochoerus wui</i>	8	5.0	0.4	4.1	5.3	8.8	0.4	8.2	9.4	181.7	25.7	161.5	214.6
i2	<i>Propotamochoerus provincialis</i>	3	7.4	0.5	7.0	8.0	12.6	0.4	12.2	13.0	170.2	15.4	152.5	180.0
i2	<i>Propotamochoerus hyotherioides</i>	2	7.7	1.2	6.8	8.5	13.5	1.6	12.3	14.6	176.4	6.4	171.8	180.9
i2	<i>Propotamochoerus aegaeus</i>	4	7.6	1.0	6.4	8.5	14.9	2.5	12.9	18.0	202.7	52.5	152.9	253.5
i2	<i>Hippopotamodon major</i>	15	9.1	1.2	6.2	10.7	14.8	2.4	9.2	18.3	163.2	17.2	129.3	184.1
i3	This study	2	12.7	0.4	12.4	12.9	6.5	0.4	6.2	6.7	51.0	1.3	50.0	51.9
i3	<i>Propotamochoerus palaeochoerus</i>	11	10.9	1.7	9.4	14.1	6.3	1.7	4.9	7.6	58.1	8.9	48.2	72.4
i3	<i>Propotamochoerus wui</i>	2	9.7	1.6	8.5	10.8	5.2	0.3	5.0	5.4	54.4	6.2	50.0	58.8
i3	<i>Propotamochoerus hyotherioides</i>	2	9.3	0.4	9.0	9.5	6.9	2.1	5.4	8.4	75.1	25.8	56.8	93.3
i3	<i>Propotamochoerus provincialis</i>	1	9.5	—	9.5	9.5	4.8	—	4.8	4.8	50.5	—	50.5	50.5
i3	<i>Hippopotamodon major</i>	11	10.6	1.3	8.3	13.3	8.5	0.7	7.5	9.8	81.9	14.1	60.2	118.1
c1f	This study	2	11.2	1.1	10.4	12.0	8.2	0.1	8.1	8.3	73.6	6.2	69.2	77.9

c1f	<i>Propotamochoerus palaeochoerus</i>	11	11.6	1.9	8.0	13.9	8.2	1.8	5.7	11.8	70.3	11.0	54.7	94.4
c1f	<i>Propotamochoerus hysudricus</i>	4	10.5	1.6	8.6	12.3	7.2	2.2	5.7	10.4	67.7	11.6	60.0	84.6
c1f	<i>Propotamochoerus wui</i>	3	8.9	0.4	8.7	9.4	6.3	0.5	5.7	6.7	70.4	8.7	60.6	77.0
c1f	<i>Hippopotamodon major</i>	3	16.2	0.2	16.0	16.5	8.6	0.0	8.5	8.6	53.0	0.7	52.1	53.8
c1m	This study	2	15.7	2.5	13.9	17.5	10.8	0.8	10.2	11.4	13.6	1.3	12.7	14.5
c1m	<i>Propotamochoerus palaeochoerus</i>	5	13.9	2.0	11.0	16.1	12.8	1.5	10.5	14.0	12.7	1.5	10.1	13.8
c1m	<i>Propotamochoerus wui</i>	5	11.1	1.4	9.6	12.8	8.5	0.5	8.0	9.2	8.8	1.4	7.3	10.6
c1m	<i>Propotamochoerus provincialis</i>	1	14.8	—	14.8	14.8	13.6	—	13.6	13.6	12.6	—	12.6	12.6
c1m	<i>Propotamochoerus hyotherioides</i>	4	19.6	1.9	17.4	21.6	17.0	1.8	14.9	19.3	14.4	1.9	12.2	17.2
c1m	<i>Propotamochoerus aegaeus</i>	1	12.7	—	12.7	12.7	11.2	—	11.2	11.2	9.4	—	9.4	9.4
c1m	<i>Hippopotamodon major</i>	1	12.4	—	12.4	12.4	13.9	—	13.9	13.9	12.2	—	12.2	12.2
p1	This study	3	11.2	0.1	11.2	11.3	5.0	0.1	5.0	5.1	44.8	0.7	44.2	45.5
p1	<i>Propotamochoerus palaeochoerus</i>	11	11.5	1.0	9.7	12.8	5.3	0.3	4.9	6.0	46.3	3.4	41.6	51.5
p1	<i>Propotamochoerus wui</i>	5	9.8	0.6	8.7	10.3	3.7	0.2	3.4	4.0	38.0	1.2	36.7	39.2
p1	<i>Propotamochoerus provincialis</i>	5	10.8	1.6	9.6	13.4	5.1	0.4	4.7	5.7	47.1	3.3	42.5	50.0
p1	<i>Propotamochoerus aegaeus</i>	2	12.1	0.2	11.9	12.2	6.0	1.6	4.8	7.1	49.3	12.7	40.3	58.2
p1	<i>Hippopotamodon major</i>	7	14.7	2.3	11.5	18.0	6.6	1.0	3.0	8.0	4.3	15.0	42.9	47.3
p2	This study	2	14.5	0.3	14.2	14.8	6.5	0.1	6.4	6.6	44.9	0.3	44.6	45.1
p2	<i>Propotamochoerus palaeochoerus</i>	22	14.7	1.4	12.4	16.7	6.5	0.7	5.4	7.6	44.3	2.8	41.4	50.7
p2	<i>Propotamochoerus hysudricus</i>	1	14.7	—	14.7	14.7	7.3	—	7.3	7.3	44.0	—	44.0	44.0
p2	<i>Propotamochoerus wui</i>	2	12.4	0.1	12.3	12.4	5.5	0.1	5.4	5.6	44.5	1.4	43.5	45.5
p2	<i>Propotamochoerus provincialis</i>	3	15.8	0.2	15.6	16.0	7.5	0.3	7.2	7.8	47.8	1.6	4.9	48.8
p2	<i>Propotamochoerus aegaeus</i>	7	16.2	0.9	14.4	17.0	6.9	0.6	6.2	8.0	42.7	3.3	39.2	47.1

p2	<i>Hippopotamodon major</i>	29	15.9	1.4	12.6	19.0	7.7	0.8	6.0	9.5	48.8	4.0	39.4	55.5
p3	This study	1	17.4	—	17.4	17.4	9.3	—	9.3	9.3	53.4	—	53.4	53.4
p3	<i>Propotamochoerus palaeochoerus</i>	33	16.8	1.2	13.9	19.5	8.9	0.9	7.4	10.8	52.8	4.0	44.3	61.4
p3	<i>Propotamochoerus hysudricus</i>	10	15.5	0.9	13.7	16.7	8.3	0.8	7.5	10.0	53.7	5.1	46.0	60.7
p3	<i>Propotamochoerus wui</i>	13	13.0	0.7	11.3	14.0	6.5	0.5	5.9	7.4	49.9	3.5	44.3	55.2
p3	<i>Propotamochoerus provincialis</i>	7	17.1	0.5	16.4	17.7	11.0	0.5	10.0	11.5	64.3	3.0	61.0	69.5
p3	<i>Propotamochoerus hyotherioides</i>	4	17.0	0.6	16.3	17.7	8.8	0.0	8.0	9.1	51.4	2.0	49.1	53.9
p3	<i>Propotamochoerus aegaeus</i>	9	16.8	0.7	15.5	17.8	10.0	0.3	9.5	10.4	59.2	2.0	56.9	62.6
p3	<i>Hippopotamodon major</i>	49	19.4	1.5	15.5	23.3	10.7	1.4	8.3	15.6	55.4	5.9	45.1	71.9
p4	This study	4	17.3	0.5	16.6	17.9	13.1	0.3	12.8	13.5	76.1	2.4	73.7	78.3
p4	<i>Propotamochoerus palaeochoerus</i>	49	17.7	1.2	14.4	21.2	12.8	0.8	11.1	15.1	72.3	4.8	62.3	88.5
p4	<i>Propotamochoerus hysudricus</i>	26	15.6	1.2	13.6	18.3	10.8	1.0	9.2	12.6	69.8	6.9	55.1	85.3
p4	<i>Propotamochoerus wui</i>	25	12.6	0.5	11.7	13.6	8.8	0.5	7.9	9.6	70.1	3.7	63.0	76.9
p4	<i>Propotamochoerus provincialis</i>	16	17.5	1.0	15.2	20.2	12.6	0.7	11.7	14.6	71.9	4.1	64.2	80.3
p4	<i>Propotamochoerus hyotherioides</i>	6	17.3	1.1	16.2	19.3	11.7	0.9	10.7	13.2	67.7	5.3	62.7	78.1
p4	<i>Propotamochoerus aegaeus</i>	9	15.7	0.7	14.0	16.3	12.0	0.4	11.3	12.5	76.5	4.7	70.2	87.1
p4	<i>Hippopotamodon major</i>	69	20.8	1.1	18.8	23.0	15.1	1.0	12.7	17.2	73.0	4.8	62.7	86.0
m1	This study	12	17.9	1.1	16.3	19.8	13.0	0.4	12.3	13.8	72.4	4.5	65.7	79.1
m1	<i>Propotamochoerus palaeochoerus</i>	61	19.3	1.4	17.1	23.0	13.5	0.9	11.9	15.9	70.0	4.8	59.7	82.2
m1	<i>Propotamochoerus hysudricus</i>	35	16.3	1.2	13.7	18.8	12.0	0.7	10.7	13.0	74.0	5.5	63.6	89.0
m1	<i>Propotamochoerus wui</i>	17	13.3	0.8	11.7	14.5	9.8	0.5	8.9	10.7	73.6	5.7	67.4	86.3
m1	<i>Propotamochoerus provincialis</i>	14	19.1	0.6	18.0	20.3	14.3	0.9	13.0	15.6	75.1	6.1	66.7	83.8
m1	<i>Propotamochoerus aegaeus</i>	11	16.6	1.1	14.9	18.3	12.5	0.6	11.7	13.3	73.2	3.3	68.0	79.6

m1	<i>Hippopotamodon major</i>	55	22.8	1.5	19.9	27.0	16.3	1.0	13.9	19.0	58.7	7.4	46.4	71.1
m2	This study	5	20.7	0.6	20.1	21.7	15.6	0.8	14.7	17.0	75.4	2.6	71.4	78.3
m2	<i>Propotamochoerus palaeochoerus</i>	86	22.8	1.3	20.5	27.1	16.4	0.9	14.2	18.2	72.0	4.2	64.8	81.8
m2	<i>Propotamochoerus hysudricus</i>	37	21.4	1.8	19.0	27.9	15.9	1.3	13.3	18.7	74.4	5.4	66.8	86.6
m2	<i>Propotamochoerus wui</i>	22	17.2	0.7	16.2	19.0	13.3	0.5	12.5	14.3	77.3	4.8	70.0	87.1
m2	<i>Propotamochoerus provincialis</i>	18	25.1	0.6	24.1	26.3	18.3	0.8	17.0	20.0	73.0	3.2	67.5	80.0
m2	<i>Propotamochoerus aegaeus</i>	13	23.5	1.1	21.0	24.4	16.8	1.0	15.4	18.9	74.5	4.6	65.8	80.9
m2	<i>Hippopotamodon major</i>	64	28.6	1.5	24.0	32.4	20.7	1.3	17.4	23.4	72.4	4.0	64.2	83.5
m3	This study	7	34.0	1.5	32.2	36.1	17.6	0.6	17.0	18.4	51.8	2.7	47.4	55.9
m3	<i>Propotamochoerus palaeochoerus</i>	94	32.5	1.9	28.4	36.7	17.1	0.9	14.7	19.0	52.7	2.5	47.3	61.8
m3	<i>Propotamochoerus hysudricus</i>	44	32.4	2.6	27.0	40.0	17.3	1.6	14.0	20.0	53.3	2.8	47.7	59.4
m3	<i>Propotamochoerus wui</i>	18	25.9	1.7	23.1	29.0	14.0	0.8	12.5	16.0	53.9	2.3	49.8	59.3
m3	<i>Propotamochoerus provincialis</i>	11	36.8	1.3	35.3	38.6	20.0	0.4	19.4	20.9	54.4	2.3	50.3	57.3
m3	<i>Propotamochoerus aegaeus</i>	13	33.7	1.3	31.5	36.8	18.3	1.1	15.9	19.9	54.2	2.8	47.3	57.7
m3	<i>Hippopotamodon major</i>	76	45.5	2.5	38.1	51.8	23.0	1.5	18.9	26.0	50.6	2.7	44.5	62.1
DI1	This study	1	8.9	—	8.9	8.9	5.8	—	5.8	5.8	65.2	—	65.2	65.2
DI1	<i>Propotamochoerus palaeochoerus</i>	13	10.4	1.6	8.0	13.2	6.5	2.2	5.0	13.6	62.2	15.6	44.2	103.0
DI1	<i>Propotamochoerus hysudricus</i>	1	13.0	—	13.0	13.0	4.7	—	4.7	4.7	36.2	—	36.2	36.2
DI1	<i>Propotamochoerus wui</i>	1	6.5	—	6.5	6.5	3.6	—	3.6	3.6	55.4	—	55.4	55.4
DI2	This study	2	9.4	0.7	8.9	9.9	4.5	0.0	4.5	4.5	96.1	3.6	45.5	50.6
DI2	<i>Propotamochoerus palaeochoerus</i>	9	9.7	1.7	8.0	12.6	5.7	0.9	4.4	7.0	59.7	8.5	48.9	73.0
DI2	<i>Propotamochoerus hysudricus</i>	2	12.6	1.4	11.2	14.0	4.8	0.3	4.5	5.0	38.0	2.3	35.7	40.2
DP2	This study	1	11.8	—	11.8	11.8	5.7	—	5.7	5.7	48.3	—	48.3	48.3

DP2	<i>Propotamochoerus palaeochoerus</i>	9	12.8	1.0	11.6	14.4	6.1	1.0	3.7	7.2	48.0	6.8	31.9	55.7
DP2	<i>Hippopotamodon major</i>	8	13.9	0.8	12.8	15.0	8.4	0.4	7.7	9.0	60.2	5.4	52.6	68.7
DP3	This study	1	15.1	—	15.1	15.1	11.3	—	11.3	11.3	74.8	—	74.8	74.8
DP3	<i>Propotamochoerus palaeochoerus</i>	14	15.8	1.3	14.2	18.6	11.4	0.6	10.4	12.5	72.6	3.7	65.9	79.2
DP3	<i>Propotamochoerus hysudricus</i>	2	15.6	0.6	15.1	16.0	10.6	1.3	9.7	11.5	68.1	5.4	64.2	71.9
DP3	<i>Propotamochoerus wui</i>	3	13.6	0.8	13.1	14.5	9.4	0.3	9.2	9.8	69.4	1.7	67.6	71.0
DP3	<i>Propotamochoerus hyotherioides</i>	3	16.3	1.7	15.0	18.3	12.1	0.9	11.3	13.0	74.2	2.9	71.0	76.4
DP3	<i>Hippopotamodon major</i>	15	18.2	1.0	1.8	19.7	13.8	0.7	12.6	14.6	76.3	2.8	72.2	82.2
DP4	This study	3	16.8	0.6	16.2	17.2	14.2	0.8	13.3	14.6	84.1	1.8	82.1	85.4
DP4	<i>Propotamochoerus palaeochoerus</i>	25	16.5	1.4	14.8	19.6	14.1	1.3	12.7	17.2	85.4	4.6	77.2	97.3
DP4	<i>Propotamochoerus hysudricus</i>	3	14.7	1.1	14.0	16.0	12.0	1.8	10.5	14.0	81.4	6.3	75.0	87.5
DP4	<i>Propotamochoerus wui</i>	3	11.7	0.4	11.4	12.1	9.9	0.4	9.6	10.4	84.5	5.9	80.2	91.2
DP4	<i>Propotamochoerus aegaeus</i>	4	14.5	1.2	13.1	15.9	12.8	1.0	11.3	13.4	88.5	4.6	83.6	94.3
DP4	<i>Propotamochoerus provincialis</i>	2	16.7	0.5	16.3	17.0	14.1	0.5	13.7	14.4	84.4	0.5	84.0	84.7
DP4	<i>Propotamochoerus hyotherioides</i>	2	15.8	0.3	15.6	16.0	13.1	0.0	13.1	13.1	83.0	1.5	81.9	84.0
DP4	<i>Hippopotamodon major</i>	16	19.8	1.7	16.2	23.4	17.0	1.3	13.7	19.5	86.2	5.3	80.9	101.2
di1	This study	3	4.9	0.0	4.8	5.0	5.5	0.5	5.1	6.1	112.2	9.1	104.1	122.0
di1	<i>Propotamochoerus palaeochoerus</i>	13	4.8	0.6	4.1	6.2	5.8	0.2	5.3	6.1	121.4	12.9	98.4	141.5
di1	<i>Hippopotamodon major</i>	1	5.3	—	5.3	5.3	6.7	—	6.7	6.7	126.4	—	126.4	126.4
di2	This study	4	5.2	0.4	4.8	5.7	6.1	0.9	5.0	7.3	117.9	10.2	104.2	128.1
di2	<i>Propotamochoerus palaeochoerus</i>	9	6.4	1.2	4.8	7.8	7.4	0.5	6.6	8.3	119.6	27.6	97.2	169.4
di2	<i>Propotamochoerus wui</i>	1	3.1	—	3.1	3.1	4.8	—	4.8	4.8	154.8	—	154.8	154.8
di2	<i>Hippopotamodon major</i>	1	6.9	—	6.9	6.9	10.0	—	10.0	10.0	144.9	—	144.9	144.9

dc1	This study	1	3.9	—	3.9	3.9	2.6	—	2.6	2.6	66.7	—	66.7	66.7
dp3	This study	9	13.0	0.6	12.4	14.2	6.6	0.4	5.9	6.9	50.5	3.0	46.8	54.4
dp3	<i>Propotamochoerus palaeochoerus</i>	13	12.7	0.9	11.4	13.8	6.2	0.4	5.6	6.7	48.6	3.1	42.9	55.3
dp3	<i>Propotamochoerus provincialis</i>	1	11.9	—	11.9	11.9	6.1	—	6.1	6.1	51.3	—	51.3	51.3
dp3	<i>Hippopotamodon major</i>	9	13.9	0.8	12.5	15.3	7.6	0.4	7.1	8.3	54.8	14.4	48.4	59.2
dp4	This study	7	22.0	0.8	20.8	23.2	10.0	0.5	9.5	10.8	45.6	2.3	42.2	49.1
dp4	<i>Propotamochoerus palaeochoerus</i>	19	21.9	1.3	19.3	24.0	9.3	1.1	7.9	11.7	42.4	3.1	38.5	48.8
dp4	<i>Propotamochoerus hysudricus</i>	3	18.7	1.7	17.2	20.5	9.3	0.7	8.6	10.0	49.7	0.8	48.8	50.3
dp4	<i>Propotamochoerus wui</i>	2	18.5	2.7	16.6	20.4	9.1	2.0	7.7	10.5	49.0	3.6	46.4	51.5
dp4	<i>Propotamochoerus provincialis</i>	1	22.0	—	22.0	22.0	10.5	—	10.5	10.5	51.5	—	51.5	51.5
dp4	<i>Propotamochoerus hyotherioides</i>	5	21.5	3.3	16.6	25.5	10.5	1.8	7.4	12.0	48.6	3.8	44.6	52.2
dp4	<i>Hippopotamodon major</i>	15	27.4	1.1	26.0	29.8	12.7	1.1	11.3	15.0	46.5	4.0	40.6	57.7

	12345678901234567890123456789012345678901234567890
Tayassu	00000--?00100-010001110001010010100011012000000010
Hyotherium spp.	111000010110100010011100100110100A0110012010000111
Aureliachoerus aurelianensis	11000001011010001001110010011010010110012010100111
Xenohyus venitor	?????0000110100010011100100110100001?0002010100111
Chicochoerus minus	11000?????0-100010011100100110100001100121?????11
Albanohyus spp.	0011001002111001010111001001101A-00000002110100-11
Cainochoerus africanus	0011001002111001000111001001?011-?0000002111100-11
Parachleuastochoerus crusafonti	?????0000011010001001110011111010000111011110100111
Nyanzachoerus spp.	00111000011010001001110011111010000111011110100111
Tetraconodon sp.	?????0010110100010001100111110100001110111????????
Chleuastochoerus stehlini	11100001011010001001110011A110100101?A01BA10000111
Nguruwe kijivium	110000110BA01000000111001101101000011101111???0?11
Namachoerus moruoroti	0111110012100011000110011111001100110000111001?011
Kubanochoerus massai	00112100021011010001110011011010000111001110010011
Kubanochoerus gigas	001?11000?1011010001110011011010000111001110010?11
Eurolistriodon tenarezensis	001111000A1010010001100011111010000111101112011011
Listriodon jeanneli	001?11000210100100011000111110100001111011?????11
Listriodon splendens	001?2100021010010001100111111010000111101112011011
Lopholistriodon kidogosana	011111001210101100011-0111110011000100001-?????11
'Parachleuastochoerus' valentini	11100001011010001001110011111010010111011110100111
Versoporcus steinheimensis	??1???00A011010001001110011111010010111011110100111
Retroporcus matritensis (Göriach)	111000000110100010?11100111110100A011101111???001?
Sus scrofa	0011200100100-001001110011111010010111011110100011
Hippopotamodon major	0011-00101100-001001100011111010010111011110100011
Propotamochoerus palaeochoerus	0011200101100-001001110011111010010111011110100011

	11111111111111111111111111111111
Taxon / Character No.	000000000111111111112222222223333
	123456789012345678901234567890123
<i>Tayassu</i>	200000-0000010100010000000?01?0?
<i>Hyotherium</i> spp.	111001100A0A1001001A0100111010001
<i>Aureliachoerus aurelianensis</i>	111001100100100100100100111010001
<i>Xenohyus venitor</i>	111?01100100100110100100111010001
<i>Chicochoerus minus</i>	110001100100000100000100011010011
<i>Albanohyus</i> spp.	110001100000210010100000011000000
<i>Cainochoerus africanus</i>	11000110000021001010000?011000000
<i>Parachleuastochoerus crusafonti</i>	010101100010100101110000111110011
<i>Nyanzachoerus</i> spp.	010100-00110100101010010111110011
<i>Tetraconodon</i> sp.	???10??000101001010-0010111110011
<i>Chleuastochoerus stehlini</i>	111001100000100100100100111010001
<i>Nguruwe kijivium</i>	010001?000?010010010010?111010001
<i>Namachoerus moruoroti</i>	000011?0010020000010010000000101-
<i>Kubanochoerus massai</i>	000111100001200110100100111010011
<i>Kubanochoerus gigas</i>	000111100001?00110100100111010??1
<i>Eurolistriodon tenarezensis</i>	000011100001210010100100000000111
<i>Listriodon jeanneli</i>	00001???00????10010100100000000111
<i>Listriodon splendens</i>	A00011-0000020011010010000000011-
<i>Lopholistriodon kidogosana</i>	000?????????????0??10010000000101-
' <i>Parachleuastochoerus</i> ' <i>valentini</i>	110101100011000100110010111110011
<i>Versoporcus steinheimensis</i>	110101100011100101110010111110011
<i>Retroporcus matritensis</i> (Göriach)	110101100011000101110010111110011
<i>Sus scrofa</i>	110001101000100100110100111110011
<i>Hippopotamodon major</i>	110001101000100100110100111110011
<i>Propotamochoerus palaeochoerus</i>	110001101000100100110110111110011

Table S6 Principal component (PC) scores of each individual for the PCs explaining more than 5% variance in the PCA based on Mosimann shape variables computed from upper and lower cheek teeth measurements

Upper cheek teeth (P2–M3)					
Species	Catalogue No	PC1	PC2	PC3	PC4
<i>P. palaeochoerus</i>	IPS132994	-0.241	0.091	-0.052	0.155
<i>P. palaeochoerus</i>	IPS28739	-0.159	-0.024	-0.059	0.003
<i>P. palaeochoerus</i>	BSP AS 103	-0.495	0.064	0.051	0.041
<i>P. palaeochoerus</i>	LJG 60258	-0.336	0.086	0.079	-0.051
<i>P. hysudricus</i>	PUPC 15/28	-0.024	-0.163	0.043	-0.151
<i>P. hysudricus</i>	PUPC 99/3	-0.111	-0.329	-0.166	-0.013
<i>P. aegaeus</i>	AMGP-MA 501	-0.129	-0.162	-0.013	-0.002
<i>P. aegaeus</i>	KRY3820	-0.064	0.303	-0.096	-0.140
<i>H. major</i>	58-HAY-2/45	0.213	-0.026	0.046	0.001
<i>H. major</i>	AMNH 20653-Q5	0.094	-0.023	0.119	0.042
<i>H. major</i>	AMNH 20795-Q5	0.046	-0.102	0.111	0.013
<i>H. major</i>	DT RO 2992	0.175	0.032	-0.060	0.069
<i>H. major</i>	FM 2801	0.152	0.073	0.118	0.006
<i>H. major</i>	[IPS9761]	0.062	0.014	0.034	-0.010
<i>H. major</i>	MNCN Bat10·14·E3·46	0.082	0.003	-0.001	0.021
<i>H. major</i>	MTLA-537	0.105	-0.067	0.074	0.026
<i>H. major</i>	NHMB ML 41	0.172	0.038	0.042	-0.042
<i>H. major</i>	NMT 343-13(1)	0.143	0.046	-0.157	-0.030
<i>H. major</i>	NMT w/n	0.236	0.085	-0.092	0.073
<i>H. major</i>	Tbilisi	0.082	0.061	-0.019	-0.011
Lower cheek teeth (p2–m3)					
Species	Catalogue No	PC1	PC2	PC3	PC4
<i>P. palaeochoerus</i>	IPS132994	-0.179	0.072	-0.118	0.028
<i>P. palaeochoerus</i>	IPS107069	-0.181	0.219	0.020	0.033
<i>P. palaeochoerus</i>	22-1067	-0.177	0.095	0.003	0.018
<i>P. palaeochoerus</i>	22-1068	-0.165	0.117	0.004	0.050
<i>P. palaeochoerus</i>	MBFSZ V 2017.21.1.	-0.150	0.248	0.073	-0.108
<i>P. hysudricus</i>	GSP 2807	-0.307	-0.027	0.054	0.024
<i>P. provincialis</i>	FSL 40 072	-0.130	-0.054	0.005	-0.122

<i>P. aegaeus</i>	Vozarci-1544	-0.222	-0.236	-0.008	0.044
<i>P. aegaeus</i>	RZO 330	-0.244	-0.182	-0.062	0.052
<i>P. aegaeus</i>	KRY3490+1094	-0.085	-0.222	0.146	-0.004
<i>H. major</i>	NHMW 1911v211	0.264	-0.055	0.087	0.002
<i>H. major</i>	NMT 343-13(3)	0.173	-0.004	-0.008	-0.022
<i>H. major</i>	PER-360	0.119	0.151	-0.006	0.032
<i>H. major</i>	MNHN LUB 656	0.080	-0.067	0.033	-0.107
<i>H. major</i>	MNHN LUB 658	0.226	0.037	-0.012	-0.023
<i>H. major</i>	MTLA-479	0.410	0.028	0.054	0.119
<i>H. major</i>	K-5276	0.079	-0.002	-0.013	-0.028
<i>H. major</i>	MNCN BAT·10·09 G2·B3	0.016	0.025	-0.001	0.115
<i>H. major</i>	IPAS Dz 133	0.140	-0.033	-0.090	-0.018
<i>H. major</i>	DTK 286	0.200	-0.047	-0.007	-0.028
<i>H. major</i>	58-HAY-05	0.132	-0.064	-0.155	-0.055

Table S7 Variable loadings for the principal components (PCs) explaining more than 5% variance in the PCA based on Mosimann shape variables computed from upper and lower cheek teeth measurements. Percentage of variance explained by each PC is reported within parentheses

PCA based on upper cheek teeth (P2–M3)				
Variable	PC1 (49.0%)	PC2 (21.1%)	PC3 (9.6%)	PC4 (5.9%)
P2 BL	-0.221	-0.178	-0.070	-0.049
P3 BL	-0.194	-0.118	-0.023	0.527
P4 BL	-0.063	-0.071	-0.087	0.156
M1 BL	0.011	-0.274	0.500	0.045
M2 BL	0.266	-0.548	0.341	-0.178
M3 BL	0.883	0.044	-0.259	0.040
P2 MD	-0.010	-0.131	-0.192	-0.220
P3 MD	-0.016	0.195	-0.308	0.153
P4 MD	-0.137	0.073	-0.217	0.095
M1 MD	-0.111	0.220	-0.146	-0.652
M2 MD	0.012	0.511	0.517	-0.193
M3 MD	0.163	0.450	0.295	0.343
PCA based on lower cheek teeth (p2–m3)				
Variable	PC1 (56.7%)	PC2 (22.7%)	PC3 (6.6%)	PC4 (5.9%)
p2 BL	-0.406	-0.347	0.124	0.314
p3 BL	-0.181	0.031	0.012	0.564
p4 BL	0.096	0.432	-0.265	0.345
m1 BL	0.064	0.605	-0.151	-0.071
m2 BL	0.251	0.248	0.729	0.290
m3 BL	0.759	-0.299	-0.188	0.231
p2 MD	-0.081	-0.106	-0.208	-0.083
p3 MD	-0.198	-0.163	0.028	-0.096
p4 MD	0.063	0.108	-0.148	-0.376
m1 MD	0.041	0.131	0.231	-0.231
m2 MD	0.182	-0.159	0.424	-0.324
m3 MD	0.257	-0.289	-0.162	0.077

Table S8 List of apomorphies based on the strict consensus cladogram depicted in Figure 18. Node numbers refer to nodes in the strict consensus tree. Ambiguous changes are denoted by dashes and unambiguous ones by equal signs. See character definitions in Hou & Deng (2014: appendix 1)

Branch	Character	Steps	CI	Change
node_21 <-> <i>Tayassu</i> (outgroup)	2	1	1.000	1 <-> 0
	3	1	1.000	1 <-> 0
	4	1	0.333	0 <-> 1
	6	1	1.000	1 <-> 0
	8	1	0.667	2 <-> 0
	18	1	1.000	0 <-> 1
	19	1	1.000	1 <-> 0
	21	1	0.500	1 <-> 0
	23	1	1.000	1 <-> 0
	26	1	1.000	0 <-> 1
	30	1	1.000	1 <-> 0
	31	1	0.500	1 <-> 0
	34	1	1.000	1 <-> 0
	36	1	0.500	1 <=> 0
	37	1	1.000	1 <=> 0
	41	1	1.000	1 <=> 0
	42	1	1.000	0 <-> 1
	53	1	0.333	1 <=> 0
	54	1	0.333	1 <=> 0
	60	1	0.500	2 <=> 0
	63	1	0.333	1 <=> 0
	75	1	1.000	1 <=> 0
	79	1	0.500	1 <=> 0
	83	1	1.000	0 <-> 1
	90	1	0.333	0 <-> 1
	92	1	0.500	1 <=> 0
	93	1	1.000	1 <=> 0
	100	1	1.000	1 <=> 0
	101	1	0.500	1 <=> 2
	102	1	0.500	1 <-> 0
	106	1	0.500	1 <=> 0
	113	1	0.500	2 <-> 1
	115	1	1.000	0 <=> 1
	117	1	0.250	1 <-> 0
	126	1	0.500	1 <=> 0
node_21 --> node_20	39	1	0.500	1 ==> 0

	40	1	0.333	1 ==>	0
	50	1	1.000	0 -->	1
	86	1	1.000	0 ==>	1
	91	1	0.500	2 ==>	1
	116	1	0.333	0 -->	1
	122	1	0.500	0 ==>	1
	125	1	0.333	0 -->	1
	132	1	0.333	0 -->	1
node_20 --> node_19	10	1	1.000	0 -->	1
	16	1	1.000	0 -->	1
	25	1	0.500	0 ==>	1
	33	1	1.000	0 -->	1
	38	1	0.500	0 ==>	1
	58	1	0.200	0 -->	1
	60	1	0.500	2 ==>	1
	66	1	1.000	1 ==>	0
	67	1	0.500	0 ==>	1
	84	1	0.250	0 -->	1
	90	1	0.333	0 -->	1
	98	1	0.333	0 -->	1
	113	1	0.500	2 -->	1
	117	1	0.250	1 -->	0
node_19 --> node_12	4	1	0.333	0 -->	1
	8	1	0.667	2 -->	0
	11	1	1.000	0 ==>	1
	12	1	0.500	0 -->	1
	14	1	0.500	1 -->	0
	51	1	0.500	0 ==>	1
	52	1	0.333	0 ==>	1
	54	1	0.333	1 ==>	0
	132	1	0.333	1 -->	0
node_12 --> node_11	53	1	0.333	1 ==>	0
	84	1	0.250	1 -->	0
node_11 --> node_10	44	1	0.500	0 ==>	1
	76	1	0.500	1 ==>	0
	88	1	0.333	1 ==>	0
	91	1	0.500	1 ==>	2
	110	1	0.333	0 ==>	1
node_10 --> node_9	92	1	0.500	1 ==>	0
	103	1	0.500	0 ==>	1
node_9 --> <i>Hyotherium</i> spp.	53	1	0.333	0 ==>	1
node_9 --> node_8	95	1	0.333	0 ==>	1
node_8 --> <i>Aureliachoerus aurelianensis</i>	84	1	0.250	0 ==>	1

node_8 --> <i>Xenohyus venitor</i>	58	1	0.200	1 ==> 0
	90	1	0.333	1 ==> 0
	117	1	0.250	0 ==> 1
node_10 --> <i>Chicochoerus minus</i>	61	1	1.000	1 ==> 0
	113	1	0.500	1 ==> 0
	119	1	0.500	1 ==> 0
	125	1	0.333	1 ==> 0
	132	1	0.333	0 ==> 1
node_11 --> <i>Nguruwe kijivium</i>	57	1	0.500	0 ==> 1
	67	1	0.500	1 ==> 0
	101	1	0.500	1 ==> 0
node_12 --> <i>Chleuastochoerus stehlini</i>	21	1	0.500	1 ==> 0
	31	1	0.500	1 ==> 0
	40	1	0.333	0 ==> 1
	103	1	0.500	0 ==> 1
node_19 --> node_18	5	1	0.333	1 ==> 0
	7	1	1.000	0 ==> 1
	16	1	1.000	1 --> 2
	28	1	0.500	0 ==> 1
	33	1	1.000	1 --> 2
	77	1	0.500	0 ==> 1
	95	1	0.333	0 ==> 1
	120	1	1.000	0 ==> 1
	128	1	1.000	0 ==> 1
node_18 --> node_15	22	1	1.000	0 ==> 1
	58	1	0.200	1 --> 0
	104	1	0.500	0 ==> 1
	111	1	1.000	0 ==> 1
	118	1	0.500	0 ==> 1
	122	1	0.500	1 ==> 0
	123	1	0.333	0 --> 1
node_15 --> <i>Parachleuastochoerus crusafonti</i>	123	1	0.333	1 --> 0
node_15 --> <i>Nyanzachoerus</i> spp.	110	1	0.333	0 ==> 1
node_15 --> <i>Tetraconodon</i> sp.	58	1	0.200	0 --> 1
	70	1	1.000	1 ==> 0
node_15 --> node_14	51	1	0.500	0 --> 1
	52	1	0.333	0 --> 1
	54	1	0.333	1 --> 0
	112	1	0.333	0 ==> 1
node_14 --> node_13	113	1	0.500	1 ==> 0
node_13 --> ' <i>Parachleuastochoerus</i> ' <i>valentini</i>	58	1	0.200	0 --> 1
	118	1	0.500	1 ==> 0
node_13 --> <i>Retroporcus matritensis</i> (Göriach)	98	1	0.333	1 ==> 0

node_18 --> node_17	47	1	1.000	0 ==> 1
	48	1	0.500	1 ==> 0
	55	1	0.400	0 ==> 2
	63	1	0.333	1 ==> 0
	98	1	0.333	1 --> 0
	109	1	1.000	0 ==> 1
node_17 --> <i>Sus scrofa</i>	32	1	0.500	0 ==> 1
	35	1	0.500	0 ==> 1
	60	1	0.500	1 ==> 0
node_17 --> node_16	44	1	0.500	0 ==> 1
node_16 --> <i>Hippopotamodon major</i>	72	1	0.500	1 ==> 0
node_16 --> <i>Propotamochoerus palaeochoerus</i>	123	1	0.333	0 ==> 1
node_20 --> node_7	1	1	0.500	0 --> 1
	12	1	0.500	0 ==> 2
	15	1	0.333	0 --> 1
	35	1	0.500	0 --> 1
	43	1	0.667	0 --> 1
	46	1	1.000	0 ==> 1
	48	1	0.500	1 ==> 0
	55	1	0.400	0 ==> 1
	56	1	1.000	0 ==> 1
	96	1	1.000	0 ==> 1
	101	1	0.500	1 ==> 0
	102	1	0.500	1 --> 0
	105	1	1.000	0 ==> 1
node_7 --> node_6	32	1	0.500	0 --> 1
	36	1	0.500	1 --> 0
	43	1	0.667	1 --> 2
	45	1	0.500	0 ==> 1
	72	1	0.500	1 ==> 0
	77	1	0.500	0 ==> 1
	97	1	1.000	0 --> 1
	116	1	0.333	1 --> 0
	125	1	0.333	1 --> 0
	126	1	0.500	1 ==> 0
	127	1	1.000	1 ==> 0
	129	1	0.500	1 ==> 0
node_6 --> node_5	1	1	0.500	1 --> 0
	4	1	0.333	0 --> 1
	12	1	0.500	2 ==> 1
	15	1	0.333	1 --> 0
	52	1	0.333	0 ==> 1
	59	1	1.000	0 ==> 1

	65	1	1.000	0 ==>	1
	74	1	0.500	0 ==>	1
	79	1	0.500	1 ==>	0
	82	1	0.500	0 ==>	1
	87	1	0.500	1 ==>	0
	88	1	0.333	1 ==>	0
	110	1	0.333	0 -->	1
	117	1	0.250	1 -->	0
	130	1	1.000	0 ==>	1
node_5 --> <i>Namachoerus moruoroti</i>	14	1	0.500	1 ==>	0
	43	1	0.667	2 -->	0
	63	1	0.333	1 ==>	0
	85	1	1.000	0 ==>	1
node_6 --> node_4	89	1	1.000	0 ==>	1
	94	1	1.000	0 ==>	2
	114	1	0.333	0 -->	1
	131	1	1.000	0 ==>	1
node_4 --> <i>Eurolistriodon tenarezensis</i>	38	1	0.500	0 ==>	1
	60	1	0.500	2 ==>	(0,1)
	112	1	0.333	0 ==>	1
Node4 --> node_3	5	1	0.333	1 -->	0
	25	1	0.500	0 ==>	1
	28	1	0.500	0 ==>	1
	39	1	0.500	0 -->	1
	40	1	0.333	0 -->	1
node_3 --> <i>Listriodon jeanneli</i>	13	1	0.500	0 ==>	1
node_3 --> <i>Listriodon splendens</i>	8	1	0.667	2 ==>	1
	55	1	0.400	1 ==>	2
	74	1	0.500	0 ==>	1
	114	1	0.333	1 -->	0
	116	1	0.333	0 ==>	1
node_7 --> node_2	5	1	0.333	1 -->	0
	13	1	0.500	0 ==>	1
	17	1	1.000	0 ==>	1
	64	1	1.000	0 ==>	1
	104	1	0.500	0 ==>	1
	112	1	0.333	0 ==>	1
node_2 --> <i>Kubanochoerus massai</i>	55	1	0.400	1 ==>	2
node_21 --> node_1	44	1	0.500	0 ==>	2
	45	1	0.500	0 ==>	1
	49	1	1.000	0 ==>	1
	57	1	0.500	0 -->	1
	62	1	1.000	0 ==>	1

	76	1	0.500	1 ==> 0
	82	1	0.500	0 --> 1
	87	1	0.500	1 ==> 0
	88	1	0.333	1 ==> 0
	95	1	0.333	0 ==> 1
	114	1	0.333	0 ==> 1
	129	1	0.500	1 ==> 0
	133	1	1.000	1 ==> 0
node_1 --> <i>Albanohyus</i> spp.	68	1	1.000	0 ==> 1
node_1 --> <i>Cainochoerus africanus</i>	94	1	1.000	0 ==> 1

Supplementary references

- Agustí J, Roca E (1987) Síntesis biostratigráfica de la fosa de la Cerdanya (Pirineos orientales). *Estud Geol* 43:521–529
- Agustí J, Galobart À (1998) Noves localitats amb mamífers fòssils en el miocè de la Conca del Vallès-Penedès. *Trib Arqueol* 1996–1997:9–23
- Agustí J, Cabrera L, Moyà-Solà S (1985) Sinopsis estratigráfica del Neógeno de la fosa del Vallès-Penedès. *Paleontol Evol* 18:57–81
- Agustí J, Garcés M, Krijgsman W (2006) Evidence for African–Iberian exchanges during the Messinian in the Spanish mammalian record. *Palaeogeogr Palaeoclimatol Palaeoecol* 238:5–14
- Alba DM, Siarabi S, Arranz SG, Galindo J, Mckenzie S, Vinuesa V, Robles JM, Casanovas-Vilar I (2024) New suid remains from the early Vallesian (Late Miocene) site of Can Missert (Vallès-Penedès Basin). *J Mammal Evol* 31:19
- Alberdi MT, Cerdeño E, Domingo MS (2009) Las excavaciones paleontológicas del Museo Nacional de Ciencias Naturales en los Valles de Fuentidueña y la Cuenca de Guadix-Baza. In: Lobón-Cervia J, Morales J (eds) *Notas Para la Historia Reciente del Museo Nacional de Ciencias Naturales. Homenaje a María Dolores Soria Mayor*. Museo Nacional de Ciencias Naturales, Consejo Superior de Investigaciones Científicas, Madrid, pp 269–282
- Antunes MT, Ginsburg L, Mein P (1983) Mammifères miocènes de Azambujeira, niveau inférieur (Santarém, Portugal). *Cienc Terra UNL* 7:161–186
- Aslam S, Khan AM, Ahmad RM, Iqbal A, Waseem MT (2021) Systematic study of the new remains of *Protopotamochoerus hysudricus* (Suidae, Mammalia) from the Late Miocene–Early Pliocene of Middle Siwaliks (Pakistan). *Arab J Geosci* 14:1–15
- Batool A, Khan MA, Qureshi NA (2015) New fossils of Suidae (Mammalia, Artiodactyla) from the Hasnot Late Miocene, northern Pakistan. *J Anim Plant Sci* 25:578–590
- Blainville HMD de (1847) *Ostéographie ou Description Iconographique Comparée du Squelette et du Système Dentaire des Mammifères Récents et Fossiles pour Servir de Base a la Zoologie et a la Géologie*. Tome Quatrième. Quaternatès — Maldentés. J.B. Ballière, Paris
- Böhme M, Aiglstorfer M, Uhl D, Kullmer O (2012) The antiquity of the Rhine River: stratigraphic coverage of the Dinotheriensande (Eppelsheim Formation) of the Mainz Basin (Germany). *PLoS One* 7:e36817
- Casanovas-Vilar I, Garcés M, Van Dam J, García-Paredes I, Robles JM, Alba DM (2016) An updated biostratigraphy for the late Aragonian and the Vallesian of the Vallès-Penedès Basin (Catalonia). *Geol Acta* 14:195–217

- Chit Sein, Van der Made J, Rössner GE (2009) New material of *Propotamochoerus* (Suidae, Mammalia) from the Irrawaddy Formation, Myanmar. *Neues Jahrb Geol Paläontol Abh* 251:17–31
- Colbert EH (1935) Siwalik mammals in the American museum of natural history. *Trans Am Philos Soc* 26:1–401
- Crusafont-Pairó M, Golpe-Posse JM (1974) El nuevo yacimiento vallesiano de Ballestar (Lérida). *Bol Real Soc Esp Hist Nat Actas* 72:67–74
- Dar FY, Aftab K, Babar MA, Khan MA, Abbas SG, Shahid R, Asim M (2019) New fossils of Suidae (Mammalia) from Dhok Pathan Formation of Siwaliks, Punjab, Pakistan. *J Anim Plant Sci* 29:1198–1203
- Daxner-Höck G (2004) *Pseudocollimys steiningeri* nov. gen. nov. spec. (Cricetinae, Rodentia, Mammalia) aus dem Ober-Miozän der Molasse-zone Oberösterreichs. *Cour Forsch-Inst Senck* 246:1–13
- de Bonis L, Bouvrain G (1996) Suidae du Miocène supérieur de Grèce. *Bull Mus Natl Hist Nat Paris* 18:107–132
- de Bruijn H, Daams R, Daxner-Höck G, Fahlbusch V, Ginsburg L, Mein P, Morales J, Heinzmann E, Mayhew DF, Van der Meulen AJ, Schmidt-Kittler N, Telles Antunes M (1992) Report of the RCMNS working group on fossil mammals, Reischensburg 1990. *Newsl Stratigr* 26:65–118
- Depéret C (1887) Recherches sur la succession des faunes de vertébrés miocènes de la vallée du Rhône. *Arch Mus Hist Nat Lyon* 4:45–269
- Fortelius M, Armour-Chelu M, Bernor RL, Fessaha N (2005) Systematics and palaeobiology of the Rudabánya Suidae. *Palaeontogr Ital* 90:259–278
- Fortelius M, Van der Made J, Bernor RL (1996) Middle and late Miocene Suoidea of Central Europe and the Eastern Mediterranean: evolution, biogeography, and paleoecology. In: Bernor RL, Fahlbusch V, Mittmann HM (eds) *The Evolution of Western Eurasian Neogene Faunas*. Columbia University Press, New York, pp 348–377
- Franzen JL (2013) The tapirs (Mammalia, Perissodactyla, Tapiridae) from the late Miocene (early Turolian) of Dorn-Dürkheim 1 (Germany, Rheinhessen). *Palaeobiodivers Palaeoenv* 93:171–189
- Gallai G (2006) Sistematica, paleoecologia, paleogeografia dei Suidae fossili italiani. Dissertation, Università di Firenze
- Gallai G, Rook L (2006) *Protopotamochoerus* sp. (Suidae, Mammalia) from the late Miocene Gravitelli (Messina, Sicily, Italy) rediscovered. *Riv Ital Paleontol Stratigr* 112:317–321

- Gallai G, Rook L (2011) *Protopotamochoerus provincialis* (Gervais, 1859) (Suidae, Mammalia) from the latest Miocene (late Messinian; MN13) of Monticino Quarry (Brisighella, Emilia-Romagna, Italy). *Boll Soc Paleontol Ital* 50:29–34
- Geraads D, Spassov N, Garevski R (2008) New specimens of *Protopotamochoerus* (Suidae, Mammalia) from the late Miocene of the Balkans. *Neues Jahrb Geol Paläontol Abh* 248:103–113
- Geraads D, Spassov N, Hristova L, Markov GN, Tzankov T (2011) Upper Miocene mammals from Strumyani, south-western Bulgaria. *Geodiversitas* 33:451–484
- Gervais P (1850 [1848–1852]) *Zoologie et Paléontologie Françaises (Animaux Vertébrés)*. Nouvelles Recherches Sur les Animaux Vivants et Fossiles de la France. Arthus Bertrand, Paris
- Gervais P (1859) *Zoologie et Paléontologie Françaises*. Nouvelles Recherches sur les Animaux Vertébrés Dont on Trouve les Ossements Enfouis dans le Sol de la France et sur leur Comparaison avec les Espèces Propres aux Autres Régions du Globe. Deuxième Édition. Arthus Bertrand, Paris
- Ginsburg L (1988) Contributions à l'étude du gisement Miocène Supérieur de Montredon (Hérault). Les grands mammifères. 4 – Les artiodactyles Suidae. *Palaeovertebrata Mem Extr*:57–64
- Ginsburg L, Janvier P, Mornand J, Pouit D (1979) Découverte d'une faune de Mammifères terrestres d'âge vallésien dans le falun miocène de Doué-la-Fontaine (Maine-et-Loire). *C R Somm Séances Soc Géol Fr* 5–6:223–227
- Golpe-Posse JM (1971) Suiformes del Terciario español y sus yacimientos. Dissertation, Universidad de Barcelona, Barcelona
- Golpe-Posse JM (1972) Suiformes del Terciario español y sus yacimientos (Tesis doctoral-resumen) (revisado y reimprimido en Diciembre de 1972). *Paleontol Evol* 2:1–197
- Golpe-Posse JM (1974) Faunas de yacimientos con suiformes en el Terciario español. *Paleontol Evol* 8:1–87
- Golpe-Posse JM (1981) Los mamíferos de las Cuencas de Cerdanya y Seu d'Urgell (depresiones pirenaicas) y sus yacimientos; Vallesiense Medio-Superior. *Bol Geol Min* 92:91–100
- Gómez-Alba J (1997) Catálogo razonado de los vertebrados fósiles de España del Museo de Geología de Barcelona (1882–1982). *Treb Mus Geol Barc* 6:1–289
- Guérin C, Ballesio R, Méon H (1969) Le *Dicerorhinus megarhinus* (Mammalia, Rhinocerotidae) du Pliocène de Saint-Laurent-des-Arbres (Gard). *Trav Doc Lab Géol Lyon* 31:55–145
- Hellmund M (1995) The vertebrate locality Maramena (Macedonia, Greece) at the Turolian–Ruscinian boundary (Neogene). 13. Suidae (Artiodactyla, Mammalia). *Münch Geowiss Abh* 28:143–156
- Hou SK, Deng T (2014) A new species of *Chleuastochoerus* (Artiodactyla: Suidae) from the Linxia Basin, Gansu Province, China. *Zootaxa* 3872:401–439

- Hünemann KA (1968) Die Suidae (Mammalia, Artiodactyla) aus den Dinotheriensanden (Unterpliozän = Pont) Rheinhessens (Südwestdeutschland). Schweiz Paläontol Abh 86:1–96
- Iannucci A (2024) A reappraisal of the lost suids from the Late Miocene of Gravitelli (Sicily, Italy) and paleobiogeographical implications. *Palaeoworld* 33:469–491
- Iannucci A, Begun DR (2022) Suidae (Mammalia, Artiodactyla) from the late Miocene hominoid locality of Alsótelekes (Hungary). *Geobios* 71:39–49
- Iannucci A, Cherin M, Sorbelli L, Sardella R (2021) Suidae transition at the Miocene–Pliocene boundary: a reassessment of the taxonomy and chronology of *Propotamochoerus provincialis*. *J Mammal Evol* 28:323–335
- Khan MA, Akhtar M, Iqbal M (2010) The late Miocene artiodactyls in the Dhok Pathan type locality of the Dhok Pathan Formation, the Middle Siwaliks, Pakistan. *Pak J Zool Suppl Ser* 10:1–88
- Kostopoulos DS (1994) *Microstonyx major* (Suidae, Artiodactyla) from the late Miocene locality of Nikiti-1 (Macedonia, Greece); some remarks about the species. *Bull Geol Soc Greece* 30:341–355
- Kostopoulos DS, Spassov N, Kovachev D (2001) Contribution to the study of *Microstonyx*: evidence from Bulgaria and the SE European populations. *Geodiversitas* 23:411–437
- Kirscher U, Prieto J, Bachtadse V, Aziz HA, Doppler G, Hagmaier M, Böhme M (2016) A biochronologic tie-point for the base of the Tortonian stage in European terrestrial settings: Magnetostratigraphy of the topmost Upper Freshwater Molasse sediments of the North Alpine Foreland Basin in Bavaria (Germany). *Newsl Stratigr* 49:445–467
- Lazaridis G (2015) Study of the Late Miocene vertebrate locality of Kryopigi and other localities of Kassandra Peninsula, Chalkidiki (Greece): systematics, taphonomy, paleoecology, biochronology. Dissertation, Aristotle University of Thessaloniki, Thessaloniki [in Greek]
- Lazaridis G, Tsoukala E, Kostopoulos DS (2022) Validation of a prematurely abolished new *Propotamochoerus* Pilgrim, 1925 species (Mammalia, Suidae) from SE Mediterranean. *C R Palevol* 21:531–549
- Lechner TS, Böhme M (2025) The Early Late Miocene Hominid Locality Hammerschmiede (Bavaria, Southern Germany) – Excavation, Stratigraphy, and Taphonomic Insights. Senckenberg Gesellschaft für Naturforschung, Frankfurt am Main
- McKenzie S, Sorbelli L, Cherin M, Almécija S, Pina M, Abella J, Luján ÀH, Demiguel D, Alba DM (2023) Earliest Vallesian suid remains from Creu de Conill 20 (Vallès-Penedès Basin, NE Iberian Peninsula). *J Mammal Evol* 30:155–212
- McKenzie S, Arranz SG, Almécija S, Demiguel D, Alba DM (2024) Tetraconodontines and suines (Artiodactyla: Suidae) from the earliest Vallesian site of Castell de Barberà (Vallès-Penedès Basin, NE Iberian Peninsula). *J Mammal Evol* 31:7

- Morales J (1984) Venta del Moro: su macrofauna de mamíferos, y biostratigrafía continental del Mioceno terminal mediterráneo. Dissertation, Universidad Complutense de Madrid, Madrid
- Mottl M (1955) Neue Säugetierfunde aus dem Jungtertiär der Steiermark, III. *Hyotherium palaeochoerus*, ein neuer Suide aus dem Unterpliozän der Steiermark. Mitt Mus Bergb Geol Tech Landesmus Joanneum Graz 15:69–76
- Mottl M (1966) Neue Säugetierfunde aus dem Jungtertiär der Steiermark. VII. Ein vollständiger *Hyotherium palaeochoerus*-Schädel aus dem Altplozän (Pannon) Südost-Österreichs. Mitt Mus Bergb Geol Tech Landesmus Joanneum Graz 28:73–101
- Orliac MJ, Pierre-Olivier A, Ducrocq S (2010) Phylogenetic relationships of the Suidae (Mammalia, Cetartiodactyla): new insights on the relationships within Suoidea. Zool Scr 39:315–330
- Papp A, Thenius E (1954) Vösendorf – ein Lebensbild aus dem Pannon des Wiener Beckens. Mitt Geol Ges Wien 46:1–109
- Pickford M (1988) Revision of the Miocene Suidae of the Indian subcontinent. Münch Geowiss Abh A 12:1–91
- Pickford M (2013a) Reassessment of Dinotheriensande Suoidea: biochronological and biogeographic implications (Miocene Eppelsheim Formation). Mainz Naturwiss Arch 50:155–193
- Pickford M (2013b) Re-assessment of the suids from the Sables marins de Montpellier and selection of a lectotype for *Sus provincialis* Blainville, 1847. Geodiversitas 35:655–689
- Pickford M (2015) Late Miocene Suidae from Eurasia: *Hippopotamodon* and *Microstonyx* problem revisited. Münch Geowiss Abh A 42:1–126
- Pickford M (2016a) Biochronology of European Miocene Tetraconodontinae (Suidae, Artiodactyla, Mammalia) flowing from recent revision of the subfamily. Ann Naturhist Mus Wien A 118:175–244
- Pickford M (2016b) Miocene monkey from Melchingen. Anthropologie 54:195–204
- Pickford M, Pourabrishami Z (2013) Deciphering Dinotheriensande deinotheriid diversity. Palaeobiodivers Palaeoenviro 93:121–150
- Piñero P, Agustí J, Blain HA, Alba DM, Furió M, Angelone C, Linares-Martín A, Marquina-Blasco R, Laborda-López C, Arasa-Tuliesa A, Casanovas-Vilar I (2024) The vertebrate fauna of the lower Pliocene continental deposits in the Ebro Delta (Baix Ebre Basin, NE Spain). Riv Ital Paleontol Stratigr 130:557–601
- Rădulescu C, Samson PM, Petculescu A, Stiucă E (2003) Pliocene large mammals of Romania. Coloquios Paleontol Vol Ext 1:549–558
- Rook L, Ghetti P (1997) Il bacino neogenico della Velona (Toscana, Italia): stratigrafia e primi ritrovamenti di vertebrati fossili. Boll Soc Geol It 116:335–346

- Sarwar HMA, Waseem MT, Khan AM, Ahmad RM (2016) *Propotamochoerus hysudricus* remains from late Miocene deposits of Hasnot, Pakistan. Punjab Univ J Zool 31:243–248
- Schmidt-Kittler N (1971) Die obermiozäne Fossilagerstätte Sandelzhausen 3. Suidae (Artiodactyla, Mammalia). Mitt Bayer Staatsslg Paläont Hist Geol 11:129–170
- Seehuber U (2009) Litho- und biostratigraphische Untersuchungen in der Oberen Süßwassermolasse in der Umgebung von Kirchheim in Schwaben. Doc Nat 175:1–355
- Simionescu I (1930) Vertebratele Pliocene de la Malusteni (Covurlui). Acad Rom Publ Fund Vasile Adamachi 9:1–69
- Sorbelli L, Cherin M, Kostopoulos DS, Pavia M, Carnevale G (2019) Partial cranium of *Propotamochoerus* (Cetartiodactyla, Suidae) from the late Miocene of Northern Italy. In: Rook L, Pandolfi L (eds) Paleodays 2019. La Società Paleontologica Italiana a Benevento e Pietraroja. Parte 1: Volume dei Riassunti della XIX Riunione Annuale SPI, Ente GeoPaleontologico di Pietraroja, Benevento, pp 42–43
- Stehlin HG (1899) Ueber die Geschichte des Suiden-Gebisses. Erster Teil. Abh Schweiz Paläontol Ges 26:1–336
- Stromer E (1928) Wirbeltiere im obermiocänen Flinz Münchens. Abh Bayer Akad Wiss Math-nat Kl 32:1–71
- Stromer E (1940) Die jungtertiäre Fauna des Flinz und des Schweiß-Sandes von München. Nachträge und Berichtigungen. Abh Bayer Akad Wiss Math-naturwiss Abt 48:1–102
- Sylvestrou IA, Kostopoulos DS (2006) The late Miocene vertebrate locality of Perivolaki, Thessaly, Greece. 7. Suidae. Palaeontogr Abt A 276:121–133
- Sylvestrou IA, Kostopoulos DS (2009) The late Miocene Mammal faunas of the Mytilinii basin, Samos Island, Greece: new collection. 12. Suidae. Beitr Paläontol 31:283–297
- Thaung-Htike, Tsubamoto T, Takai M, Egi N, Zin-Maung-Maung-Thein, Chit-Sein, Maung-Maung (2006) Discovery of *Propotamochoerus* (Artiodactyla, Suidae) from the Neogene of Myanmar. Asian Paleoprimatol 4:173–185
- Thenius E (1950) *Postpotamochoeros* nov. subgen. *hyotherioides* aus dem Unterpliozän von Samos (Griechenland) und die Herkunft der Potamochoeren. Sitzungsber Akad Wiss Math-nat Kl 159:26–36
- Thenius E (1972) *Microstonyx antiquus* aus dem Alt-Pliozän Mittel-Europas. Zur Taxonomie und Evolution der Suidae (Mammalia). Ann Naturhist Mus Wien 76:539–586
- Ufrecht W (2008) Evaluating landscape development and karstification of the Central Schwäbische Alb (Southwest Germany) by fossil record of karst fillings. Z Geomorphol 52:417–436
- Van der Made J (1990) Iberian Suoidea. Paleontol Evol 23:83–97

- Van der Made J (1997) Los Suoidea de la Península Ibérica. In: Calvo JP, Morales J (eds) *Avances en el conocimiento del Terciario Ibérico*. Cuenca, pp 109–112
- Van der Made J (2003) Suoidea (Artiodactyla). In: Fortelius M, Kappelman J, Sen S, Bernor R (eds) *Geology and Paleontology of the Sinap Formation, Turkey*. Columbia University Press, New York, pp 308–327
- Van der Made J, Hussain ST (1989) “*Microstonyx*” *major* (Suidae, Artiodactyla) from the type area of the Nagri Formation, Siwalik group, Pakistan. *Estud Geol* 45:409–416
- Van der Made J, Moyà-Solà S (1989) European Suinae (Artiodactyla) from the Late Miocene onwards. *Boll Soc Paleontol Ital* 28:329–339
- Van der Made J, Han D (1994) Suoidea from the Upper Miocene hominoid locality of Lufeng, Yunnan Province, China. *Proc Kon Ned Akad Wetensch* 97:27–82
- Van der Made J, Montoya P, Alcalá L (1992) *Microstonyx* (Suidae, Mammalia) from the Upper Miocene of Spain. *Geobios* 25:395–413
- Van der Made J, Krakhmalnaya T, Kubiak H (1999) The pig *Propotamochoerus palaeochoerus* from the Upper Miocene of Grytsiv, Ukraine. *Estud Geol* 55:283–292
- Van der Made J, Güleç E, Erkman AC (2013) *Microstonyx* (Suidae, Artiodactyla) from the Upper Miocene of Hayranlı-Haliminhani, Turkey. *Turk J Zool* 37:106–122
- Van der Made J, Prieto J, Aiglstorfer M, Böhme M, Gross M (2014) Taxonomic study of the pigs (Suidae, Mammalia) from the late Middle Miocene of Gratkorn (Austria, Styria). *Palaeobiodivers Palaeoenviro* 94:595–617
- Vidal LM (1913) Sobre la presència del “*Dryopithecus*” en el Miocè superior del Pirineu català. *Treb Soc Biol* 1:247–256
- Wagner W (1947) Das Gebiet des unterpliozänen Ur-Rheins in Rheinhessen und seine Tierwelt. *Naturwissenschaften* 34:171–176