

Landscape-level naturalness of conservation easements in a mixed-use matrix

Landscape Ecology

Nakisha Fouch^{1*}, Robert F. Baldwin², Patrick Gerard³, Caitlin Dyckman⁴, David M. Theobald⁵

^{1*}Department of Forestry and Environmental Conservation, Clemson University
nfouch@clemson.edu


²Department of Forestry and Environmental Conservation, Clemson University

³Department of Mathematical Sciences, Clemson University


⁴Department of City Planning and Real Estate Development, Clemson University

⁵Conservation Science Partners


(A)



(B)



(C)



Online Resource 1 Spatial distribution of the study area counties and their protected lands, in the spatial context of (A) the adjacent counties and their protected lands, (B) the adjacent land uses, and (C) the Human modification estimates. Location of nearby major urban areas and Blue Ridge Mountains shown on the inset. Data sources include National Conservation Easement Database, Protected Areas Database, Foothills Conservancy of North Carolina, NLCD 2011 (Homer et al. 2015), and Theobald (2013).

References

Homer C et al. (2015) Completion of the 2011 National Land Cover Database for the conterminous United States—representing a decade of land cover change information vol 81.

Theobald DM (2013) A general model to quantify ecological integrity for landscape assessments and US application Landscape ecology 28:1859-1874