

Quantitative needs assessment tools for people with mental health problems: A systematic scoping review

Needs assessment tools found through electronic and manual searches and its original sources

Name of the tool	Acronym	Version for different use/populations	Source(s)
Adult Needs and Strengths Assessment	ANSA	/	Lyons, 1999 (Nelson & Johnston, 2008)
Avon Mental Health Measure	AMHM	/	Le Grand et al., 1996 (Le Grand et al., 1996)
Bangor Assessment of Need Profile	BANP	BAN-CP (clients); BAN-SP (staff)	Carter et al., 1996 (Carter et al., 1996)
Berlin Needs for Care Inventory	BNAS	/	Priebe et al., 1993 (Priebe et al., 1993)
Basic Psychological Needs Scale	BPNS	General Domain; Relationship Domain; Work Domain	Deci & Ryan, 2000 (Deci & Ryan, 2000) Gagné, 2003 (Gagné, 2003)
Camberwell Assessment of Need	CAN	CAN-R (research use); CAN-C (clinical use); CANSAS (brief version); CANE (elderly); CANFOR (forensic); CAN-M (mothers, pregnant women)	Phelan et al., 1995 (Phelan et al., 1995)
Child and Adolescent Needs and Strengths	CANS	/	Lyons, 2009 (Lyons, 2009)
Cardinal Needs Schedule	CNS	/	Marshall et al., 1995 (Marshall et al., 1995)
Community Placement Questionnaire	CPQ	/	Clifford et al., 1991 (Clifford et al., 1991)
Carers' and Users' Expectations of Services	CUES	/	CUES-U: Lelliott et al., 2001 (Lelliott et al., 2001) CUES-C: Lelliott et al., 2003 (Lelliott et al., 2003)
Difficulties and Needs Self-Assessment Tool	ELADEB	/	Pomini et al., 2008 (Pomini et al., 2008)
Elderly Psychiatric Needs Schedule	EPNS	/	Hamid et al., 2009 (Hamid et al., 2009)
Health of the Nation Outcome Scales	HoNOS	HoNOS65+ (elderly), HoNOSCA (children)	Wing et al., 1998 (Wing et al., 1998)
Montreal Assessment of Needs Questionnaire	MANQ	/	Tremblay et al., 2014 (Tremblay et al., 2014)
Mental Health Needs Assessment Study	MHNAS	Baseline and Follow-up interview options	Norman et al., 2018 (Norman et al., 2018)
Needs Assessment Inventory	NAI	/	Abbott, 2010 (Abbott, 2010)
Needs Assessment Scale	NAS	/	de Weert-van Oene et al., 2009 (de Weert-van Oene et al., 2009)
Needs for Care Questionnaire	NCQ	/	Kroon, 2003 (Kroon, 2003)
MRC Needs for Care Assessment Schedule	NFCAS	/	Brewin et al., 1987 (Brewin et al., 1987)
Need in Recovery Assessment	NiRA	/	Davies et al., 2020 (Davies et al., 2020)
The Need Satisfaction Scale	NSC	/	Perese, 1997 (Perese, 1997)
Profile of Community Psychiatry Clients	PCPC	/	Cheah et al., 1998 (Cheah et al., 1998)
Perceived Need for Care Questionnaire	PNCQ	/	Meadows et al., 2000 (Meadows et al., 2000)
Perceived Rehabilitation Needs Questionnaire	PRNQ	PRNQ-S-schizophrenia PRNQ-C caregivers	PRNQ-S: Wong et al., 2011 (Wong et al., 2011) PRNQ-C: Li et al., 2013 (Li et al., 2013)
Resident Assessment Instrument Mental Health	RAI-MH	RAI-MH; interRAI-CMH (Community Mental Health)	Hirdes et al., 2000 (Hirdes et al., 2000)
Service Needs Assessment Form	SNAF	/	Solomon et al., 1984 (Solomon et al., 1984)
Services Needed, Available, Planned, Offered	SNAPOR	/	Levin et al., 1978 (Levin et al., 1978)
Salford Needs Assessment Schedule for Adolescents	S.NASA	/	Kroll et al., 1999 (Kroll et al., 1999)
Self-Sufficiency Matrix	SSM	SSM-D	Fassaert et al., 2014 (Fassaert et al., 2014)

Literature

- Abbott P. J. (2010). Case management: ongoing evaluation of patients' needs in an opioid treatment program. *Professional case management*, 15(3), 145–152. <https://doi.org/10.1097/NCM.0b013e3181c8c72c>
- Brewin, C. R., Wing, J. K., Mangen, S. P., Brugha, T. S., & MacCarthy, B. (1987). Principles and practice of measuring needs in the long-term mentally ill: the MRC needs for care assessment. *Psychological medicine*, 17(4), 971–981. <https://doi.org/10.1017/s0033291700000787>
- Carter, M. F., Crosby, C., Geerthuis, S., & Startup, M. (1996). Developing reliability in client-centred mental health needs assessment. *Journal of Mental Health*, 5(3), 233–243. <https://doi.org/10.1080/09638239650036901>
- Cheah, Y. C., Parker, G., Hadzi-Pavlovic, D., Gladstone, G., & Eysers, K. (1998). Development of a measure profiling problems and needs of psychiatric patients in the community. *Social psychiatry and psychiatric epidemiology*, 33(7), 337–344. <https://doi.org/10.1007/s001270050063>
- Clifford, P., Charman, A., Webb, Y., Craig, T. J., & Cowan, D. (1991). Planning for community care: the Community Placement Questionnaire. *The British journal of clinical psychology*, 30(3), 193–211. <https://doi.org/10.1111/j.2044-8260.1991.tb00938.x>
- Deci, E. L., & Ryan, R. M. (2000). The "What" and "Why" of Goal Pursuits: Human Needs and the Self-Determination of Behavior. *Psychological Inquiry*, 11(4), 227–268. https://doi.org/10.1207/S15327965PLI1104_01
- de Weert-van Oene, G. H., Havenaar, J. M., & Schrijvers, A. J. (2009). Self-assessment of need for help in patients undergoing psychiatric treatment. *Psychiatry research*, 167(3), 221–230. <https://doi.org/10.1016/j.psychres.2008.02.001>
- Davies, E. L., Hooper, K. J., Pelentsov, L. J., Gordon, A. L., & Esterman, A. J. (2020). Development and validation of the Needs in Recovery Assessment (NiRA): A clinical tool for assessing the needs of individuals recovering from a first episode of mental illness. *International journal of mental health nursing*, 29(4), 639–651. <https://doi.org/10.1111/inm.12697>
- Fassaert, T., Lauriks, S., van de Weerd, S., Theunissen, J., Kikkert, M., Dekker, J., Buster, M., & de Wit, M. (2014). Psychometric properties of the Dutch version of the self-sufficiency matrix (SSM-D). *Community mental health journal*, 50(5), 583–590. <https://doi.org/10.1007/s10597-013-9683-6>
- Gagné, M. (2003). The role of autonomy support and autonomy orientation in prosocial behavior engagement. *Motivation and Emotion*, 27(3), 199–223. <https://doi.org/10.1023/A:1025007614869>
- Hamid, W. A., Lewis-Cole, K., Holloway, F., & Silverman, M. (2009). Older people with enduring mental illness: A needs assessment tool. *Psychiatric Bulletin*, 33(3), 91–95. <https://doi.org/10.1192/pb.bp.107.017392>
- Le Grand, D., Kessler, E., & Reeves, B. (1996). The Avon Mental Health Measure. *Mental Health Review Journal*, 1(4), 31–32. <https://doi.org/10.1108/13619322199600042>
- Hirdes, J. P., Marhaba, M., Smith, T. F., Clyburn, L., Mitchell, L., Lemick, R. A., Telegdi, N. C., Pérez, E., Prendergast, P., Rabinowitz, T., Yamauchi, K., & Resident Assessment Instrument-Mental Health Group (2000). Development of the Resident Assessment Instrument-Mental Health (RAI-MH). *Hospital quarterly*, 4(2), 44–51. <https://doi.org/10.12927/hcq.2000.16756>
- Kroon, H. (2003). *De zorgbehoeftenlijst: een vragenlijst voor het meten van zorgen rehabilitatiebehoeften bij mensen met ernstige psychische stoornissen* [The Needs for Care Questionnaire: A Questionnaire for the Measurement of Care Needs on Patients with a Severe Mental Illness]. Trimboos-instituut. Retrieved May 23, 2023, from <https://www.trimbos.nl/docs/eb27ee78-3920-45bf-b0a4-deb385b47f37.pdf>
- Kroll, L., Woodham, A., Rothwell, J., Bailey, S., Tobias, C., Harrington, R., & Marshall, M. (1999). Reliability of the Salford Needs Assessment Schedule for Adolescents. *Psychological medicine*, 29(4), 891–902. <https://doi.org/10.1017/s0033291799008752>
- Lelliott, P., Beevor, A., Hogman, G., Hyslop, J., Lathlean, J., & Ward, M. (2001). Carers' and Users' Expectations of

- Services--User version (CUES-U): a new instrument to measure the experience of users of mental health services. *The British journal of psychiatry : the journal of mental science*, 179, 67–72.
<https://doi.org/10.1192/bjp.179.1.67>
- Lelliott, P., Beevor, A., Hogman, G., Hyslop, J., Lathlean, J., & Ward, M. (2003). Carers' and users' expectations of services - carer version (CUES-C): A new instrument to support the assessment of carers of people with a severe mental illness. *Journal of Mental Health*, 12(2), 143-152.
<https://doi.org/10.1080/0963823031000103452>
- Levin, G., Wilder, J. F., & Gilbert, J. (1978). Identifying and meeting clients' needs in six community mental health centers. *Hospital & community psychiatry*, 29(3), 185–188. <https://doi.org/10.1176/ps.29.3.185>
- Li, D., Li, S. M., Tsang, H. W., Wong, A. H., Fung, K. M., Tsui, M. C., Chung, R. C., Yiu, M. G., Tam, K. L., & Lee, G. T. (2013). Development and validation of perceived rehabilitation require questionnaires for caregivers of people with schizophrenia. *International journal of psychiatry in clinical practice*, 17(4), 264–272.
<https://doi.org/10.3109/13651501.2013.794244>
- Lyons, J. S. (2009). *Communimetrics: A communication theory of measurement in human service settings*. Springer Science + Business Media. <https://doi.org/10.1007/978-0-387-92822-7>
- Marshall, M., Hogg, L. I., Gath, D. H., & Lockwood, A. (1995). The Cardinal Needs Schedule-a modified version of the MRC Needs for Care Assessment Schedule. *Psychological medicine*, 25(3), 605–617.
<https://doi.org/10.1017/s0033291700033511>
- Meadows, G., Harvey, C., Fossey, E., & Burgess, P. (2000). Assessing perceived need for mental health care in a community survey: development of the Perceived Need for Care Questionnaire (PNCQ). *Social psychiatry and psychiatric epidemiology*, 35(9), 427–435. <https://doi.org/10.1007/s001270050260>
- Nelson, C., & Johnston, M. (2008). Adult Needs and Strengths Assessment-Abbreviated Referral Version to specify psychiatric care needed for incoming patients: exploratory analysis. *Psychological reports*, 102(1), 131–143.
<https://doi.org/10.2466/pr0.102.1.131-143>
- Norman, C. C., McDonald, K., Schneider, A. E., Malinovsky, I., Goldmann, E., Blaschild, M. K., & Driver, C. (2018). The New York City Mental Health Needs Assessment Study (MHNAS): Objectives, design, and methods. *International journal of methods in psychiatric research*, 27(2), e1606.
<https://doi.org/10.1002/mpr.1606>
- Perese E. F. (1997). Unmet needs of persons with chronic mental illnesses: relationship to their adaptation to community living. *Issues in mental health nursing*, 18(1), 19–34. <https://doi.org/10.3109/01612849709006537>
- Phelan, M., Slade, M., Thornicroft, G., Dunn, G., Holloway, F., Wykes, T., Strathdee, G., Loftus, L., McCrone, P., & Hayward, P. (1995). The Camberwell Assessment of Need: the validity and reliability of an instrument to assess the needs of people with severe mental illness. *The British journal of psychiatry : the journal of mental science*, 167(5), 589–595. <https://doi.org/10.1192/bjp.167.5.589>
- Pomini, V., Golay, P., & Reymond, C. (2008). L'évaluation des difficultés et des besoins des patients psychiatriques. Les échelles lausannoises ELADEB. *L'information psychiatrique*, 84(10), 895–902.
<https://doi.org/10.3917/inpsy.8410.0895>
- Priebe S., Heinze M., & Jäkel A. (1993). *Berliner Bedürfnis Inventar (BeBI)*. FU Berlin: Abteilung für Sozialpsychiatrie.
- Solomon, P., Gordon, B., & Davis, J. M. (1984). Assessing the service needs of the discharged psychiatric patient. *Social work in health care*, 10(1), 61–69. https://doi.org/10.1300/J010v10n01_05
- Tremblay, J., Bamvita, J. M., Grenier, G., & Fleury, M. J. (2014). Utility of the Montreal assessment of need questionnaire for community mental health planning. *The Journal of nervous and mental disease*, 202(9), 677–687. <https://doi.org/10.1097/NMD.0000000000000180>
- Wing, J. K., Beevor, A. S., Curtis, R. H., Park, S. B., Hadden, S., & Burns, A. (1998). Health of the Nation Outcome Scales (HoNOS). Research and development. *The British journal of psychiatry : the journal of mental science*,

172, 11–18. <https://doi.org/10.1192/bjp.172.1.11>

Witkin, B. R., & Altschuld, J. W. (1995). *Planning and Conducting Needs Assessments: A Practical Guide*. Sage Publications. <https://doi.org/10.1177/002087289603900316>

Wong, A. H., Tsang, H. W., Li, S. M., Fung, K. M., Chung, R. C., Leung, A. Y., & Yiu, M. G. (2011). Development and initial validation of Perceived Rehabilitation Needs Questionnaire for people with schizophrenia. *Quality of life research : an international journal of quality of life aspects of treatment, care and rehabilitation*, 20(3), 447–456. <https://doi.org/10.1007/s11136-010-9767-5>