

Overexpression of SERPINA3 promotes tumor invasion and migration, epithelial-mesenchymal-transition in triple negative breast cancer cells

Yingzi Zhang¹, JiaoTian¹, Chi Qu¹, Yang Peng¹, Jinwei Lei¹, Kang Li¹, Beige Zong¹, Lu Sun¹, Shengchun Liu^{1*}

¹Department of Endocrine Breast Surgery, The First Affiliated Hospital of Chongqing Medical University,
1 Yixueyuan Road, Yuanjiagang, Yuzhong district, Chongqing, China.

* Corresponding author: Shengchun Liu

E-mail addresses:

liushengchun1968@163.com

Author's details

Yingzi Zhang¹: Email: zhangyingzi119@163.com

JiaoTian¹: Email: 424045196@qq.com

Chi Qu¹: Email: 565540717@qq.com

Yang Peng¹: Email: pengyangpoop6@qq.com

Jinwei Lei¹: Email: leijinweihean@126.com

Kang Li¹: Email: likang@stu.cqmu.edu.cn


Beige Zong¹: Email: 504715943@qq.com

Lu Sun¹: Email: 234952552@qq.com


Shengchun Liu^{1*}: Email: liushengchun1968@163.com

Online Resource 4

A



B



SERPINA3 influenced on TNBC cell migration and invasion

a, b Cell migration and invasion were detected by using wound healing assay and transwell assay in MDA-MB-436 cells with overexpression of SERPINA3. Values are shown as means $\pm$ S.E.M ($n=3$ per group) (* $p<0.05$; ** $P<0.01$; *** $P<0.001$; **** $p<0.0001$).