

Title: ‘Cervified’: a new method for the morphometric identification of red deer (*Cervus elaphus*), fallow deer (*Dama dama*), and roe deer (*Capreolus capreolus*) postcranial bones from European archaeological contexts.

Journal name: Archaeological and Anthropological Sciences

Authors: Veronica Aniceti^{1*}, Mauro Rizzetto^{2*}, Francesco Giacalone³

¹ Corresponding author. Institución Milá y Fontanals de Investigación en Humanidades (IMF), CSIC, Barcelona, Spain; veronica.aniceti@imf.csic.es

² Corresponding author. Interdisciplinary Historical Food Studies Research Group (VUB-FOST), Vrije Universiteit Brussel, Brussels, Belgium; mauro.rizzetto@vub.be

³ ludwig.guru, Palermo, Italy

* These authors contributed equally to this work.

Online Resource 4

Mann-Whitney U test and Student's t-test result graphs. Graphical representation of p values of the Mann-Whitney U tests and of the Student's t-tests, organised by element and species comparisons.




Fig 1. Scapula: graphical representation of p values of the Mann-Whitney U tests and of the Student's t-tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.




Fig 2. Humerus: graphical representation of p values of the Mann-Whitney U tests and of the Student's t-tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.




Fig 3. Radius: graphical representation of p values of the Mann-Whitney U tests and of the Student's t-tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.




Fig 4. Metacarpus: graphical representation of p values of the Mann-Whitney U tests and of the Student's t-tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.




Fig 5. Tibia: graphical representation of p values of the Mann-Whitney U tests and of the Student's t -tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.




Fig 6. Astragalus: graphical representation of p values of the Mann-Whitney U tests and of the Student's t-tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.





Fig 7. Calcaneum: graphical representation of p values of the Mann-Whitney U tests and of the Student's t-tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.




Fig 8. Metatarsus: graphical representation of p values of the Mann-Whitney U tests and of the Student's t-tests comparing fallow deer and red deer values, and fallow deer and roe deer values of each shape index.