



ELECTRONIC SUPPLEMENTARY MATERIAL

Tierney S *et al.*: Electronic health record interventions to reduce postoperative pregabalin prescribing: a quality improvement initiative

Disclaimer: *Electronic Supplementary Material (ESM) is supplied by the authors for the benefit of readers. This feature is intended to provide additional information, context, and/or dimension to complement articles. Readers should be aware that unlike the main print manuscript, ESM may not undergo extensive peer review and typically is posted as supplied by the authors without editing, proofreading, accuracy checking, copyediting, or typesetting; it is published online only.*

TABLE OF CONTENTS

eTable Sensitivity analysis evaluating the impact of department-wide morbidity and mortality rounds (16 June 2021) and department-wide grands rounds (20 April 2022)

eTable Sensitivity analysis evaluating the impact of department-wide morbidity and mortality rounds (16 June 2021) and department-wide grands rounds (20 April 2022)

		Pre-intervention <i>N</i> = 2,278	M+M rounds <i>N</i> = 3,281	Intervention 1: BPA <i>N</i> = 1,357	Grand Rounds <i>N</i> = 914	Intervention 2: Order set <i>N</i> = 2,837
Full population						
<i>Pregabalin prescription rate</i>		26%	21%	17%	11%	17%
Immediate (step) change	MD 95% CI		−2% −6.7 to 2.6	−4% −10.0 to 1.5	−4% −7.0 to 6.2	1% −4.5 to 7.0
Trend (slope) change (per week)	MD 95% CI	−0.2% −0.5 to 0.1	0.1% −0.2 to 0.4	0.3% −0.4 to 0.9	−0.09% −1.0 to 0.8	−0.2% −0.9 to 0.4
Total counterfactual difference	MD 95% CI <i>P</i> value		−2.0% −6.7 to 2.8	−4.0% −9.3 to 1.4 0.70	−0.5% −7.1 to 6.1	1.0% −5.0 to 7.1 0.09

BPA = best practice advisory; CI = confidence interval; M+M = morbidity and mortality; MD = mean difference