

Astragaloside IV regulates insulin resistance and inflammatory response of adipocytes via modulating CTRP3 and PI3K/AKT signaling

Yue Zhang^{1,#} (email: tcmzhangyue@126.com)

Guangning Xu^{2,#} (email: 281609817@qq.com)

Baoyi Chen¹ (email: 1196287588@qq.com)

Dongni Chen¹ (email: chendni@126.com)

Renqun Ye^{1,*} (email: yerenqun67@gzucm.edu.cn)

¹Department of Endocrinology, Shenzhen Bao'an Traditional Chinese Medicine Hospital, the Affiliated Hospital of Guangzhou University of Chinese Medicine, Shenzhen, China.

²Department of Traditional Chinese Medicine, Shenzhen Shekou People's Hospital, Shenzhen, China.

[#]Both authors contributed equally to this work.

*Corresponding authors: Renqun Ye; email: yerenqun67@gzucm.edu.cn; address: Department of Endocrinology, Shenzhen Bao'an Traditional Chinese Medicine Hospital, the Affiliated Hospital of Guangzhou University of Chinese Medicine, Shenzhen, China. Postal code: 518100.




Fig. 2B- GAPDH

Fig. 2B- CTRP3




Fig. 2D- GAPDH




Fig. 2D- CTRP3




Fig. 4-p-PI3K



Fig. 4-t-PI3K




Fig. 4-p-AKT



Fig. 4-t-AKT




Fig. 4-GAPDH