

Association Between Type 2 Diabetes Mellitus and Heart Failure: A Retrospective Study from a Tertiary Care Diabetes Centre in India

Rajendra Pradeepa¹, Thyparambil Aravindakshan PramodKumar¹, Ranjit Mohan Anjana², Saravanan Jebarani³, Abdul Subhan Naziyagulnaaz³, Sadasivam Ganesan³, Natrajan Premanand², Abraham Oomman⁴, Soumitra Kumar⁵, Pathiyil Balagopalan Jayagopal⁶, Gurpreet Singh Wander⁷, Ajit Mallasari⁸, Jagat Narula⁹, Sanjay Jain¹⁰, Onkar Swami¹⁰, Viswanathan Mohan^{2#}

¹Department of Research Operations and Diabetic Complications, Madras Diabetes Research Foundation Chennai, India

²Department of Diabetology, Madras Diabetes Research Foundation & Dr. Mohan's Diabetes Specialities Centre, Chennai, India

³Department of Data Management, Madras Diabetes Research Foundation Chennai, India

⁴Consultant Cardiologist, Apollo Hospitals, Chennai

⁵Consultant Cardiologist, Fortis Hospital, Anandapur, Kolkata

⁶Lakshmi Hospital, Palakkad, Kerala

⁷Department of Cardiology, Dayanand Medical College and Hospital, Ludhiana, India

⁸Institute of Cardio Vascular Diseases, Madras Medical Mission, Chennai, India

⁹Division of Cardiology, Department of Internal Medicine, The University of Texas Health Science Center at Houston (UTHealth-Houston), Houston, Texas, USA


¹⁰Alembic Pharmaceuticals Ltd., Gujarat, India

Corresponding author

Dr. V. Mohan

Email : drmohans@diabetes.ind.in

Supplementary Material



Supplementary Figure 1: Age-wise distribution of NT-proBNP levels