

ent*-Kaurane diterpenoids from the plant *Wedelia trilobata


Bing-Ji Ma,^a Chun-Nan Wen,^{a,b} Yuan Gao,^{b,c} Fu-Cai Ren,^b Fei Wang,^{b,c} and Ji-Kai Liu^{c,*}

^aAgronomy College of Henan Agricultural University, Zhengzhou 450002, China

^bBioBioPha Co., Ltd., Kunming 650201, China

^cState Key Laboratory of Phytochemistry and Plant Resources in West China, Kunming Institute of Botany, Chinese Academy of Sciences, Kunming 650201, China

Received 28 March 2013; Accepted 13 May 2013



Structures of compounds 1–4

*To whom correspondence should be addressed. E-mail: jkliu@mail.kib.ac.cn


Content list

- S1. ^1H NMR (600 MHz) for 3α -tigloyloxypterokaurene L₃ (1)
- S2. ^{13}C NMR (DEPT 100 MHz) for 3α -tigloyloxypterokaurene L₃ (1)
- S3. HSQC (600 MHz) for 3α -tigloyloxypterokaurene L₃ (1)
- S4. HMBC (600 MHz) for 3α -tigloyloxypterokaurene L₃ (1)
- S5. ROESY (600 MHz) for 3α -tigloyloxypterokaurene L₃ (1)
- S6. ^1H NMR (600 MHz) for *ent*-17-hydroxykaura-9(11),15-dien-19-oic acid (2)
- S7. ^{13}C NMR (DEPT 100 MHz) for *ent*-17-hydroxykaura-9(11),15-dien-19-oic acid (2)
- S8. HSQC (600 MHz) for *ent*-17-hydroxykaura-9(11),15-dien-19-oic acid (2)
- S9. HMBC (600 MHz) for *ent*-17-hydroxykaura-9(11),15-dien-19-oic acid (2)
- S10. ^1H NMR (500 MHz) for wedelobatin A (3)
- S11. ^{13}C NMR (DEPT 100 MHz) for wedelobatin A (3)
- S12. HSQC (600 MHz) for wedelobatin A (3)
- S13. HMBC (500 MHz) for wedelobatin A (3)
- S14. ^1H NMR (500 MHz) for wedelobatin B (4)
- S15. ^{13}C NMR (DEPT 125 MHz) for wedelobatin B (4)


S16. HSQC (600 MHz) for wedelobatin B (4)

S17. HMBC (500 MHz) for wedelobatin B (4)


S1. ^1H NMR (600 MHz) for 3 α -tigloyloxypterokaurene L₃ (**1**)




S2. ^{13}C NMR (DEPT 100 MHz) for 3 α -tigloyloxypterokaurene L₃ (**1**)




S3. HSQC (600 MHz) for 3 α -tigloyloxypterokaurene L₃ (**1**)




S4. HMBC (600 MHz) for 3 α -tigloyloxypteroakarene L₃ (1)




S5. ROESY (600 MHz) for 3 α -tigloyloxypterokaurene L₃ (**1**)




S6. ^1H NMR (600 MHz) for *ent*-17-hydroxykaura-9(11),15-dien-19-oic acid (**2**)




S7. ^{13}C NMR (DEPT 100 MHz) for ent-17-hydroxykaura-9(11),15-dien-19-oic acid (**2**)




S8. HSQC (600 MHz) for *ent*-17-hydroxykaura-9(11),15-dien-19-oic acid (**2**)




S9. HMBC (600 MHz) for *ent*-17-hydroxykaura-9(11),15-dien-19-oic acid (**2**)




S10. ^1H NMR (500 MHz) for wedelobatin A (**3**)




S11. ^{13}C NMR (DEPT 100 MHz) for wedelobatin A (**3**)




S12. HSQC (600 MHz) for wedelobatin A (**3**)




S13. HMBC (500 MHz) for wedelobatin A (3)




S14. ^1H NMR (500 MHz) for wedelobatin B (**4**)



S15. ^{13}C NMR (DEPT 125 MHz) for wedelobatin B (4)



S16. HSQC (600 MHz) for wedelobatin B (4)



S17. HMBC (500 MHz) for wedelobatin B (4)

