

Table SI1. Benefits and risks of endemic and exotic biological control agents used in Latin America and the Caribbean: performance of 1099 arthropod natural enemies. Joop C. van Lenteren, Vanda H. P. Bueno, Wageningen University, Laboratory of Entomology, Department of Plant Sciences, 6700 AA, Wageningen, The Netherlands, joop.vanlenteren@wur.nl	
Organisms mentioned in van Lenteren et al. 2020: “Biological Control In Latin America and The Caribbean: Its Rich History And Bright Future”	
Scientific name of organism, author (order, family)	Type of organism
A	
<i>Acacia</i> sp. (Fabales: Fabaceae)	Plant
<i>Acanthocereus pentagonus</i> (L.) Hummelinck (Caryophyllales: Cactaceae)	Plant
<i>Acanthops falcata</i> Stål (Mantodea: Acanthopidae)	Predatory insect
<i>Acanthoscelides obtectus</i> (Say) (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Acaulona erythropyga</i> Sabrosky (Diptera: Tachinidae)	Parasitoid insect
<i>Acaulona peruviana</i> Tns (Diptera: Tachinidae)	Parasitoid insect
<i>Aceratoneuromyia</i> (= <i>Synthomosphyrum indicum</i>) <i>indica</i> (Silv.) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Aceria chondrillae</i> Canestrini (Canestrini) (Acari: Eriophyidae)	Herbivorous mite
<i>Aceria guerreronis</i> Keifer (Acari: Eriophyidae)	Herbivorous mite
<i>Aceria sheldoni</i> Ewing (Acari: Eriophyidae)	Herbivorous mite
<i>Acerophagous papayae</i> Noyes & Schauff (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Acerophagus coccois</i> Smith (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Acerophagus</i> spp. (Hymenoptera: Encyrtidae)	Parasitoid insects
<i>Achatina fulica</i> (Férussac) (Gastropoda: Achatinidae)	Herbivorous snail
<i>Achrysochari</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Acmella oppositifolia</i> (Lam.) R.K. Jansen (Asterales: Asteraceae)	Plant
<i>Acontiothespis brevipennis</i> (Saussure) (Mantodea: Acontistidae)	Predatory insect
<i>Acontiothespis concinna</i> (Perty) (Mantodea: Acontistidae)	Predatory insect
<i>Acontiothespis multicolor</i> (Saussure) (Mantodea: Acontistidae)	Predatory insect
<i>Acremonium persicinum</i> (Nicot) W. Gams (Hypocreales: Hypocreaceae)	Antagonistic fungus
<i>Acremonium zonatum</i> (Sawada) W. Gams (Hypocreales: Hypocreaceae)	Antagonistic fungus
<i>Aculops lycopersici</i> Massee (Acarina: Eriophyidae)	Herbivorous mite
<i>Acyrtosiphon kondoi</i> Shinji (Hemiptera: Aphididae)	Herbivorous insect
<i>Acyrtosiphon pisum</i> Harris (Hemiptera: Aphididae)	Herbivorous insect
<i>Adalia bipunctata</i> L. (Coleoptera: Coccinellidae)	Predatory insect
<i>Adelencyrtus moderatus</i> (How.) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Adelencyrtus odonaspidis</i> Fullaway (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Aedes aegypti</i> (L.) (Diptera: Culicidae)	Harmful insect
<i>Aegorhinus nodipennis</i> (Hope) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Aegorhinus superciliosus</i> (Guérin) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Aenasius vexans</i> (Kerrich) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Aeneolamia albofasciata</i> (Lailemand) (Homoptera: Cercopidae)	Herbivorous insect
<i>Aeneolamia flavilatera</i> (Urich) (Homoptera: Cercopidae)	Herbivorous insect
<i>Aeneolamia postica</i> (Walker) (Hemiptera: Cercopidae)	Herbivorous insect
<i>Aeneolamia</i> sp. (Homoptera: Cercopidae)	Herbivorous insect
<i>Aeneolamia</i> spp. (Homoptera: Cercopidae)	Herbivorous insects
<i>Aeneolamia varia</i> (F.) (Homoptera: Cercopidae)	Herbivorous insect

<i>Aeneolamia varia saccharina</i> (Dist.) (Homoptera: Cercopidae)	Herbivorous insect
<i>Aganaspis daci</i> (Weld) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Aganaspis pelleranoi</i> (Brethes) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Agasicles hygrophila</i> Selman & Vogt (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Agathis diversa</i> (Mues.) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Agathis</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Agathis stigmatera</i> (Cresson) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Ageniaspis citricola</i> (Logvinovskaya) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Ageratina riparia</i> (Regel) K. & R. (= <i>Eupatorium riparium</i> Regel) (Asterales: Asteraceae)	Plant
<i>Ageratum conyzoides</i> L. (Asterales: Asteraceae)	Plant
AgMNPV virus (<i>A. gemmatalis</i> nucleopolyhedrosis)	Entomopathogenic virus
AgMNPV virus	Entomopathogenic virus
<i>Agonopterix ulicetella</i> (Stainton) (Lepidoptera: Oecophoridae)	Herbivorous insect
<i>Agraulis</i> sp. (Lepidoptera: Nymphalidae)	Herbivorous insect
<i>Agraulis vanillae</i> (L.) (Lepidoptera: Nymphalidae)	Herbivorous insect
<i>Agrobacterium radiobacter</i> (Beijerinck and van Delden) (Rhizobiales: Rhizobiaceae)	Phytopathogenic bacterium
<i>Agrobacterium tumefaciens</i> Smith & Townsend (Rhizobiales: Rhizobiaceae)	Phytopathogenic bacterium
<i>Agrothereutes diatraeae</i> Myers (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Agrotis deprivata</i> Walker (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Agrotis ipsilon</i> (Hufnagel) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Agrotis</i> sp. (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Agrotis</i> spp. (Lepidoptera: Noctuidae)	Herbivorous insects
<i>Akanthomyces</i> sp. (Hypocreales: Cordycipitaceae)	Entomopathogenic fungus
<i>Alabagrus stigma</i> Brullé (Hymenoptera: Braconidae)	Parasitoid insect
<i>Alabama argillacea</i> (Hueb.) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Alabama</i> sp. (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Alcaeorrhynchus grandis</i> (Dallas) (Hemiptera: Pentatomidae)	Predatory insect
<i>Alcidion cereicola</i> Fisher (Coleoptera: Cerambycidae)	Herbivorous insect
<i>Aleiodes</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Aleurocanthus woglumi</i> (Ashby) (Hemiptera: Aleyrodidae)	Herbivorous insect
<i>Aleuroctonus vittatus</i> (Dozier) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Aleurocybotus occiduus</i> Russell (Hemiptera: Aleyrodidae)	Herbivorous insect
<i>Aleurodicus cocois</i> (Curtis) (Hemiptera: Aleyrodidae)	Herbivorous insect
<i>Aleurodicus dispersus</i> Russell (Hemiptera: Aleyrodidae)	Herbivorous insect
<i>Aleurodicus juleikae</i> Bondar (Hemiptera: Aleyrodidae)	Herbivorous insect
<i>Aleurodicus pulvinatus</i> Maskell (Hemiptera: Aleyrodidae)	Herbivorous insect
<i>Aleurodicus</i> spp. (Hemiptera: Aleyrodidae)	Herbivorous insects
<i>Aleurothrixus floccosus</i> (Maskell) (Hemiptera: Aleyrodidae)	Herbivorous insect
<i>Aleurotrachelus trachoides</i> Back (Hemiptera: Aleyrodidae)	Herbivorous insect
<i>Aleyrodes prolella</i> (L.) (Hemiptera: Aleyrodidae)	Herbivorous insect
<i>Allium</i> spp. (Asparagales: Amaryllidaceae)	Plants
<i>Allograpta</i> (Diptera: Syrphidae)	Predatory insects
<i>Allograpta</i> (<i>Fazia</i>) CR-2 aff. <i>hians</i> (Enderlein) (Diptera: Syrphidae)	Predatory insect
<i>Allograpta citri</i> Muesebeck (Diptera: Syrphidae)	Predatory insect
<i>Allograpta exotica</i> (Wiedemann) (Diptera: Syrphidae)	Predatory insect
<i>Allorhogas pyralophagus</i> (Marsh) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Allorhogas</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect

<i>Allotropa citri</i> (Muesebeck) (Hymenoptera: Platigasteridae)	Parasitoid insect
<i>Allotropa</i> sp. (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Alternanthera philoxeroides</i> Griseb (Caryophyllales: Amaranthaceae)	Plant
<i>Alternaria</i> (Pleosporales: Pleosporaceae)	Phytopathogenic fungi
<i>Alternaria alternata</i> (Keissl) (Pleosporales: Pleosporaceae)	Phytopathogenic fungus
<i>Alternaria dauci</i> (J.G. Kühn) J.W. Groves & Skolko (Pleosporales: Pleosporaceae)	Phytopathogenic fungus
<i>Alternaria eichhorniae</i> Nag Raj & Ponnappa (Pleosporales: Pleosporaceae)	Phytopathogenic fungus
<i>Alternaria longipes</i> (Ellis & Everh.) E.W. Mason (Pleosporales: Pleosporaceae)	Phytopathogenic fungus
<i>Alternaria porri</i> (Ellis) Cif. (Pleosporales: Pleosporaceae)	Phytopathogenic fungus
<i>Alternaria solani</i> Sorauer (Pleosporales: Pleosporaceae)	Phytopathogenic fungus
<i>Alurnus humeralis</i> Rosenberg (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Amaranthus</i> sp. (Caryophyllales: Amaranthaceae)	Plant
<i>Amaranthus spinosus</i> L. (Caryophyllales: Amaranthaceae)	Plant
<i>Amauromyza maculosa</i> (Malloch) (Diptera: Agromyzidae)	Herbivorous insect
<i>Amazona vittata</i> Boddaert (Psittaciformes: Psittacidae)	Bird
<i>Amblydromalus limonicus</i> (Garman & McGregor) (Acari: Phytoseiidae)	Predatory mite
<i>Amblyseiopsis musae</i> Garman (Acari: Phytoseiidae)	Predatory mite
<i>Amblyseius</i> (Acari: Phytoseiidae)	Predatory mites
<i>Amblyseius chungas</i> Denmark & Muma (Acari: Phytoseiidae)	Predatory mite
<i>Amblyseius cucumeris</i> (Oudemans) (Acari: Phytoseiidae)	Predatory mite
<i>Amblyseius herbicolus</i> (Chant) (Acari: Phytoseiidae)	Predatory mite
<i>Amblyseius largoensis</i> (Muma) (Acari: Phytoseiidae)	Predatory mite
<i>Amblyseius obtusus</i> (Koch) (Acari: Phytoseiidae)	Predatory mite
<i>Amblyseius perlongisetus</i> Berlese (Acari: Phytoseiidae)	Predatory mite
<i>Amblyseius</i> sp. (Acari: Phytoseiidae)	Predatory mite
<i>Amblyseius swirskii</i> Athias-Henriot (Acari: Phytoseiidae)	Predatory mite
<i>Amblyseius tamatavensis</i> Blommers (Acari: Phytoseiidae)	Predatory mite
<i>Ameiva atrigularis</i> (L.) (Squamata: Teiidae)	Predatory lizard
<i>Ameiva</i> spp. (Squamata: Teiidae)	Predatory lizards
<i>Amitus bennetti</i> Viggiani & Evans (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Amitus fuscipennis</i> (MacGown & Nebeker) (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Amitus hesperidum</i> Silvestre (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Amitus</i> sp. (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Amitus spiniferus</i> (Brethes) (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Amynothrips andersoni</i> O'Neill (Thysanoptera: Phlaeothripidae)	Herbivorous insect
<i>Anacardium</i> (Sapindales: Anacardiaceae)	Plants
<i>Anagrus flaveolus</i> Waterhouse (Hymenoptera: Mymaridae)	Parasitoid insect
<i>Anagrus gonzalezae</i> Triapitsyn (Hymenoptera: Mymaridae)	Parasitoid insect
<i>Anagrus optabilis</i> (Perkins) (Hymenoptera: Mymaridae)	Parasitoid insect
<i>Anagrus urichi</i> Pickles (Hymenoptera: Mymaridae)	Parasitoid insect
<i>Anagyrus</i> (= <i>Apoanagyrus</i>) <i>californicus</i> (Compere) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Anagyrus diversicornis</i> (Howard) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Anagyrus kamali</i> Moursi (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Anagyrus loecki</i> Noyes and Menezes (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Anagyrus mangicola</i> Noyes (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Anagyrus pseudococci</i> (Girault) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Anagyrus saccharicola</i> Timb. (Hymenoptera: Encyrtidae)	Parasitoid insect

<i>Anagyrus</i> sp. (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Anagyrus</i> spp. (Hymenoptera: Encyrtidae)	Parasitoid insects
<i>Ananas comosus</i> (L.) Merr. (Poales: Bromeliaceae)	Plant
<i>Anaphes iole</i> Girault (Hymenoptera: Mymaridae)	Parasitoid insect
<i>Anaphes nitens</i> Girault (Hymenoptera: Mymaridae)	Parasitoid insect
<i>Anastatus</i> sp. (Hymenoptera: Eupelmidae)	Parasitoid insect
<i>Anastatus</i> spp. (Hymenoptera: Eupelmidae)	Parasitoid insects
<i>Anastrepha</i> (Diptera: Tephritidae)	Herbivorous insect
<i>Anastrepha fraterculus</i> (Wiedemann) (Diptera: Tephritidae)	Herbivorous insect
<i>Anastrepha ludens</i> (Loew) (Diptera: Tephritidae)	Herbivorous insect
<i>Anastrepha mombinpraeoptans</i> Sein (Diptera: Tephritidae)	Herbivorous insect
<i>Anastrepha obliqua</i> Macquart (Diptera: Tephritidae)	Herbivorous insect
<i>Anastrepha serpentina</i> (Wiedemann) (Diptera: Tephritidae)	Herbivorous insect
<i>Anastrepha</i> sp. (Diptera: Tephritidae)	Herbivorous insect
<i>Anastrepha</i> spp. (Diptera: Tephritidae)	Herbivorous insects
<i>Anastrepha striata</i> (Schiner) (Diptera: Tephritidae)	Herbivorous insect
<i>Anastrepha suspensa</i> (Loew) (Diptera: Tephritidae)	Herbivorous insect
<i>Anatrachyntis</i> (= <i>Pyroderces</i>) <i>rileyi</i> (Wals.) (Lepidoptera: Cosmopterygidae)	Herbivorous insect
<i>Ancylostomia stercorea</i> (Zelller) (Lepidoptera: Crambidae)	Herbivorous insect
<i>Anicetus</i> sp. (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Anisopteromalus calandrae</i> (Howard) (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Annona cherimola</i> Mill (Magnoliales: Annonaceae)	Plant
<i>Annona muricata</i> L. (Magnoliales: Annonaceae)	Plant
<i>Anoda cristata</i> L. (Malvales: Malvaceae)	Plant
<i>Anolis</i> (Squamata: Dactyloidea)	Predatory lizards
<i>Anomala</i> spp. (Coleoptera: Scarabaeidae)	Herbivorous insects
<i>Anomis</i> sp. (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Anopheles albimanus</i> C.R.G. Wiedemann (Diptera: Culicidae)	Harmful insect
<i>Anopheles punctipennis</i> (Say) (Diptera: Culicidae)	Harmful insect
<i>Anopheles pseudopunctipennis</i> Theobald (Diptera: Culicidae)	Harmful insect
<i>Anopheles</i> spp. (Diptera: Culicidae)	Harmful insects
<i>Anovia circumclusa</i> (Gorham) (Coleoptera: Coccinellidae)	Predatory insect
<i>Anovia punica</i> Gordon (Coleoptera: Coccinellidae)	Predatory insect
<i>Anthonomus eugenii</i> Cano (Coleoptera: Curculionidae)	Herbivorous insect
<i>Anthonomus grandis</i> (Boheman) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Anticarsia gemmatilis</i> Hübner (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Anticarsia</i> sp. (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Antichloris</i> (= <i>Ceramidia</i>) <i>viridis</i> (Druce) (Lepidoptera: Arctiidae)	Herbivorous insect
<i>Antonina graminis</i> (Maskell) (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Antrocephalus renalis</i> Wtstn (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Aonidiella aurantii</i> (Maskell) (Hemiptera: Diaspididae)	Herbivorous insect
<i>Aonidiella aurantii</i> Maskell (Hemiptera: Diaspididae)	Herbivorous insect
<i>Apanteles (Cotesia) plutellae</i> Kurd (Hymenoptera: Braconidae)	Parasitoid insect
<i>Apanteles (Cotesia)</i> sp. poss. <i>marginiventris</i> (Cress.), (Hymenoptera: Braconidae)	Parasitoid insect
<i>Apanteles (Glyptapanteles)</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Apanteles (Rhygoplitis) aciculatus</i> (Ashm) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Apanteles angeleti</i> Mues. (Hymenoptera: Braconidae)	Parasitoid insect

<i>Apanteles etiellae</i> Viereck (Hymenoptera: Braconidae)	Parasitoid insect
<i>Apanteles gelechiidivoris</i> Marsh (Hymenoptera: Braconidae)	Parasitoid insect
<i>Apanteles glomeratus</i> (L.) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Apanteles marginiventris</i> (Cress.) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Apanteles sesamiae</i> Cam. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Apanteles</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Apanteles</i> spp. (Hymenoptera: Braconidae)	Parasitoid insects
<i>Apanteles talidicica</i> Wlkn (Hymenoptera: Braconidae)	Parasitoid insect
<i>Apanteles thurberiae</i> Muesebeck (Hymenoptera: Braconidae)	Parasitoid insect
<i>Apate monachus</i> Fabricius (Coleoptera: Bostrichidae)	Herbivorous insect
<i>Aphanogmus</i> sp. (Hymenoptera: Ceraphronidae)	Parasitoid insect
<i>Aphelinus abdominalis</i> Dalman (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphelinus albipodus</i> (Hayat and Fatima) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphelinus asychis</i> (Walker) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphelinus flavipes</i> Forster (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphelinus gossypii</i> (Timberlake) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphelinus gossypii</i> Timberlake (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphelinus mali</i> Haldeman (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphelinus varipes</i> Forster (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphidius colemani</i> Viereck (Hymenoptera: Braconidae)	Parasitoid insect
<i>Aphidius ervi</i> Haliday (Hymenoptera: Braconidae)	Parasitoid insect
<i>Aphidius matricariae</i> Haliday (Hymenoptera: Braconidae)	Parasitoid insect
<i>Aphidius pascuorum</i> Marshall (Hymenoptera: Braconidae)	Parasitoid insect
<i>Aphidius picipes</i> (Ness) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Aphidius rhopalosiphi</i> De Stefani (Hymenoptera: Braconidae)	Parasitoid insect
<i>Aphidius smithi</i> Sharma & Subba Rao (Hymenoptera: Braconidae)	Parasitoid insect
<i>Aphidius</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Aphidius</i> spp. (Hymenoptera: Braconidae)	Parasitoid insects
<i>Aphidius uzbekistanicus</i> Luzhetzki (Hymenoptera: Braconidae)	Parasitoid insect
<i>Aphidius</i> (Hymenoptera: Braconidae)	Parasitoid insects
<i>Aphidoletes aphidimyza</i> (Rondani) (Diptera: Cecidomyiidae)	Predatory insect
<i>Aphis</i> (Hemiptera: Aphididae)	Herbivorous insects
<i>Aphis craccivora</i> Koch (Hemiptera: Aphididae)	Herbivorous insect
<i>Aphis gossypii</i> Glover (Hemiptera: Aphididae)	Herbivorous insect
<i>Aphis nerii</i> Boyer de Fonscolombe (Hemiptera: Aphididae)	Herbivorous insect
<i>Aphis sorghi</i> Theobald (Hemiptera: Aphididae)	Herbivorous insect
<i>Aphis spiraeicola</i> Patch. (Hemiptera: Aphididae)	Herbivorous insect
<i>Aphis</i> sp. (Hemiptera: Aphididae)	Herbivorous insect
<i>Aphytis chrysomphali</i> Mercet (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphytis diaspidis</i> (How) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphytis diaspidis</i> (How.) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphytis fuscipennis</i> (How) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphytis holoxanthus</i> DeBach (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphytis lepidosaphes</i> Compere (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphytis lingnanensis</i> Compere (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphytis maculicornis</i> (Masi) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphytis melinus</i> DeBach (Hymenoptera: Aphelinidae)	Parasitoid insect

<i>Aphytis mytilaspidis</i> (Le Baron) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphytis roseni</i> DeBach (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphytis</i> sp. (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aphytis yanonensis</i> DeBach & Rosen (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Apiomerus apicalis</i> Burmeister (Hemiptera: Reduviidae)	Predatory insect
<i>Apiomerus lanipes</i> (F.) (Hemiptera: Reduviidae)	Predatory insect
<i>Apiomerus</i> sp. (Hemiptera: Reduviidae)	Predatory insect
<i>Apion ulicis</i> (Foster) (Coleoptera: Brentidae)	Herbivorous insect
<i>Apoanagyrus diversicornis</i> (Howard) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Apoanagyrus</i> sp. (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Apoanagyrus</i> spp. (Hymenoptera: Encyrtidae)	Parasitoid insects
<i>Apodemus sylvaticus</i> (L.) (Rodentia: Muridae)	Plant damaging rodent
<i>Aprostocetus</i> (Hymenoptera: Eulophidae)	Parasitoid insects
<i>Aprostocetus gala</i> (Walker) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Aprostocetus haitiensis</i> (Gahan) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Aprostocetus</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Aprostocetus</i> Westwood (Hymenoptera: Eulophidae)	Parasitoid insects
<i>Arachis</i> (Fabales: Fabaceae)	Plants
<i>Araujia</i> spp. (Gentianales: Apocynaceae)	Plant
<i>Archytas divisa</i> (Walk.) (Diptera: Tachinidae)	Parasitoid insect
<i>Archytas marmoratus</i> (Tns.) (Diptera: Tachinidae)	Parasitoid insect
<i>Archytas</i> sp. (Diptera: Tachinidae)	Parasitoid insect
<i>Archytas</i> spp. (Diptera: Tachinidae)	Parasitoid insects
<i>Archytas vernalis</i> Curran (Diptera: Tachinidae)	Parasitoid insect
<i>Arcola malloi</i> Pastrana (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Ardalus scutellatus</i> (How.) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Argiope trifasciata</i> (Forsk.) (Araneae: Araneidae)	Predatory spider
<i>Argyrotaenia franciscana</i> Walsingham (Lepidoptera: Tortricidae)	Herbivorous insect
<i>Argyrotaenia sphaleropa</i> (Meyrick) (Lepidoptera: Tortricidae)	Herbivorous insect
<i>Arilus carinatus</i> (Forster) (Hemiptera: Reduviidae)	Predatory insect
<i>Arilus</i> sp. aff. <i>cristatus</i> (L.) (Hemiptera: Reduviidae)	Predatory insect
<i>Armillaria mellea</i> (Vahl.) P. Kumn (Agaricales: Physalacriaceae)	Phytopathogenic fungus
<i>Arrhenophagus chionaspidis</i> Auriv. (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Arthrobotrys</i> (Helotiales: Orbiliaceae)	Arthropod pathogenic fungi
<i>Arthrobotrys irregularis</i> (Matr.) Mekht (Helotiales: Orbiliaceae)	Arthropod pathogenic fungus
<i>Arthrobotrys oligospora</i> Fresen (Helotiales: Orbiliaceae)	Arthropod pathogenic fungus
<i>Arthrobotrys</i> sp. (Helotiales: Orbiliaceae)	Arthropod pathogenic fungus
<i>Arundo donax</i> L. (Poales: Poaceae)	Plant
<i>Asarkina ericetorum</i> (Fabricius) (Diptera: Syrphidae)	Predatory insect
<i>Aschersonia aleyrodinis</i> Webber (Sordariomycetes: Clavicipitaceae)	Entomopathogenic fungus
<i>Ascia monuste</i> (L.) (Lepidoptera: Pieridae)	Herbivorous insect
<i>Ascia monuste eubotea</i> (Godart) (Lepidoptera: Pieridae)	Herbivorous insect
<i>Ascia monuste orseis</i> Latrielle (Lepidoptera: Pieridae)	Herbivorous insect
<i>Ascogaster</i> (Hymenoptera: Braconidae)	Parasitoid insects
<i>Ascogaster quadridentata</i> Wesmael (Hymenoptera: Braconidae)	Parasitoid insect
<i>Aspergillus flavus</i> Link (Eurotiales: Trichocomaceae)	Entomopathogenic + antagonistic fungus

<i>Asperillum</i> sp.	Antagonistic fungus
<i>Aspidiella hartii</i> (Ckll.) (Hemiptera: Diaspididae)	Herbivorous insect
<i>Aspidiotiphagus citrinus</i> (Crawf) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aspidiotiphagus</i> sp. (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Aspidiotus destructor</i> Signoret (Hemiptera: Diaspididae)	Herbivorous insect
<i>Aspidiotus hederæ</i> (Vallot) (Hemiptera: Diaspididae)	Herbivorous insect
<i>Aspidiotus perniciosus</i> (Comstock) (Hemiptera: Diaspididae)	Herbivorous insect
<i>Aspidiotus</i> spp. (Hemiptera: Diaspididae)	Herbivorous insects
<i>Aspisoma</i> sp. (Coleoptera: Lampyridae)	Predatory insect
<i>Asterodiaspis quercicola</i> (Bouche) (Hemiptera: Asterolecaniidae)	Herbivorous insect
<i>Asynonychus</i> (= <i>Naupactus</i>) <i>cervinus</i> (Boh.) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Ataenius</i> spp. (Coleoptera: Scarabaeidae)	Herbivorous insects
<i>Athelia rolfsii</i> (Curzi) C.C. Tu & Kimbr. (= <i>Sclerotium rolfsii</i>) (Atheliales: Atheliaceae)	Phytopathogenic fungus
<i>Athesapeuta cyperi</i> Mshl (Coleoptera: Curculionidae)	Herbivorous insect
<i>Atheta coriaria</i> Kraatz (Coleoptera: Staphylinidae)	Predatory insect
<i>Atopozelus opsimus</i> Elkins (Hemiptera: Reduviidae)	Predatory insect
<i>Atrachelus cinereus crassicornis</i> (Burmeister) (Hemiptera: Reduviidae)	Predatory insect
<i>Atta insularis</i> (Guérin-Méneville) (Hymenoptera: Formicidae)	Herbivorous insect
<i>Aulacaspis tubercularis</i> Newstead (Hemiptera: Diaspididae)	Herbivorous insect
<i>Aulacaspis yasumatsui</i> Takagi (Hemiptera: Diaspididae)	Herbivorous insect
<i>Aulacorthum solani</i> (Kaltenbach) (Hemiptera: Aphididae)	Herbivorous insect
<i>Autographa californica</i> multiple nucleopolyhedrovirus (AcMNPV) (Baculoviridae)	Entomopathogenic virus
<i>Avena sativa</i> L. (Poales: Poaceae)	Plant
<i>Averrhoa carambola</i> L. (Oxalidales: Oxalidaceae)	Plant
<i>Avetianella longoi</i> Siscaro (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Aximopsis</i> sp. (Hymenoptera: Eurytomidae)	Parasitoid insect
<i>Azeta melanea</i> Stoll (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Azolla filiculoides</i> Lamarck (Salviniales: Salviniaceae)	Plant
<i>Azolla</i> sp. (Salviniales: Salviniaceae)	Plant
<i>Azotobacter</i> sp. (Pseudomonadales: Pseudomonadaceae/Azotobacteriaceae)	Entomopathogenic bacterium
<i>Azya luteipes</i> Mulsant (Coleoptera: Coccinellidae)	Predatory insect
<i>Azya orbiger</i> Mulsant (Coleoptera: Coccinellidae)	Predatory insect
<i>Azya trinitatis</i> Marshall (Coleoptera: Coccinellidae)	Predatory insect
<i>Azya</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
B	
<i>Baccha</i> sp. (Diptera: Syrphidae)	Predatory insect
<i>Bacillus</i> (Bacillales: Paenibacillaceae)	Entomopathogenic bacteria
<i>Bacillus</i> (= <i>Paenibacillus</i>) <i>popilliae</i> Dutky (Bacillales: Paenibacillaceae)	Entomopathogenic bacterium
<i>Bacillus amyloliquefaciens</i> Priest et al. (Bacillales: Bacillaceae)	Entomopathogenic bacterium
<i>Bacillus firmus</i> Bredemann & Werner (Bacillales: Bacillaceae)	Entomopathogenic bacterium
<i>Bacillus lentimorbus</i> Dutky (Bacillales: Bacillaceae)	Entomopathogenic bacterium
<i>Bacillus licheniformis</i> (Weigmann) Chester (Bacillales: Bacillaceae)	Entomopathogenic bacterium
<i>Bacillus megaterium</i> de Bary (Bacillales: Bacillaceae)	Entomopathogenic bacterium
<i>Bacillus methylotrophicus</i> Madhaiyan et al (Bacillales: Bacillaceae)	Entomopathogenic bacterium
<i>Bacillus pumilus</i> Meyer and Gottheil (Bacillales: Bacillaceae)	Entomopathogenic bacterium
<i>Bacillus</i> sp. (Bacillales: Bacillaceae)	Entomopathogenic bacterium

<i>Bacillus sphaericus</i> Meyer and Neide (Bacillales: Bacillaceae)	Entomopathogenic bacterium
<i>Bacillus</i> spp. (Bacillales: Bacillaceae)	Entomopathogenic bacteria
<i>Bacillus subtilis</i> Cohn (Bacillales: Bacillaceae)	Entomopathogenic bacterium
<i>Bacillus thuringiensis</i> var. <i>aizawai</i> (Bacillales: Bacillaceae)	Entomopathogenic bacterium
<i>Bacillus thuringiensis</i> (Berliner) (Bacillales: Bacillaceae)	Entomopathogenic bacterium
<i>Bacillus thuringiensis</i> var. <i>kurstaki</i> (Bacillales: Bacillaceae)	Entomopathogenic bacterium
<i>Bacillus thuringiensis</i> var. <i>israelensis</i> (Bacillales: Bacillaceae)	Entomopathogenic bacterium
<i>Bacillus thuringiensis</i> var. <i>thuringiensis</i> (Bacillales: Bacillaceae)	Entomopathogenic bacterium
<i>Bactericera cockerelli</i> (Sulc) (Hemiptera: Triozidae)	Herbivorous insect
<i>Bactra</i> (Lepidoptera: Tortricidae)	Herbivorous insects
<i>Bactra</i> spp. (Lepidoptera: Tortricidae)	Herbivorous insects
<i>Bactris gasipaes</i> (Kunth.) (Arecales: Arecaceae)	Plant
<i>Bactrocera carambolae</i> Drew and Hancock (Diptera: Tephritidae)	Herbivorous insect
<i>Bactrocera dorsalis</i> (Hendel) (Diptera: Tephritidae)	Herbivorous insect
<i>Baculovirus</i> (Baculoviridae)	Entomopathogenic viruses
<i>Baculovirus anticarsia</i> (Baculoviridae)	Entomopathogenic virus
<i>Baculovirus Anticarsia gemmatilis</i> (Baculoviridae)	Entomopathogenic virus
<i>Baculovirus diatraea</i> (Baculoviridae)	Entomopathogenic virus
<i>Baculovirus Helicoverpa armigera</i> (Baculoviridae)	Entomopathogenic virus
<i>Baculovirus phthorimaea</i> (Baculoviridae)	Entomopathogenic virus
<i>Baculovirus</i> VPN 80 & 82	Entomopathogenic virus
<i>Baltimora recta</i> L. (Asterales: Asteraceae)	Plant
<i>Bambusaspis bambusae</i> (Boisduval) (Hemiptera: Asterolecaniidae)	Herbivorous insect
Banana bunchy top virus (Nanoviridae)	Plant pathogenic virus
<i>Baryscapus</i> (Hymenoptera: Eulophidae)	Parasitoid insects
<i>Baryscapus fennahi</i> (Schauff) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Bassus</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Bassus stigmaterus</i> Holloway (Hymenoptera: Braconidae)	Parasitoid insect
<i>Batkoa</i> (Entomophthorales : Entomophthoraceae)	Entomopathogenic fungi
<i>Beauveria</i> (Hypocreales: Cordycipitaceae)	Entomopathogenic fungi
<i>Beauveria bassiana</i> (Bals.-Criv) Vuill (Hypocreales: Cordycipitaceae)	Entomopathogenic fungus
<i>Beauveria brongniartii</i> (Saccardo) Petch (Hypocreales: Cordycipitaceae)	Entomopathogenic fungus
<i>Beauveria globulifer</i> (Speg.) Pic. (Hypocreales: Cordycipitaceae)	Entomopathogenic fungus
<i>Beauveria</i> sp. (Hypocreales: Cordycipitaceae)	Entomopathogenic fungus
<i>Beauveria</i> spp. (Hypocreales: Cordycipitaceae)	Entomopathogenic fungi
<i>Begomovirus</i> (Geminiviridae)	Phytopathogenic viruses
<i>Belvosia nigrifrons</i> Aldrich (Diptera: Tachinidae)	Parasitoid insect
<i>Bemisia tabaci</i> (Gennadius) (Hemiptera: Aleyrodidae)	Herbivorous insect
<i>Beta vulgaris</i> L. (Caryophyllales: Amaranthaceae)	Plant
<i>Bidens pilosa</i> L. (Asterales: Asteraceae)	Plant
<i>Billaea claripalpis</i> Wulp (Diptera: Tachinidae)	Parasitoid insect
<i>Biomphalaria glabrata</i> (Say) (Planorbidae)	Harmful snail
<i>Biosteres compensans</i> (Silvestri) (= <i>Opius compensans</i> Silvestri) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Biosteres formosanus</i> (Fullaway) (= <i>Opius formosanus</i> Fullaway) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Biosteres longicaudatus</i> (Ashmead) (= <i>Opius longicaudatus</i>) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Biosteres novocaledonicus</i> Fullaway (Hymenoptera: Braconidae)	Parasitoid insect

<i>Biosteres taiensis</i> Fullaway (Hymenoptera: Braconidae)	Parasitoid insect
<i>Biosteres tryoni</i> (Cameron) (= <i>Opius tryoni</i> Cameron) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Biosteres vandenboschi</i> (Fullaway) (= <i>Opius vandenboschi</i> Fullaway) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Bipolaris euphorbiae</i> (Han) Muc sfordhovej & Carvalho (Pleosporales: Pleosporaceae)	Phytopathogenic fungus
<i>Bipolaris oryzae</i> (Breda de Haan) Shoemaker (Pleosporales: Pleosporaceae)	Phytopathogenic fungus
<i>Blaesoxipha aculeata</i> Aldrich (Diptera: Sarcophagidae)	Predatory insect
<i>Blaesoxipha atlanis</i> Aldrich (Diptera: Sarcophagidae)	Predatory insect
<i>Blaesoxipha australis</i> Blanchard (Diptera: Sarcophagidae)	Predatory insect
<i>Blaesoxipha caridei</i> (Brètes) (Diptera: Sarcophagidae)	Predatory insect
<i>Blaesoxipha filipjevi</i> Rhod (Diptera: Sarcophagidae)	Predatory insect
<i>Blaesoxipha hunteri</i> (Hough) (Diptera: Sarcophagidae)	Predatory insect
<i>Blaesoxipha neuquenensis</i> Blanchard (Diptera: Sarcophagidae)	Predatory insect
<i>Blaesoxipha opifera</i> Coquillett (Diptera: Sarcophagidae)	Predatory insect
<i>Blaesoxipha reversa</i> Aldrich (Diptera: Sarcophagidae)	Predatory insect
<i>Bonagota cranaodes</i> (Meyrick) (Lepidoptera: Tortricidae)	Herbivorous insect
<i>Boophilus microplus</i> Lahille (Acarina: Ixodidae)	Harmful tick
<i>Botrytis</i> (Helotiales: Sclerotiniaceae)	Phytopathogenic fungi
<i>Botrytis cinerea</i> Pers. (Helotiales: Sclerotiniaceae)	Phytopathogenic fungus
<i>Botrytis</i> sp. (Helotiales: Sclerotiniaceae)	Phytopathogenic fungus
<i>Brachiaria decumbens</i> Stapt (Poales: Poaceae)	Plant
<i>Brachicantha</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Brachycoryphus nursei</i> (Cam.) (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Brachygastra lecheguana</i> (Latreille) (Hymenoptera: Vespidae)	Predatory insect
<i>Brachymeria</i> (Hymenoptera: Chalcididae)	Parasitoid insects
<i>Brachymeria</i> aff. <i>compsilurae</i> (Crawford) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Brachymeria annulata</i> (Fabricius) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Brachymeria conica</i> (Ashmead) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Brachymeria incerta</i> (Cress) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Brachymeria ovata</i> (Say) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Brachymeria</i> sp. (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Brachymeria subconica</i> Bouček (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Brachystola magna</i> Girard (Orthoptera: Romaleidae)	Herbivorous insect
<i>Brachystola mexicana</i> Bruner (Orthoptera: Romaleidae)	Herbivorous insect
<i>Brachytarsus</i> sp. (Coleoptera: Anthribidae)	Fungus eating insect
<i>Brachyufens osborni</i> (Dozier) (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Brachyufens</i> sp. (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Bracon cajani</i> Muesebeck (Hymenoptera: Braconidae)	Parasitoid insect
<i>Bracon chinensis</i> (Szepl.) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Bracon chontalensis</i> (Cameron) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Bracon gelechiae</i> Ashmead (Hymenoptera: Braconidae)	Parasitoid insect
<i>Bracon greeni</i> Ashmead (Hymenoptera: Braconidae)	Parasitoid insect
<i>Bracon hebetor</i> Say (Hymenoptera: Braconidae)	Parasitoid insect
<i>Bracon kirkpatricki</i> (Wilkinson) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Bracon mellitor</i> Say (Hymenoptera: Braconidae)	Parasitoid insect
<i>Bracon</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Bracon thurberiphagae</i> (Mues.) (Hymenoptera: Braconidae)	Parasitoid insect

<i>Bradyrrhoa gilveolella</i> (Treitschke) (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Bradysia matogrossensis</i> (Lane) (Diptera: Sciaridae)	Herbivorous insect
<i>Bradysia</i> sp. (Diptera: Sciaridae)	Herbivorous insect
<i>Bradysia</i> spp. (Diptera: Sciaridae)	Herbivorous insects
<i>Brassica oleracea</i> L. (Brassicales: Brassicaceae)	Plant
<i>Brassica oleracea</i> L. var capitata (Brassicales: Brassicaceae)	Plant
<i>Brassica oleracea</i> L. var. Botrytis (Brassicales: Brassicaceae)	Plant
<i>Brassica oleracea</i> L. var. Italica (Brassicales: Brassicaceae)	Plant
<i>Brassica</i> spp. (Brassicales: Brassicaceae)	Plants
<i>Brassolis astyra astyra</i> (Godart) (Lepidoptera: Nymphalidae)	Herbivorous insect
<i>Brassolis sophorae</i> (L.) (Lepidoptera: Nymphalidae)	Herbivorous insect
<i>Brassolis sophorae sophorae</i> (L.) (Lepidoptera: Nymphalidae)	Herbivorous insect
<i>Brethesiella abnormicornis</i> (Gir.) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Brethesiella cf. abnormicornis</i> (Girault) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Brevibacterium</i> (Actinomycetales: Brevibacteriaceae)	Nematopathogenic bacteria
<i>Brevicoryne brassicae</i> (L.) (Hemiptera: Aphididae)	Herbivorous insect
<i>Brevipalpus</i> spp. (Acari: Tenuipalpidae)	Herbivorous mites
<i>Brevundimonas vesicularis</i> (Busing) Segers (Caulobacteriales: Caulobacteriaceae)	Entomopathogenic bacterium
Bt talcum	Entomopathogenic bacterium
<i>Bucrates capitatus</i> (De Geer) (Orthoptera: Tettigoniidae)	Herbivorous insect
<i>Buenoa scimitra</i> Bare (Hemiptera: Notonectidae)	Predatory insect
<i>Bufo marinus</i> L. (Anura: Bufonidae)	Predatory amphibian
<i>Bufo</i> sp. (Anura: Bufonidae)	Predatory amphibian
<i>Bufo</i> spp. (Anura: Bufonidae)	Predatory amphibians
<i>Bulimulus sepulchralis</i> (Poey) (Mollusca: Gastropoda: Bulimulidae)	Phytophagous snail
<i>Burkholderia glumae</i> (Kurita and Tabei) Urakami et al. (Burkholderiales: Burkholderiaceae)	Phytopathogenic bacterium
<i>Byttneria aculeata</i> Jacquin (Malvales: Malvaceae)	Plant
C	
<i>Cactoblastis cactorum</i> (Berg) (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Caenorhabditis</i> (Rhabditidae)	Saprophytic nematodes
<i>Caesalpinia spinosa</i> (Feuillée ex Molina) Kuntze (Fabales: Fabaceae)	Plant
<i>Cajanus cajan</i> (L.) Millspaugh (Fabales: Fabaceae)	Plant
<i>Calendula officinalis</i> L. (Asterales: Asteraceae)	Plant
<i>Cales noacki</i> Howard (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Caligo memnon</i> C. & R. Felder (Lepidoptera: Nymphalidae)	Herbivorous insect
<i>Calliandra surinamensis</i> Benth (Fabales: Fabaceae)	Plant
<i>Callosobruchus chinensis</i> (L.) (Coleoptera: Bruchidae)	Herbivorous insect
<i>Callosobruchus maculatus</i> (F.) (Coleoptera: Bruchidae)	Herbivorous insect
<i>Calosoma alternans</i> Fabricius (Coleoptera: Carabidae)	Predatory insect
<i>Calosoma granulatum</i> Perty (Coleoptera: Carabidae)	Predatory insect
<i>Calosoma</i> sp. (Coleoptera: Carabidae)	Predatory insect
<i>Calpodes ethlius</i> (Stoll) (Lepidoptera: Hesperidae)	Herbivorous insect
<i>Camnula pellucida</i> Scudder (Orthoptera: Acrididae)	Herbivorous insect
<i>Campletis chlorideae</i> Uchida (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Campoletis</i> spp. (Hymenoptera: Ichneumonidae).	Parasitoid insects

<i>Camponotus senex</i> (Fr. Smith) (Hymenoptera: Formicidae)	Predatory insect
<i>Camponotus sexguttatus</i> (Fabricius) (Hymenoptera: Formicidae)	Predatory insect
<i>Campsomeris servillei</i> (Guérin-Ménéville) (Hymenoptera: Scoliidae)	Parasitoid insect
<i>Campsomeris tricincta</i> F. (Hymenoptera: Scoliidae)	Parasitoid insect
<i>Campsomeris trifasciata</i> (F.) (Hymenoptera: Scoliidae)	Parasitoid insect
<i>Campyloneuropsis infumatus</i> (Carvalho) (Hemiptera: Miridae)	Predatory insect
<i>Candidatus Liberibacter</i> (Rhizobiales: Rhizobiaceae)	Phytopathogenic bacterium
<i>Candidatus Liberibacter americanus</i> (Rhizobiales: Rhizobiaceae)	Phytopathogenic bacterium
<i>Candidatus Liberibacter asiaticus</i> (Rhizobiales: Rhizobiaceae)	Phytopathogenic bacterium
<i>Candidatus Liberibacter solanacearum</i> (Rhizobiales: Rhizobiaceae)	Phytopathogenic bacterium
<i>Candidatus Liberibacter</i> spp. (Rhizobiales: Rhizobiaceae)	Phytopathogenic bacterium
<i>Capsicum annuum</i> L. (Solanales: Solanaceae)	Plant
<i>Capsicum</i> sp. (Solanales: Solanaceae)	Plant
<i>Carabunia waterstoni</i> Subba Rao (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Carapa guianensis</i> Aubl.) (Sapindales: Meliaceae)	Plant
<i>Cardiochiles diaphaniae</i> Marsh (Hymenoptera: Braconidae)	Parasitoid insect
<i>Cardiochiles nigriceps</i> Viereck (Hymenoptera: Braconidae)	Parasitoid insect
<i>Carduus</i> spp. (Asterales: Asteraceae)	Plants
<i>Carduus acanthoides</i> L. (Asterales: Asteraceae)	Plant
<i>Carduus thoermeri</i> L. (Asterales: Asteraceae)	Plant
<i>Carica papaya</i> L. (Brassicales: Caricaceae)	Plant
<i>Carinodes</i> sp. (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Cassia reticulata</i> Willd. (Fabaceae: Leguminosae)	Plant
<i>Cassia tora</i> L. (Leguminosae)	Plant
<i>Castnia daedalus</i> Auctt (Lepidoptera: Castniidae)	Herbivorous insect
<i>Castnia licoides</i> (Boisduval) (Lepidoptera: Castniidae)	Herbivorous insect
<i>Castolus plagiaticollis</i> Stål. (Hemiptera: Reduviidae)	Predatory insect
<i>Castrida alternans granulatum</i> (Perty) (Coleoptera: Carabidae)	Predatory insect
<i>Catana clauseni</i> Chapin (Coleoptera: Coccinellidae)	Predatory insect
<i>Catolaccus grandis</i> (Burks) (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Cedrela odorata</i> L. (= <i>Cedrela mexicana</i> Roem.) (Sapindales: Meliaceae)	Plant
<i>Cedrela</i> spp. (Sapindales: Meliaceae)	Plants
<i>Cellulomonas flavigena</i> (Actinomycetales: Cellulomonadaceae)	Pathogenic bacteria
<i>Cephalonomia stephanoderis</i> Betrem (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Cephalosporium</i> (= <i>Lecanicillium</i>) <i>lecanii</i> Zimm. (Hypocreales: Cordycipitaceae)	Entomopathogenic fungus
<i>Ceraeochrysa</i> cf. <i>claveri</i> (Navás) (Neuroptera: Chrysopidae)	Predatory insect
<i>Ceraeochrysa cincta</i> (Schneider) (Neuroptera: Chrysopidae)	Predatory insect
<i>Ceraeochrysa claveri</i> (Navás) (Neuroptera: Chrysopidae)	Predatory insect
<i>Ceraeochrysa cubana</i> (Hagen) (Neuroptera: Chrysopidae)	Predatory insect
<i>Ceraeochrysa</i> sp. (Neuroptera: Chrysopidae)	Predatory insect
<i>Ceraeochrysa valida</i> (Banks) (Neuroptera: Chrysopidae)	Predatory insect
<i>Ceraphron</i> Jurine (Hymenoptera: Ceraphronidae)	Parasitoid insect
<i>Ceratitis capitata</i> (Wied.) (Diptera: Tephritidae)	Herbivorous insect
<i>Ceratocapsus dispersus</i> (Carvalho & Fontes) (Hemiptera: Miridae)	Predatory insect
<i>Ceratocapsus paraguayensis</i> (Carvalho & Fontes) (Hemiptera: Miridae)	Predatory insect
<i>Ceratogramma etiennei</i> Delvare (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Ceratophyllum demersum</i> L. (Ceratophyllales: Ceratophyllaceae)	Plant

<i>Cerconota anonella</i> (Sepp.) (Lepidoptera: Oecophoridae)	Herbivorous insect
<i>Cercospora</i> (Capnodiales: Mycosphaerellaceae)	Plantpathogenic fungi
<i>Cercospora piaropi</i> Tharp. (Capnodiales: Mycosphaerellaceae)	Plantpathogenic fungus
<i>Cercospora ageratinae</i> (nomen nudum) (Capnodiales: Hyphomycetes)	Plantpathogenic fungus
<i>Cereochrysa cincta</i> (Schneider) (Neuroptera: Chrysopidae)	Predatory insect
<i>Cereus jamacaru</i> DC. (Caryophyllales: Cactaceae)	Plant
<i>Ceroplastes cirripediformis</i> Comstock (Hemiptera: Coccidae)	Herbivorous insect
<i>Ceroplastes dugesii</i> Lichtenstein (Hemiptera: Coccidae)	Herbivorous insect
<i>Ceroplastes sinensis</i> (Del Guercio) (Hemiptera: Coccidae)	Herbivorous insect
<i>Chaetanaphothrips brevicaulis</i> Hood (Thysanoptera: Thripidae)	Herbivorous insect
<i>Chaetanaphothrips orchidii</i> (Moulton) (Thysanoptera: Thripidae)	Herbivorous insect
<i>Chaetanaphothrips signipennis</i> (Bagnall) (Thysanoptera: Thripidae)	Herbivorous insect
<i>Cheilomenes sexmaculata</i> (Fabricius) (Coleoptera: Coccinellidae)	Predatory insect
<i>Cheiloneurus</i> sp. (Hymenoptera: Encyrtidae)	Hyperparasitoid insect
<i>Chelonus</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Chelonus insularis</i> Cresson (Hymenoptera: Braconidae)	Parasitoid insect
<i>Chenopodium quinoa</i> Willd (Caryophyllales: Amaranthaceae)	Plant
<i>Chilocorus bipustulatus</i> L. (Coleoptera: Coccinellidae)	Predatory insect
<i>Chilocorus bivulnerus</i> (Mulsant) (Coleoptera: Coccinellidae)	Predatory insect
<i>Chilocorus cacti</i> L. (Coleoptera: Coccinellidae)	Predatory insect
<i>Chilocorus</i> cf. <i>cacti</i> (L.) (Coleoptera: Coccinellidae)	Predatory insect
<i>Chilocorus nigrinus</i> (F.) (Coleoptera: Coccinellidae)	Predatory insect
<i>Chilocorus stigma</i> (Say) (Coleoptera: Coccinellidae)	Predatory insect
<i>Chironomus plumosus</i> L. (Diptera: Chironomidae)	Harmful insect
<i>Chistolia</i> sp. (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Chnoodes</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Chnoodes</i> spp. (Coleoptera: Coccinellidae)	Predatory insects
<i>Chondrilla juncea</i> L (Asteraceae: Cynareae)	Plant
<i>Chromaphis juglandicola</i> (Kaltenbach) (Hemiptera: Aphididae)	Herbivorous insect
<i>Chromolaena odorata</i> (L.) R.M. King & H. Rob. (Asterales: Asteraceae)	Plant
<i>Chrysocerca</i> (Neuroptera: Chrysopidae)	Predatory insects
<i>Chrysocharis caribea</i> Boucek (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Chrysocharis</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Chrysocharis vovones</i> (Walker) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Chrysodeixis includens</i> (Walker) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Chrysolina hyperici</i> (Foster) (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Chrysolina quadrigemina</i> (Suffrian) (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Chrysomphalus aonidum</i> L. (Hemiptera: Diaspididae)	Herbivorous insect
<i>Chrysomphalus ficus</i> (Ashmead) (Hemiptera: Diaspididae)	Herbivorous insect
<i>Chrysonotomyia diastatae</i> (Howard) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Chrysopa</i> (Neuroptera: Chrysopidae)	Predatory insects
<i>Chrysopa</i> sp. (Neuroptera: Chrysopidae)	Predatory insect
<i>Chrysopa</i> sp. near <i>Silvana</i> Navas (Neuroptera: Chrysopidae)	Predatory insect
<i>Chrysopa</i> spp. (Neuroptera: Chrysopidae)	Predatory insects
<i>Chrysoperla</i> (Neuroptera: Chrysopidae)	Predatory insects
<i>Chrysoperla asoralis</i> (Banks) (Neuroptera: Chrysopidae)	Predatory insect
<i>Chrysoperla carnea</i> (Stephens) (Neuroptera: Chrysopidae)	Predatory insect

<i>Chrysoperla comanche</i> (Banks) (Neuroptera: Chrysopidae)	Predatory insect
<i>Chrysoperla externa</i> (Hagen) (Neuroptera: Chrysopidae)	Predatory insect
<i>Chrysoperla rufilabris</i> (Burmeister) (Neuroptera: Chrysopidae)	Predatory insect
<i>Chrysoperla</i> sp. (Neuroptera: Chrysopidae)	Predatory insect
<i>Chrysoperla</i> spp. (Neuroptera: Chrysopidae)	Predatory insects
<i>Chrysopodes</i> (Neuroptera: Chrysopidae)	Predatory insects
<i>Chrysomphalus dictyospermi</i> (Morgan) (Hemiptera: Diaspididae)	Herbivorous insect
<i>Cicindela</i> sp. (Coleoptera: Carabidae)	Predatory insect
<i>Cinara</i> (Hemiptera: Aphididae)	Herbivorous insect
<i>Cinara atlantica</i> (Wilson) (Hemiptera: Aphididae)	Herbivorous insect
<i>Cinara pinivora</i> (Wilson) (Hemiptera: Aphididae)	Herbivorous insect
<i>Cinchona pubescens</i> Vahl (Gentinales: Rubiaceae)	Plant
<i>Cirrospilus</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Cirrospilus</i> Westwood (Hymenoptera: Eulophidae)	Parasitoid insects
<i>Cirrospilus quadristriatus</i> (Subba Rao and Ramamani) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Cirsium</i> spp. (Asterales: Asteraceae)	Plants
<i>Citrostichus phyllocnistoides</i> (Narayanan) (Hymenoptera: Eulophidae)	Parasitoid insect
Citrus leprosis virus C (Rhabdovirus)	Phytopathogenic virus
<i>Citrus sinensis</i> (L.) Osbeck (Sapindales: Rutaceae)	Plant
<i>Citrus</i> spp. (Rutaceae)	Plants
<i>Cladis nitidula</i> F. (Coleoptera: Coccinellidae)	Predatory insect
<i>Cladobotryum amazonense</i> Bastos, Evans & Samson (Hypocreales: Hypocreaceae)	Antagonistic fungus
<i>Cladosporium fulvum</i> (Pers.) Link. (Capnodiales: Mycosphaerellaceae)	Phytopathogenic fungus
<i>Cladosporium</i> (Capnodiales: Cladosporiaceae)	Phytopathogenic fungi
<i>Cladosporium echinulatum</i> (Berkeley) G.A. de Vries (Capnodiales: Cladosporiaceae)	Phytopathogenic fungus
<i>Cladosporium</i> sp. (Capnodiales: Mycosphaerellaceae)	Phytopathogenic fungus
<i>Clasoptera</i> sp. (Hemiptera: Cercopidae)	Herbivorous insect
<i>Clemora smithi</i> Arrow (Coleoptera: Melolonthidae)	Herbivorous insect
<i>Cleruchoides noackae</i> Lin & Huber (Hymenoptera: Mymaridae)	Parasitoid insect
<i>Clidemia hirta</i> (L.) D. Don (Myrtales: Melastomataceae)	Plant
<i>Clonostachys</i> (Hypocreales: Bionectriaceae)	Fungal parasitic fungi
<i>Clonostachys rosea</i> (Link) Schroers (Hypocreales: Bionectriaceae)	Fungal parasitic fungus
<i>Closterocerus purpureus</i> (Howard) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Coccidophilus cariba</i> Gordon (Coleoptera: Coccinellidae)	Predatory insect
<i>Coccidophilus citricola</i> Brethes (Coleoptera: Coccinellidae)	Predatory insect
<i>Coccidophilus</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Coccidoxenoides peregrinus</i> (Timberlake) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Coccidoxenoides perminutus</i> Girault (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Coccinella septempunctata</i> (L.) (Coleoptera: Coccinellidae)	Predatory insect
<i>Coccinellina</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Coccipolipus epilachnae</i> Smiley (Acarina: Podapolipidae)	Parasitic mite
<i>Coccobacillus acridiorum</i> D'Herelle	Entomopathogenic bacterium
<i>Coccobius fulvus</i> (Compere and Annecke) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Coccophagoides utilis</i> Doult (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Coccophagus aleurodici</i> Gir. (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Coccophagus basalis</i> Compere (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Coccophagus caridei</i> (Br��thes) (Hymenoptera: Aphelinidae)	Parasitoid insect

<i>Coccophagus gurneyi</i> (Compere) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Coccophagus lycimnia</i> (Walker) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Coccophagus pulvinariae</i> Compere (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Coccophagus rusti</i> Compere (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Coccophagus</i> sp. (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Coccus hesperidum</i> (Linnaeus) (Hemiptera: Coccidae)	Herbivorous insect
<i>Coccus mangiferae</i> (Green) (Hemiptera: Coccidae)	Herbivorous insect
<i>Coccus</i> spp. (Hemiptera: Coccidae)	Herbivorous insects
<i>Coccus viridis</i> (Green) (Hemiptera: Coccidae)	Herbivorous insect
<i>Cocos nucifera</i> (L.) (Arecales: Arecaceae)	Plant
<i>CodVPN Copitarsia decolora</i>	Entomopathogenic virus
<i>Coelophora inaequalis</i> F. (Coleoptera: Coccinellidae)	Predatory insect
<i>Coenosia attenuata</i> Stein (Diptera: Muscidae)	Predatory insect
<i>Coleomegilla cubensis</i> Casey (Coleoptera: Coccinellidae)	Predatory insect
<i>Coleomegilla maculata</i> De Geer (Coleoptera: Coccinellidae)	Predatory insect
<i>Coleomegilla quadrifasciata</i> (Schoenherr) (Coleoptera: Coccinellidae)	Predatory insect
<i>Colias lesbia</i> (F.) (Lepidoptera: Pieridae)	Herbivorous insect
<i>Colias lesbia pyrrhothea</i> (Hubn.) (Lepidoptera: Pieridae)	Herbivorous insect
<i>Colletotrichum</i> (Glomerellales: Glomerellaceae)	Phytopathogenic fungi
<i>Colletotrichum acutatum</i> J.H. Simmonds (Glomerellales: Glomerellaceae)	Phytopathogenic fungus
<i>Colletotrichum gloeosporioides</i> (Penz.) Penz. & Sacc (Phyllachorales: Glomerellaceae)	Phytopathogenic fungus
<i>Collops femoratus</i> Schaeffer (Coleoptera: Melyridae)	Predatory insect
<i>Colocasia esculenta</i> (L.) Schott (Alismatalis: Araceae)	Plant
<i>Comperiella bifasciata</i> Howard (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Compsilura concinnata</i> (Meigen) (Coleoptera: Coccinellidae)	Parasitoid insect
<i>Compsus viridivittatus</i> (Guérin-Ménéville) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Comstockaspis perniciosus</i> Comstock (Hemiptera: Diaspididae)	Herbivorous insect
<i>Condylorrhiza vestigialis</i> (Guenée) (Lepidoptera: Crambidae)	Herbivorous insect
<i>Condyllostylus graenicheri</i> (Van Duzee) (Diptera: Dolichopodidae)	Predatory insect
<i>Condyllostylus similis</i> (Aldrich) (Diptera: Dolichopodidae)	Predatory insect
<i>Condyllostylus</i> sp. (Diptera: Dolichopodidae)	Predatory insect
<i>Coniothyrium minitans</i> Campb. (Pleosporales: Leptosphaeriaceae)	Fungal parasitic fungus
<i>Conomyrma</i> sp. (Hymenoptera: Formicidae)	Predatory insect
<i>Conotrachelus albocinereus</i> Fiedler (Coleoptera: Curculionidae)	Herbivorous insect
<i>Conotrachelus psidii</i> Marshall (Coleoptera: Curculionidae)	Herbivorous insect
<i>Contarinia lycopersici</i> Felt (Diptera: Cecidomyiidae)	Herbivorous insect
<i>Conura</i> (Hymenoptera: Chalcididae)	Parasitoid insects
<i>Conura anullifera</i> (Walker) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Conura destinata</i> (Walker) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Conura fulvovariegata</i> (Cameron) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Conura hirtifemora</i> Ashmead (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Conura immaculata</i> (Cresson) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Conura petioliventris</i> Cameron (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Conura pseudofulvovariegata</i> (Becker) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Conura pulchripes</i> (Cameron) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Conura</i> sp. (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Convolvulus arvensis</i> L. (Polemoniales: Convolvulaceae)	Plant

<i>Copestylum isabellina</i> (Williston) (Diptera: Syrphidae)	Predatory insect
<i>Copestylum musicanum</i> (Curran) (Diptera: Syrphidae)	Predatory insect
<i>Copestylum punctiferum</i> (Bigot) (Diptera: Syrphidae)	Predatory insect
<i>Copestylum rurale</i> Curran (Diptera: Syrphidae)	Predatory insect
<i>Copestylum sica</i> (Curran) (Diptera: Syrphidae)	Predatory insect
<i>Copidosoma desantisi</i> Annecke & Mynhardt (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Copidosoma floridanum</i> (Ashmead) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Copidosoma gelechiae</i> Howard (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Copidosoma koehleri</i> Blanchard (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Copidosoma</i> sp. (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Copidosoma truncatellum</i> (Dalman) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Copitarsia decolora</i> (Guenée) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Copitarsia incommode</i> (Walker) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Copitarsia</i> sp. (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Coptera haywardi</i> Loia. (Hymenoptera: Diapriidae)	Parasitoid insect
<i>Coranus spiniscutus</i> Reuter (Hemiptera: Reduviidae)	Predatory insect
<i>Cordia curassavica</i> (Jacq.) Roens. & Schult (Boraginales: Boraginaceae)	Plant
<i>Cordyceps barberi</i> Giard (Hypocreales: Cordycipitaceae)	Entomopathogenic fungus
<i>Cordyceps sobolifera</i> (Hill) (Hypocreales: Cordycipitaceae)	Entomopathogenic fungus
<i>Corynebacterium ammoniagenes</i> (Cooke and Keith) (Actinomycetales: Corynebacteriaceae)	Nematode killing bacterium
<i>Corythucha gossypii</i> (Fabricius) (Hemiptera: Tingidae)	Herbivorous insect
<i>Cosmoclopius</i> sp. (Hemiptera: Reduviidae)	Predatory insect
<i>Cosmoclopius</i> sp. aff. <i>annulosus</i> Stål (Hemiptera: Reduviidae)	Predatory insect
<i>Cosmopolites sordidus</i> (Germar) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Cotesia (Apanteles) plutellae</i> (Kurdjumov) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Cotesia</i> (Hymenoptera: Braconidae)	Parasitoid insects
<i>Cotesia flavipes</i> Cameron (Hymenoptera: Braconidae)	Parasitoid insect
<i>Cotesia glomerata</i> L. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Cotesia marginiventris</i> (Cresson) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Cotesia plutellae</i> (Kurdjumov) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Cotesia sesamiae</i> (Cameron) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Cotesia</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Cotesia vestalis (plutellae)</i> (Haliday) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Crematogaster brevispinosa</i> Mayr (Hymenoptera: Formicidae)	Predatory insect
<i>Crematogaster</i> spp. (Hymenoptera: Formicidae)	Predatory insects
<i>Crematogaster torosa</i> (Mayr) (Hymenoptera: Formicidae)	Predatory insect
<i>Crinipellis perniciosus</i> (Stahel) Aime & Phillips-Mora (Agaricales: Marasmiaceae)	Phytopathogenic fungus
<i>Crociosema (=Epinotia) aporema</i> (Walsingham) (Lepidoptera: Tortricidae)	Herbivorous insect
<i>Croton trinitatis</i> (Millsp.) (Euphorbiales: Euphorbiaceae)	Plant
<i>Crotophaga ani</i> L. (Cuculiformes: Cuculidae)	Predatory bird
<i>Crotophaga major</i> Gmelin (Cuculiformes: Cuculidae)	Predatory bird
<i>Crypticerya genistae</i> (Hampel) ((Hemiptera: Monophlebidae)	Herbivorous insect
<i>Crypticerya genistae</i> Hempel (Hemiptera: Monophlebidae)	Herbivorous insect
<i>Crypticerya multicatrices</i> Kondo & Unruh (Hemiptera: Monophlebidae)	Herbivorous insect
<i>Cryptoblades gnidiella</i> (Millière) (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Cryptochaetum iceryae</i> (Willston) (Diptera: Cryptochaetidae)	Parasitoid insect
<i>Cryptognatha affinis</i> (Coleoptera: Coccinellidae)	Predatory insect

<i>Cryptognatha auriculata</i> Muls. (Coleoptera: Coccinellidae)	Predatory insect
<i>Cryptognatha flaviceps</i> (Crotch) (Coleoptera: Coccinellidae)	Predatory insect
<i>Cryptognatha nodiceps</i> Marshall (Coleoptera: Coccinellidae)	Predatory insect
<i>Cryptognatha simillima</i> Sic. (Coleoptera: Coccinellidae)	Predatory insect
<i>Cryptolaemus affinis</i> Crotch (Coleoptera: Coccinellidae)	Predatory insect
<i>Cryptolaemus montrouzieri</i> Mulsant (Coleoptera: Coccinellidae)	Predatory insect
<i>Cryptosporiopsis perennans</i> (Zeller & Childs) Wollenw (Helotiales: Dermateaceae)	Phytopathogenic fungus
<i>Cryso</i> sp. (Araneae: Araneidae)	Predatory spider
<i>Ctenarytaina eucalypti</i> (Maskell) (Hemiptera: Psyllidae)	Herbivorous insect
<i>Ctenarytaina spatulata</i> Taylor (Hemiptera: Psyllidae)	Herbivorous insect
<i>Ctenopharyngodon idella</i> (Valenciennes) (Cypriniformes: Cyprinidae)	Herbivorous fish
<i>Cucurbita moschata</i> Duch. ex Poir. (Cucurbitales: Cucurbitaceae)	Plant
<i>Cucurbita</i> spp. (Cucurbitales: Cucurbitaceae)	Plants
<i>Culex quinquefasciatus</i> Say (Diptera: Culicidae)	Harmful insect
<i>Culex</i> spp. (Diptera: Culicidae)	Harmful insect
<i>Cupressus lusitanica</i> Mill. (Pinales: Cupressaceae)	Plant
<i>Curinus colombianus</i> Chapin (Coleoptera: Coccinellidae)	Predatory insect
<i>Cuscuta americana</i> L. (Solanales: Convolvulaceae)	Plant
<i>Cuscuta indecora</i> Choisy (Solanales: Convolvulaceae)	Plant
<i>Cuscuta</i> spp. (Solanales: Convolvulaceae)	Plants
<i>Cybocephalus nipponicus</i> Endrody-Younga (Coleoptera: Cybocephalidae)	Predatory insect
<i>Cybocephalus</i> sp. (Coleoptera: Cybocephalidae)	Predatory insect
<i>Cycas revoluta</i> Thun. (Cycadales: Cycadaceae)	Plant
<i>Cyclocephala</i> spp. (Coleoptera: Scarabaeidae)	Herbivorous insects
<i>Cycloneda conjugata</i> (Mulsant) (Coleoptera: Coccinellidae)	Predatory insect
<i>Cycloneda oculata</i> (Thunberg) (Coleoptera: Coccinellidae)	Predatory insect
<i>Cycloneda sanguinea</i> (L.) (Coleoptera: Coccinellidae)	Predatory insect
<i>Cycloneda sanguinea limbifer</i> (Casey) (Coleoptera: Coccinellidae)	Predatory insect
<i>Cydia molesta</i> (Busck) (Lepidoptera: Tortricidae)	Herbivorous insect
<i>Cydia pomonella</i> granulovirus	Entomopathogenic virus
<i>Cydia pomonella</i> L. (Lepidoptera: Tortricidae)	Herbivorous insect
<i>Cydia</i> sp. (Lepidoptera: Tortricidae)	Herbivorous insect
<i>Cylas formicarius elegantulus</i> (Summers) (Coleoptera: Brentidae)	Herbivorous insect
<i>Cylas formicarius</i> Fabricius (Coleoptera: Brentidae)	Herbivorous insect
<i>Cynara</i> spp. (Asterales: Asteraceae)	Plants
<i>Cynodon dactylon</i> (L.) Pers. (Poales: Poaceae)	Plant
<i>Cyparissius daedalus</i> Cramer (Lepidoptera: Castniidae)	Herbivorous insect
<i>Cyperus rotundus</i> L. (Poales: Cyperaceae)	Plant
<i>Cyrtobagous salviniae</i> Calder and Sands (Coleoptera: Curculionidae)	Herbivorous insect
<i>Cyrtomenus bergi</i> Froeschner (Hemiptera: Cydnidae)	Herbivorous insect
<i>Cyrtopeltis</i> sp. (Hemiptera: Miridae)	Predatory insect
<i>Cyrtorhinus fulvus</i> Knight (Hemiptera: Miridae)	Predatory insect
<i>Cystiphora schmidtii</i> (Rübsaamen) (Rubs.) (Diptera: Cecidomyiidae)	Herbivorous insect
D	
<i>Dacnusa sibirica</i> Telenga (Hymenoptera: Braconidae)	Parasitoid insect
<i>Dacnusa</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect

<i>Dactilopius opuntiae</i> (Cocherell) (Hemiptera: Dactylopiidae)	Herbivorous insect
<i>Dactylella</i> sp. (Heloliales: Orbiliaceae)	Nematophagous fungus
<i>Dactylopius austrinus</i> De Lotto (Hemiptera: Dactylopiidae)	Herbivorous insect
<i>Dactylopius</i> sp. nr. <i>confusus</i> (Ckll.) (Hemiptera: Dactylopiidae)	Herbivorous insect
<i>Dactylopius opuntiae</i> (Ckll.) (Hemiptera: Dactylopiidae)	Herbivorous insect
<i>Dactylopius</i> spp. (Hemiptera: Dactylopiidae)	Herbivorous insects
<i>Dactylosternum abdominale</i> (Fabricius) (Coleoptera: Hydrophilidae)	Herbivorous insect
<i>Dactylosternum hydrophiloides</i> (MacLeay) (Coleoptera: Hydrophilidae)	Herbivorous insect
<i>Dactylosternum</i> sp. (Coleoptera: Hydrophilidae)	Herbivorous insect
<i>Dactylosternum subdepressum</i> Lap. (Coleoptera: Hydrophilidae)	Herbivorous insect
<i>Dalaca noctuides</i> Pfitzner (Lepidoptera: Hepialidae)	Herbivorous insect
<i>Dalaca pallens</i> (Blanchard) (Lepidoptera: Hepialidae)	Herbivorous insect
<i>Dalbulus maidis</i> (De Long & Wolcott) (Hemiptera: Cicadellidae)	Herbivorous insect
<i>Dasiops inedulis</i> Steyskal (Diptera: Lonchaeidae)	Herbivorous insect
<i>Dasiops</i> spp. (Diptera: Lonchaeidae)	Herbivorous insects
<i>Davara caricae</i> Dyar (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Deladenus</i> (= <i>Beddingia</i>) <i>siricidicola</i> Bedding (Tylenchida: Neotylenchidae)	Entomopatogenic nematode
<i>Deleboea</i> sp. (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Delphastus</i> (Coleoptera: Coccinellidae)	Predatory insect
<i>Delphastus argentinus</i> Nunenmacher (Coleoptera: Coccinellidae)	Predatory insect
<i>Delphastus catalinae</i> Horn (Coleoptera: Coccinellidae)	Predatory insect
<i>Delphastus pallidus</i> Le Conte (Coleoptera: Coccinellidae)	Predatory insect
<i>Delphastus pusillus</i> (LeConte) (Coleoptera: Coccinellidae)	Predatory insect
<i>Delphastus quinculus</i> Gordon (Coleoptera: Coccinellidae)	Predatory insect
<i>Delphastus</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Delphax maidis</i> Ashmead (Hemiptera: Delphacidae)	Herbivorous insect
<i>Demostipa</i> sp. (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Deois flavopicta</i> (Stal) (Hemiptera: Cercopidae)	Herbivorous insect
<i>Deroceras reticulatum</i> (Müller) (Pulmonata: Stylommatophora)	Phytophagous slug
<i>Derostenus</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Descampsina sesamiae</i> Mesnil (Diptera: Tachinidae)	Parasitoid insect
<i>Diabrotica balteata</i> LeConte (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Diabrotica speciosa</i> Germar (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Diachasmimorpha longicaudata</i> (Ashmead) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Diachasmimorpha tryoni</i> (Cameron) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Diadegma eucerothaga</i> Horstmann (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Diadegma insulare</i> (Cresson) (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Diadegma molesta</i> Tschek (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Diadegma pierisae</i> (Rao) (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Diadegma semiclausum</i> Hellen (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Diadegma</i> sp. (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Diadegma varuna</i> Gupta (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Diadromus collaris</i> (Grav.) (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Diaeretiella rapae</i> McIntosh (Hymenoptera: Braconidae)	Parasitoid insect
<i>Dialeurodes citrifolii</i> (Morgan) (Hemiptera: Aleyrodidae)	Herbivorous insect
<i>Diaphania hyalinata</i> L. (Lepidoptera: Crambidae)	Herbivorous insect
<i>Diaphania nitidalis</i> (Stoll in Cramer & Stoll) (Lepidoptera: Crambidae)	Herbivorous insect

<i>Diaphania</i> spp. (Lepidoptera: Crambidae)	Herbivorous insects
<i>Diaphorina citri</i> Kuwayama (Hemiptera: Psyllidae)	Herbivorous insect
<i>Diaprepes</i> (Coleoptera: Curculionidae)	Herbivorous insects
<i>Diaprepes abbreviatus</i> Linnaeus (Coleoptera: Curculionidae)	Herbivorous insect
<i>Diaprepes</i> spp. (Coleoptera: Curculionidae)	Herbivorous insects
<i>Diachasmimorpha crawfordi</i> (Viereck) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Diaspidiotus perniciosus</i> (Comstock) (Hemiptera: Diaspididae)	Herbivorous insect
<i>Diaspis boisduvalii</i> Signoret (Hemiptera: Diaspididae)	Herbivorous insect
<i>Diatraea andina</i> Box (Lepidoptera: Crambidae)	Herbivorous insect
<i>Diatraea busckella</i> Dyar & Heinrich (Lepidoptera: Crambidae)	Herbivorous insect
<i>Diatraea centrella</i> (Möschl.) (Lepidoptera: Crambidae)	Herbivorous insect
<i>Diatraea guatemalaella</i> Schaus (Lepidoptera: Crambidae)	Herbivorous insect
<i>Diatraea impersonatella</i> (Walker) (Lepidoptera: Crambidae)	Herbivorous insect
<i>Diatraea indigenella</i> Dyar & Heinrich (Lepidoptera: Crambidae)	Herbivorous insect
<i>Diatraea lineolata</i> Walker (Lepidoptera: Crambidae)	Herbivorous insect
<i>Diatraea rosa</i> Heinrich (Lepidoptera: Crambidae)	Herbivorous insect
<i>Diatraea rufescens</i> Box (Lepidoptera: Crambidae)	Herbivorous insect
<i>Diatraea saccharalis</i> (F.) (Lepidoptera: Crambidae)	Herbivorous insect
<i>Diatraea</i> sp. (Lepidoptera: Crambidae)	Herbivorous insect
<i>Diatraea</i> spp. (Lepidoptera: Crambidae)	Herbivorous insects
<i>Diatraea tabernella</i> Dyar (Lepidoptera: Crambidae)	Herbivorous insect
<i>Diaulinopsis callichroma</i> Crawford (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Dichelops</i> sp. (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Dichroplus elongatus</i> Giclio-Tos (Orthoptera: Acrididae)	Herbivorous insect
<i>Dichroplus maculipennis</i> (Blanchard) (Orthoptera: Acrididae)	Herbivorous insect
<i>Dichroplus pratensis</i> Bruner (Orthoptera: Acrididae)	Herbivorous insect
<i>Dichroplus vittatus</i> Bruner (Orthoptera: Acrididae)	Herbivorous insect
<i>Dicyma pulvinata</i> (Berk & M.A. Curtis) Arx (Xylariales: Xylariaceae)	Antagonistic fungus
<i>Digitaria riantha</i> Steud. (= <i>D. decumbens</i>) (Poales: Poaceae)	Plant
<i>Diglyphus begini</i> (Ashmead) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Diglyphus isaea</i> (Walker) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Diglyphus minoews</i> (Wlk.) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Diglyphus</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Diglyphus</i> spp. (Hymenoptera: Eulophidae)	Parasitoid insects
<i>Diglyphus websteri</i> Crawford (Hymenoptera: Eulophidae)	Parasitoid insect
DijnVPN <i>Dione juno</i>	Entomopathogenic virus
<i>Dinarmus basalis</i> (Rondani) (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Dinarmus vagabundus</i> (Timb.) (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Dinoderus minutus</i> (F.) (Coleoptera: Bostrichidae)	Herbivorous insect
<i>Diomus seminulus</i> (Mulsant) (Coleoptera: Coccinellidae)	Predatory insect
<i>Diomus</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Diomus</i> sp. aff. <i>Tantillus</i> (Coleoptera: Coccinellidae)	Predatory insect
<i>Dione juno</i> (Cramer) (Lepidoptera: Nymphalidae)	Herbivorous insect
<i>Dione juno juno</i> (Cramer) (Lepidoptera: Nymphalidae)	Herbivorous insect
<i>Diplazon laetatorius</i> (Fabricius) (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Dirhinus giffardii</i> (Silvestri) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Dissomphalus</i> spp. (Hymenoptera: Bethyridae)	Parasitoid insects

<i>Disorygma pacifica</i> (Yoshimoto) (Hymenoptera: Eucoliidae)	Parasitoid insect
<i>Diuraphis noxia</i> (Mordvilko) (Hemiptera: Aphididae)	Herbivorous insect
<i>Doassansia eichhorniae</i> Ciferri (Doassansiales: Doassansiaceae)	Phytopathogenic fungus
<i>Dolichogenidea</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Dolichostoma</i> sp. (Diptera: Tachinidae)	Parasitoid insect
<i>Doru lineare</i> (Eschsholtz) (Dermaptera: Forficulidae)	Predatory insect
<i>Doru luteipes</i> (Scudder) (Dermaptera: Forficulidae)	Predatory insect
<i>Doru</i> sp. (Dermaptera: Forficulidae)	Predatory insect
<i>Doryctes parvus</i> Mues. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Doryctobracon areolatus</i> Szepligeti (Hymenoptera: Braconidae)	Parasitoid insect
<i>Doryctobracon cereus</i> (Gahan) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Doryctobracon crawfordi</i> (Vier.) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Doryctobracon</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Doryctobracon trinidadensis</i> (Gah.) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Drino inhertis</i> (Wied.) (Diptera: Tachinidae)	Parasitoid insect
<i>Drino</i> sp. (Diptera: Tachinidae)	Parasitoid insect
<i>Drosophila suzukii</i> (Matsumura) (Diptera: Drosophilidae)	Herbivorous insect
<i>Dusona</i> sp. (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Dysdercus andreae</i> (L.) (Hemiptera: Pyrrhocoridae)	Herbivorous insect
<i>Dysdercus discolor</i> Walker (Hemiptera: Pyrrhocoridae)	Herbivorous insect
<i>Dysdercus fulvioniger</i> Deg. subsp. <i>discolor</i> Wlk. (Hemiptera: Pyrrhocoridae)	Herbivorous insect
<i>Dysdercus</i> spp. (Hemiptera: Pyrrhocoridae)	Herbivorous insects
<i>Dysmicoccus boninsis</i> (Kuwana) (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Dysmicoccus brevipes</i> Cockerell (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Dysmicoccus cryptus</i> Williams = <i>bispinosus</i> Beardsley (Hemiptera: Pseudococcidae)	Herbivorous insect
E	
<i>Eacles imperialis magnifica</i> (Walker) (Lepidoptera: Saturniidae)	Herbivorous insect
<i>Ecdytolopha</i> (= <i>Gymnandrosoma</i>) <i>torticornis</i> (Lepidoptera: Tortricidae)	Herbivorous insect
<i>Ecphoropsis perdistinctus</i> Viereck (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Edessa</i> sp. (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Eichhornia crassipes</i> (Mart.) Solms-Laubac (Commelinales: Pontederiaceae)	Plant
<i>Eiphosoma dentator</i> (Fabricius) (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Eiphosoma</i> sp. (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Eiphosoma</i> spp. (Hymenoptera: Ichneumonidae)	Parasitoid insects
<i>Elachertus</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Elaeidobius kamerunicus</i> Faust (Coleoptera: Curculionidae)	Herbivorous insect
<i>Elaeidobius plagiatus</i> (Fabricius) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Elaeidobius singularis</i> (Faust) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Elasmopalpus lignosellus</i> Zeller (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Elasmopalpus</i> sp. (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Elasmus</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Elasmus</i> Westwood (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Empoasca kraemeri</i> Ross and Moore (Hemiptera: Cicadellidae)	Herbivorous insect
<i>Encarsia</i> (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia</i> (= <i>Prospaltella</i>) <i>divergens</i> Silvestri (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia basicincta</i> (Gahan) (Hymenoptera: Aphelinidae)	Parasitoid insect

<i>Encarsia berlesei</i> Howard (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia bimaculata</i> (Heraty and Polaszek) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia citrella</i> (Howard) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia cubensis</i> Gahan (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia clypealis</i> (Silvestri) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia dispersa</i> Polaszek (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia formosa</i> Gahan (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia guadeloupae</i> Viggiani (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia hispida</i> De Santis (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia longitarsis</i> Myartseva (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia lounsburyi</i> (Berlèse & Paoli) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia luteola</i> (Howard) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia meritoria</i> Gahan (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia nigricephala</i> Dozier (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia noyesi</i> (Hayat) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia opulenta</i> Silvestri (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia pergandiella</i> Howard (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia perniciosi</i> Tower (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia perplexa</i> Huang & Polaszek (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia porteri</i> (Mercet) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia protransvena</i> Viggiani (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia quaintancei</i> Howard (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia smithi</i> (Silvestri) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia sophia</i> (Girault & Dodd) (= <i>E. transvena</i>) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia</i> sp. (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia</i> sp. (<i>parvella</i> group) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia</i> sp. nr. <i>pergandiella</i> Howard (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia</i> sp. nr. <i>variegata</i> How (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia</i> spp. (Hymenoptera: Aphelinidae)	Parasitoid insects
<i>Encarsia tabacivora</i> (= <i>pergandiella</i>) Viggiani (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsia telemachusi</i> Evans (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsiella</i> (Hymenoptera: Aphelinidae)	Parasitoid insects
<i>Encarsiella aleurodici</i> (Girault) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsiella</i> new sp. (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsiella noyesi</i> (Hayat) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encarsiella</i> sp. D (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Encyrtus infelix</i> (Embleton) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Encyrtus lecaniorum</i> (Mayr) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Engytatus modestus</i> (Distant) (Hemiptera: Miridae)	Predatory insect
<i>Engytatus varians</i> (Distant) (Hemiptera: Miridae)	Predatory insect
<i>Enicospilus americanus</i> (Christ) (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Entomophthora</i> (Entomophthorales: Entomophthoraceae)	Entomopathogenic fungi
<i>Entomophthora parvispora</i> MacLeod & Carl (Entomophthorales: Entomophthoraceae)	Entomopathogenic fungus
<i>Entomophthora</i> spp. (Entomophthorales: Entomophthoraceae)	Entomopathogenic fungi
<i>Entomophthora virulenta</i> I.M. Hall & P.H. Dunn (Entomophthorales: Entomophthoraceae)	Entomopathogenic fungus
<i>Entomophthorales</i> sp.	Entomopathogenic fungus
<i>Eodiatraea centrella</i> Mosch (Lepidoptera: Crambidae)	Herbivorous insect

<i>Eodiatraea</i> sp. (Lepidoptera: Crambidae)	Herbivorous insect
<i>Eoreuma morbidella</i> (Dyar) (Lepidoptera: Crambidae)	Herbivorous insect
<i>Ephedrus plagiator</i> (Nees) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Ephestia elutella</i> (Hübner) (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Ephestia kuehniella</i> Zeller (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Epidinocarsis lopezi</i> (De Santis) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Epilachna varivestis</i> Mulsant (Coleoptera: Coccinellidae)	Herbivorous insect
<i>Epiphyas postvittana</i> Walker (Lepidoptera: Tortricidae)	Herbivorous insect
<i>Epiplagiops littoralis</i> Blanchard (Diptera: Tachinidae)	Parasitoid insect
<i>Eretmocerus californicus</i> Howard (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Eretmocerus eremicus</i> Rose & Zolnerowich (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Eretmocerus mundus</i> (Mercet) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Eretmocerus portoricensis</i> (Dozier) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Eretmocerus serius</i> (Silvestri) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Eretmocerus</i> sp. (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Eretmocerus</i> spp. (Hymenoptera: Aphelinidae)	Parasitoid insects
<i>Eretmocerus tejanus</i> Rose & Zolnerow (Hymenoptera: Aphelinidae)	Parasitoid insect
EreVG <i>Erinnys ello</i>	Entomopathogenic virus
<i>Eriborus</i> sp. (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Erinnyis alope</i> (Drury) (Lepidoptera: Sphingidae)	Herbivorous insect
<i>Erinnyis ello</i> (L.) (Lepidoptera: Sphingidae)	Herbivorous insect
<i>Erinnyis</i> sp. (Lepidoptera: Sphingidae)	Herbivorous insect
<i>Eriophyes sheldoni</i> Ewing (Prostigmata: Eryophidae)	Herbivorous mite
<i>Eriopis chilensis</i> (Hofmann) (Coleoptera: Coccinellidae)	Predatory insect
<i>Eriopis connexa</i> (Germar) (Coleoptera: Coccinellidae)	Predatory insect
<i>Eriopis</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Eriossoma lanigerum</i> Hausmann (Hemiptera: Aphididae)	Herbivorous insect
<i>Erwinia</i> (Enterobacteriales: Enterobacteriaceae)	Pytopathogenic bacteria
<i>Erwinia carotovora</i> (Smith) (Enterobacteriales: Enterobacteriaceae)	Phytopathogenic bacterium
<i>Esclerotinia</i> sp. (Helotiales: Sclerotiniaceae)	Phytopathogenic fungus
<i>Essigella californica</i> (Essig) (Hemiptera: Aphididae)	Herbivorous insect
<i>Etiella zinckenella</i> Treitschke (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Eucalyptus</i> (Myrtales: Myrtaceae)	Plant
<i>Eucalyptus globulus</i> Labill. (Myrtales: Myrtaceae)	Plant
<i>Eucalyptus</i> sp. (Myrtales: Myrtaceae)	Plant
<i>Eucalyptus</i> spp. (Myrtales: Myrtaceae)	Plants
<i>Eucarcelia illota</i> (Curran) (Diptera: Tachinidae)	Parasitoid insect
<i>Eucelatoria armigera</i> (Coquillett) (Diptera: Tachinidae)	Parasitoid insect
<i>Eucelatoria bryani</i> Sabrosky (Diptera: Tachinidae)	Parasitoid insect
<i>Eucelatoria</i> sp. (Diptera: Tachinidae)	Parasitoid insect
<i>Euderus</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Eueupithecia cisplatensis</i> Prout (Lepidoptera: Geometridae)	Herbivorous insect
<i>Euglandina rosea</i> (Ferussac) (Mollusca: Gastropoda: Spiraxidae)	Snail predatory snail
<i>Eulachnus rileyi</i> (Williams) (Hemiptera: Aphididae)	Herbivorous insect
<i>Eunitelus fulvus</i> (Coleoptera: Scarabaeidae)	Herbivorous insect
<i>Eupelmela</i> sp. (Hymenoptera: Eupelmidae)	Parasitoid insect
<i>Eupelmus cushmani</i> (Crawford) (Hymenoptera: Eupelmidae)	Parasitoid insect

EupeVPN <i>Euprosteria eleasa</i>	Entomopathogenic virus
<i>Euphorbia heterophylla</i> L. (Malpighiales: Euphorbiaceae)	Plant
<i>Euphorbia pulcherrima</i> Willd (Malpighiales: Euphorbiaceae)	Plant
<i>Euphorocera floridensis</i> Townsend (Diptera: Tachinidae)	Parasitoid insect
<i>Euplectrus comstockii</i> Howard (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Euplectrus platyhypenae</i> Howard (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Euplectrus</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Eupteromalis</i> sp. (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Eurysacca media</i> Povolný (Lepidoptera: Gelechiidae)	Herbivorous insect
<i>Eurysacca melanocampta</i> Meyrick (Lepidoptera: Gelechiidae)	Herbivorous insect
<i>Eurysacca quinoa</i> Povolny (Lepidoptera: Gelechiidae)	Herbivorous insect
<i>Eurytoma attiva</i> Burks (Hymenoptera: Eurytomidae)	Parasitoid insect
<i>Eurytoma sivinskii</i> Gates & Grissell (Hymenoptera: Eurytomidae)	Parasitoid insect
<i>Euscepes postfasciatus</i> (Fairmaire) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Euschistus heros</i> (Fabricius) (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Euschistus</i> sp. (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Euseius emanus</i> (El-Banhawy) (Acari: Phytoseiidae)	Predatory mite
<i>Euseius</i> (= <i>Amblyseius</i>) <i>victoriensis</i> Womersly (Acari: Phytoseiidae)	Predatory mite
<i>Euseius concordis</i> (Chant) (Acari: Phytoseiidae)	Predatory mite
<i>Euseius</i> sp. (Acari: Phytoseiidae)	Predatory mite
<i>Euseius stipulatus</i> (Athias-Henriot) (Acari: Phytoseiidae)	Predatory mite
<i>Eutetranychus banksi</i> (McGreg.) (Acari: Tetranychidae)	Herbivorous mite
<i>Eutinobothrus brasiliensis</i> (Hambleton) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Euttetrastichus fennahi</i> (= <i>Tetrastichus fennahi</i>) Schauff (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Euwallacea</i> nr. <i>fonicatus</i> Eichhoff (Coleoptera: Curculionidae)	Herbivorous insect
<i>Evania laevigata</i> Olivier (= <i>appendigaster</i> E. Guérin-Ménéville) (Hymenoptera: Evaniidae)	Parasitoid insect
<i>Evippe</i> sp. (Lepidoptera: Gelechiidae)	Herbivorous insect
<i>Exasticolus fuscicornis</i> (Cameron) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Exochonus bisbinotatus</i> Gorham (Coleoptera: Coccinellidae)	Predatory insect
<i>Exochomus marginipennis</i> (LeConte) (Coleoptera: Coccinellidae)	Predatory insect
<i>Exochomus</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Exophthalmus similis</i> (Drury) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Exophthalmus</i> spp. (Coleoptera: Curculionidae)	Herbivorous insects
<i>Exophthalmus vittatus</i> L. (Coleoptera: Curculionidae)	Herbivorous insect
<i>Exoplectra dubia</i> Crotch (Coleoptera: Coccinellidae)	Predatory insect
F	
<i>Faronta albilinea</i> Hbn. (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Feltiella acarisuga</i> (Vallot) (Diptera: Cecidomyiidae)	Predatory insect
<i>Fidobia citri</i> (Nixon) (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Fidobia</i> sp. (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Flaveria bidentis</i> (L.) Kuntze (Asterales: Asteraceae)	Plant
<i>Foeniculum vulgare</i> Mill. (Apiales: Apiaceae)	Plant
<i>Fopius arisanus</i> (Sonan) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Fopius ceratitivorius</i> Wharton (Hymenoptera: Braconidae)	Parasitoid insect
<i>Fopius vandenboschi</i> (Fullaway) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Forficula euricularia</i> L. (Dermaptera: Forficulidae)	Predatory insect

<i>Fornicia</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Frankliniella occidentalis</i> (Pergande) (Thysanoptera: Thripidae)	Herbivorous insect
<i>Frankliniella parvula</i> Hood (Thysanoptera: Thripidae)	Herbivorous insect
<i>Franklinothrips vespiformis</i> (Crawford) (Thysanoptera: Aeolothripidae)	Predatory insect
<i>Fundella pellucens</i> Zeller (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Fundiseius cesi</i> (Muma) (Acari: Phytoseiidae)	Predatory mite
<i>Fusarium</i> (Hypocreales: Nectriaceae)	Phytopathogenic fungi
<i>Fusarium circinatum</i> (Nirenberg & O'Donnell) (Hypocreales: Nectriaceae)	Phytopathogenic fungus
<i>Fusarium coccophilum</i> (Desm.) Wollenw. & Reinking (Hypocreales: Nectriaceae)	Phytopathogenic fungus
<i>Fusarium episphaerea</i> f. sp. <i>coccophila</i> Tul. (Hypocreales: Nectriaceae)	Phytopathogenic fungus
<i>Fusarium euwallaceae</i> S. Freeman, Z. Mendel, T. Aoki & O'Donnell (Hypocreales: Nectriaceae)	Phytopathogenic fungus
<i>Fusarium graminearum</i> Schwabe (Hypocreales: Nectriaceae)	Phytopathogenic fungus
<i>Fusarium guttiforme</i> Nirenberg & O'Donnell (Hypocreales: Nectriaceae)	Phytopathogenic fungus
<i>Fusarium oxysporum</i> f. sp. <i>cubense</i> (E.F. Sm.) (Hypocreales: Nectriaceae)	Phytopathogenic fungus
<i>Fusarium oxysporum</i> f. sp. <i>dianthi</i> W.C. Snyder & H.N. Hansen (Hypocreales: Nectriaceae)	Phytopathogenic fungus
<i>Fusarium oxysporum</i> f. sp. <i>lycopersici</i> (Saccardo) Snyder & Hansen (Hypocreales: Nectriaceae)	Phytopathogenic fungus
<i>Fusarium oxysporum</i> Schlecht emend. Snyder & Hansen (Hypocreales: Nectriaceae)	Phytopathogenic and antagonistic fungus
<i>Fusarium solani</i> (Mart.) Sacc. (Hypocreales: Nectriaceae)	Phytopathogenic fungus
<i>Fusarium solani</i> f. sp. <i>glycines</i> Roy (Hypocreales: Nectriaceae)	Phytopathogenic fungus
<i>Fusarium solani</i> f. sp. <i>phaseoli</i> Kendrich & Snyder (Hypocreales: Nectriaceae)	Phytopathogenic fungus
<i>Fusarium</i> sp. (Hypocreales: Nectriaceae)	Phytopathogenic fungus
<i>Fusarium</i> spp. (Hypocreales: Nectriaceae)	Phytopathogenic fungi
G	
<i>Gaeumannomyces graminis</i> (Sacc.) Arx & Oliv. (Magnaporthales: Magnaporthaceae)	Phytopathogenic fungus
<i>Gaeumannomyces</i> sp. (Magnaporthales: Magnaporthaceae)	Phytopathogenic fungus
<i>Gahaniella saissetia</i> Timberlake (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Galega officinalis</i> L. (Fabales: Fabaceae)	Plant
<i>Galendromus</i> (= <i>Typhlodromus</i>) <i>occidentalis</i> (Nesbitt) (Acari: Phytoseiidae)	Predatory mite
<i>Galendromus helveolus</i> (Chant) (Acari: Phytoseiidae)	Predatory mite
<i>Galeopsomyia fausta</i> La Salle & Peña (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Galleria mellonella</i> L. (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Gambusia affinis</i> Baird & Girard (Cyprinodontiformes: Poeciliidae)	Predatory fish
<i>Ganaspidium utilis</i> Beardsley (Hymenoptera: Figitidae)	Parasitoid insect
<i>Ganaspis</i> sp. (Hymenoptera: Figitidae)	Parasitoid insect
<i>Gasteracanthé cancriformis</i> L. (Araneae: Araneidae)	Predatory spider
<i>Genea</i> (= <i>Jaynesleskia</i>) <i>jaynesi</i> (Aldrich) (Diptera: Tachinidae)	Parasitoid insect
<i>Geococcus coffeae</i> Green (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Geocoris callosullus</i> Berg (Hemiptera: Geocoridae)	Predatory insect
<i>Geocoris punctipes</i> (Say) (Hemiptera: Geocoridae)	Predatory insect
<i>Geocoris</i> sp. (Hemiptera: Geocoridae)	Predatory insect
<i>Geocoris ventralis</i> (Fieber) (Hemiptera: Geocoridae)	Predatory insect
<i>Geoffroea decorticans</i> (Gillies ex Hook. & Arn.) Burkart (Fabales: Fabaceae)	Plant
<i>Glena bisulca</i> Rindge (Lepidoptera: Geometridae)	Herbivorous insect
<i>Gliocadium</i> sp. (Hypocreales: Hypocreaceae)	Antagonistic fungus

<i>Gliocladium</i> (Hypocreales: Hypocreaceae)	Antagonistic fungus
<i>Globodera rostochiensis</i> (Wollenweber) (Nematoda: Heteroderidae)	Herbivorous nematode
<i>Glycaspis brimblecombei</i> Moore (Hemiptera: Psyllidae)	Herbivorous insect
<i>Glycine max</i> L. Merr. (Fabales: Fabaceae)	Plant
<i>Glypta rufiscutellaris</i> Cresson (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Glyptapanteles militaris</i> (Walsh) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Glyptapanteles muesebecki</i> (Blanchard) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Glyptapanteles</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Glyptapanteles</i> spp. (Hymenoptera: Braconidae)	Parasitoid insects
<i>Goetheana parvipennis</i> (Gahan) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Gonatocerus</i> sp. (Hymenoptera: Mymaridae)	Parasitoid insect
<i>Gonaxis quadrilateralis</i> Preston (Stylommatophora: Streptaxidae)	Predatory snail
<i>Gonia peruviana</i> Townsend (Diptera: Tachinidae)	Parasitoid insect
<i>Goniophthalmus halli</i> Mesnil (Diptera: Tachinidae)	Parasitoid insect
<i>Goniozius</i> sp. <i>punctulaticeps</i> group (Hymenoptera: Bethylidae)	Parasitoid insect
<i>Goniozus legneri</i> (Gordh) (Hymenoptera: Bethylidae)	Parasitoid insect
<i>Goniozus natalensis</i> Gordh (Hymenoptera: Bethylidae)	Parasitoid insect
<i>Gonipterus gibberus</i> Boisduval (Coleoptera: Curculionidae)	Herbivorous insect
<i>Gonipterus</i> Schoenherr (Coleoptera: Curculionidae)	Herbivorous insect
<i>Gonipterus scutellatus</i> Gyllenhal (Coleoptera: Curculionidae)	Herbivorous insect
<i>Gonipterus platensis</i> Mareli (Coleoptera: Curculionidae)	Herbivorous insect
<i>Gonodonta</i> spp. (Lepidoptera: Erebiidae)	Herbivorous insects
<i>Gossypium barbadense</i> L. (Malvales: Malvaceae)	Plant
Granulocyte virus	Virus
<i>Graphium</i> sp. (Microascales: Microascaceae)	Phytopathogenic fungus
<i>Grapholita molesta</i> (Bruck) (Lepidoptera: Tortricidae)	Herbivorous insect
<i>Graptocleptes bicolor</i> (Burmeister) (Hemiptera: Reduviidae)	Predatory insect
<i>Gratiana boliviana</i> Spaeth (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Gratiana spadicea</i> (Klug) (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Guignardia citricarpa</i> Kiely (Botryosphaerales: Botryosphaeriaceae)	Phytopathogenic fungus
<i>Gutierrezia</i> spp. (Asterales: Asteraceae)	Plants
<i>Gymnandrosoma aurantianum</i> Todd M. Gilligan and Marc E. Epstein (Lepidoptera: Tortricidae)	Herbivorous insect
<i>Gymnopolybia</i> sp. (Hymenoptera: Vespidae)	Predatory insect
<i>Gynaikothrips ficorum</i> (Marshall) (Thysanoptera: Phlaeothripidae)	Herbivorous insect
<i>Gynaikothrips</i> sp. (Thysanoptera: Phlaeothripidae)	Herbivorous insect
<i>Gynaikothrips uzeli</i> Zimmermann (Thysanoptera: Phlaeothripidae)	Herbivorous insect
<i>Gypsophila</i> (Caryophyllales: Caryophyllaceae)	Plant
<i>Gypsophila paniculata</i> L. (Caryophyllales: Caryophyllaceae)	Plant
<i>Gyranusoidea indica</i> Shafee, Alam & Argarwal (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Gyranusoidea</i> sp. (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Gyranusoidea tebygi</i> Noyes (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Gyron triatomae</i> Msn (Hymenoptera: Scelionidae)	Parasitoid insect
H	
<i>Habrobracon</i> (Hymenoptera: Braconidae)	Parasitoid insect
<i>Habrobracon hebetor</i> Say (Hymenoptera: Braconidae)	Parasitoid insect

<i>Habrobracon</i> spp. (Hymenoptera: Braconidae)	Parasitoid insects
<i>Habrolepis dalmanni</i> (Westwood) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Habronathus</i> sp. (Arachnida: Araneae)	Predatory spider
<i>Haematobia irritans</i> (L.) (Diptera: Muscidae)	Harmful insect
<i>Halticoptera circulus</i> (Walker) (Hymenoptera: Peromalidae)	Parasitoid insect
<i>Halticoptera</i> sp. (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Hambletonia pseudococcinna</i> Comp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Haplothrips gowdeyi</i> (Franklin) (Thysanoptera: Phlaeothripidae)	Herbivorous insect
<i>Harmonia</i> (= <i>Leis</i>) sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Harmonia axyridis</i> (Pallas) (Coleoptera: Coccinellidae)	Predatory insect
<i>Harrisia</i> (Caryophyllales: Cactaceae)	Plants
<i>Harrisia bonplandii</i> (Par.) (Caryophyllales: Cactaceae)	Plant
<i>Harrisia martinii</i> (Labour.) Britton (Caryophyllales: Cactaceae)	Plant
<i>Harrisia tortuosus</i> (J. Forbes ex Otto & A. Dietr.) Britton & Rose (Caryophyllales: Cactaceae)	Plant
<i>Hedylepta</i> (= <i>Omiodes</i>) <i>indicata</i> (Fabricius) (Lepidoptera: Crambidae)	Herbivorous insect
<i>Hedypathes betulinus</i> (Klug) (Coleoptera: Cerambycidae)	Herbivorous insect
<i>Heilipodus ventralis</i> Hustache (Coleoptera: Curculionidae)	Herbivorous insect
<i>Helianthus annuus</i> L. (Asterales: Asteraceae)	Plant
<i>Heliconia bihai</i> (L.) L. (Zingiberales: Heliconiaceae)	Plant
<i>Helicosporina veronae</i> Rambeli (Ascomycota)	Nematophagous fungus
<i>Helicoverpa</i> (Lepidoptera: Noctuidae)	Herbivorous insects
<i>Helicoverpa armigera</i> (Hübner) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Helicoverpa quinoae</i> Pogue and Harp (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Helicoverpa</i> sp. (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Helicoverpa</i> spp. (Lepidoptera: Noctuidae)	Herbivorous insects
<i>Helicoverpa titicacae</i> Hardwick (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Helicoverpa zea</i> (Boddie) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Heliothis</i> (Lepidoptera: Noctuidae)	Herbivorous insects
<i>Heliothis</i> sp. (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Heliothis</i> spp. (Lepidoptera: Noctuidae)	Herbivorous insects
<i>Heliothis virescens</i> (F.) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Hellula phidilealis</i> (Walker) (Lepidoptera: Crambidae)	Herbivorous insect
<i>Helminthosporium oryzae</i> Breda de Haan (Pleosporales: Pleosporaceae)	Phytopathogenic fungus
<i>Helminthosporium</i> sp. (Pleosporaceae)	Phytopathogenic fungus
<i>Hemerobius tolimensis</i> Banks (Neuroptera: Hemerobiidae)	Predatory insect
<i>Hemileia vastatrix</i> Berk. & Broome (Pucciniales: Pucciniaceae)	Phytopathogenic fungus
<i>Herpestes auropunctatus</i> Hodgson (Carnivora: Herpestidae)	Predatory mammal
<i>Herpetogramma bipunctalis</i> (Fabricius) (Lepidoptera: Crambidae)	Herbivorous insect
<i>Herse cingulata</i> (= <i>Agrius</i>) Fabricius (Lepidoptera: Sphingidae)	Herbivorous insect
<i>Heterodera glycines</i> Ichinohe (Tylenchida: Heteroderidae)	Phytopathogenic nematode
<i>Heteropsylla cubana</i> Crawford (Hemiptera: Psyllidae)	Herbivorous insect
<i>Heterorhabditis</i> (Rhabditida: Heterorhabditidae)	Entomopathogenic nematodes
<i>Heterorhabditis amazonensis</i> Andaló et al. (Rhabditida: Heterorhabditidae)	Entomopathogenic nematode
<i>Heterorhabditis bacteriophora</i> Poinar (Rhabditidae: Heterorhabditidae)	Entomopathogenic nematode
<i>Heterorhabditis bacteriophora</i> Poinar (strain HC1) (Rhabditidae: Heterorhabditidae)	Entomopathogenic nematode
<i>Heterorhabditis baujardi</i> LPP7 (Rhabditida: Heterorhabditidae).	Entomopathogenic nematode

<i>Heterorhabditis indica</i> Poinar, Karunakar & David (Rhabditida: Heterorhabditidae)	Entomopathogenic nematode
<i>Heterorhabditis marelata</i> Liu & Berry (Rhabditida: Heterorhabditidae)	Entomopathogenic nematode
<i>Heterorhabditis</i> sp. (Nematoda: Heterorhabditidae)	Entomopathogenic nematode
<i>Heterorhabditis</i> spp. (Nematoda: Heterorhabditidae)	Entomopathogenic nematodes
<i>Heterospilus annulicornis</i> Muesebeck (Hymenoptera: Braconidae)	Parasitoid insect
<i>Heterospilus coffeicola</i> Schmiedeknecht (Hymenoptera: Braconidae)	Parasitoid insect
<i>Heterospilus gossypii</i> Muesebeck (Hymenoptera: Braconidae)	Parasitoid insect
<i>Heterospilus hambletoni</i> Muesebeck (Hymenoptera: Braconidae)	Parasitoid insect
<i>Heterospilus</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Hevea</i> (Malpighiales: Euphorbiaceae)	Plants
<i>Hexacola</i> sp. (Hymenoptera: Cynipidae)	Parasitoid insect
<i>Hexameris dactylocercus</i> Poinar Jr. and Linares (Nematoda: Mermithidae)	Entomopathogenic nematode
<i>Hibiscus rosa-sinensis</i> L. (Malvales: Malvaceae)	Plant
<i>Hibiscus sabdariffa</i> L. (Malvales: Malvaceae)	Plant
<i>Hibiscus</i> sp. (Malvales: Malvaceae)	Plant
<i>Hippodamia convergens</i> Guérin-Méneville (Coleoptera: Coccinellidae)	Predatory insect
<i>Hippodamia quinquesignata</i> Kirby (Coleoptera: Coccinellidae)	Predatory insect
<i>Hippodamia</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Hirantetis</i> sp. (Hemiptera: Reduviidae)	Predatory insect
<i>Hirsutella</i> (Hypocreales: Ophiocordycipitaceae)	Entomopathogenic fungi
<i>Hirsutella eleutherathorum</i> (Nees ex Gray) Petch (Hypocreales: Ophiocordycipitaceae)	Entomopathogenic fungus
<i>Hirsutella nodulosa</i> Petch (Hypocreales: Ophiocordycipitaceae)	Entomopathogenic fungus
<i>Hirsutella</i> sp. (Hypocreales: Ophiocordycipitaceae)	Entomopathogenic fungus
<i>Hirsutella</i> spp. (Hypocreales: Ophiocordycipitaceae)	Entomopathogenic fungi
<i>Hirsutella thompsonii</i> Fisher (Hypocreales: Ophiocordycipitaceae)	Entomopathogenic fungus
<i>Hirsutella verticillioides</i> Charles (Hypocreales: Ophiocordycipitaceae)	Entomopathogenic fungus
<i>Hister bruchi</i> Lewis (Coleoptera: Histeridae)	Predatory insect
<i>Hololepta</i> (=Leionota) <i>quadridentata</i> (Olivier) (Coleoptera: Histeridae)	Predatory insect
<i>Homalotylus eytelweinii</i> (Ratzeburg) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Hoplognathoca</i> sp. (Hymenoptera: Mutillidae)	Parasitoid insect
<i>Horismenus</i> (Hymenoptera: Eulophidae)	Parasitoid insects
<i>Horismenus crassus</i> Hansson (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Horismenus</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Horismenus</i> sp.nr. <i>cupreus</i> (Ashm.) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Horismenus</i> spp. (Hymenoptera: Eulophidae)	Parasitoid insects
<i>Hyalomyia chilensis</i> Macq (Diptera: Tachinidae)	Parasitoid insect
<i>Hydrellia</i> sp. (Diptera: Ephydriidae)	Herbivorous insect
<i>Hylamorpha elegans</i> (Burmeister) (Coleoptera: Scarabaeidae)	Herbivorous insect
<i>Hylesinus oleiperda</i> F. (Coleoptera: Scolytidae)	Herbivorous insect
<i>Hyperaspis distinguenda</i> (Muls.) (Coleoptera: Coccinellidae)	Predatory insect
<i>Hyperaspis donzeli</i> (Muls.) (Coleoptera: Coccinellidae)	Predatory insect
<i>Hyperaspis festiva</i> Muls. (Coleoptera: Coccinellidae)	Predatory insect
<i>Hyperaspis jucunda</i> (Muls.) (Coleoptera: Coccinellidae)	Predatory insect
<i>Hyperaspis notata</i> Mulsant (Coleoptera: Coccinellidae)	Predatory insect
<i>Hyperaspis onerata</i> (Mulsant) (Coleoptera: Coccinellidae)	Predatory insect
<i>Hyperaspis</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Hyperaspis</i> spp. (Coleoptera: Coccinellidae)	Predatory insects

<i>Hyperaspis trilineata</i> Mulsant (Coleoptera: Coccinellidae)	Predatory insect
<i>Hypericum perforatum</i> L. (Malpighiales: Hypericaceae)	Plant
<i>Hypoaspis miles</i> Berlese (Acari: Laelapidae)	Predatory mite
<i>Hypoaspis</i> sp. (Acari: Laelapidae)	Predatory mite
<i>Hypogeococcus festerianus</i> (Lizer & Trelles) (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Hypogeococcus pungens</i> Granara de Willink (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Hypomicrogaster hypsipylae</i> De Santis (Hymenoptera: Braconidae)	Parasitoid insect
<i>Hypothenemus hampei</i> (Ferrari) (Coleoptera: Scolytidae)	Herbivorous insect
<i>Hypsipyla grandella</i> (Zeller) (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Hypsonotus</i> sp. (Coleoptera: Curculionidae)	Herbivorous insect
HzSNPV (<i>H. zea</i> nucleopolyhedroviruses)	Entomopathogenic virus
I	
<i>Iatrophobia brasiliensis</i> (Rübs) (Diptera: Cecidomyiidae)	Herbivorous insect
<i>Ibalia leucospoides</i> (Hochenwarth) (Hymenoptera: Ibalidae)	Parasitoid insect
<i>Icerya montserratensis</i> Riley and Howard (Hemiptera: Monophlebidae)	Herbivorous insect
<i>Icerya purchasi</i> Maskell (Hemiptera: Monophlebidae)	Herbivorous insect
<i>Icerya</i> sp. (Hemiptera: Monophlebidae)	Herbivorous insect
<i>Ignelater luminosus</i> (Illiger) (Coleoptera: Elateridae)	Predatory insect
<i>Ilex paraguariensis</i> A. St.-Hil (Aquifoliales: Aquifoliaceae)	Plant
<i>Incarnyia chilensis</i> Aldrich (Diptera: Tachinidae)	Parasitoid insect
<i>Iphiaulax kimballi</i> Kirkland (Hymenoptera: Braconidae)	Parasitoid insect
<i>Iphiaulax grenadensis</i> (Ashm.) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Iphiseiodes zuluagai</i> Denmark & Muma (Acari: Phytoseiidae)	Predatory mite
<i>Iphiseius</i> (= <i>Amblyseius</i>) <i>degenerans</i> (Berlese) (Acari: Phytoseiidae)	Predatory mite
<i>Ipobracon grenadensis</i> Ashmead (Hymenoptera: Braconidae)	Parasitoid insect
<i>Ipobracon puberuloides</i> Myers (Hymenoptera: Braconidae)	Parasitoid insect
<i>Ipomoea</i> (Solanales: Convolvulaceae)	Plants
<i>Ipomoea</i> sp. (Solanales: Convolvulaceae)	Plant
<i>Ipomoea batatas</i> (L.) Lam. (Solanales: Convolvulaceae)	Plant
<i>Ips</i> spp. (Coleoptera: Curculionidae)	Herbivorous insects
<i>Isaria</i> (= <i>Paecilomyces</i>) (Hypocreales: Clavicipitaceae)	Entomopathogenic fungi
<i>Isaria farinosa</i> (Holmsk.) Fr. (Hypocreales: Clavicipitaceae)	Entomopathogenic fungus
<i>Isaria fumosorosea</i> Wize (Hypocreales: Clavicipitaceae)	Entomopathogenic fungus
<i>Isaria javanica</i> (Friedrichs & Bally) Samson & Hywel-Jones (Hypocreales: Cordycipitaceae)	Entomopathogenic fungus
<i>Isaria</i> sp. (Hypocreales: Clavicipitaceae)	Entomopathogenic fungus
<i>Isaria</i> spp. (Hypocreales: Clavicipitaceae)	Entomopathogenic fungi
<i>Ischnapsis longirostris</i> (Sign) (Hemiptera: Diaspididae)	Herbivorous insect
<i>Isosmodes</i> sp. (Hymenoptera: Eurytomidae)	Parasitoid insect
<i>Itoplectus narangae</i> Ashm. (Hymenoptera: Ichneumonidae)	Parasitoid insect
J	
<i>Jaynesleskia jaynesi</i> Townsend (Diptera: Tachinidae)	Parasitoid insect
<i>Jocara</i> sp. (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Juglans regia</i> L. (Fagales: Juglandaceae)	Plant

K	
<i>Keiferia lycopersicella</i> (Walsingham) (Lepidoptera: Gelechiidae)	Herbivorous insect
L	
<i>Labidura riparia</i> (Pallas) (Dermaptera: Labiduridae)	Predatory insect
<i>Lactuca sativa</i> L. (Asterales: Asteraceae)	Plant
<i>Lagochirus dezayasi</i> Dillon (Coleoptera: Cerambycidae)	Herbivorous insect
<i>Lamium amplexicaule</i> L. (Lamiales: Lamiaceae)	Plant
<i>Lapaemides dedalus</i> (Cram.) (Lepidoptera: Castniidae)	Herbivorous insect
<i>Laphygma</i> (= <i>Spodoptera</i>) <i>frugiperda</i> (J.E.Smith) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Larra americana</i> Saussure (Hymenoptera: Crabronidae)	Parasitoid insect
<i>Larra bicolor</i> Fabricius (Hymenoptera: Crabronidae)	Parasitoid insect
<i>Larra</i> sp. (Hymenoptera: Crabronidae)	Parasitoid insect
<i>Larra transandina</i> Williams (Hymenoptera: Crabronidae)	Parasitoid insect
<i>Lasioseius</i> (Acari: Blattisociidae)	Predatory mite
<i>Lasioseius chauthrii</i> (Wu & Wang) (Acari: Blattisociidae)	Predatory mite
<i>Lasioseius dominicensis</i> n. sp. Abo-Shnaf, Sanchez & De Moraes (Acari: Blattisociidae)	Predatory mite
<i>Lasioseius oryzae</i> n. sp. Abo-Shnaf, Sanchez & De Moraes (Acari: Blattisociidae)	Predatory mite
<i>Lasioseius prorsoperitrematus</i> n. sp. Abo-Shnaf, Sanchez & De Moraes (Acari: Blattisociidae)	Predatory mite
<i>Lasioseius sanchezensis</i> n. sp. Abo-Shnaf, Sanchez & De Moraes (Acari: Blattisociidae)	Predatory mite
<i>Lebia</i> sp. (Coleoptera: Carabidae)	Predatory insect
<i>Lecanicillium</i> (= <i>Verticillium</i>) <i>lecanii</i> (Zimm.) Zare & Gams. (Hypocreales: Clavicipitaceae)	Entomopathogenic fungus
<i>Lecanicillium</i> (Hypocreales: Clavicipitaceae)	Entomopathogenic fungi
<i>Lecanicillium</i> sp. (Hypocreales: Clavicipitaceae)	Entomopathogenic fungus
<i>Lecanobius</i> (Hymenoptera: Eupelmidae)	Parasitoid insects
<i>Lecanobius utilis</i> Compere (Hymenoptera: Eupelmidae)	Parasitoid insect
<i>Lejops mexicanus</i> (Macquart) (Diptera: Syrphidae)	Predatory insect
<i>Lepidelpax pistiae</i> Remes Lenicor (Hemiptera: Delphacidae)	Herbivorous insect
<i>Lepidosaphes beckii</i> (Newman) (Hemiptera: Diaspididae)	Herbivorous insect
<i>Lepidosaphes gloverii</i> (Packard) (Hemiptera: Diaspididae)	Herbivorous insect
<i>Leptinotarsa undecimlineata</i> Stal (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Leptocereus quadricostatus</i> (Bello) Britton & rose (Caryophyllales: Cactaceae)	Plant
<i>Leptocybe invasa</i> Fisher & La Salle (Hymenoptera: Eulophidae)	Herbivorous insect
<i>Leptomastidae</i> sp. (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Leptomastidea abnormis</i> (Girault) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Leptomastix dactylopii</i> (Howard) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Leptomastix epona</i> (Noyes) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Leptopharsa gibbicarina</i> Froeschner (Hemiptera: Tingidae)	Herbivorous insect
<i>Leptopharsa heveae</i> Drake & Poor (Hemiptera: Tingidae)	Herbivorous insect
<i>Leptophobia aripa</i> Boisduval (Lepidoptera: Pieridae)	Herbivorous insect
<i>Leptopilina boulandi</i> Förster (Hymenoptera: Figitidae)	Parasitoid insect
<i>Leskiopalpus diadema</i> Wied. (Diptera: Tachinidae)	Parasitoid insect
<i>Lespesia archippivora</i> (Riley) (Diptera: Tachinidae)	Parasitoid insect
<i>Lespesia</i> n.sp. (Diptera: Tachinidae)	Parasitoid insect
<i>Lespesia</i> sp. (Diptera: Tachinidae)	Parasitoid insect
<i>Lestodiplosis</i> sp. (Diptera: Cecidomyiidae)	Predatory insect

<i>Lestophonus iceryae</i> Williston (Diptera: Cryptochetidae)	Parasitoid insect
<i>Leucania</i> spp. (Lepidoptera: Noctuidae)	Herbivorous insects
<i>Leucania unipuncta</i> Haw. (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Leucochrysa floridana</i> (Banks) (Neuroptera: Chrysopidae)	Predatory insect
<i>Leucopis bella</i> Loew (Diptera: Chamaemyiidae)	Predatory insect
<i>Leucopis obscura</i> Haliday (Diptera: Chamaemyiidae)	Predatory insect
<i>Leucopodella</i> sp. (Diptera: Syrphidae)	Predatory insect
<i>Leucoptera coffeella</i> (Guérin-Meneville) (Lepidoptera: Lyonetidae)	Herbivorous insect
<i>Ligyris maimon</i> Erichson (Coleoptera: Dynastidae)	Herbivorous insect
<i>Lincus</i> sp. (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Lindorus lophanthae</i> Casey (Coleoptera: Coccinellidae)	Predatory insect
<i>Linepithema humile</i> (Mayr) (Hymenoptera: Formicidae)	Harmful insect
<i>Lioscymnus diversipes</i> Champ. (Coleoptera: Coccinellidae)	Predatory insect
<i>Liothrips mikaniae</i> (Priesn.) (Thysanoptera: Phlaeothripidae)	Herbivorous insect
<i>Liothrips urichi</i> Karny (Thysanoptera: Phlaeothripidae)	Herbivorous insect
<i>Lipaphis erysimi</i> (Kltb.) (Hemiptera: Aphididae)	Herbivorous insect
<i>Lipolexis oregmae</i> (Gahan) (Hymenoptera: Aphidiidae)	Parasitoid insect
<i>Lippia</i> (= <i>Phyla</i>) <i>nodiflora</i> (L.) Michx. (Lamiales: Verbenaceae)	Plant
<i>Liriomyza</i> (Diptera: Agromyzidae)	Herbivorous insects
<i>Liriomyza huidobrensis</i> (Blanch.) (Diptera: Agromyzidae)	Herbivorous insect
<i>Liriomyza sativae</i> Blanchard (Diptera: Agromyzidae)	Herbivorous insect
<i>Liriomyza</i> sp. (Diptera: Agromyzidae)	Herbivorous insect
<i>Liriomyza</i> spp. (Diptera: Agromyzidae)	Herbivorous insects
<i>Liriomyza trifolii</i> (Burgess) (Diptera: Agromyzidae)	Herbivorous insect
<i>Lissorhoptrus brevirostris</i> Suffriam (Coleoptera: Curculionidae)	Herbivorous insect
<i>Lissorhoptrus oryzophilus</i> Kuschel (Coleoptera: Curculionidae)	Herbivorous insect
<i>Listroderes costirostris</i> Schoenherr (Coleoptera: Curculionidae)	Herbivorous insect
<i>Litomastix</i> sp. (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Litomastix</i> sp. nr. <i>truncatella</i> (Dalm.) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Lixadmontia franki</i> Wood and Cave (Diptera: Tachinidae)	Parasitoid insect
<i>Lixophaga diatraeae</i> (Townsend) (Diptera: Tachinidae)	Parasitoid insect
<i>Lobesia botrana</i> (Denis & Schiffermüller) (Lepidoptera: Tortricidae)	Herbivorous insect
<i>Longiunguis sacchari</i> (Zhntn) (Hemiptera: Aphididae)	Herbivorous insect
<i>Lotis neglecta</i> Muls. (Coleoptera: Coccinellidae)	Predatory insect
<i>Lotis nigerimma</i> Csy (Coleoptera: Coccinellidae)	Predatory insect
<i>Loxotoma elegans</i> Zeller (Lepidoptera: Depressariidae)	Herbivorous insect
<i>Lutzomyia longipalpis</i> (Diptera: Psychodidae)	Harmful insect
<i>Lycopersicum esculentum</i> Mill. (Solanales: Solanaceae)	Plant
<i>Lycosa</i> spp. (Araneae: Lycosidae)	Predatory spiders
<i>Lydella minense</i> (Town.) (Diptera: Tachinidae)	Parasitoid insect
<i>Lydinolydella metalica</i> Townsend (Diptera: Tachinidae)	Parasitoid insect
<i>Lygus hesperus</i> Knigth (Hemiptera: Miridae)	Herbivorous insect
<i>Lymantria dispar asiatica</i> Linnaeus (Lepidoptera: Lymantriidae)	Herbivorous insect
<i>Lysinibacillus sphaericus</i> (Meyer & Neide) (Planococcaceae)	Entomopathogenic bacterium
<i>Lysiphlebus testaceipes</i> (Cresson) (Hymenoptera: Braconidae)	Parasitoid insect
M	

<i>Maconellicoccus hirsutus</i> (Green) (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Macrocentrus prolificus</i> (Hymenoptera: Braconidae)	Parasitoid insect
<i>Macrocentrus ancylivorus</i> (Rohwer) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Macrocentrus delicatus</i> (Cresson) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Macrocentrus</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Macroductylus pulchripes</i> Blanchard (Coleoptera: Scarabaeidae)	Herbivorous insect
<i>Macrolophus basicornis</i> (Stal) (Hemiptera: Miridae)	Predatory insect
<i>Macrolophus</i> nr <i>praeclarus</i> Distant (Hemiptera: Miridae)	Predatory insect
<i>Macrolophus praeclarus</i> (Distant) (Hemiptera: Miridae)	Predatory insect
<i>Macromalon orientale</i> Kerrich (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Macrophomina phaseolina</i> (Tassi) (Botryosphaerales: Botryosphaeriaceae)	Phytopathogenic fungus
<i>Macrosiphum euphorbiae</i> (Thomas) (Hemiptera: Aphididae)	Herbivorous insect
<i>Macrosiphum rosae</i> L. (Hemiptera: Aphididae)	Herbivorous insect
<i>Macrocylops</i> (Copepoda: Cyclopidae)	Predatory crustaceans
<i>Mahanarva fimbriolata</i> (Stal) (Hemiptera: Cercopidae)	Herbivorous insect
<i>Mahanarva posticata</i> (Stal) (Hemiptera: Cercopidae)	Herbivorous insect
<i>Mahanarva spectabilis</i> (Distant) (Hemiptera: Cercopidae)	Herbivorous insect
<i>Malachra</i> spp. (Malvales: Malvaceae)	Plants
<i>Manduca sexta</i> (L.) (Lepidoptera: Sphingidae)	Herbivorous insect
<i>Manduca sexta paphus</i> (Cramer) (Lepidoptera: Sphingidae)	Herbivorous insect
<i>Manduca</i> spp. (Lepidoptera: Sphingidae)	Herbivorous insects
<i>Mangifera indica</i> L. (Sapindales: Anacardiaceae)	Plant
<i>Manihot</i> (Malpighiales: Euphorbiaceae)	Plants
<i>Manihot esculenta</i> Crantz (Malpighiales: Euphorbiaceae)	Plant
<i>Maranta arundinacea</i> L. (Zingiberales: Marantaceae)	Plant
<i>Marisa cornuarietis</i> L. (Gastropoda: Ampullariidae)	Predatory snail
<i>Maruca testulalis</i> (Geyer) (Lepidoptera: Crambidae)	Herbivorous insect
<i>Mastrus ridens</i> Horstmann (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Mastrus ridibundus</i> (Gravenhorst) (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Matricaria chamomilla</i> L. (Asterales: Asteraceae)	Plant
<i>Megacephala carolina</i> (Linnaeus) (Coleoptera: Carabidae)	Predatory insect
<i>Megacephala chilensis</i> (Laporte de Castelnau) (Coleoptera: Carabidae)	Predatory insect
<i>Megacephala</i> sp. (Coleoptera: Carabidae)	Predatory insect
<i>Megalopyge lanata</i> (Stoll.) (Lepidoptera: Megalopygidae)	Herbivorous insect
Megalopygidae (Lepidoptera)	Herbivorous insects
<i>Megamelus scutellaris</i> Berg. (Hemiptera: Delphacidae)	Herbivorous insect
<i>Megaphragma</i> sp. (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Megarhyssa nortoni</i> (Cresson) (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Megaselia</i> sp. (Diptera: Phoridae)	Parasitoid insect
<i>Melaleucopis simmondsii</i> Sabrosky (Diptera: Chamaemyiidae)	Predatory insect
<i>Melanagromyza cuscatae</i> Hering (Diptera: Agromyzidae)	Herbivorous insect
<i>Melanagromyza eupatoriella</i> Spencer (Diptera: Agromyzidae)	Herbivorous insect
<i>Melanagromyza obtusa</i> (Malloch) (Diptera: Agromyzidae)	Herbivorous insect
<i>Melanagromyza</i> spp. (Diptera: Agromyzidae)	Herbivorous insects
<i>Melanaphis sacchari</i> (Zehntner) (Hemiptera: Aphididae)	Herbivorous insect
<i>Melanoplus differentialis</i> (Thomas) (Orthoptera: Acrididae)	Herbivorous insect
<i>Melanoplus</i> spp. (Orthoptera: Acrididae)	Herbivorous insects

<i>Melanthera aspera</i> L. (Asterales: Asteraceae)	Plant
<i>Melittobia</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Meloidogyne</i> (Tylenchida: Heteroderidae)	Phytopathogenic nematodes
<i>Meloidogyne incognita</i> (Kofoid & White) Chitwood (Tylenchida: Heteroderidae)	Phytopathogenic nematode
<i>Meloidogyne javanica</i> (Treub) Chitwood (Tylenchidae: Heteroderidae)	Phytopathogenic nematode
<i>Meloidogyne</i> spp.(Tylenchidae: Heteroderidae)	Phytopathogenic nematodes
<i>Menochilus sexmaculatus</i> (F.) (Coleoptera: Coccinellidae)	Predatory insect
<i>Mescinia parvula</i> (Zeller) (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Mesocyclops</i> (Copepoda: Cyclopidae)	Predatory crustaceans
<i>Mesocyclops longisetus</i> (Thiébaud) (Copepoda: Cyclopidae)	Predatory crustacean
<i>Mesocyclops</i> sp. (Copepoda: Cyclopidae)	Predatory crustacean
<i>Mesograpta basilaris</i> Wiedemann (Diptera: Syrphidae)	Predatory insect
<i>Mesograpta</i> sp. (Diptera: Syrphidae)	Predatory insect
<i>Metacanthus tenellus</i> Stal (Hemiptera: Berytidae)	Predatory insect
<i>Metaleurodicus cardini</i> (Back) (Hemiptera: Aleyrodidae)	Herbivorous insect
<i>Metamasius anceps</i> Gyllenhal (Coleoptera: Curculionidae)	Herbivorous insect
<i>Metamasius callizona</i> (Chevrolat) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Metamasius dimidiatipennis</i> Champeon (Coleoptera: Curculionidae)	Herbivorous insect
<i>Metamasius hemipterus</i> L. (Coleoptera: Curculionidae)	Herbivorous insect
<i>Metamasius quadrilineatus</i> Champion (Coleoptera: Curculionidae)	Herbivorous insect
<i>Metamasius</i> sp. (Coleoptera: Curculionidae)	Herbivorous insect
<i>Metaphycus</i> (Hymenoptera: Encyrtidae)	Parasitoid insects
<i>Metaphycus aneckei</i> Guerrieri & Noyes (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Metaphycus cereales</i> sp. nov. Myartseva & Ruiz (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Metaphycus flavus</i> (Howard) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Metaphycus helvolus</i> (Compere) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Metaphycus lounsburyi</i> (Howard) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Metaphycus stanleyi</i> Compere (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Metarhizium</i> (Hypocreales: Clavicipitaceae)	Entomopathogenic fungi
<i>Metarhizium acridum</i> (Driver & Milner) J.F. Bisch, Rehner & Humber (Hypocreales: Clavicipitaceae)	Entomopathogenic fungus
<i>Metarhizium anisopliae</i> (Metchnikoff) Sorokin (Hypocreales: Clavicipitaceae)	Entomopathogenic fungus
<i>Metarhizium brunneum</i> Petch (Hypocreales: Clavicipitaceae)	Entomopathogenic fungus
<i>Metarhizium</i> sp. (Hypocreales: Clavicipitaceae)	Entomopathogenic fungus
<i>Metarhizium</i> spp. (Hypocreales: Clavicipitaceae)	Entomopathogenic fungi
<i>Meteorus laphygmae</i> Vier. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Meteorus</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Metopolophium dirhodum</i> Walker (Hemiptera: Aphididae)	Herbivorous insect
<i>Metrogaleruca obscura</i> De Geer (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Micranthenus lineola</i> (F) (Hemiptera: Reduviidae)	Predatory insect
<i>Microcera</i> sp. (Hypocreales: Nectriaceae)	Entomopathogenic fungus
<i>Microcharops</i> sp. (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Microlarinus lareynii</i> (Duv.) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Microlarinus lypriformis</i> (Woll.) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Microplitis plutellae</i> Muesbeck (Hymenoptera: Braconidae)	Parasitoid insect
<i>Microplitis</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Microseromasia sphenophori</i> Vill (Diptera: Tachinidae)	Parasitoid insect

<i>Microsporidian</i> sp. (Opisthosporidia)	Entomopathogenic fungus
<i>Microtus arvalis</i> (Pallas) (Rodentia: Cricetidae)	Harmful mammal
<i>Migdolus fryanus</i> (Westwood) (Coleoptera: Vesperidae)	Herbivorous insect
<i>Mikania micrantha</i> Kunth (Asterales: Asteraceae)	Plant
<i>Miobiopsis diadema</i> (Wiedemann) (Diptera: Tachinidae)	Parasitoid insect
<i>Mirax insularis</i> Mues. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Mocis latipes</i> Guenée (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Mocis</i> spp. (Lepidoptera: Noctuidae)	Herbivorous insects
<i>Momordica charantia</i> L. (Cucurbitales: Cucurbitaceae)	Plant
<i>Moniliasis</i>	Plant
<i>Moniliophthora perniciosa</i> (Stahel) Aime & Phillips-Mora (Agaricales: Marasmiaceae)	Phytopathogenic fungus
<i>Moniliophthora roreri</i> (Cif.) H.C. Evans, Stalpers, Samson & Benny (Agaricales: Marasmiaceae)	Phytopathogenic fungus
<i>Monomorium floricola</i> (Jerdon) (Hymenoptera: Formicidae)	Predatory insect
<i>Mononychellus caribbeanae</i> (McGregor) (Acari: Tetranychidae)	Herbivorous mite
<i>Mononychellus tanajoa</i> (Bondar) (Acari: Tetranychidae)	Herbivorous mite
<i>Montandoniola</i> sp. (Hemiptera: Anthocoridae)	Predatory insect
<i>Montina confusa</i> (Stal) (Hemiptera: Reduviidae)	Predatory insect
<i>Mortierella</i> (Mortierellales: Mortierellaceae)	Nematophagous fungi
<i>Mucor</i> (Mucorales: Mucoraceae)	Phytopathogenic fungi
<i>Murraya</i> J. Koenig ex L. (Sapindales: Rutaceae)	Plants
<i>Murraya paniculata</i> (L.) Jack (Sapindales: Rutaceae)	Plant
<i>Musa</i> sp. (Zingiberales: Musaceae)	Plant
<i>Musa</i> spp. (Zingiberales: Musaceae)	Plants
<i>Musca domestica</i> L. (Diptera: Muscidae)	Harmful insect
<i>Musca</i> spp. (Diptera: Muscidae)	Harmful insects
<i>Muscidifurax raptor</i> (Girault & Sanders) (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Muscidifurax raptorellus</i> Kogan & Legner (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Muscidifurax</i> spp. (Hymenoptera: Pteromalidae)	Parasitoid insects
<i>Muscidifurax uniraptor</i> Kogan & Legner (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Muscidifurax zaraptor</i> Kogan & Legner (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Mus musculus</i> (L.) (Rodentia: Muridae)	Harmful mammal
<i>Mycorrhiza</i> sp.	Symbiotic fungi
<i>Mycosphaerella fijiensis</i> Morelet (Mycosphaerellales: Mycosphaerellaceae)	Phytopathogenic fungus
<i>Myelobia bimaculata</i> (Box) (Lepidoptera: Crambidae)	Herbivorous insect
<i>Myiopharus doryphorae</i> (Riley) (Diptera: Tachinidae)	Parasitoid insect
<i>Myrothecium roridum</i> Tode ex Fr. (Hypocreales)	Phytopathogenic fungus
<i>Mythimna unipuncta</i> Haworth (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Myzinum ephippium</i> F. (= <i>M. xanthonotus</i> (Rohw.) (Hymenoptera: Tiphidae)	Parasitoid insect
<i>Myzinum haemorrhoidalis</i> F. (Hymenoptera: Tiphidae)	Parasitoid insect
<i>Myzus</i> (Hemiptera: Aphididae)	Herbivorous insects
<i>Myzus persicae</i> (Sulzer) (Hemiptera: Aphididae)	Herbivorous insect
N	
<i>Nabis capsiformis</i> (Germar) (Hemiptera: Nabidae)	Predatory insect
<i>Nabis sordidus</i> Reuter (Hemiptera: Nabidae)	Predatory insect
<i>Nabis</i> sp. (Hemiptera: Nabidae)	Predatory insect

<i>Nasonia</i> spp. (Hymenoptera: Pteromalidae)	Parasitoid insects
<i>Nasonia vitripennis</i> (Walker) (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Nassella</i> (= <i>Stipa</i>) <i>trichotoma</i> Nees (Poales:Poaceae)	Plant
<i>Nassella neesiana</i> Trin. & Rupr. (Poales:Poaceae)	Plant
<i>Nasutitermes ephratae</i> (Holmgr.) (Isoptera: Termitidae)	Harmful insect
<i>Naupactus xanthographus</i> (Germar) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Nausigaster meridionalis</i> Townsend (Diptera: Syrphidae)	Predatory insect
<i>Nemorilla</i> sp. (Diptera: Tachinidae)	Parasitoid insect
<i>Neoaplectana</i> (strain P2M) (Nematoda: Steinernematidae)	Entomopathogenic nematode
<i>Neoaplectana carpocapsae</i> Weiser (= <i>Steinernema feltidae</i>) (Nematoda: Steinernematidae)	Entomopathogenic nematode
<i>Neocatolaccus longiventris</i> (Gahan) (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Neochetina bruchi</i> Hustache (Coleoptera: Curculionidae)	Herbivorous insect
<i>Neochetina eichhorniae</i> Warner (Coleoptera: Curculionidae)	Herbivorous insect
<i>Neochrysocharis</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Neocurtilla hexadactyla</i> (Perty) (Orthoptera: Gryllotalpidae)	Herbivorous insect
<i>Neodiplogrammus quadrivittatus</i> (Olivier) (Coleoptera: Curculionidae)	Herivorous insect
<i>Neodusmetia sangwani</i> (Subba Rao) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Neohydronomus affinis</i> Hustache (Coleoptera: Curculionidae)	Herbivorous insect
<i>Neoleucinodes elegantalis</i> (Guenée) (Lepidoptera: Crambidae)	Herbivorous insect
<i>Neoseiulus</i> (= <i>Amblyseius</i>) <i>californicus</i> (McGregor) (Acari: Phytoseiidae)	Predatory mite
<i>Neoseiulus</i> (Acari: Phytoseiidae)	Predatory mites
<i>Neoseiulus</i> (<i>Amblyseius</i>) <i>barkeri</i> Hughes (Acari: Phytoseiidae)	Predatory mite
<i>Neoseiulus</i> (<i>Amblyseius</i>) <i>cucumeris</i> (Oudemans) (Acari: Phytoseiidae)	Predatory mite
<i>Neoseiulus anonymus</i> (Chant & Baker) (Acari: Phytoseiidae)	Predatory mite
<i>Neoseiulus baraki</i> Athias-Henriot (Acari: Phytoseiidae)	Predatory mite
<i>Neoseiulus longispinosus</i> (Evans) (Acari: Phytoseiidae)	Predatory mite
<i>Neozygites fresenii</i> (Nowakowski) Remaudière and Keller (Entomophthorales: Neozygitaceae)	Entomopathogenic fungus
<i>Neozygites parvispora</i> Remaudière and Keller (Entomophthorales: Neozygitaceae)	Entomopathogenic fungus
<i>Nephaspis</i> (Coleoptera: Coccinellidae)	predatory ladybeelte
<i>Nephaspis amnicola</i> Wingo (Coleoptera: Coccinellidae)	Predatory insect
<i>Nephaspis bicolor</i> Gordon (Coleoptera: Coccinellidae)	Predatory insect
<i>Nephaspis nigra</i> Gordon (Coleoptera: Coccinellidae)	Predatory insect
<i>Nephaspis</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Nephus regularis</i> Sicard (Coleoptera: Coccinellidae)	Predatory insect
<i>Nephus</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Nesidiocoris</i> (= <i>Cyrtopeltis</i>) <i>tenuis</i> (Reuter) (Hemiptera: Miridae)	Predatory insect
<i>Nezara viridula</i> (Linnaeus) (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Nicotiana glauca</i> Graham (Solanales: Solanaceae)	Plant
<i>Nicotiana tabacum</i> L. (Solanales: Solanaceae)	Plant
<i>Nipaecoccus nipae</i> Mask. (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Niphograptia albiguttalis</i> (Sameal.) (Lepidoptera: Crambidae)	Herbivorous insect
<i>Nodita</i> sp. (Neuroptera: Chrysopidae)	Predatory insect
<i>Nomurea rileyi</i> (Farlow) Samson (Hypocreales: Clavicipitaceae)	Entomopathogenic fungus
<i>Notiobia laevis bolivianus</i> (Van Emdem) (Coleoptera: Carabidae)	Predatory insect
<i>Notiobia schnusei</i> Emden (Coleoptera: Carabidae)	Predatory insect
<i>Notocyrtus dorsalis</i> (Gray) (Hemiptera: Reduviidae)	Predatory insect

<i>Notozullia entreriana</i> (Berg. (Hemiptera: Cercopidae)	Herbivorous insect
NPV (<i>Anticarsia gemmatalis</i> nucleopolyhedrosis virus)	Entomopathogenic virus
<i>Nylanderia fulva</i> (Mayr) (Hymenoptera: Formicidae)	Predatory insect
O	
<i>Ocyptamus</i> (Diptera: Syrphidae)	Predatory insects
<i>Ocyptamus clava</i> (Fabricius) (Diptera: Syrphidae)	Predatory insect
<i>Ocyptamus dimidiatus</i> (Fabricius) (Diptera: Syrphidae)	Predatory insect
<i>Ocyptamus gastrostactus</i> (Wiedemann) (Diptera: Syrphidae)	Predatory insect
<i>Ocyptamus stenogaster</i> (Williston) (Diptera: Syrphidae)	Predatory insect
<i>Odontomachus brunneus</i> (Patton) (Hymenoptera: Formicidae)	Predatory insect
<i>Odontosema anastrephae</i> Borgmeier (Hymenoptera: Figitidae)	Parasitoid insect
<i>Oebalus insulares</i> Stal (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Oebalus mexicana</i> (Sailer) (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Oebalus poecilus</i> (Dallas) (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Oebalus</i> sp. (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Oecanthus</i> sp. (Orthoptera: Gryllidae)	Predatory insect
<i>Oeneis nigrans</i> Muls (Coleoptera: Coccinellidae)	Predatory insect
<i>Oenonogastra microrhopalae</i> Ashmead (Hymenoptera: Braconidae)	Parasitoid insect
<i>Oenonogastra</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Oerskovia</i> (Cellulomonadaceae)	Fungal pathogenic bacteria
<i>Oerskovia turbata</i> (Erikson) (Cellulomonadaceae)	Fungal pathogenic bacteria
<i>Oidiopsis taurica</i> (Lév.) E.S. Salmon (Erysiphales: Erysiphaceae)	Phytopathogenic fungus
<i>Oidium</i> sp.	Phytopathogenic fungus
<i>Oiketicus</i> sp. (Lepidoptera: Psychidae)	Herbivorous insect
<i>Oligonychus milleri</i> (McG.) (Acari: Tetranychidae)	Herbivorous mite
<i>Oligosita giraulti</i> Crawford (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Oligota minuta</i> Cameron (Coleoptera: Staphylinidae)	Predatory insect
<i>Oligota</i> sp. (Coleoptera: Staphylinidae)	Predatory insect
<i>Olla v-nigrum</i> (Mulsant) (Coleoptera: Coccinellidae)	Predatory insect
<i>Olygonichus yothersi</i> (McGregor) (Acari: Tetranychidae)	Herbivorous mite
<i>Omiodes indicata</i> (Fabricius) (Lepidoptera: Crambidae)	Herbivorous insect
<i>Oncorhynchus mykiss</i> (Walbaum) (Salmoniformes: Salmonidae)	Fish
<i>Onopordum</i> spp. (Asterales: Asteraceae)	Plants
<i>Ontherus sulcator</i> Fabricius (Coleoptera: Scarabaeidae)	Herbivorous insect
<i>Onthophagus Taurus</i> (Schreber) (Coleoptera: Scarabaeidae)	Herbivorous insect
<i>Ooencyrtus</i> (Hymenoptera: Encyrtidae)	Parasitoid insects
<i>Ooencyrtus</i> sp. (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Ooencyrtus submetallicus</i> Howard (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Ooencyrtus trinidadensis</i> Crawford (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Oomyzus sokolowskii</i> (Kurdj.) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Oomyzus</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Ooyncyrtus</i> sp. (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Ophion</i> spp. (Hymenoptera: Ichneumonidae)	Parasitoid insects
<i>Opius crawfordi</i> Viereck (Hymenoptera: Braconidae)	Parasitoid insect
<i>Opius oophilus</i> Fullaway (Hymenoptera: Braconidae)	Parasitoid insect
<i>Opius anastrephae</i> Vier (Hymenoptera: Braconidae)	Parasitoid insect

<i>Opius bellus</i> Gahan (Hymenoptera: Braconidae)	Parasitoid insect
<i>Opius cereus</i> (Gah) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Opius concolor</i> Szépligeti (Hymenoptera: Braconidae)	Parasitoid insect
<i>Opius concolor</i> var. <i>Siculus</i> Mon. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Opius dimidiatus</i> Ashmead (Hymenoptera: Braconidae)	Parasitoid insect
<i>Opius dissitus</i> Muesebeck (Hymenoptera: Braconidae)	Parasitoid insect
<i>Opius forticornis</i> Cameron (Hymenoptera: Braconidae)	Parasitoid insect
<i>Opius hirsutus</i> Tobias (Hymenoptera: Braconidae)	Parasitoid insect
<i>Opius incisi</i> Silvestri (Hymenoptera: Braconidae)	Parasitoid insect
<i>Opius longicaudatus</i> (Ash.) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Opius oophilus</i> Fullaway (= <i>Biosteres arisanus</i> (Sonan) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Opius</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Opius</i> spp. (Hymenoptera: Braconidae)	Parasitoid insects
<i>Opsiphanes cassina</i> C. & R. Felder (Lepidoptera: Nymphalidae)	Herbivorous insect
<i>Opsiphanes invirae</i> Huebner (Lepidoptera: Nymphalidae)	Herbivorous insect
<i>Opuntia</i> (Caryophyllales: Cactaceae)	Plants
<i>Opuntia aurantiaca</i> Lindley (Caryophyllales: Cactaceae)	Plant
<i>Opuntia dillenii</i> (Ker-Gawler) Haworth (Caryophyllales: Cactaceae)	Plant
<i>Opuntia ficus-indica</i> Mill. (Caryophyllales: Cactaceae)	Plant
<i>Opuntia lindheimeri</i> Engelm. (Caryophyllales: Cactaceae)	Plant
<i>Opuntia</i> spp. (Caryophyllales: Cactaceae)	Plants
<i>Opuntia stricta</i> (Haw.) (Caryophyllales: Cactaceae)	Plant
<i>Opuntia triacantha</i> (Willdenow) (Caryophyllales: Cactaceae)	Plant
<i>Opuntia tuna</i> (L.) Mill. (Caryophyllales: Cactaceae)	Plant
<i>Opuntia vulgaris</i> Mill. (Caryophyllales: Cactaceae)	Plant
<i>Orgilus lepidus</i> (Muesebeck) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Orgilus obscurator</i> (Nees) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Orgilus</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Orius</i> (Hemiptera: Anthocoridae)	Predatory insects
<i>Orius euryale</i> Herring (Hemiptera: Anthocoridae)	Predatory insect
<i>Orius insidiosus</i> (Say) (Hemiptera: Anthocoridae)	Predatory insect
<i>Orius laevigatus</i> (Fieber) (Hemiptera: Anthocoridae)	Predatory insect
<i>Orius pumilio</i> (Champion) (Hemiptera: Anthocoridae)	Predatory insect
<i>Orius</i> sp. (Hemiptera: Anthocoridae)	Predatory insect
<i>Orius</i> spp. (Hemiptera: Anthocoridae)	Predatory insects
<i>Orius tristicolor</i> (White) (Hemiptera: Anthocoridae)	Predatory insect
<i>Ormia depleta</i> (Wiedemann) (Diptera: Tachinidae)	Parasitoid insect
<i>Ormyrus orientalis</i> Walker (Hymenoptera: Ormyridae)	Parasitoid insect
<i>Ornidia major</i> Curran (Diptera: Syrphidae)	Predatory insect
<i>Ornidia obesa</i> F. (Diptera: Syrphidae)	Predatory insect
<i>Orthezia insignis</i> Browne (Hemiptera: Ortheziidae)	Herbivorous insect
<i>Orthezia olivicola</i> Beingolea (Hemiptera: Ortheziidae)	Herbivorous insect
<i>Orthezia praelonga</i> Douglas (Hemiptera: Ortheziidae)	Herbivorous insect
<i>Orthezia</i> spp. (Hemiptera: Ortheziidae)	Herbivorous insects
<i>Orthoderella ornata</i> Giglio-Tos (Mantodea: Mantidae)	Predatory insect
<i>Oryza</i> (Poales: Poaceae)	Plants
<i>Oryza sativa</i> L. (Poales: Poaceae)	Plant

<i>Otiorhynchus sulcatus</i> (Fabricius) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Oxydia</i> sp. (Lepidoptera: Geometridae)	Herbivorous insect
<i>Oxydia trychiata</i> (Guenee) (Lepidoptera: Geometridae)	Herbivorous insect
<i>Oxydia vesulia</i> Cramer (Lepidoptera: Geometridae)	Herbivorous insect
<i>Ouichuana picadoi</i> Knab (Diptera: Syrphidae)	Predatory insect
P	
<i>Pachnaeus citri</i> Marshall (Coleoptera: Curculionidae)	Herbivorous insect
<i>Pachnaeus litus</i> (Germar) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Pachycrepoideus</i> sp. (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Pachycrepoideus vindemiae</i> Rondani (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Pachylister chinensis</i> Quensel (Coleoptera: Histeridae)	Predatory insect
<i>Pachyneuron albutium</i> Walker (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Pachyneuron</i> sp. (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Pachyneuron</i> (Hymenoptera: Pteromalidae)	Parasitoid insects
<i>Pachyneuron aphidis</i> (Bouché) (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Paecilomyces</i> (Hypocreales: Clavicipitaceae)	Nematopathogenic fungi
<i>Paecilomyces fumosoroseus</i> (Wize) (Hypocreales: Clavicipitaceae)	Nematopathogenic fungus
<i>Paecilomyces lilacinus</i> (Thom) Samson (Eurotiales: Trichocomaceae)	Nematopathogenic fungus
<i>Paecilomyces</i> sp. (Eurotiales: Trichocomaceae)	Nematopathogenic fungus
<i>Paecilomyces tenuipes</i> (Peck) Samson (Eurotiales: Trichocomaceae)	Nematopathogenic fungus
<i>Paederus</i> sp. (Coleoptera: Staphylinidae)	Predatory insect
<i>Palpada mexicana</i> (Macquart) (Diptera: Syrphidae)	Predatory insect
<i>Palpada pusila</i> (Macquart) (Diptera: Syrphidae)	Predatory insect
<i>Palpada ruficeps</i> (Macquart) (Diptera: Syrphidae)	Predatory insect
<i>Palpada solennis</i> (Walter) (Diptera: Syrphidae)	Predatory insect
<i>Palpita persimilis</i> Munroe (Lepidoptera: Crambidae)	Herbivorous insect
<i>Palpozenillia diatraea</i> Townsend (Diptera: Tachinidae)	Parasitoid insect
<i>Palpozenillia palpalis</i> Aldrich (Diptera: Tachinidae)	Parasitoid insect
<i>Pammaecerus leptotrichopus</i> (B.-B.) (Diptera: Tachinidae)	Parasitoid insect
<i>Panonychus citri</i> (McGregor) (Trombidiformes: Tetranychidae)	Herbivorous mite
<i>Panonychus ulmi</i> (Koch) (Trombidiformes: Tetranychidae)	Herbivorous mite
<i>Pantoea agglomerans</i> (Ewing and Fife) Gavini et al (Enterobacteriales: Enterobacteriaceae)	Phytopathogenic bacterium
<i>Pantomorus cervinus</i> (Boh.) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Papilio demoleus</i> L. (Lepidoptera: Papilionidae)	Herbivorous insect
<i>Paracoccus marginatus</i> Williams and Granara de Willink (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Paracremonium (Acremonium) pembeum</i> S.C. Lynch & Eskalen (Hypocreales: Hypocreaceae)	Phytopathogenic fungus
<i>Parahormius pallidipes</i> Ashm. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Parania tricolor</i> (Szépligeti) (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Paranosema locustae</i> Camming (Microsporidia)	Entomopathogenic fungus
<i>Paratheresia claripalpis</i> Wulp. (Diptera: Tachinidae)	Parasitoid insect
<i>Pareuchaetes pseudoinsulata</i> Rego Barros (Lepidoptera: Arctiidae)	Herbivorous insect
<i>Parkinsonia aculeata</i> L. (Fabales: Fabaceae)	Plant
<i>Parlatoria oleae</i> (Colvée) (Hemiptera: Diaspididae)	Herbivorous insect
<i>Parthenium hysterophorus</i> L. (Asterales: Asteraceae)	Plant
<i>Parthenolecanium corni</i> (Bouché) (Hemiptera: Coccidae)	Herbivorous insect

<i>Parthenolecanium persicae</i> (Fabricius) (Hemiptera: Coccidae)	Herbivorous insect
<i>Passiflora edulis</i> fo. <i>flavicarpa</i> O. Deg. (Malpighiales:Passifloraceae)	Plant
<i>Passiflora edulis</i> Sims. (Malpighiales:Passifloraceae)	Plant
<i>Pasteuria nishizawae</i> Sayre (Bacillales: Pasteuriaceae)	Nematopathogenic bacterium
<i>Pasteuria penetrans</i> (ex Thorne) Sayre & Starr (Bacillales: Pasteuriaceae)	Nematopathogenic bacterium
<i>Patasson nitens</i> (Girault) (Hymenoptera: Mymaridae)	Parasitoid insect
<i>Pauridia peregrina</i> (Timberlake) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Pectinophora gossypiella</i> (Saunders) (Lepidoptera: Gelechiidae)	Herbivorous insect
<i>Pectobacterium atrosepticum</i> (Van Hall) (Enterobacteriales: Enterobacteriaceae)	Phytopathogenic bacterium
<i>Pectobacterium carotovorum</i> (Jones) Waldee subsp. <i>Carotovorum</i> (Enterobacteriales: Enterobacteriaceae)	Phytopathogenic bacterium
<i>Pediobius cajanus</i> Taveras & Hansson (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Pediobius furvus</i> (Gah.) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Peleopoda</i> sp. (Lepidoptera: Oecophoridae)	Herbivorous insect
<i>Peleopoda</i> spp. (Lepidoptera: Oecophoridae)	Herbivorous insects
<i>Pellioiditis pellio</i> (Schneider) (Nematoda: Rhabditidae)	Entomopathogenic nematode
<i>Penicillium</i> (Eurotiales: Trichocornaceae)	Antagonistic fungi
<i>Penicillium notatum</i> Thom (Eurotiales: Trichocornaceae)	Antogonistic fungus
<i>Pentagona (Aulacaspis) pentagona</i> Cockerell (Hemiptera: Diaspididae)	Herbivorous insect
<i>Penthobruchus germani</i> (Pic.) (Coleoptera: Bruchidae)	Predatory insect
<i>Pentilia castanea</i> Muls (Coleoptera:Coccinellidae)	Predatory insect
<i>Pentilia egena</i> Muls (Coleoptera: Coccinellidae)	Predatory insect
<i>Pentilia insidiosa</i> Mulsant (Coleoptera: Coccinellidae)	Predatory insect
<i>Pentilia</i> spp. (Coleoptera: Coccinellidae)	Predatory insects
<i>Perileucoptera coffeella</i> Guer. (Lepidoptera: Lyonetidae)	Herbivorous insect
<i>Perisierola nigrifemur</i> Ashmead (Hymenoptera: Bethyilidae)	Parasitoid insect
<i>Peristenus relictus</i> (= <i>stygicus</i>) Loan (Hymenoptera: Braconidae)	Parasitoid insect
<i>Perkinsiella saccharicida</i> Kirkaldy (Hemiptera: Delphacidae)	Herbivorous insect
<i>Peronospora</i> (Peronosporales: Peronosporaceae)	Phytopathogenic fungi
<i>Persea americana</i> Mill (Laurales:Lauraceae)	Plant
<i>Pestalotia palmarum</i> (Cooke) (Xylariales: Sporocadaceae)	Phytopathogenic fungus
<i>Petrakina mirabilis</i> Ciferri (Asterinaceae)	Phytopathogenic fungus
<i>Petrusa epilepsis</i> Kirkaldy (Hemiptera: Fulgoridae)	Herbivorous insect
<i>Phalacrocooccus howertoni</i> Hodges & Hodgson (Hemiptera: Coccidae)	Herbivorous insect
<i>Phalacrus obscurus</i> Sharp (Coleoptera: Phalacridae)	Fungal spore feeding coleopteran
<i>Phanerotoma bennetti</i> Mues (Hymenoptera: Braconidae)	Parasitoid insect
<i>Phanerotoma</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Phaseolus lunatus</i> Linnaeus (Fabales:Fabaceae)	Plant
<i>Phaseolus vulgaris</i> L. (Fabales:Fabaceae)	Plant
<i>Pheidole fallax</i> Mayr (Hymenoptera: Formicidae)	Predatory insect
<i>Pheidole megacephala</i> (F.) (Hymenoptera: Formicidae)	Predatory insect
<i>Pheidole radoszkowskii</i> (Forel) (Hymenoptera: Formicidae)	Predatory insect
<i>Phelister rufinotus</i> Marseul (Coleoptera: Histeridae)	Predatory insect
<i>Phenacoccus gossypii</i> Townsend & Cockerell (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Phenacoccus herreni</i> Cox & Williams (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Phenacoccus manihoti</i> Matile-Ferrero (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Pheropsophus aequinoctialis</i> L. (Coleoptera: Carabidae)	Predatory insect

<i>Philonthus quadraticeps</i> Boheman (Coleoptera: Staphylinidae)	Predatory insect
<i>Philornis downsi</i> Dodge and Aitkem (Diptera: Muscidae)	Harmful insect
<i>Phlugis teres</i> DeGeer (Orthoptera: Tettigoniidae)	Predatory insect
<i>Phlyctaenodes bifilalis</i> Hamp. (Lepidoptera: Pyraustidae)	Herbivorous insect
<i>Phoma</i> sp. (Pleosporales: Didymellaceae)	Phytopathogenic fungi
<i>Phoracantha</i> Newman (Coleoptera: Cerambycidae)	Herbivorous insects
<i>Phoracantha semipunctata</i> (Fabricius) (Coleoptera: Cerambycidae)	Herbivorous insect
<i>Phragmidium violaceum</i> (Schultz) G. Winter (Uredinales: Phagmidiaceae)	Phytopathogenic fungus
<i>Phthorimaea operculella</i> (Zeller) (Lepidoptera: Gelechiidae)	Herbivorous insect
<i>Phyllocnistis citrella</i> Stainton (Lepidoptera: Gracillariidae)	Herbivorous insect
<i>Phyllocoptruta oleivora</i> (Ashmead) (Acari: Eriophyidae)	Herbivorous mite
<i>Phyllophaga antiquae</i> (Arr.) (Coleoptera: Scarabaeidae)	Herbivorous insect
<i>Phyllophaga smithi</i> Flecha (Coleoptera: Scarabaeidae)	Herbivorous insect
<i>Phyllophaga</i> sp. (Coleoptera: Scarabaeidae)	Herbivorous insect
<i>Phyllophaga</i> spp. (Coleoptera: Scarabaeidae)	Herbivorous insects
<i>Phyllosticta citricarpa</i> (MacAlpine) (Botryosphaeriales: Botryosphaeriaceae)	Phytopathogenic fungus
<i>Phymastichus coffea</i> LaSalle (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Phymata fasciata</i> (Gray) (Hemiptera: Reduviidae)	Predatory insect
<i>Phymata</i> sp. aff. <i>fortificata</i> (Herrich-Schäffer) (Hemiptera: Reduviidae)	Predatory insects
<i>Phyrdenus</i> sp. (Coleoptera: Curculionidae)	Herbivorous insects
<i>Physalis peruviana</i> L. (Solanales: Solanaceae)	Plant
<i>Physalis</i> sp. (Solanales: Solanaceae)	Plant
<i>Phytomyptera</i> sp. (Diptera: Tachinidae)	Parasitoid insect
<i>Phytonemus pallidus</i> (Banks) (Acari: Tarsonemidae)	Harmful mite
<i>Phytophthora</i> (Pernosporales: Phythiaceae)	Phytopathogenic fungi
<i>Phytophthora cactorum</i> (Lebert & Cohn) (Pythiales: Pythiaceae)	Phytopathogenic fungus
<i>Phytophthora capsici</i> Leonian (Peronosporales: Pythiaceae)	Phytopathogenic fungus
<i>Phytophthora cinnamomi</i> Rands (Peronosporales: Peronosporaceae)	Phytopathogenic fungus
<i>Phytophthora infestans</i> (Mont.) de Bary (Peronosporales: Peronosporaceae)	Phytopathogenic fungus
<i>Phytophthora palmivora</i> Butler (Peronosporales: Peronosporaceae)	Phytopathogenic fungus
<i>Phytophthora</i> sp. (Pythiales: Pythiaceae)	Phytopathogenic fungus
<i>Phytophthora</i> spp. (Pythiales: Pythiaceae)	Phytopathogenic fungi
<i>Phytoseiulus longipes</i> Evans (Acari: Phytoseiidae)	Predatory mite
<i>Phytoseiulus macropilis</i> Banks (Acari: Phytoseiidae)	Predatory mite
<i>Phytoseiulus persimilis</i> Athias-Henriot (Acari: Phytoseiidae)	Predatory mite
<i>Phytoseiulus persimilis</i> Athias-Henriot (Acari: Phytoseiidae)	Predatory mite
<i>Phytoseiulus</i> sp. (Acari: Phytoseiidae)	Predatory mite
<i>Phytoseius dominicensis</i> Ferragut & Moraes sp. nov. (Acari: Phytoseiidae)	Predatory mite
<i>Piaractus mesopotamicus</i> (Holmberg) (Characiformes: Characidae)	Fish
<i>Pieris brassicae</i> (L.) (Lepidoptera: Pieridae)	Herbivorous insect
<i>Piezodorus guildinii</i> (Westwood) (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Pimpla</i> sp. (Hymenoptera: Ichneumonidae)	Parasitoid insects
<i>Pineus boernerii</i> Annand (Hemiptera: Adelgidae)	Herbivorous insect
<i>Pinnaspis strachani</i> Ferris and Rao (Hemiptera: Diaspididae)	Herbivorous insect
<i>Pinus</i> (Pinales: Pinaceae)	Plants
<i>Pinus caribaea</i> Morelet (Pinales: Pinaceae)	Plant
<i>Pinus kesiya</i> (Pinales: Pinaceae)	Plant

<i>Pinus maximinoi</i> (Pinales:Pinaceae)	Plant
<i>Pinus oocarpa</i> (Pinales:Pinaceae)	Plant
<i>Pinus patula</i> Schltdl. & Cham. (Pinales:Pinaceae)	Plant
<i>Pinus radiata</i> D. Don (Pinales: Pinaceae)	Plant
<i>Pinus</i> spp. (Pinales: Pinaceae)	Plants
<i>Pinus tecunumanii</i> (Pinales:Pinaceae)	Plant
<i>Pissodes castaneus</i> (De Geer) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Pistia stratiotes</i> L. (Alismatales: Araceae)	Plant
<i>Pitangus sulphuratus sulphuratus</i> (L.) (Passeriformes: Tyrannidae)	Predatory bird
<i>Plaesus javanus</i> Erichson (Coleoptera: Histeridae)	Predatory insect
<i>Plagioprospherysa trinitatis</i> Thomps (Diptera: Tachinidae)	Parasitoid insect
<i>Plagiotrypes</i> sp. (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Planococcus citri</i> Risso (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Planococcus ficus</i> (Signoret) (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Planococcus minor</i> Maskell (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Plasmodiophora brassicae</i> Woronin (Plasmodiophorida: Plasmodiophoraceae)	Phytopathogenic fungus
<i>Platystasius citri</i> Nixon (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Plesiometa argyra</i> (Walckenaer) (Araneae: Tetragnathidae)	Predatory spider
<i>Plutella</i> sp. (Lepidoptera: Plutellidae)	Herbivorous insect
<i>Plutella xylostella</i> (Linnaeus) (Lepidoptera: Plutellidae)	Herbivorous insect
<i>Plutella xylostella</i> polyhedrosis virus	Entomopathogenic virus
<i>Pochonia</i> (Hypocreales: Clavicipitaceae)	Nematophagous fungi
<i>Pochonia chlamydosporia</i> (Goddard) Zare & Gams (Hypocreales: Clavicipitaceae)	Nematophagous fungus
<i>Pochonia chlamydosporia</i> var. <i>catenulata</i> (Hypocreales: Clavicipitaceae)	Nematophagous fungus
<i>Pochonia chlamydosporia</i> var. <i>chlamydosporia</i> (Goddard) Gams and Zare (Hypocreales: Clavicipitaceae)	Nematophagous fungus
<i>Podischnus agenor</i> (Olivier) (Coleoptera: Scarabaeidae)	Herbivorous insect
<i>Podisus connexivus</i> Bergroth (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Podisus maculiventris</i> (Say) (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Podisus nigrispinus</i> (Dallas) (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Podisus</i> sp. (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Podosphaera pannosa</i> (Wallr.) de Bary (Erysiphaceae)	Phytophagous fungus
<i>Poecilia reticulata</i> Rosen & Bailey (Cyprinodontiformes: Poeciliidae)	Predatory fish
PoGV <i>Phthorimaea operculella</i>	Entomopathogenic virus
<i>Polistes canadensis</i> (Linné) (Hymenoptera: Vespidae)	Predatory insect
<i>Polistes canadensis infuscatus</i> Lep. (Hymenoptera: Vespidae)	Predatory insect
<i>Polistes cavapyta</i> Saussure (Hymenoptera: Vespidae)	Predatory insect
<i>Polistes cinctus cinctus</i> Lepeletier (Hymenoptera: Vespidae)	Predatory insect
<i>Polistes cinctus barbadensis</i> Richards (Hymenoptera: Vespidae)	Predatory insect
<i>Polistes crinitus</i> (Felton) (Hymenoptera: Vespidae)	Predatory insect
<i>Polistes infuscatus ecuadorius</i> Richards (Hymenoptera: Vespidae)	Predatory insect
<i>Polistes panamensis</i> Holmgren (Hymenoptera: Vespidae)	Predatory insect
<i>Polistes</i> sp. (Hymenoptera: Vespidae)	Predatory insect
<i>Polistes</i> spp. (Hymenoptera: Vespidae)	Predatory insects
<i>Polistes versicolor</i> (Olivier) (Hymenoptera: Vespidae)	Predatory insect
<i>Polistes versicolor vulgaris</i> Beq. (Hymenoptera: Vespidae)	Predatory insect
<i>Polybia chrysothorax</i> (Web.) (Hymenoptera: Vespidae)	Predatory insect

<i>Polybia ignobilis</i> (Haliday) (= <i>Polybia atra</i> Saussure) (Hymenoptera: Vespidae)	Predatory insect
<i>Polybia liliacea</i> (F.) (Hymenoptera: Vespidae)	Predatory insect
<i>Polybia nigra</i> Saussure (Hymenoptera: Vespidae)	Predatory insect
<i>Polybia occidentalis</i> (Olivier) (Hymenoptera: Vespidae)	Predatory insect
<i>Polybia paulista</i> Ihering (Hymenoptera: Vespidae)	Predatory insect
<i>Polybia rejecta</i> (F.) (Hymenoptera: Vespidae)	Predatory insect
<i>Polybia scutellaris</i> (White) (Hymenoptera: Vespidae)	Predatory insect
<i>Polybia sericea</i> (Oliv.) (Hymenoptera: Vespidae)	Predatory insect
<i>Polybia</i> sp. (Hymenoptera: Vespidae)	Predatory insect
<i>Polybia striata</i> (F.) (Hymenoptera: Vespidae)	Predatory insect
Polyhedrosis Virus (NPV)	Entomopathogenic virus
<i>Polyphagotarsonemus latus</i> (Banks) (Acari: Tarsonemidae)	Herbivorous mite
<i>Pomacea dolioidea</i> (Reeve) (Ampullaridae)	Herbivorous snail
<i>Portulaca oleracea</i> L. (Caryophyllales: Portulacaceae)	Plant
<i>Pouteria lucuma</i> (Ruiz & Pav.) Kuntze (Ericales: Sapotaceae)	Plant
<i>Praon gallicum</i> Stary (Hymenoptera: Braconidae)	Parasitoid insect
<i>Praon volucre</i> (Haliday) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Praticolella griseola</i> Pfeiffer (Gastropoda: Polygyridae)	Herbivorous snail
<i>Pratylenchus brachyurus</i> (Godfrey) Filipjev & S. Stekhoven (Tylenchida: Pratylenchidae)	Phytopathogenic nematode
<i>Pratylenchus</i> spp. (Tylenchida: Pratylenchidae)	Phytopathogenic nematodes
<i>Pratylenchus zeae</i> Graham (Tylenchida: Pratylenchidae)	Phytopathogenic nematode
<i>Premnotrypes latithorax</i> (Pierce) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Premnotrypes</i> spp. (Coleoptera: Curculionidae)	Herbivorous insects
<i>Premnotrypes vorax</i> (Hustache) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Pristomerus</i> (Hymenoptera: Ichneumonidae)	Parasitoid insects
<i>Procalus mutans</i> (Blanchard) (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Procalus reduplicatus</i> (Bechyné) (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Prochiloneurus</i> sp. (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Prodilis</i> (<i>Neoporia</i>) sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Prodilis</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Prodiplosis longifila</i> Gagné (Diptera: Cecidomyiidae)	Herbivorous insect
<i>Promicrogaster</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Proprioseiopsis sandersi</i> (Chant) (Acari: Phytoseiidae)	Predatory mite
<i>Proprioseiopsis</i> sp. (Acari: Phytoseiidae)	Predatory mite
<i>Prorops nasuta</i> Waterston (Hymenoptera: Bethyridae)	Parasitoid insect
<i>Prosapia simulans</i> (Walker) (Hemiptera: Cercopidae)	Herbivorous insect
<i>Prosapia</i> spp. (Homoptera: Cercopidae)	Herbivorous insects
<i>Prosopidopsilla flava</i> (Homoptera: Psillidae)	Herbivorous insect
<i>Prosopis ruscifolia</i> Griseb. (Fabales: Fabaceae)	Plant
<i>Prosopis</i> spp. (Fabales: Fabaceae)	Plants
<i>Prospaltella berlessi</i> How (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Prospaltella opulenta</i> Silvestri (= <i>Encarsia opulenta</i>) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Protolaccus bacchadis</i> Burks (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Protoparce sexta paphus</i> (Cr.) (Lepidoptera: Sphingidae)	Herbivorous insect
<i>Protopulvinaria pyrifomis</i> (Cockerell) (Hemiptera: Coccidae)	Herbivorous insect
<i>Pseudacteon bifidus</i> Brown (Diptera: Phoridae)	Predatory insect
<i>Pseudacteon curvatus</i> Borgmeier (Diptera: Phoridae)	Predatory insect

<i>Pseudacteon litoralis</i> Borgmeier (Diptera: Phoridae)	Predatory insect
<i>Pseudacteon</i> sp. (Diptera: Phoridae)	Predatory insect
<i>Pseudacteon tricuspidatus</i> Borgmeier (Diptera: Phoridae)	Predatory insect
<i>Pseudacysta perseae</i> (Heidemann) (Hemiptera: Tingidae)	Herbivorous insect
<i>Pseudaletia adultera</i> (Schaus) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Pseudaletia sequax</i> (Franclemont) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Pseudapanteles dignus</i> Muesebeck (Hymenoptera: Braconidae)	Parasitoid insect
<i>Pseudapanteles</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Pseudaphycus angelicus</i> (Howard) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Pseudaphycus flavidulus</i> (Br��thes) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Pseudaphycus utilis</i> Timberlake (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Pseudaulacaspis pentagona</i> (Targioni) (Hemiptera: Diaspididae)	Herbivorous insect
<i>Pseudleptomastix mexicana</i> Noyes & Schauff (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Pseudoaiza (Aiza) trinitatis</i> (Marshall) (Coleoptera: Coccinellidae)	Predatory insect
<i>Pseudoaiza trinitatis</i> Gordon (Coleoptera: Coccinellidae)	Predatory insect
<i>Pseudocercospora fijiensis</i> (Morelet) (Capnodiales: Mycosphaerellaceae)	Phytopathogenic fungus
<i>Pseudococcus calceolariae</i> (Maskell) (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Pseudococcus elisae</i> Borchsenius (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Pseudococcus longispinus</i> (Targioni & Tozzetti) (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Pseudococcus</i> spp. (Hemiptera: Pseudococcidae)	Herbivorous insects
<i>Pseudococcus viburni</i> (Signoret) (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Pseudococcus</i> Westwood (Hemiptera: Pseudococcidae)	Herbivorous insects
<i>Pseudodorus clavatus</i> (F.) (Diptera: Syrphidae)	Predatory insect
<i>Pseudogonatopus saccharivora</i> Richards (Hymenoptera: Dryinidae)	Parasitoid insect
<i>Pseudomonas</i> (Pseudomonadales: Pseudomonadaceae)	Phytopathogenic and antagonistic bacteria
<i>Pseudomonas aeruginosa</i> (Schroter) Migula (Pseudomonadales: Pseudomonadaceae)	Antagonistic bacterium
<i>Pseudomonas fluorescens</i> Fl��gge (Pseudomonadales: Pseudomonadaceae)	Antagonistic bacterium
<i>Pseudomonas putida</i> Trevisan (Pseudomonadales: Pseudomonadaceae)	Antagonistic bacterium
<i>Pseudomonas solanacearum</i> (Smith) (= <i>Ralstonia solanacearum</i>) (Pseudomonadales: Pseudomonadaceae)	Phytopathogenic bacterium
<i>Pseudomonas</i> spp. (Pseudomonadales: Pseudomonadaceae)	Phytopathogenic and antagonistic bacteria
<i>Pseudoparasitus</i> sp. (Acari: Laelapidae)	Predatory mite
<i>Pseudophycus perdignus</i> (Compere) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Pseudophasia</i> (= <i>Chrysodeixis</i>) <i>includens</i> (Walker) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Psidium guajava</i> L. (Myrtales: Myrtaceae)	Plant
<i>Psyllaephagus blitens</i> Riek (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Psyllaephagus pilosus</i> Noyes (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Psyllaephagus yaseeni</i> Noyes (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Psyllobora divisa</i> (F.) (Coleoptera: Coccinellidae)	Predatory insect
<i>Psytalia concolor</i> (Szepligati) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Psytalia incise</i> (Silvestri) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Pteromalus puparum</i> (Linn��) (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Pteroptrix smithi</i> (Compere) (Hymenoptera: Aphelinidae)	Parasitoid insect
<i>Pterostichus</i> sp. (Coleoptera: Carabidae)	Predatory insect
<i>Puccinia chondrillina</i> (Bubak & Syd.) (Pucciniales: Pucciniaceae)	Phytopathogenic fungus
<i>Puccinia graminis</i> f.sp. <i>raza</i> Ug99 (Pucciniales: Pucciniaceae)	Phytopathogenic fungus

<i>Pullus gilae</i> (Casey) (Coleoptera: Coccinellidae)	Predatory insect
<i>Pullus loewii</i> Mulsant (Coleoptera: Coccinellidae)	Predatory insect
<i>Pullus</i> spp. (Coleoptera: Coccinellidae)	Predatory insects
<i>Pulvinaria mesembryanthemi</i> Vallot (Hemiptera: Coccidae)	Herbivorous insect
<i>Pulvinaria psidii</i> Maskell (Hemiptera: Coccidae)	Herbivorous insect
<i>Pulvinaria pyriformis</i> (Ckll.) (Hemiptera: Coccidae)	Herbivorous insect
<i>Purpureocillium</i> (Hypocreales: Ophiocordycipitaceae)	Nematopathogenic fungi
<i>Purpureocillium lilacinum</i> (Thom) Luangsaard, Hou-braken, Hywl-Jones and Samson (Hypocreales: Ophiocordycipitaceae)	Nematopathogenic fungus
<i>Puto barberi</i> (Ckll.) (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Pyemotes ventricosus</i> (Newport) (Acarina: Pyemotidae)	Predatory mite
<i>Pyrenochaeta lycopersici</i> (Schneider & Gerlach) (Pleosporales)	Phytopathogenic fungus
<i>Pyricularia oryzae</i> Cavara (Magnaporthales: Magnaporthaceae)	Phytopathogenic fungus
<i>Pyricularia</i> sp. (Magnaporthaceae)	Phytopathogenic fungi
<i>Pyrophorus luminous</i> Illiger (Coleoptera: Elateridae)	Predatory insect
<i>Pythium</i> (Peronosporales: Pythiaceae)	Phytopathogenic fungi
<i>Pythium</i> sp. (Peronosporales: Pythiaceae)	Phytopathogenic fungus
<i>Pythium ultimum</i> Trow (Peronosporales: Pythiaceae)	Phytopathogenic fungus
Q	
<i>Quadraspidotus perniciosus</i> Comstock (Hemiptera: Diaspididae)	Herbivorous insect
<i>Quadrastichus erythrinae</i> Kim (Hymenoptera: Eulophidae)	Parasitoid insect
R	
<i>Rachiplusia nu</i> (Guenée) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Radopholus similis</i> (Cobb) Thorne (Tylenchida: Pratylenchidae)	Phytopathogenic nematode
<i>Raffaelea lauricola</i> T.C. Harr., Fraedrich & Aghayeva (Ophiostomatales: Ophiostomataceae)	Phytopathogenic fungus
<i>Ralstonia solanacearum</i> (Smith) (Burkholderiales: Burkholderiaceae)	Phytopathogenic bacteria
<i>Ralstonia solanacearum</i> raza 2 (Smith)(Burkholderiales: Burkholderiaceae)	Phytopathogenic bacteria
<i>Raoiella indica</i> Hirst (Acari: Tenuipalpidae)	Herbivorous mite
<i>Rastrococcus invadens</i> Williams (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Rattus argentiventer</i> (Robinson & Kloss) (Rodentia: Muridae)	Harmful mammal
<i>Rattus rattus</i> L. (Rodentia: Muridae)	Harmful mammal
<i>Rattus</i> sp. (Rodentia: Muridae)	Harmful mammal
<i>Repipta</i> sp. (Hemiptera: Reduviidae)	Predatory insect
<i>Rhaconotus rosiliensis</i> Lal. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Rhaconotus</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Rhaphitelus maculatus</i> Walker (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Rhigopsidius tucumanus</i> Heller (Coleoptera: Curculionidae)	Herbivorous insect
<i>Rhinella marina</i> L. (Anura: Bufonidae)	Predatory amphibian
<i>Rhingia nigra</i> Mcquart (Diptera: Syrphidae)	Predatory insect
<i>Rhinocyllus conicus</i> Frölich (Coleoptera: Curculionidae)	Herbivorous insect
<i>Rhinoleucophenga</i> sp. (Diptera: Drosophilidae)	Herbivorous insect
<i>Rhipicephalus</i> spp. (Ixodida: Ixodidae)	Harmful ticks
<i>Rhizaspidotus donacis</i> (Leonardi) (Hemiptera: Diaspididae)	Herbivorous insect
<i>Rhizobius lophantae</i> (Blaisd) (Coleoptera: Coccinellidae)	Predatory insect
<i>Rhizoctonia solani</i> Kuhn (Cantharellales: Ceratobasidiaceae)	Phytopathogenic fungus

<i>Rhizoctonia</i> sp. (Cantharellales: Ceratobasidiaceae)	Phytopathogenic fungus
<i>Rhizoctonia</i> spp. (Cantharellales: Ceratobasidiaceae)	Phytopathogenic fungi
<i>Rhodococcus chubuensis</i> Tsukamura (Actinomycetales: Nocardiaceae)	Phytopathogenic bacterium
<i>Rhodotorula glutinis</i> (Fresenius) Harrison (Sporidiobolales: Sporidiobolaceae)	Antagonistic
<i>Rhopalosiphum</i> (Hemiptera: Aphididae)	Herbivorous insect
<i>Rhopalosiphum maidis</i> (Fitch) (Hemiptera: Aphididae)	Herbivorous insect
<i>Rhyacionia buoliana</i> (Denis & Schiffermüller) (Lepidoptera: Tortricidae)	Herbivorous insect
<i>Rhyacionia frustrana</i> (Comstock) (Lepidoptera: Tortricidae)	Herbivorous insect
<i>Rhynchophorus palmarum</i> L. (Coleoptera: Curculionidae)	Herbivorous insect
<i>Rhynchosia minima</i> (L.) DC. (Fabales: Fabaceae)	Plant
<i>Rhynchosia reticulata</i> (Sw.) DC. (Fabaceae)	Plant
<i>Rhyssa persuasoria</i> (L.) (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Rhyssomatus marginatus</i> Fahraeus (Coleoptera: Curculionidae)	Herbivorous insect
<i>Rhyzobius purchellus</i> Montrozier (Coleoptera: Coccinellidae)	Predatory insect
<i>Rhyzobius ventralis</i> (Erichson) (Coleoptera: Coccinellidae)	Predatory insect
<i>Ricinus communis</i> L. (Malpighiales: Euphorbiaceae)	Plant
<i>Rizoctonia</i> (Cantharellales: Ceratobasidiaceae)	Antagonistic and Entomopathogenic fungi
<i>Rodolia (Novius) cardinalis</i> Mulsant (Coleoptera: Coccinellidae)	Predatory insect
<i>Rogas aligarhensis</i> (Quadri) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Rogas gossypii</i> Muesebeck (Hymenoptera: Braconidae)	Parasitoid insect
<i>Rogas</i> spp. (Hymenoptera: Braconidae)	Parasitoid insects
<i>Rogas vaughani</i> Muesebeck (Hymenoptera: Braconidae)	Parasitoid insect
<i>Romanomermis culicivorax</i> Ross & Smith (Rhabditida: Mermithidae)	Entomopathogenic nematode
<i>Romanomermis iyengari</i> (Welch) (Rhabditida: Mermithidae)	Entomopathogenic nematode
<i>Rosellinia</i> sp. (Xylariales: Xylariaceae)	Phytopathogenic fungus
<i>Rostrhamus sociabilis</i> (Vieillot) (Accipitriformes: Accipitridae)	Predatory bird
<i>Rothschildia aroma</i> Schaus (Lepidoptera: Saturniidae)	Herbivorous insect
<i>Rubus fruticosus</i> L. (Rosales: Rosaceae)	Plant
<i>Rubus glaucus</i> Benth. (Rosales: Rosaceae)	Plant
<i>Rubus niveus</i> Thunb. (Rosales: Rosaceae)	Plant
<i>Rubus</i> spp. (Rosales: Rosaceae)	Plants
<i>Rubus ulmifolius</i> (Schott.) (Rosales: Rosaceae)	Plant
<i>Rupela albinella</i> (Cr.) (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Rutela lineola</i> (L.) (Coleoptera: Scarabaeidae)	Herbivorous insect
<i>Rynchophorus ferrugineus</i> Olivier (Coleoptera: Curculionidae)	Herbivorous insect
S	
<i>Sacadodes pyralis</i> (Dyar) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Saccharicoccus sacchari</i> Cockerell (Hemiptera: Pseudococcidae)	Herbivorous insect
<i>Saccharosydne saccharivora</i> (Westwood) (Hemiptera: Delphacidae)	Herbivorous insect
<i>Sagalassa valida</i> Walker (Lepidoptera: Glyphipterigidae)	Herbivorous insect
<i>Saimiri sciureus</i> (L.) (Primates: Cebidae)	Predatory mammal
<i>Saissetia coffeae</i> (Walker) (Hemiptera: Coccidae)	Herbivorous insect
<i>Saissetia nigra</i> (Nietner) (Hemiptera: Coccidae)	Herbivorous insect
<i>Saissetia oleae</i> Olivier (Hemiptera: Coccidae)	Herbivorous insect
<i>Saissetia</i> spp. (Hemiptera: Coccidae)	Herbivorous insects

<i>Salpichroa organifolia</i> (Lam.) Baill (Solanales: Solanaceae)	Plant
<i>Salpingogaster nigra</i> Shiner (Diptera: Syrphidae)	Predatory insect
<i>Salvinia molesta</i> D. Mitch. (Polypodiopsida: Salviniaceae)	Plant
<i>Sarcodexia sternodontis</i> Townsend (Diptera: Sarcophagidae)	Parasitoid insect
<i>Sarcophaga acridiorum</i> Weyenberg (Diptera: Sarcophagidae)	Parasitoid insect
<i>Sarcophaga caridei</i> Brèthes (Diptera: Sarcophagidae)	Parasitoid insect
<i>Sarcophaga</i> sp. (Diptera: Sarcophagidae)	Parasitoid insect
<i>Sarocladium oryzae</i> (Sawada) W. Gams & D. Hawksw. (Ascomycetes)	Phytopathogenic fungus
<i>Sarucallis kahawaluokalani</i> (Kirkaldy) (Hemiptera: Aphididae)	Herbivorous insect
<i>Scapteriscus abbreviatus</i> Scudder (Orthoptera: Gryllotalpidae)	Herbivorous insect
<i>Scapteriscus didactylus</i> (Latreille) (Orthoptera: Gryllotalpidae)	Herbivorous insect
<i>Scapteriscus</i> spp. (Orthoptera: Gryllotalpidae)	Herbivorous insects
<i>Scapteriscus vicinus</i> Latr (Orthoptera: Gryllotalpidae)	Herbivorous insect
<i>Scaptia lata</i> (Guérin-Méneville) (Diptera: Tabanidae)	Harmful insect
<i>Scelio aegyptiacus</i> Priesner (Hymenoptera: Scelionidae)	Parasitoid insect
<i>Scelio famelicus</i> (Say) (Hymenoptera: Scelionidae)	Parasitoid insect
<i>Scelio</i> sp. nr. <i>serdangensis</i> (Timb.) (Hymenoptera: Scelionidae)	Parasitoid insect
<i>Schistocerca americana</i> (Drury) (Orthoptera: Acrididae)	Herbivorous insect
<i>Schistocerca paranensis</i> (Burmeister & H.) (Orthoptera: Acrididae)	Herbivorous insect
<i>Schistocerca cancellata</i> (Serville) (Orthoptera: Acrididae)	Herbivorous insect
<i>Schistocerca interrita</i> Scudder (Orthoptera: Acrididae)	Herbivorous insect
<i>Schistocerca pallens</i> (Thnb.) (Orthoptera: Acrididae)	Herbivorous insect
<i>Schistocerca piceifrons piceifrons</i> Walker (Orthoptera: Acrididae)	Herbivorous insect
<i>Schistocerca</i> spp. (Orthoptera: Acrididae)	Herbivorous insects
<i>Schistosoma mansonii</i> Sambon (Diplostomida: Schistosomatidae)	Harmful invertebrate
<i>Schizaphis graminum</i> (Rondani) (Hemiptera: Aphididae)	Herbivorous insect
<i>Scirtothrips dorsalis</i> Hood (Thysanoptera: Thripidae)	Herbivorous insect
<i>Scleria melaleuca</i> Rehb. F.ex. Schltdl. Cham. (Poales: Cyperaceae)	Plant
<i>Sclerotinia</i> (Helotiales: Sclerotiniaceae)	Phytopathogenic fungi
<i>Sclerotinia minor</i> (Jagger) (Helotiales: Sclerotiniaceae)	Phytopathogenic fungus
<i>Sclerotinia sclerotiorum</i> (Lib.) de Bary (Helotiales: Sclerotiniaceae)	Phytopathogenic fungus
<i>Sclerotium</i> (Atheliales: Atheliaceae)	Phytopathogenic fungi
<i>Sclerotium cepivorum</i> Berk. (Atheliales: Atheliales)	Phytopathogenic fungus
<i>Sclerotium rolfii</i> Sacc (Atheliales: Atheliaceae)	Phytopathogenic fungus
<i>Scolytus rugulosus</i> (Muller) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Scolothrips</i> sp. (Thysanoptera: Thripidae)	Herbivorous insect
<i>Scotussa lemniscata</i> (Stal) (Orthoptera: Acrididae)	Herbivorous insect
<i>Scrobipalpula</i> (Lepidoptera: Gelechiidae)	Herbivorous insect
<i>Scutellista</i> (Hymenoptera: Pteromalidae)	Parasitoid insects
<i>Scutellista cyanea</i> Motschulsky (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Scymnus coccivora</i> Aiyar (Coleoptera: Coccinellidae)	Predatory insect
<i>Scymnus rubicundus</i> Erichson (Coleoptera: Coccinellidae)	Predatory insect
<i>Scymnus smithianus</i> Silvestri (Coleoptera: Coccinellidae)	Predatory insect
<i>Scymnus</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Scymnus</i> spp. (Coleoptera: Coccinellidae)	Predatory insects
<i>Selenaspis articulatus</i> Morgan (Hemiptera: Diaspididae)	Herbivorous insect
<i>Selenothrips rubrocinctus</i> (Giard) (Thysanoptera: Thripidae)	Herbivorous insect

<i>Selitrichodes neseri</i> Kelly & La Salle (Hymenoptera: Eulophidae)	Parasitoid insect
SeNPV <i>Spodoptera exigua</i>	Entomopathogenic virus
<i>Sesbania punicea</i> (Cav.) (Fabales: Fabaceae)	Plant
SfMNPV (<i>S. frugiperda</i> nucleopolyhedrovirus)	Entomopathogenic virus
<i>Sibine fusca</i> (Stoll) (Lepidoptera: Limacodidae)	Herbivorous insect
<i>Sibine</i> sp. (Lepidoptera: Limacodidae)	Herbivorous insect
<i>Sida</i> spp. (Malvales: Malvaceae)	Plants
<i>Signiphora aleyrodis</i> Ashmead (Hymenoptera: Signiphoridae)	Parasitoid insect
<i>Signiphora</i> sp. (Hymenoptera: Signiphoridae)	Parasitoid insect
<i>Silybum</i> spp. (Asterales: Asteraceae)	Plants
<i>Simplicillium</i> (Hypocreales: Cordycipitaceae)	Entomopathogenic fungi
<i>Simplicillium</i> spp. (Hypocreales: Cordycipitaceae)	Entomopathogenic fungi
<i>Sinea</i> sp. (Hemiptera: Reduviidae)	Predatory insect
<i>Singhiella simplex</i> (Singh) (Hemiptera: Aleyrodidae)	Herbivorous insect
<i>Sipha flava</i> (Forbes) (Hemiptera: Aphididae)	Herbivorous insect
<i>Sirenta carinata</i> (Fabricius) (Hemiptera: Reduviidae)	Predatory insect
<i>Sirex</i> (Hymenoptera: Siricidae)	Herbivorous insects
<i>Sirex noctilio</i> Fabricius (Hymenoptera: Siricidae)	Herbivorous insect
<i>Sitobion avenae</i> (Fabricius) (Hemiptera: Aphididae)	Herbivorous insect
<i>Sitophylus zeamais</i> (Motschulsky) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Sitotroga cerealella</i> Oliver (Lepidoptera: Gelechiidae)	Herbivorous insect
<i>Sitotroga</i> sp. (Lepidoptera: Gelechiidae)	Herbivorous insect
<i>Smicra</i> (= <i>Conura</i>) <i>punctata</i> (Fabricius) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Smicra emarginata</i> (Fabricius) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Smicra flavopicta</i> Cresson (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Smicra ignea</i> (Cresson) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Smicronyx roridus</i> Marshall (Coleoptera: Curculionidae)	Herbivorous insect
<i>Smicronyx rufovittatus</i> Anderson (Coleoptera: Curculionidae)	Herbivorous insect
<i>Sogatodes oryzicola</i> (Muir) (Homoptera: Delphacidae)	Herbivorous insect
<i>Sogatodes oryzicola</i> (Muir) (Homoptera: Delphacidae)	Herbivorous insect
<i>Solanum</i> (Solanales: Solanaceae)	Plants
<i>Solanum americanum</i> Mill. (Solanales: Solanaceae)	Plant
<i>Solanum betacea</i> Cav. (Solanales: Solanaceae)	Plant
<i>Solanum jamaicense</i> Mill (Solanales: Solanaceae)	Plant
<i>Solanum lycopersicum</i> L. (Solanales: Solanaceae)	Plant
<i>Solanum melongena</i> L. (Solanales: Solanaceae)	Plant
<i>Solanum quitoense</i> var. Septentrional Lam. (Solanales: Solanaceae)	Plant
<i>Solanum syssimbrifolium</i> Lam (Solanales: Solanaceae)	Plant
<i>Solanum torvum</i> Sw. (Solanales: Solanaceae)	Plant
<i>Solanum tuberosum</i> L. (Solanales: Solanaceae)	Plant
<i>Solanum tuberosum</i> L. spp. <i>andigena</i> (Solanales: Solanaceae)	Plant
<i>Solanum tuberosum</i> L. spp. <i>tuberosum</i> (Solanales: Solanaceae)	Plant
<i>Solanum viarum</i> Dunal (Solanales: Solanaceae)	Plant
<i>Solenopsis geminata</i> F. (Hymenoptera: Formicidae)	Predatory / harmful insect
<i>Solenopsis invicta</i> Buren (Hymenoptera: Formicidae)	Predatory / harmful insect
<i>Solenopsis richteri</i> Forel (Hymenoptera: Formicidae)	Predatory / harmful insect
<i>Solenopsis</i> sp. (Hymenoptera: Formicidae)	Predatory / harmful insect

<i>Solenopsis</i> spp. (Hymenoptera: Formicidae)	Predatory / harmful insects
<i>Sonchus oleraceus</i> L. (Asterales: Asteraceae)	Plant
<i>Sorghum bicolor</i> (L.) Moench (Poales: Poaceae)	Plant
<i>Spalangia cameroni</i> (Perkins) (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Spalangia endius</i> (Walker) (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Spalangia gemina</i> Boucek (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Spalangia nigra</i> Latreille (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Spalangia nigroaenea</i> Curtis (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Spalangia simplex</i> Perkins (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Spalangia</i> sp. (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Spalangia</i> spp. (Hymenoptera: Pteromalidae)	Parasitoid insects
SpeVG <i>Spodoptera eridania</i>	Entomopathogenic virus
SpeVPN <i>Spodoptera eridania</i>	Entomopathogenic virus
SpfVG <i>Spodoptera frugiperda</i>	Entomopathogenic virus
SpfVPN <i>Spodoptera frugiperda</i>	Entomopathogenic virus
<i>Sphaerotheca fuliginea</i> (Schlttl.) Pollacci (Erysiphales: Erysiphaceae)	Phytopathogenic fungus
<i>Sphaerotheca macularis</i> (Wallr.) (Erysiphales: Erysiphaceae)	Phytopathogenic fungus
<i>Sphegigaster</i> sp. (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Sphenarium purpurascens</i> Charpentier (Orthoptera: Pyrgomorphidae)	Herbivorous insect
<i>Sphenophorus levis</i> Vaurie (Coleoptera: Curculionidae)	Herbivorous insect
<i>Sphictyrtus</i> sp. (Hemiptera: Coreidae)	Herbivorous insect
<i>Sphiximorpha barbipes</i> (Loew) (Diptera: Syrphidae)	Predatory insect
<i>Spicaria javanica</i> Bally (Hypocreales: Cordycipitaceae)	Entomopathogenic fungus
<i>Spilocalcis</i> sp. (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Spilochalcis dux</i> (Walker) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Spilochalcis fulvomaculata</i> (Cameron) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Spilochalcis hirtifemora</i> (Ashmead.) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Spilochalcis torvina</i> (Cress.) (Hymenoptera: Chalcididae)	Parasitoid insect
<i>Spiracantha cornifolia</i> Kunth (Asterales: Asteraceae)	Plant
SpocVPN <i>Spodoptera ochrea</i>	Entomopathogenic virus
<i>Spodoptera</i> (= <i>Prodenia</i>) <i>eridania</i> (Cram.) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Spodoptera</i> (Lepidoptera: Noctuidae)	Herbivorous insects
<i>Spodoptera dolichos</i> (F.) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Spodoptera eridania</i> (Cram.) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Spodoptera exigua</i> (Hübner) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Spodoptera frugiperda</i> (J.E. Smith) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Spodoptera latifascia</i> (Wlk.) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Spodoptera omithogalli</i> (Gn.) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Spodoptera</i> sp. (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Spodoptera</i> spp. (Lepidoptera: Noctuidae)	Herbivorous insects
<i>Spodoptera sunia</i> (Guenee) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Spondias mombin</i> L. (Sapindales: Anacardiaceae)	Plant
<i>Spondias</i> sp. (Sapindales: Anacardiaceae)	Plant
<i>Sporothrix</i> (Ophiostomatales: Ophiostomataceae)	Fungal pathogenic fungus
<i>Stantonia</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Stegasta basquella</i> (Chamb.) (Lepidoptera: Gelechiidae)	Herbivorous insect
<i>Steinernema</i> (Rhabditida: Steinernematidae)	Entomopathogenic nematode

<i>Steinernema australe</i> Edgington, Buddie, Tymo, Hunt, Nguyen, France, Merino & Moore (Rhabditida: Steinernematidae)	Entomopathogenic nematode
<i>Steinernema bibionis</i> Bobien (Rhabditida: Steinernematidae)	Entomopathogenic nematode
<i>Steinernema brazilense</i> Nguyen, Ginarte, Leite, Santo & Harakava (Rhabditida: Steinernematidae)	Entomopathogenic nematode
<i>Steinernema carpocapsae</i> (Weiser) Wouts, Mracek, Gerdin & Bedding (Rhabditida: Steinernematidae)	Entomopathogenic nematode
<i>Steinernema feltiae</i> (Fiiipjev) Wouts, Mracek, Gerdin & Bedding (Rhabditida: Steinernematidae)	Entomopathogenic nematode
<i>Steinernema glaseri</i> (Steiner) Wouts, Mracek, Gerdin & Bedding (Rhabditidae: Steinernematidae)	Entomopathogenic nematode
<i>Steinernema puertoricense</i> Roman & Figueroa (Rhabditidae: Steinernematidae)	Entomopathogenic nematode
<i>Steinernema</i> sp. (Nematoda: Steinernematidae)	Entomopathogenic nematode
<i>Steinernema</i> spp. (Nematoda: Steinernematidae)	Entomopathogenic nematodes
<i>Steinernema unicornum</i> Egington, Buddie Tymo, France, Merino & Hunt (Rhabditidae: Steinernematidae)	Entomopathogenic nematode
<i>Steneotarsonemus kono</i> Smiley & Enmanouel (Acari: Tarsonemidae)	Herbivorous mite
<i>Steneotarsonemus spinki</i> Smiley (Acari: Tarsonemidae)	Herbivorous mite
<i>Stenocranophilus quadratus</i> Pierce (Strepsiptera: Halictophagidae)	Parasitoid insect
<i>Stenoma cecropia</i> (Meyrick) (Lepidoptera: Elachistidae)	Herbivorous insect
<i>Stenoma impressella</i> (Busck) (Lepidoptera: Elachistidae)	Herbivorous insect
<i>Stenoma</i> sp. (Lepidoptera: Elachistidae)	Herbivorous insect
<i>Stenopelmus rufinus</i> Gyllenhal (Coleoptera: Eirrhinidae)	Herbivorous insect
<i>Sternechus subsignatus</i> Boheman (Coleoptera: Curculionidae)	Herbivorous insect
<i>Stethorus caribus</i> Gordon & Chapin (Coleoptera: Coccinellidae)	Predatory insect
<i>Stethorus punctillum</i> (Weise) (Coleoptera: Coccinellidae)	Predatory insect
<i>Stethorus salutaris</i> Kapur (Coleoptera: Coccinellidae)	Predatory insect
<i>Stethorus</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Stomoxys calcitrans</i> (L.) (Diptera: Muscidae)	Harmful insect
<i>Stomoxys</i> spp. (Diptera: Muscidae)	Harmful insects
<i>Strabotes rupelae</i> nov. spec Zwart (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Stratiolaelaps scimitus</i> Womersley (Acari: Laelapidae)	Predatory mite
<i>Streptomyces</i> (Actinomycetales: Streptomycetaceae)	Plant pathogenic bacteria
<i>Streptomyces racemochromogenes</i> Sugai (Actinomycetales: Streptomycetaceae)	Plant pathogenic bacterium
<i>Strymon basalides</i> H. (Lepidoptera: Lycaenidae)	Herbivorous insect
<i>Stylopaga hadra</i> Drechsler (Zoopagales: Zoopagaceae)	Nematophagous fungus
<i>Sulcophanaeus menelas</i> (Laporte) (Coleoptera: Scarabaeidae)	Herbivorous insect
<i>Swietenia macrophylla</i> G. King (Sapindales: Meliaceae)	Plant
<i>Swietenia mahagoni</i> Jacq. (Sapindales: Meliaceae)	Plant
<i>Swietenia</i> spp. (Meliaceae)	Plants
<i>Swinglea glutinosa</i> (Blanco) Merr. (Sapindales: Rutaceae)	Plant
<i>Syllepte helcitalis</i> (Wlk.) (Lepidoptera: Crambidae)	Herbivorous insect
<i>Symmetrischema tangolias</i> (Gyer.) (Lepidoptera: Gelechiidae)	Herbivorous insect
<i>Symphorobius barberi</i> (Banks) (Neuroptera: Hemerobiidae)	Predatory insect
<i>Symphorobius</i> sp. (Neuroptera: Hemerobiidae)	Predatory insect
<i>Syneura cocciphila</i> (Coquillett) (Diptera: Phoridae)	Predatory insect
<i>Synoea cyanea</i> (Fabricius) (Hymenoptera: Vespidae)	Predatory insect
<i>Synopeas</i> sp. (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Syntomosphyrum indicum</i> Silv. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Syrphophagus aphidivorus</i> (Mayr) (Hymenoptera: Encyrtidae)	Parasitoid insect

<i>Syrphophagus nigricornis</i> (De Santis) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Syrphophagus</i> sp. (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Syrphus</i> (Diptera: Syrphidae)	Predatory insects
<i>Systoechus vulgaris</i> Loew (Diptera: Bombyliidae)	Predatory insect
<i>Syzygium samarangense</i> (Blume) Merr. & Perry (Myrtales: Myrtaceae)	Plant
T	
<i>Tachinaephagus zealandicus</i> Ashmead (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Tamarixia leucaenae</i> Boucek (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Tamarixia radiata</i> (Waterston) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Tamarixia triozae</i> (Burks) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Tapinoma melanocephalum</i> (Fab.) (Hymenoptera: Formicidae)	Predatory insect
<i>Tarophagous esculenta</i> (Homoptera: Delphacidae)	Herbivorous insect
<i>Tecia solanivora</i> (Povolný) (Lepidoptera: Gelechiidae)	Herbivorous insect
<i>Tectona grandis</i> L. (Lamiales: Lamiaceae)	Plant
<i>Telchin licus</i> (Drury) (Lepidoptera: Castniidae)	Herbivorous insect
<i>Telenomus</i> (Hymenoptera: Platigastridae)	Parasitoid insects
<i>Telenomus alecto</i> Crawford (Hymenoptera: Platigastridae)	Parasitoid insect
<i>Telenomus alsophilae</i> Viereck (Hymenoptera: Platigastridae)	Parasitoid insect
<i>Telenomus basalis</i> (Wollaston) (Hymenoptera: Platigastridae)	Parasitoid insect
<i>Telenomus connectans</i> Ashm (Hymenoptera: Platigastridae)	Parasitoid insect
<i>Telenomus dilophonotae</i> Cam. (Hymenoptera: Platigastridae)	Parasitoid insect
<i>Telenomus fariai</i> Costa Lima (Hymenoptera: Platigastridae)	Parasitoid insect
<i>Telenomus nawaii</i> Ash. (Hymenoptera: Platigastridae)	Parasitoid insect
<i>Telenomus nigrocoxalis</i> Ashm (Hymenoptera: Platigastridae)	Parasitoid insect
<i>Telenomus podisi</i> Ashmead (Hymenoptera: Platigastridae)	Parasitoid insect
<i>Telenomus remus</i> Nixon (Hymenoptera: Platigastridae)	Parasitoid insect
<i>Telenomus rowani</i> (Gahan) (Hymenoptera: Platigastridae)	Parasitoid insect
<i>Telenomus</i> sp. (Hymenoptera: Platigastridae)	Parasitoid insect
<i>Telenomus</i> sp. near <i>alecto</i> (Hymenoptera: Platigastridae)	Parasitoid insect
<i>Telenomus</i> sp. prob. <i>dilophonotae</i> Cam. (Hymenoptera: Platigastridae)	Parasitoid insect
<i>Telsimia nitida</i> Chapin (Coleoptera: Coccinellidae)	Predatory insect
<i>Telsimia</i> sp. (Coleoptera: Coccinellidae)	Predatory insect
<i>Temelucha</i> sp. (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Thelohania solenopsae</i> (J.D. Knell, G.E. Allen & E.I. Hazard) (Microsporida: Thelohaniidae)	Parasitic protozoan
<i>Teratophylidea opaca</i> Carvalho (Hemiptera: Miridae)	Predatory insect
<i>Tetracnemus pretiosus</i> (Timberlake) (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Tetramesa romana</i> (Walker) (Hymenoptera: Eurytomidae)	Herbivorous insect
<i>Tetranychus cinnabarinus</i> (Boisduval) (Acari: Tetranychidae)	Herbivorous mite
<i>Tetranychus evansi</i> Banks & Pritchard (Acari: Tetranychidae)	Herbivorous mite
<i>Tetranychus gloveri</i> Banks (Acari: Tetranychidae)	Herbivorous mite
<i>Tetranychus lintearius</i> (Dufour) (Acari: Tetranychidae)	Herbivorous mite
<i>Tetranychus</i> spp. (Acari: Tetranychidae)	Herbivorous mites
<i>Tetranychus tumidus</i> (Banks) (Acari: Tetranychidae)	Herbivorous mite
<i>Tetranychus urticae</i> Koch (Acari: Tetranychidae)	Herbivorous mite
<i>Tetrastichus</i> (= <i>Oomyzus</i>) <i>sokolowski</i> Kurd. (Hymenoptera:Eulophidae)	Parasitoid insect

<i>Tetrastichus gala</i> Walker (= <i>Tetrastichus marylandensis</i>) (Hymenoptera:Eulophidae)	Parasitoid insect
<i>Tetrastichus gala</i> Walker (Hymenoptera:Eulophidae)	Parasitoid insect
<i>Tetrastichus gallerucae</i> (Fonscolmber) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Tetrastichus giffardianus</i> Silvestri (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Tetrastichus haitiensis</i> Gah. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Tetrastichus howardi</i> (Olliff) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Tetrastichus</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Tetrastichus</i> sp. nr. <i>vaquitarum</i> Wolc. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Tetrastichus spirabilis</i> Waterston (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Thalassa montesumae</i> Mulsant (Coleoptera: Coccinellidae)	Predatory insect
<i>Thaumastocoris peregrinus</i> Carpintero & Dellapé (Hemiptera: Thaumastocoridae)	Herbivorous insect
<i>Thaumatotibia</i> (= <i>Cryptophlebia</i>) <i>leucotreta</i> Meyrich (Lepidoptera: Tortricidae)	Herbivorous insect
<i>Thecla basilides</i> (Geyer) (Lepidoptera: Lycaenidae)	Herbivorous insect
<i>Theobroma cacao</i> L. (Malvales: Malvaceae)	Plant
<i>Theridula gonygaster</i> (Simon) (Araneae: Theridiidae)	Predatory spider
<i>Therioaphis trifolii</i> Monell (Hemiptera: Aphididae)	Herbivorous insect
<i>Theronia lineata</i> (Fabricius) (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Theronia</i> sp. (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Thersilochus argentinensis</i> (Blanchard) (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Thersilochus parkeri</i> (Blanch.) (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Thiara granifera</i> (Lamarck) (Caenogastridae: Thiaridae)	Herbivorous snail
<i>Thiara tuberculata</i> (Muller) (Caenogastridae: Thiaridae)	Herbivorous snail
<i>Thielaviopsis paradoxa</i> (De Seynes) (Microascales: Ceratocystidaceae)	Phytopathogenic fungus
<i>Thripastichus gentilei</i> (Del Guercio) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Thrips palmi</i> Karny (Thysanoptera: Thripidae)	Herbivorous insect
<i>Thrips tabaci</i> Linderman (Thysanoptera: Thripidae)	Herbivorous insect
<i>Thyrinteina arnobia</i> (Stoll) (Lepidoptera: Geometridae)	Herbivorous insect
<i>Tibraca limbativentris</i> Stal (Hemiptera: Pentatomidae)	Herbivorous insect
<i>Tilletia indica</i> Mitra (Tilletiales)	Phytopathogenic fungus
<i>Tiphia parallela</i> Smith (Hymenoptera: Scoliidae)	Parasitoid insect
<i>Tiphia</i> sp. (Hymenoptera: Scoliidae)	Parasitoid insect
<i>Tipophorus nigrinus</i> F. (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Tomaspis</i> aff. <i>pubescens</i> Fabr. (Homoptera: Cercopidae)	Herbivorous insect
<i>Tomaspis saccharina</i> Dist. (Homoptera: Cercopidae)	Herbivorous insect
<i>Tomaspis</i> sp. (Homoptera: Cercopidae)	Herbivorous insect
<i>Toxomenus floralis</i> (F.) (Diptera: Syrphidae)	Predatory insect
<i>Toxomerus</i> (Diptera: Syrphidae)	Predatory insects
<i>Toxomerus watsoni</i> (Curran) (Diptera: Syrphidae)	Predatory insect
<i>Toxoptera</i> (Hemiptera: Aphididae)	Herbivorous insects
<i>Toxoptera aurantii</i> (Boyer de Fonscolombe) (Hemiptera: Aphididae)	Herbivorous insect
<i>Toxoptera citricidus</i> (Kirk.)(syn. <i>Toxoptera citricida</i>) (Hemiptera: Aphididae)	Herbivorous insect
<i>Toxoptera</i> spp. (Hemiptera: Aphididae)	Herbivorous insects
<i>Toxorhynchites brevipalpis</i> (Theobald) (Diptera: Culicidae)	Predatory insect
<i>Toxotrypana curvicauda</i> Gerstaecker (Diptera: Tephritidae)	Herbivorous insect
<i>Trialeurodes abutilonea</i> (Haldeman) (Hemiptera: Aleyrodidae)	Herbivorous insect
<i>Trialeurodes</i> spp. (Hemiptera: Aleyrodidae)	Herbivorous insects
<i>Trialeurodes vaporariorum</i> Westwood (Hemiptera: Aleyrodidae)	Herbivorous insect

<i>Triaspis</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Triatoma rubrofaciata</i> (DeG.) (Hemiptera: Reduviidae)	Harmful insect
<i>Triatoma</i> spp. (Hemiptera: Reduviidae)	Harmful insects
<i>Tribulus cistoides</i> L. (Zygophyllales: Zygophyllaceae)	Plant
<i>Tribulus terrestris</i> L. (Zygophyllales: Zygophyllaceae)	Plant
<i>Trichocirocalus horridus</i> Panz. (Coleoptera: Curculionidae)	Herbivorous insect
<i>Trichoderma</i> (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungi
<i>Trichoderma asperellum</i> Samuels, Lieckf. & Nirenberg (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma atroviride</i> (Karsten) Bissett (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma crassum</i> Bisset (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma gamsii</i> Samuels & Druzhin (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma hamatum</i> (Bonord.) Bainier (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma harzianum</i> Rifai (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma koningii</i> Oudem (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma koningiopsis</i> Samuels, C. Suarez & H.C. Evans (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma lignorum</i> (Tode) Harz (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma longibrachiatum</i> Rifai (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma martiale</i> Samuels (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma ovalisporum</i> Samuels & Schroers (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma pseudokoningii</i> Rifai (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma</i> sp. (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma</i> spp. (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungi
<i>Trichoderma stromaticum</i> Samuels & Pardo-Schulth (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma virens</i> (Miller, Giddens & Foster) von Arx (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichoderma viride</i> Pers. (Hypocreales: Hypocreaceae)	Fungalpathogenic and antagonistic fungus
<i>Trichogramma</i> (Hymenoptera: Trichogrammatidae)	Parasitoid insects
<i>Trichogramma (semifumatum) pretiosum</i> Riley (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma atopovirilia</i> Oatman and Platner (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma australicum</i> (Girult.) (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma beckeri</i> (Nagarkatti) (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma bennetti</i> Nagaraja & Nagarkatti (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma brasiliensis</i> (Ashm.) (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma brassicae</i> Bezdenko (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma bruni</i> Nagaraja (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma cacoeciae</i> Marchal (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma chilonis</i> Ishii (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma dendrolimi</i> Matsumura (Hymenoptera: Trichogrammatidae)	Parasitoid insect

<i>Trichogramma diazi</i> Velásquez and Terán (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma euproctidis</i> (Girault) (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma evanescens</i> Westwood (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma exiguum</i> Pinto & Platner (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma fasciatum</i> (Perkins) (= <i>minutum</i> auct.) (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma fasciatum</i> (Perkins) (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma fuentesi</i> Torre (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma galloi</i> Zucchi (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma lasallei</i> Pinto (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma lopezandinensis</i> Sarmiento (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma marandobai</i> Brun, Moraes e Soares (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma minutum</i> Riley (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma near pretiosum</i> (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma nerudai</i> (Pintureau & Gerding) (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma nubilale</i> Ertie & Davis (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma obscurum</i> Pinto (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma perkinsi</i> Girault (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma pinto</i> Voegelé (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma platneri</i> Nagarkatti (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma pretiosum</i> Riley (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma rojasi</i> Nagaraja & Nagarkatti (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma semifumatum</i> (Perkins) (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma</i> sp. (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma</i> sp1 (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma</i> sp2 (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogramma</i> spp. (Hymenoptera: Trichogrammatidae)	Parasitoid insects
<i>Trichogramma terani</i> Velásquez and Terán (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogrammatoidea armigera</i> (Nagaraja) (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogrammatoidea bactrae</i> Nagaraja (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogrammatoidea cryptophlebiae</i> Nagaraja (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogrammatoidea robusta</i> Nagaraja (as <i>T. nana</i> Zhnt.) (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichogrammatoidea</i> sp. (Hymenoptera: Trichogrammatidae)	Parasitoid insect
<i>Trichomalopsis</i> Crawford (Hymenoptera: Pteromalidae)	Parasitoid insect
<i>Trichoplusia ni</i> (Hubner) (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Trichoplusia ni</i> nucleopolyhedrovirus (TnNPV)	Entomopathogenic virus
<i>Trichoplusia</i> sp. (Lepidoptera: Noctuidae)	Herbivorous insect
<i>Trichopoda giacomelli</i> (Blanchard) (Diptera: Tachinidae)	Parasitoid insect
<i>Trichopoda pennipes</i> (F.) (Diptera: Tachinidae)	Parasitoid insect
<i>Trichopoda pilipes</i> F. (Diptera: Tachinidae)	Parasitoid insect
<i>Trichopoda</i> sp. (Diptera: Tachinidae)	Parasitoid insect
<i>Trichopria drosophilae</i> (Hymenoptera: Diapriidae)	Parasitoid insect
<i>Trichospilus diatraeae</i> (C. and M.) (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Trichospilus pupivora</i> (= <i>pupivorus</i>) Ferriere (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Trioxys pallidus</i> (Haliday) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Trissolcus</i> (Hymenoptera: Platigastridae)	Parasitoid insects
<i>Trissolcus basalis</i> (Wollaston) (Hymenoptera: Platigastridae)	Parasitoid insect

<i>Trissolcus brochymenae</i> Ashmead (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Trissolcus leviventris</i> (Cameron) (= <i>Dissolcus paraguayensis</i> Brethes) (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Trissolcus mitsukurii</i> (Ashm.) (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Trissolcus</i> sp. (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Trissolcus</i> spp. (Hymenoptera: Platygasteridae)	Parasitoid insects
<i>Trissolcus teretis</i> Johnson (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Trissolcus urichi</i> Crawford (Hymenoptera: Platygasteridae)	Parasitoid insect
<i>Triticum aestivum</i> (L.) (Poales: Poaceae)	Plant
<i>Trogoderma granarium</i> (Everts) (Coleoptera: Dermestidae)	Herbivorous insect
<i>Trox suberosus</i> F. (Coleoptera: Trogidae)	Saprophagous insect
<i>Trybliographa daci</i> Weld (Hymenoptera: Cynipidae)	Parasitoid insect
<i>Trypanosoma cruzi</i> Chagas (Trypanosomatidae)	Harmful protozoan
<i>Tsukamurella paurometabola</i> (Steinhaus) (= <i>Corynebacterium</i>) (Corynebacteriales: Tsukamurellaceae)	Nematopathogenic bacterium
<i>Tucumania tapiacola</i> Dyar (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Tupiocoris notatus</i> (Distant) (Hemiptera: Miridae)	Predatory insect
<i>Tuta absoluta</i> (Meyrick) (Lepidoptera: Gelechiidae)	Herbivorous insect
<i>Typha domingensis</i> (Pers.) (Poales: Typhaceae)	Plant
<i>Typhlodromina</i> (Acari: Phytoseiidae)	Predatory mites
<i>Typhlodromips</i> (= <i>Amblyseius</i>) <i>swirskii</i> (Athias-Henriot) (Acari: Phytoseiidae)	Predatory mite
<i>Typhlodromus citri</i> Garman & McG (Acari: Phytoseiidae)	Predatory mite
<i>Typhlodromus occidentalis</i> (= <i>Galandromus</i>) Nesbitt (Acari: Phytoseiidae)	Predatory mite
<i>Typhloseiopsis adventitius</i> Ferragut & Moraes sp. Nov (Acari: Phytoseiidae)	Predatory mite
<i>Tytthus mundulus</i> (Breddin) (Hemiptera: Miridae)	Predatory mirid
<i>Tytthus parviceps</i> Reuter (Hemiptera: Miridae)	Predatory mirid
U	
<i>Ulex europaeus</i> L. (Fabales: Fabaceae)	Plant
<i>Unaspis citri</i> (Comstock) (Hemiptera: Diaspididae)	Herbivorous insect
<i>Uredo eichhorniae</i> Fragoso and Ciferri (Pucciniales)	Phytopathogenic fungus
<i>Urena lobata</i> L. (Malvales: Malvaceae)	Plant
<i>Urena trilobata</i> Vell. (Malvales: Malvaceae)	Plant
<i>Uromyces pencanus</i> (Diet. & Neg.) (Pucciniales: Pucciniaceae)	Phytopathogenic fungus
<i>Urosigalphus eulechriopsis</i> Cushman (Hymenoptera: Braconidae)	Parasitoid insect
<i>Urtica urens</i> L. (Urticales: Urticaceae)	Plant
<i>Ustilago scitaminea</i> Sydow (Ustilaginales)	Phytopathogenic fungus
<i>Utetes anastrephae</i> (Viereck) (Hymenoptera: Braconidae)	Parasitoid insect
<i>Utetheisa ornatrix</i> (L.) (Lepidoptera: Erebididae)	Herbivorous insect
V	
<i>Varroa destructor</i> Anderson & Trueman (Parasitiformes: Varroidae)	Harmful mite
<i>Vehilius celeus</i> Mab. (Lepidoptera: Hesperidae)	Herbivorous insect
<i>Venturia</i> (Hymenoptera: Ichneumonidae)	Parasitoid insects
<i>Venturia ovivenans</i> nov. spec Zwart (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Venturia</i> sp. (Hymenoptera: Ichneumonidae)	Parasitoid insect
<i>Verticillium</i> (Hypocreales: Plectosphaerellaceae)	Entomopathogenic fungus
<i>Verticillium</i> sp. (Hypocreales: Plectosphaerellaceae)	Entomopathogenic fungus

<i>Vigna sesquipedalis</i> (L.) (Fabales: Fabaceae)	Plant
<i>Vincentodiplosis pseudococchi</i> (Felt) (Diptera: Cecidomyiidae)	Predatory insect
<i>Vinsonia stellifera</i> (Westw.) (Hemiptera: Coccidae)	Herbivorous insect
<i>Vitis syciodes</i> L. (Vitales: Vitaceae)	Plant
<i>Voria</i> sp. (Diptera: Tachinidae)	Parasitoid insect
<i>Voria</i> spp. (Diptera: Tachinidae)	Parasitoid insects
VPNH _z (<i>Helicoverpa zea</i> virus)	Entomopathogenic virus
VPNS _e (<i>Spodoptera exigua</i> virus)	Entomopathogenic virus
VPNS _f (<i>Spodoptera frugiperda</i> virus)	Entomopathogenic virus
VPNS _s (<i>Spodoptera sunia</i> virus)	Entomopathogenic virus
VPNT _{ni} (<i>Trichoplusia nii</i> virus)	Entomopathogenic virus
<i>W</i>	
<i>Wasmania auropunctata</i> Roger (Hymenoptera: Formicidae)	Predatory insect
<i>Wasmannia rochai</i> Forel (Hymenoptera: Formicidae)	Predatory insect
<i>Winthemia pinguoides</i> (Townsend) (Diptera: Tachinidae)	Parasitoid insect
<i>Winthemia pinguis</i> (Fabricius) (Diptera: Tachinidae)	Parasitoid insect
<i>Winthemia</i> sp. (Diptera: Tachinidae)	Parasitoid insect
<i>Winthemia</i> sp. nr. <i>pinguis</i> F. (Diptera: Tachinidae)	Parasitoid insect
<i>Winthemia</i> sp. similar to <i>W. pyrrhopyga</i> (Wied) (Diptera: Tachinidae)	Parasitoid insect
<i>Winthemia</i> spp. (Diptera: Tachinidae)	Parasitoid insects
<i>X</i>	
<i>Xanthogaleruca luteola</i> (Muller) (Coleoptera: Chrysomelidae)	Herbivorous insect
<i>Xanthomonas campestris</i> (Pammel) Dowson (Xanthomonadales: Xanthomonadaceae)	Phytopathogenic bacterium
<i>Xanthomonas campestris</i> pv. <i>Musacearum</i> (Yirgou & Braddury) (Xanthomonadales: Xanthomonadaceae)	Phytopathogenic bacterium
<i>Xanthomonas citri</i> (Hasse) Gabriel et al. (Xanthomonadales: Xanthomonadaceae))	Phytopathogenic bacterium
<i>Xanthomonas phaseoli</i> (Smith) Gabriel et al. (Xanthomonales: Xanthomonadaceae)	Phytopathogenic bacterium
<i>Xanthomonas vesicatoria</i> (Doidge) Dowson (Xanthomonadales: Xanthomonadaceae)	Phytopathogenic bacterium
<i>Xanthopygus cognatus</i> Sharp (Coleoptera: Staphylinidae)	Predatory insect
<i>Xenoencyrtus niger</i> Riek (Hymenoptera: Encyrtidae)	Parasitoid insect
<i>Xenostigmus bifasciatus</i> Ashmed (Hymenoptera: Braconidae)	Parasitoid insect
<i>Xiphinema</i> (Dorylaimida: Longidoridae)	Phytopathogenic nematodes
<i>Xubida infusella</i> (Walker) (Lepidoptera: Pyralidae)	Herbivorous insect
<i>Xyleborus glabratus</i> (Eichhoff) (Coleoptera: Curculionidae)	Herbivorous insect
<i>Xylella fastidiosa</i> sp. <i>multiplex</i> (Xanthomonadales: Xanthomonadaceae)	Phytopathogenic bacterium
<i>Xylella fastidiosa</i> subsp. <i>fastidiosa</i> Well. (Xanthomonadales: Xanthomonadaceae))	Phytopathogenic bacterium
<i>Xylella fastidiosa</i> subsp. <i>pauca</i> Schaad, Postnikova, Lacy, Fatmic & Chang ((Xanthomonadales: Xanthomonadaceae))	Phytopathogenic bacterium
<i>Xylocopa</i> sp. (Hymenoptera: Apidae)	Herbivorous insect
<i>Xylocoris flavipes</i> (Reuter) (Hemiptera: Anthocoridae)	Predatory insect
<i>Xylosandrus compactus</i> Eichhoff (Coleoptera: Scolytidae)	Herbivorous insect
<i>Z</i>	
<i>Zachrisia auricoma</i> (Ferussac) (Mollusca: Gastropoda: Pleurodontidae)	Herbivorous snail
<i>Zaeucoila</i> sp. (Hymenoptera: Figitidae)	Parasitoid insect
<i>Zagloba aenipennis</i> (Sicard) (Coleoptera: Coccinellidae)	Predatory insect

<i>Zaglyptus</i> Forster (Hymenoptera: Ichneumonidae)	Parasitoid insects
<i>Zagrammosoma multilineata</i> Ashm (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Zagrammosoma</i> sp. (Hymenoptera: Eulophidae)	Parasitoid insect
<i>Zagrammosoma</i> spp. (Hymenoptera: Eulophidae)	Parasitoid insects
<i>Zagreus</i> (= <i>Exochomus</i>) <i>bimaculosus</i> Mulsant (Coleoptera: Coccinellidae)	Predatory insect
<i>Zea mays</i> L. (Poales: Poaceae)	Plant
<i>Zelomorpha</i> sp. (Hymenoptera: Braconidae)	Parasitoid insect
<i>Zelus argillaceum</i> (L.) (Hemiptera: Reduviidae)	Predatory insect
<i>Zelus armillatus</i> (Lepeletier and Serville) (Hemiptera: Reduviidae)	Predatory insect
<i>Zelus</i> cf. <i>nugax</i> Stål (Hemiptera: Reduviidae)	Predatory insect
<i>Zelus illotus</i> Berg (Hemiptera: Reduviidae)	Predatory insect
<i>Zelus laticornis</i> (Herrich-Schäffer) (Hemiptera: Reduviidae)	Predatory insect
<i>Zelus leucogrammus</i> (Perty) (Hemiptera: Reduviidae)	Predatory insect
<i>Zelus longipes</i> (L.) (Hemiptera: Reduviidae)	Predatory insect
<i>Zelus ruficeps</i> Stål (Hemiptera: Reduviidae)	Predatory insect
<i>Zelus</i> sp. (Hemiptera: Reduviidae)	Predatory insect
<i>Zelus</i> spp. (Hemiptera: Reduviidae)	Predatory insects
<i>Zenoria emarginata</i> Gordon (Coleoptera: Coccinellidae)	Predatory insect
<i>Zeta argillaceum</i> (L.) (Hymenoptera: Vespidae)	Predatory insect
<i>Zetesima baliandra</i> (Meyr.) (Lepidoptera: Stenomitidae)	Herbivorous insect
<i>Zulia entreriana</i> (Berg. (Hemiptera: Cercopidae)	Herbivorous insect
<i>Zulia</i> spp. (Hemiptera: Cercopidae)	Herbivorous insects