

Understanding the Patient Experience of Advanced Parkinson's Disease: Qualitative Research with Patients and Expert Clinicians to Identify Symptoms and Associated Health-Related Quality of Life Impacts

Nicola Williamson¹, Thomas Morel², Helena Bradley³, Aoife Lydon³, Molly Clifford³, Patrick Cronin³, Milton Biagioni²

Affiliations: ¹UCB Pharma, Slough, UK, ²UCB Pharma, Brussels, Belgium, ³Adelphi Values, Patient-Centered Outcomes, Bollington, UK

Corresponding author: Nicola Williamson, UCB Pharma, Slough, UK (email: nicola.williamson@ucb.com)

14 **Supplementary Material**
Table S1. Title/abstract screening criteria

	Google scholar	Fox Insight website
Inclusion	Focused on concepts of interest (e.g., non-motor symptoms, key signs/symptoms and impacts).	Focused on concepts of interest (e.g., non-motor symptoms, key signs/symptoms and impacts).
	Includes relevant population (e.g., symptom fluctuations, on/off states, advanced PD).	<i>The Fox Insight website is focused on the relevant population (i.e., Parkinson's).</i>
Exclusion	Not related to concepts of interest.	Not related to concepts of interest.
	Not full-text articles.	Not full-text articles.
	Data is only quantitative.	Data on methodology only.
	Systematic reviews or meta-analyses.	Systematic reviews or meta-analyses.
	No evidence of patient disease severity, i.e., early vs advanced PD.	Already reviewed in other searches.

PD=Parkinson's disease

Table S2. Professional characteristics of the clinician sample (N=3)

Description	Total clinicians (N=3)
Current role, n (%)	
Movement disorder specialist	2 (67)
Neurologist	1 (33)
Years in role, n (%)	
5-10 years	1 (33)
10+ years	2 (67)
Job title, n (%)	
Neurologist	2 (67)
Associate Professor of Neurology	1 (33)
Current employment setting, n (%)*	
University medical hospital	2 (67)
Hospital-based care	1 (33)
Private practice	1 (33)
Modified Hoehn and Yahr stages experienced treating, n (%)	
All stages (stages 1-5)	3 (100)
Years spent managing/treating patients with PD	
Mean	11
Min, Max	9-13
Average number of patients with PD treated each month	
Mean	92
Min, Max	25-200

* More than one option reported

15