




Supplementary Figure. Incidence of intraocular pressure-lowering medication addition during the 12-month follow-up by subgroups. IOP = intraocular pressure, *** = $p < 0.001$

Supplementary Table. Distribution and time points of intraocular pressure of the study population before and after the fluocinolone acetonide intravitreal implant

	Before FAc intravitreal implant injection	M1	M3	M6	M12	Last recorded IOP
IOP > 10 mmHg						
No	6 (2.7)	4 (1.8)	3 (1.4)	4 (1.8)	1 (0.5)	4 (1.8)
Yes	215 (97.3)	163 (73.8)	94 (42.5)	144 (65.2)	94 (42.5)	208 (94.1)
IOP > 25 mmHg						
No	220 (99.5)	157 (71.0)	91 (41.2)	137 (61.9)	92 (41.6)	200 (90.5)
Yes	1 (0.5)	10 (4.5)	6 (2.7)	11 (4.9)	3 (1.4)	12 (5.4)
IOP > 30 mmHg						
No	221 (100)	167 (75.6)	95 (42.9)	146 (66.1)	93 (42.1)	207 (93.7)
Yes	0	0	2 (0.9)	2 (0.9)	2 (0.9)	5 (2.3)

IOP = intraocular pressure, M = month after the FAc intravitreal implant injection, FAc = Fluocinolone acetonide intravitreal implant

Categorical variables are displayed as number (percentage) of eyes.

Missing data in number of eyes: M1 (n = 54); M3 (n = 124); M6 (n = 73); M12 (n = 126); Last recorded IOP (n = 9)