

Population pharmacokinetics of ceftriaxone in critically ill patients receiving extracorporeal membrane oxygenation (an ASAP ECMO study)

Clinical Pharmacokinetics

Authors

Vesa Cheng^{a,b}, Mohd H. Abdul-Aziz^a, Fay Burrows^c, Hergen Buscher^{d,e}, Young-Jae Cho^f, Amanda Corley^g, Eileen Gilder^h, Hyung-Sook Kimⁱ, Sung Yoon Lim^f, Shay McGuinness^h, Rachael Parke^{h,j}, Claire Reynolds^d, Sam Rudham^d, Steven C. Wallis^a, Susan A. Welch^c, John F. Fraser^{b,k,l,m}, Kiran Shekar^{b,k,l,m}, Jason A. Roberts^{a,n,o} on behalf of ASAP ECMO

Investigators

Affiliations

^a University of Queensland Centre for Clinical Research (UQCCR), Faculty of Medicine, The University of Queensland, Brisbane, Queensland, Australia

^b Adult Intensive Care Services and Critical Care Research Group, The Prince Charles Hospital, Brisbane, Queensland, Australia

^c Department of Pharmacy, St Vincent's Hospital, Sydney, New South Wales, Australia

^d Department of Intensive Care Medicine, St Vincent's Hospital, Sydney, New South Wales, Australia

^e St Vincent's Centre for Applied Medical Research, University of New South Wales, Sydney, New South Wales, Australia

^f Division of Pulmonary and Critical Care Medicine, Department of Internal Medicine, Seoul National University College of Medicine, Seoul National University Bundang Hospital, Seongnam, Republic of Korea

^g Adult Intensive Care Services, the Prince Charles Hospital, Chermside, Australia

^h Cardiothoracic and Vascular Intensive Care Unit, Auckland City Hospital, Auckland, New Zealand

ⁱ Department of Pharmacy, Seoul National University Bundang Hospital, Seongnam, Republic of Korea

^j School of Nursing, The University of Auckland, Auckland, New Zealand

^k Faculty of Medicine, The University of Queensland, Brisbane, Queensland, Australia

^l Faculty of Health, Queensland University of Technology, Brisbane, Queensland, Australia

^m Faculty of Health Sciences and Medicine, Bond University, Gold Coast, Queensland, Australia

ⁿ Departments of Intensive Care Medicine and Pharmacy, Royal Brisbane and Women's Hospital, Brisbane, Queensland, Australia

^o Division of Anaesthesiology Critical Care Emergency and Pain Medicine, Nîmes University Hospital, University of Montpellier, Nîmes, France

Corresponding author:

Professor Jason A. Roberts

University of Queensland Centre for Clinical Research (UQCCR)

Faculty of Medicine, The University of Queensland

Royal Brisbane & Women's Hospital Campus Herston, QLD, 4029, Australia

Email: j.roberts2@uq.edu.au

Phone: +61 7 334 65032

Additional file 1: Diagnostic plots for the final covariate model for total and unbound ceftriaxone. Observed vs. population (left) and individual (right) predicted plots. Total concentration (top) and unbound concentration (bottom)

