

The XINDI study: a randomized Phase III clinical trial evaluating the efficacy and safety of safinamide as add-on therapy to levodopa in Chinese Parkinson's disease patients with motor fluctuations.

Qianqian Wei^a, Yuyan Tan^b, Pingyi Xu^c, Enxiang Tao^d, Zuneng Lu^e, Xiaoping Pan^f, Baojun Wang^g, Chunfeng Liu^h, Xueshuang Dongⁱ, Yuling Tian^l, Xin Sun^m, Carlo Cattaneoⁿ, Shengdi Chen^o, Huifang Shang^p on behalf of the XINDI Study Investigators Group

Affiliations:

^a Department of Neurology, West China Hospital of Sichuan University, Chengdu, China

^b Department of Neurology, Ruijin Hospital, Shanghai Jiao Tong University School of Medicine, Shanghai, China

^c Department of Neurology, The First Affiliated Hospital of Guangzhou Medical University, Guangzhou, China

^d Department of Neurology, Sun Yat-sen Memorial Hospital, Guangzhou, China

^e Department of Neurology, Renmin Hospital of Wuhan University, Wuhan, China

^f Department of Neurology, Guangzhou First People's Hospital, Guangzhou, China

^g Department of Neurology, Baotou City Central Hospital, Baotou, China

^h Department of Neurology, The second affiliated hospital of Soochow University, Suzhou, China

ⁱ Department of Neurology, Daqing Oilfield General Hospital, Daqing, China

^l Department of Neurology, The First Hospital of Shanxi Medical University, Taiyuan, China

^m Department of Neurology, The First Bethune Hospital of Jilin University, Jilin, China

ⁿ Medical Department, Zambon SpA, Bresso, Italy

^o Department of Neurology, Ruijin Hospital, Shanghai Jiao Tong University School of Medicine, Shanghai, China

^p Department of Neurology, West China Hospital of Sichuan University, Chengdu, China

[#]Qianqian Wei and Yuyan Tan contributed to the work equally

***Correspondence to:**

Huifang Shang, Department of Neurology, West China Hospital of Sichuan University, No. 37 Guoxue Alley, Wuhou District, Sichuan Province, Chengdu, 610041 China, email: hfshang2002@163.com, phone 0086-18980602127

or

Shengdi Chen, Department of Neurology, Ruijin Hospital, Shanghai Jiao Tong University School of Medicine, No. 197 Ruijin Er Road, Shanghai, 2000001 China, email: chensd@rjh.com.cn, phone 0086-2164454473

SUPPLEMENTARY TABLE 3: XINDI STUDY INVESTIGATORS GROUP

Shengdi Chen, Neurology Department, Shanghai Jiao Tong University School of Medicine, Ruijin Hospital, Shanghai, China

Huifang Shang, Neurology Department, West China Hospital of Sichuan University, Chengdu, China

Enxiang Tao, Neurology Department, Sun Yat-sen Memorial Hospital, Guangzhou, China

Chunfeng Liu, Neurology Department, The second affiliated hospital of Soochow University, Suzhou, China

Yuncheng Wu, Neurology Department, Shanghai General Hospital, Shanghai, China

Deqin Geng, Neurology Department, The Affiliated Hospital of Xuzhou Medical University, Xuzhou, China

Zuneng Lu, Neurology Department, Renmin Hospital of Wuhan University, Wuhan, China

Pingyi Xu, Neurology Department, The First Affiliated Hospital of Guangzhou Medical University, Guangzhou, China

Xingyue Hu, Neurology Department, Sir Run Run Shaw Hospital, Zhejiang University, Hangzhou, China

Yongjie Luo, Neurology Department, Sichuan Provincial People's Hospital, Chengdu, China

Jie Zhou, Neurology Department, Chongqing Three Gorges Central Hospital, Chongqing, China

Wei Huang, Neurology Department, The Second Affiliated Hospital of Nanchang University, Nanchang, China

Guoqian Chen, Neurology Department, Wenzhou Medical College-The First Affiliated Hospital, Wenzhou, China

Yuling Tian, Neurology Department, The First Hospital of Shanxi Medical University, Taiyuan, China

Houzheng Tuo, Neurology Department, Beijing Friendship Hospital, Beijing, China

Baojun Wang, Neurology Department, Baotou City Central Hospital, Baotou, China

Meiyun Zhang, Neurology Department, Tianjin Union Medicine Center, Tianjin, China

Junyan Liu, Neurology Department, The Third Hospital of Hebei Medical University, Shijiazhuang, China

Xin Sun, Neurology Department, The First Bethune Hospital of Jilin University, Jilin, China

Ling Jiao, Neurology Department, The Affiliated Hospital of Guiyang Medical College, Guiyang, China

Lingjing Jin, Neurology Department, Tongji Hospital of Tongji University, Shanghai, China

Tao Feng, Neurology Department, Beijing Tiantan Hospital Affiliated to Capital Medical University, Beijing, China

Yiming Liu, Neurology Department, Qilu Hospital of Shandong University, Jinan, China

Baorong Zhang, Neurology Department, The Second Affiliated Hospital of Zhejiang University, Hangzhou, China

Qinyong Ye, Neurology Department, Fujian Medical University Union Hospital, Fuzhou, China

Yun Xu, Neurology Department, Nanjing Drum Tower Hospital, Nanjing, China

Jianren Liu, Neurology Department, Shanghai Ninth People's Hospital, Shanghai, China

Shaojuan Gu, Neurology Department, The Third Xiangya Hospital of Central South University, Changsha, China

Yu Ming Xu, Neurology Department, The First Affiliated Hospital of Zhengzhou University, Zhengzhou, China

Xueshuang Dong, Neurology Department, Daqing Oilfield General Hospital, Daqing, China

Dan Liu, Neurology Department, The First Affiliated Hospital of Baotou Medical University, Baotou, China

Xiaoping Pan, Neurology Department, Guangzhou First People's Hospital, Guangzhou, China