

| Study               | Title                                                                                                                                           | Exclusion reason                      |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| Bencivenga 2022     | Role of frailty on cardiac rehabilitation in hospitalized older patients.                                                                       | Wrong study design / publication type |
| Loveland 2022       | Geriatric home-based rehabilitation in Australia: Preliminary data from an inpatient bed-substitution model.                                    | Wrong study design / publication type |
| Arjunan 2018        | Feasibility and validity of frailty measurement in geriatric rehabilitation.                                                                    | Wrong study design / publication type |
| Soh 2023            | Clinical frailty scale score during geriatric rehabilitation predicts short-term mortality: RESORT cohort study.                                | Wrong study design / publication type |
| Soh 2021            | Trajectories of functional performance recovery after inpatient geriatric rehabilitation: an observational study.                               | Wrong study design / publication type |
| Morghen 2017        | The association between patient participation and functional gain following inpatient rehabilitation.                                           | Wrong study design / publication type |
| Tedesco 2018        | Impact of rehabilitation on mortality and readmissions after surgery for hip fracture.                                                          | Wrong study design / publication type |
| VerstraetenLMG 2024 | The impact of mobility limitations on geriatric rehabilitation outcomes: Positive effects of resistance exercise training (RESORT).             | Wrong study design / publication type |
| Rose 2019           | Shared decision-making within goal-setting in rehabilitation: a mixed-methods study.                                                            | Wrong study design / publication type |
| Pfeufer 2020        | Multidisciplinary inpatient rehabilitation improves the long-term functional status of geriatric hip-fracture patients.                         | Wrong study design / publication type |
| Soh 2022            | Predictors for the Transitions of Poor Clinical Outcomes Among Geriatric Rehabilitation Inpatients.                                             | Wrong study design / publication type |
| Low 2021            | Impact of place of residence frailty and other factors on rehabilitation outcomes post hip fracture.                                            | Wrong study design / publication type |
| Johansson 2023      | Frail community-dwelling older persons' everyday lives and their experiences of rehabilitation - a qualitative study.                           | Wrong study design / publication type |
| Goos-Peek 2017      | The added value of clinical geriatric assessment prior to geriatric rehabilitation.                                                             | Wrong study design / publication type |
| Kool 2017           | Predictors for living at home after geriatric inpatient rehabilitation: A prospective cohort study.                                             | Wrong study design / publication type |
| Honda 2024          | Impact of frailty and prefrailty on the mid-term outcomes and rehabilitation course after cardiac surgery.                                      | Wrong intervention                    |
| Beck 2017           | [Focus on nutrition improves the effect of rehabilitation in geriatric patients].                                                               | Wrong language                        |
| Arjunan 2019        | Gait Speed and Frailty Status in Relation to Adverse Outcomes in Geriatric Rehabilitation.                                                      | Wrong study design / publication type |
| TolleyAPL 2022      | Characteristics of geriatric rehabilitation inpatients based on their frailty severity and change in frailty severity during admission: RESORT. | Wrong study design / publication type |
| Ohta 2021           | Predicting factors of elderly patients' discharge to home after rehabilitation in rural Japan: a retrospective cohort study.                    | Wrong study design / publication type |
| vanTol 2024         | Post-COVID-19 patients in geriatric rehabilitation substantially recover in daily functioning and quality of life.                              | Wrong study design / publication type |
| Williams 2024       | An Early Supported Discharge (ESD) Model of Care for Older Adults Admitted to Hospital: A Descriptive Cohort Study.                             | Wrong study design / publication type |

|                  |                                                                                                                                                                                                            |                                       |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| VluggenTPMM 2020 | Factors associated with successful home discharge after inpatient rehabilitation in frail older stroke patients.                                                                                           | Wrong study design / publication type |
| Ullrich 2019     | Life-space mobility in older persons with cognitive impairment after discharge from geriatric rehabilitation.                                                                                              | Wrong study design / publication type |
| Jorgensen 2020   | A cohort study of the effects of multidisciplinary in-patient primary care in older adults.                                                                                                                | Wrong study design / publication type |
| Eichler 2020     | Geriatric or cardiac rehabilitation? Predictors of treatment pathways in advanced age patients after transcatheter aortic valve implantation.                                                              | Wrong study design / publication type |
| Marston 2022     | Is there a relationship between intensity of occupational therapy and functional outcomes in hospitalised older patients? A prospective cohort study.                                                      | Wrong study design / publication type |
| Rinaldo 2022     | Functional capacity assessment and Minimal Clinically Important Difference in post-acute cardiac patients: the role of Short Physical Performance Battery.                                                 | Wrong study design / publication type |
| Ogawa 2022       | Poor Oral Health Is a Factor that Attenuates the Effect of Rehabilitation in Older Male Patients with Fractures.                                                                                           | Wrong study design / publication type |
| Hauer 2017       | Effects of Standardized Home Training in Patients with Cognitive Impairment following Geriatric Rehabilitation: A Randomized Controlled Pilot Study.                                                       | Wrong intervention                    |
| Schuijt 2021     | Does the frailty index predict discharge disposition and length of stay at the hospital and rehabilitation facilities?                                                                                     | Wrong study design / publication type |
| Stuck 2022       | Ability of 3 Frailty Measures to Predict Short-Term Outcomes in Older Patients Admitted for Post-Acute Inpatient Rehabilitation.                                                                           | Wrong study design / publication type |
| Yamashita 2022   | Overlapping states of AWGS muscle dysfunction and inverse feasibility of ADL recovery by rehabilitation in older inpatients.                                                                               | Wrong study design / publication type |
| Singh 2012       | Predictors of adverse outcomes on an acute geriatric rehabilitation ward.                                                                                                                                  | Wrong study design / publication type |
| VluggenTPMM 2020 | Feasibility of an integrated multidisciplinary geriatric rehabilitation programme for older stroke patients: a process evaluation.                                                                         | Wrong study design / publication type |
| Hershkovitz 2019 | The association between hand grip strength and rehabilitation outcome in post-acute hip fractured patients.                                                                                                | Wrong study design / publication type |
| Ni 2017          | The rehabilitation enhancing aging through connected health (REACH) study: study protocol for a quasi-experimental clinical trial.                                                                         | Wrong study design / publication type |
| Bachmann 2018    | Association of potentially inappropriate medications with outcomes of inpatient geriatric rehabilitation : A prospective cohort study.                                                                     | Wrong study design / publication type |
| Ullrich 2022     | Effects of a Home-Based Physical Training and Activity Promotion Program in Community-Dwelling Older Persons with Cognitive Impairment after Discharge from Rehabilitation: A Randomized Controlled Trial. | Wrong intervention                    |
| Dutzi 2017       | Cognitive Change in Rehabilitation Patients with Dementia: Prevalence and Association with Rehabilitation Success.                                                                                         | Wrong study design / publication type |
| Takatori 2023    | Effects of social activity participation and trust in the community on the transition of frailty classification in late-stage older adults: a 4-year prospective cohort study.                             | Wrong study design / publication type |
| Soh 2022         | Comparison of the modified Frailty-Index based on laboratory tests and the Clinical Frailty Scale in predicting mortality among geriatric rehabilitation inpatients: RESORT.                               | Wrong study design / publication type |
| Coleman 2012     | Outcomes among older people in a post-acute inpatient rehabilitation unit.                                                                                                                                 | Wrong study design / publication type |
| Moen 2018        | Physical function of elderly patients with multimorbidity upon acute hospital admission versus 3 weeks post-discharge.                                                                                     | Wrong study design / publication type |
| Panzeri 2021     | Gender differences and long-term outcome of over 75 elderlies in cardiac rehabilitation: highlighting the role of psychological and physical factors through a secondary analysis of a cohort study.       | Wrong intervention                    |

|                      |                                                                                                                                                                                                                                                  |                                       |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| Shimizu 2024         | Relationship between independence in activities of daily living at discharge and physical activity at admission of older postoperative hip fracture rehabilitation inpatients: A retrospective case-control study.                               | Wrong study design / publication type |
| Lelli 2019           | 25(OH) vitamin D and functional outcomes in older adults admitted to rehabilitation units: the safari study.                                                                                                                                     | Wrong study design / publication type |
| Mitsutake 2020       | Associations of Hospital Discharge Services With Potentially Avoidable Readmissions Within 30 Days Among Older Adults After Rehabilitation in Acute Care Hospitals in Tokyo; Japan.;"                                                            | Wrong study design / publication type |
| Wilhelmson 2011      | Design of a randomized controlled study of a multi-professional and multidimensional intervention targeting frail elderly people.                                                                                                                | Wrong study design / publication type |
| Kiel 2019            | [Course of Treatment and Sustainability of Ambulatory Geriatric Rehabilitation - An Analysis of 128 Geriatric Patients].                                                                                                                         | Wrong language                        |
| Fairhall 2011        | ICF participation restriction is common in frail - community-dwelling older people: an observational cross-sectional study.                                                                                                                      | Wrong study design / publication type |
| Chrusciel 2024       | Predictive value of a self-administered frailty screening questionnaire for the effectiveness of functional rehabilitation evaluated with the locomotor functional independence measure in a geriatric rehabilitation unit: a multicentre cohort | Wrong study design / publication type |
| Calle 2018           | Frailty Related Factors as Predictors of Functional Recovery in Geriatric Rehabilitation: The Sarcopenia And Function in Aging Rehabilitation (SAFARI) Multi-Centric study.                                                                      | Wrong study design / publication type |
| Ogawa 2021           | Elderly Patients after Stroke Increase Skeletal Muscle Mass by Exercise Therapy in Rehabilitation Wards.                                                                                                                                         | Wrong study design / publication type |
| Guido 2015           | A comorbidity prognostic effect on post-hospitalization outcome in a geriatric rehabilitation setting: the pivotal role of functionality - assessed by mediation model - and association with the Brass index.                                   | Wrong study design / publication type |
| Thalmann 2020        | Do older adults benefit from post-acute care following hospitalisation? A prospective cohort study at three Swiss nursing homes.                                                                                                                 | Wrong study design / publication type |
| Schoon 2014          | Gait speed as a test for monitoring frailty in community-dwelling older people has the highest diagnostic value compared to step length and chair rise time.                                                                                     | Wrong study design / publication type |
| Roberts 2012         | Is grip strength associated with length of stay in hospitalised older patients admitted for rehabilitation? Findings from the Southampton grip strength study.                                                                                   | Wrong study design / publication type |
| Jamour 2014          | [Effectiveness of geriatric rehabilitation in the oldest old: evaluation of South German observational data].                                                                                                                                    | Wrong language                        |
| Parker 2015          | Randomized controlled trial of the effect of additional functional exercise during slow-stream rehabilitation in a regional center.                                                                                                              | Wrong intervention                    |
| VanceaNemirschi 2024 | Exploring the Connections Between Grip Strength - Nutritional Status - Frailty - Depression - and Cognition as Initial Assessment Tools in Geriatric Rehabilitation-A Pilot Study.                                                               | Wrong study design / publication type |
| VigorÃ" 2022         | Frailty and rehabilitation outcome in older patients with cardiorespiratory disease: preliminary multidimensional data.                                                                                                                          | Wrong study design / publication type |
| Tuna 2019            | Rapid Geriatric Assessment - Physical Activity - and Sleep Quality in Adults Aged more than 65 Years: A Preliminary Study.                                                                                                                       | Wrong study design / publication type |
| Ogawa 2022           | Independent factors that attenuate the effectiveness of fracture rehabilitation in improving activities of daily living in female patients aged 80Ã" years and above.                                                                            | Wrong study design / publication type |
| Yoo 2013             | Intensified rehabilitation therapy and transitions to skilled nursing facilities in community-living seniors with acute medical illnesses.                                                                                                       | Wrong intervention                    |
| Kiel 2020            | Evaluation of an ambulatory geriatric rehabilitation program - results of a matched cohort study based on claims data.                                                                                                                           | Wrong study design / publication type |
| Aickin 2022          | Prevalence of frailty and frailty outcomes within the inpatient rehabilitation setting: use of routinely collected electronic health information.                                                                                                | Wrong study design / publication type |
| Vega-RamÃ"rez 2017   | Analysis of home-based rehabilitation in patients with motor impairment in primary care: a prospective observational study.                                                                                                                      | Wrong study design / publication type |

|                       |                                                                                                                                                                                                         |                                       |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| Ushijima 2021         | Effects of cardiac rehabilitation on physical function and exercise capacity in elderly cardiovascular patients with frailty.                                                                           | Wrong intervention                    |
| Pereira 2010          | How can we improve targeting of frail elderly patients to a geriatric day-hospital rehabilitation program?                                                                                              | Wrong study design / publication type |
| Budui 2019            | Effects of an Intensive Inpatient Rehabilitation Program in Elderly Patients with Obesity.                                                                                                              | Wrong study design / publication type |
| González-Bernal 2021  | Influence of the Use of Wii Games on Physical Frailty Components in Institutionalized Older Adults.                                                                                                     | Wrong intervention                    |
| Baldasseroni 2023     | Predictors of physical frailty improvement in older patients enrolled in a multidisciplinary cardiac rehabilitation program.                                                                            | Wrong study design / publication type |
| Drenth 2023           | Nursing home geriatric rehabilitation care and interprofessional collaboration; a practice-based study.                                                                                                 | Wrong study design / publication type |
| Yamashita 2023        | Protocols and Features of Goal-Setting-Based Intervention for Frail Older Adults in Community Exercise Facilities.                                                                                      | Wrong study design / publication type |
| Comans 2011           | Factors associated with quality of life and caregiver strain amongst frail older adults referred to a community rehabilitation service: implications for service delivery.                              | Wrong study design / publication type |
| Pacifico 2022         | The Association between Sarcopenia as a Comorbid Disease and Incidence of Institutionalisation and Mortality in Geriatric Rehabilitation Inpatients: RESORing health of acutely unwell adults (RESORT). | Wrong study design / publication type |
| Shimizu 2024          | Effects of Sarcopenia on Changes in the Prevalence of Patients with Depressive Mood during Inpatient Geriatric Rehabilitation.                                                                          | Wrong study design / publication type |
| Sasaki 2024           | Implementation status of postoperative rehabilitation for older patients with hip fracture in Kyoto City - Japan: A population-based study using medical and long-term care insurance claims data.      | Wrong study design / publication type |
| Hettiarachchi 2024    | Body Weight and Composition Changes in Geriatric Rehabilitation Are Dependent on Sarcopenia and Malnutrition: RESORT.                                                                                   | Wrong study design / publication type |
| Daniel 2012           | Wii-hab for pre-frail older adults.,"                                                                                                                                                                   | Wrong intervention                    |
| Shimizu 2023          | Early physical rehabilitation effectiveness in frail older patients hospitalized for community-acquired pneumonia: analysis of a nationwide database in Japan.                                          | Wrong study design / publication type |
| Pongpipatpaiboon 2018 | Preliminary Study on Prevalence and Associated Factors with Sarcopenia in a Geriatric Hospitalized Rehabilitation Setting.                                                                              | Wrong study design / publication type |
| Steinmetz 2024        | The prevalence and impact of sarcopenia in older cardiac patients undergoing inpatient cardiac rehabilitation - results from a prospective - observational cohort pre-study.                            | Wrong study design / publication type |
| Niccoli 2017          | Whey Protein Supplementation Improves Rehabilitation Outcomes in Hospitalized Geriatric Patients: A Double Blinded - Randomized Controlled Trial.                                                       | Wrong population                      |
| deGroot 2023          | Association of Vulnerability Screening on Hospital Admission with Discharge to Rehabilitation-Oriented Care after Acute Hospital Stay.                                                                  | Wrong study design / publication type |
| Lindemann 2012        | Physical activity of moderately impaired elderly stroke patients during rehabilitation.                                                                                                                 | Wrong study design / publication type |
| TseMMY 2020           | Frailty is associated with pain and cognitive function in older people in post-acute care settings.                                                                                                     | Wrong study design / publication type |
| Ramezani 2019         | A Combination of Indoor Localization and Wearable Sensor-Based Physical Activity Recognition to Assess Older Patients Undergoing Subacute Rehabilitation: Baseline Study Results.                       | Wrong intervention                    |
| Rincón 2021           | Impact of an individual personalised rehabilitation program on mobility performance in older-old people.                                                                                                | Wrong study design / publication type |
| Harada 2017           | Effectiveness of Cardiac Rehabilitation for Prevention and Treatment of Sarcopenia in Patients with Cardiovascular Disease - A Retrospective Cross-Sectional Analysis.                                  | Wrong study design / publication type |

|                      |                                                                                                                                                                                      |                                       |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| Adachi 2022          | Association among mild cognitive impairment - social frailty - and clinical events in elderly patients with cardiovascular disease.                                                  | Wrong study design / publication type |
| Ogawa 2022           | Older patients with less skeletal muscle mass gain more skeletal muscle in rehabilitation wards after fractures.                                                                     | Wrong study design / publication type |
| Peel 2013            | Impact of Post-Acute Transition Care for Frail Older People: A Prospective Study.                                                                                                    | Wrong study design / publication type |
| Corna 2021           | Addition of aerobic training to conventional rehabilitation after hip fracture: a randomized - controlled - pilot feasibility study.                                                 | Wrong intervention                    |
| vanDamvanIsselt 2018 | Geriatric rehabilitation in older patients with cardiovascular disease: a feasibility study.                                                                                         | Wrong study design / publication type |
| Toft 2024            | Feasibility of early digital health rehabilitation after cardiac surgery in the elderly: a qualitative study.                                                                        | Wrong study design / publication type |
| Hauer 2020           | Specific Motor and Cognitive Performances Predict Falls during Ward-Based Geriatric Rehabilitation in Patients with Dementia.                                                        | Wrong study design / publication type |
| Ogawa 2022           | Factors associated with actual skeletal muscle mass increase during hip fracture rehabilitation of persons aged 80 and older.                                                        | Wrong study design / publication type |
| Shiozaki 2023        | Effects of Physiatrist and Physiotherapist-supervised Therapeutic Exercise on Physical Function in Frail Older Patients with Multimorbidity.                                         | Wrong study design / publication type |
| Ramsey 2021          | Geriatric Rehabilitation Inpatients Roam at Home! A Matched Cohort Study of Objectively Measured Physical Activity and Sedentary Behavior in Home-Based and Hospital-Based Settings. | Wrong study design / publication type |
| Freitas 2021         | Outpatient and Home-Based Treatment: Effective Settings for Hip Fracture Rehabilitation in Elderly Patients.                                                                         | Wrong study design / publication type |
| Yoshimura 2022       | Pharmacotherapy and the Role of Pharmacists in Rehabilitation Medicine.                                                                                                              | Wrong study design / publication type |
| JÃrgensen 2022       | Prevalence of Computer Use among Geriatric In- and Outpatients.                                                                                                                      | Wrong study design / publication type |
| Guerzoni 2020        | A two-year multicenter point prevalence study of older patients with hip fractures admitted to rehabilitation units in Italy.                                                        | Wrong study design / publication type |
| Magalhães 2023       | Implementation of Orthogeriatrics in Portugal.                                                                                                                                       | Wrong study design / publication type |
| Zuilekom 2019        | [Geriatric rehabilitation of patients selected at the emergency department: patient factors related to rehabilitation outcome].                                                      | Wrong language                        |
| Cooper 2020          | Prehabilitation vs Postoperative Rehabilitation for Frail Patients.                                                                                                                  | Wrong study design / publication type |
| López-García 2024    | Telerehabilitation: Vestibular Physiotherapy vs. Multicomponent Exercise for Functional Improvement in Older Adults: Randomized Clinical Trial.                                      | Wrong intervention                    |
| Romero-Ortuno 2014   | The Impact of Frailty on Post-Acute Rehabilitation Outcomes in Older Adults.                                                                                                         | Wrong study design / publication type |
| Hewage 2023          | The Hospital to Home study (H2H): smartwatch technology-enabled rehabilitation following hip fracture in older adults - a feasibility non-randomised trial.                          | Wrong study design / publication type |
| Yoshimura 2022       | Chair-Stand Exercise Improves Sarcopenia in Rehabilitation Patients after Stroke.                                                                                                    | Wrong study design / publication type |
| Maiden 2024          | Reimagining Day Rehabilitation For Frailty and Neurodegenerative Conditions through the integrated Rehabilitation and Enablement Program (iREAP).                                    | Wrong study design / publication type |
| RaijmannRCMA 2024    | Impact of geriatric co-management on outcomes in hospitalised cardiology patients aged 85 and over.                                                                                  | Wrong study design / publication type |

|                      |                                                                                                                                                                                                                |                                       |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| VerstraetenLMG 2023  | Sarcopenia - malnutrition and cognition affect physiotherapy frequency during geriatric rehabilitation: RESORT cohort.                                                                                         | Wrong study design / publication type |
| Brocki 2023          | Exercise-based real-time telerehabilitation for older patients recently discharged after transcatheter aortic valve implantation: An extended feasibility study.                                               | Wrong study design / publication type |
| EverinkIHJ 2023      | Nutritional Care Practices in Geriatric Rehabilitation Facilities across Europe: A Cross-Sectional Study.                                                                                                      | Wrong study design / publication type |
| Suzuki 2024          | Evaluation of a novel sub-acute Hospital in the Home model for providing inpatient geriatric and rehabilitation services.                                                                                      | Wrong study design / publication type |
| Chang 2025           | The Usability and Effect of a Novel Intelligent Rehabilitation Exergame System on Quality of Life in Frail Older Adults: Prospective Cohort Study.                                                             | Wrong study design / publication type |
| Keilhauer 2024       | [Rehabilitative subacute inpatient care-Optimizing posthospital care for geriatric patients with rehabilitation needs: results of the REKUP study].                                                            | Wrong language                        |
| FariaADCA 2023       | Effect of the Active Aging-in-Place-Rehabilitation Nursing Program: A Randomized Controlled Trial.                                                                                                             | Wrong intervention                    |
| Bayon-Calatayud 2018 | Short-Term Outcomes of Interdisciplinary Hip Fracture Rehabilitation in Frail Elderly Inpatients.                                                                                                              | Wrong study design / publication type |
| Rundell 2024         | Associations of Co-Occurring Chronic Conditions With Use of Rehabilitation Services in Older Adults With Back Pain: A Population-Based Cohort Study.                                                           | Wrong study design / publication type |
| Krakers 2024         | Rehabilitation of Frail Older Adults after Hip Fracture Surgery: Predictors for the Length of Geriatric Rehabilitation Stay at a Skilled Nursing Home.                                                         | Wrong study design / publication type |
| Krumov 2019          | The benefits to functional ambulation and physical activity of group-based rehabilitation in frail elderly Bulgarians undergoing total knee arthroplasty. Preliminary results.                                 | Wrong study design / publication type |
| Pedroli 2022         | Brain M-App's Structure and Usability: A New Application for Cognitive Rehabilitation at Home.                                                                                                                 | Wrong study design / publication type |
| Lubovsky 2024        | Perioperative and Postoperative Outcomes of Proximal Hip Fracture: A Comparison of Orthopedic and Geriatric Care Models.                                                                                       | Wrong study design / publication type |
| Steinmetz 2024       | Evaluation of frailty in geriatric patients undergoing cardiac rehabilitation after cardiac procedure: results of a prospective - cross-sectional study.                                                       | Wrong study design / publication type |
| VIÄfduÈu 2024        | Assessment and Rehabilitation in Sarcopenic Patients.                                                                                                                                                          | Wrong study design / publication type |
| Hashimoto 2022       | Benefits of a Balance Exercise Assist Robot in the Cardiac Rehabilitation of Older Adults with Cardiovascular Disease: A Preliminary Study.                                                                    | Wrong study design / publication type |
| Honzawa 2020         | Relationship Between Kihon Checklist Score and Anxiety Levels in Elderly Patients Undergoing Early Phase II Cardiac Rehabilitation.                                                                            | Wrong study design / publication type |
| Lee 2025             | Outcomes after inpatient rehabilitation for older adults with hip fractures: A cross-sectional study.                                                                                                          | Wrong study design / publication type |
| Noeske 2025          | Walking self-confidence and lower levels of anxiety are associated with meeting recommended levels of physical activity after hip fracture: a cross-sectional study.                                           | Wrong intervention                    |
| Urquiza 2025         | Predictors of Hospital Readmission - Institutionalization and Mortality in Geriatric Rehabilitation Following Hospitalization According to Admission Reason.                                                   | Wrong study design / publication type |
| NÄ°Ä±ez-CortÄ°s 2024 | Comorbidity burden and nutritional status are associated with short-term improvement in functional independence and pain intensity after hip fracture surgery in older adults with in-hospital rehabilitation. | Wrong study design / publication type |
| Deutsch 2024         | Trends in the Characteristics and Outcomes of Older Medicare Patients With Traumatic Brain Injury Treated in Inpatient Rehabilitation Facilities: 2013 to 2018.                                                | Wrong study design / publication type |
| Schroeder 2024       | Home Versus Hospital Rehabilitation of Older Adults Following Hip Fracture Yields Similar Patient-Reported Outcome Measures.                                                                                   | Wrong study design / publication type |

|                  |                                                                                                                                                                                                                               |                                       |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| Pattath 2023     | A Comparison of Acute Ischemic Stroke Patients Discharged to Inpatient Rehabilitation vs a Skilled Nursing Facility: The Paul Coverdell National Acute Stroke Program.                                                        | Wrong study design / publication type |
| Hayes 2023       | Medicare Advantage Patterns of Poststroke Discharge to an Inpatient Rehabilitation or Skilled Nursing Facility: A Consideration of Demographic - Functional and Payer Factors.                                                | Wrong study design / publication type |
| Snowdon 2023     | Client and service factors associated with changes in health-related quality of life following community rehabilitation.                                                                                                      | Wrong study design / publication type |
| Nishiomasu 2023  | Indicators of Improvement in Performing Activities of Daily Living Among Older Patients Undergoing Rehabilitation Following Hip Fractures.                                                                                    | Wrong study design / publication type |
| Andersen 2022    | Impact of Frailty on Acute Rehabilitation Outcomes: An Observational Study in a Regional Australian Context.                                                                                                                  | Wrong study design / publication type |
| Hershkovitz 2022 | Are extracapsular and intracapsular hip-fracture patients two distinct rehabilitation subpopulations?                                                                                                                         | Wrong study design / publication type |
| Morri 2022       | Post-hospital care pathway for individuals with hip fracture: what is the optimal setting and rehabilitation intensity? An observational study.                                                                               | Wrong study design / publication type |
| Schuetze 2022    | Geriatric patients with dementia show increased mortality and lack of functional recovery after hip fracture treated with hemiprosthesis.                                                                                     | Wrong study design / publication type |
| Lindblom 2022    | Referral-based transition to subsequent rehabilitation at home after stroke: one-year outcomes and use of healthcare services.                                                                                                | Wrong study design / publication type |
| Ohtsubo 2022     | Association of sarcopenia and physical activity with functional outcome in older Asian patients hospitalized for rehabilitation.                                                                                              | Wrong study design / publication type |
| Peiris 2022      | Functional status of community-dwelling older adults after inpatient rehabilitation.                                                                                                                                          | Wrong study design / publication type |
| Nishioka 2021    | Prevalence and Associated Factors of Coexistence of Malnutrition and Sarcopenia in Geriatric Rehabilitation.                                                                                                                  | Wrong study design / publication type |
| Simpson 2021     | New Problems and Iatrogenic Events Among Older Adults in the First 30 Days of Post-Acute Rehabilitation.                                                                                                                      | Wrong study design / publication type |
| Wan 2021         | Risk Factors of Readmissions in Geriatric Rehabilitation Patients: RESORT.                                                                                                                                                    | Wrong study design / publication type |
| Morris 2021      | Demographic Characteristics and Functional Levels of Patients With Fragility Fractures Who Accept Tele-rehabilitation as an Alternative to Face-to-face Home Rehabilitation.                                                  | Wrong study design / publication type |
| Verstraeten 2021 | Association between malnutrition and stages of sarcopenia in geriatric rehabilitation inpatients: RESORT.                                                                                                                     | Wrong study design / publication type |
| Warhurst 2020    | Patient characteristics - treatment outcomes and rehabilitation practices for patients admitted with hip fractures using multiple data set analysis.                                                                          | Wrong study design / publication type |
| Laurent 2020     | Functional decline in geriatric rehabilitation ward; is it ascribable to hospital acquired infection? A prospective cohort study.                                                                                             | Wrong study design / publication type |
| Daly 2020        | Predictors of Exceeding Target Inpatient Rehabilitation Length of Stay After Hip Fracture.                                                                                                                                    | Wrong study design / publication type |
| Kabboord 2020    | The modified functional comorbidity index performed better than the Charlson index and original functional comorbidity index in predicting functional outcome in geriatric rehabilitation: a prospective observational study. | Wrong study design / publication type |
| McKechne 2020    | Examination of the dependency and complexity of patients admitted to in-patient rehabilitation in Australia.                                                                                                                  | Wrong study design / publication type |
| Andrews 2018     | Improvement During Inpatient Rehabilitation Among Older Adults With Guillain-Barré Syndrome - Multiple Sclerosis - Parkinson Disease and Stroke.                                                                              | Wrong study design / publication type |
| Cecchi 2018      | Predictors of recovering ambulation after hip fracture inpatient rehabilitation.                                                                                                                                              | Wrong study design / publication type |

|                           |                                                                                                                                                                              |                                       |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| Petrelli 2018             | Effect of Socioeconomic Status on Surgery Waiting Times and Mortality After Hip Fractures in Italy.                                                                          | Wrong study design / publication type |
| Hershkovitz 2018          | The Association between Anticholinergic Drug Use and Rehabilitation Outcome in Post-Acute Hip Fractured Patients: A Retrospective Cohort Study.                              | Wrong study design / publication type |
| Hershkovitz 2017          | Place orientation and visual construction subdomains of the Mini Mental State Examination test as predictors of rehabilitation outcome of post-acute hip-fractured patients. | Wrong study design / publication type |
| SUGARHOOD 2017            | Participation in advanced age: enacting values - an adaptive process.                                                                                                        | Wrong study design / publication type |
| Huijben&Schoenmakers 2017 | Cognition in relation to independency in older - comorbid stroke patients in a stroke unit.                                                                                  | Wrong study design / publication type |
| Kumar 2017                | Comorbidity Indices Versus Function as Potential Predictors of 30-Day Readmission in Older Patients Following Postacute Rehabilitation.                                      | Wrong study design / publication type |
| Bernard 2016              | Higher Charlson Comorbidity Index scores do not influence Functional Independence Measure score gains in older rehabilitation patients.                                      | Wrong study design / publication type |
| Mitchell 2016             | Hip fracture and the influence of dementia on health outcomes and access to hospital-based rehabilitation for older individuals.                                             | Wrong study design / publication type |
| Liu 2016                  | Association Between Hospital Admission Risk Profile Score and Skilled Nursing or Acute Rehabilitation Facility Discharges in Hospitalized Older Adults.                      | Wrong study design / publication type |
| Galloway 2016             | Hospital Readmission Following Discharge From Inpatient Rehabilitation for Older Adults With Debility.                                                                       | Wrong study design / publication type |
| Nolan 2016                | Frailty and its association with rehabilitation outcomes in a post-acute older setting.                                                                                      | Wrong study design / publication type |
| Fisher 2016               | Predictors of 30-Day Readmission Following Inpatient Rehabilitation for Patients at High Risk for Hospital Readmission.                                                      | Wrong study design / publication type |
| Morandi 2015              | The Association Between the Probability of Sarcopenia and Functional Outcomes in Older Patients Undergoing In-Hospital Rehabilitation.                                       | Wrong study design / publication type |
| Kushner 2015              | Evaluating Siebens Domain Management Model for Inpatient Rehabilitation to Increase Functional Independence and Discharge Rate to Home in Geriatric Patients.                | Wrong study design / publication type |
| Ireland 2015              | Risk factor profiles for early and delayed mortality after hip fracture: Analyses of linked Australian Department of Veterans' Affairs databases.                            | Wrong study design / publication type |
| Chow 2014                 | Factors and Trade-Offs With Rehabilitation Effectiveness and Efficiency in Newly Disabled Older Persons.                                                                     | Wrong study design / publication type |
| Mallinson 2014            | Comparison of Discharge Functional Status After Rehabilitation in Skilled Nursing - Home Health and Medical Rehabilitation Settings for Patients After Hip Fracture Repair.  | Wrong study design / publication type |
| Roberts 2014              | Risk factors for discharge to an acute care hospital from inpatient rehabilitation among stroke patients.                                                                    | Wrong study design / publication type |
| Vermeulen 2013            | Time Use of Stroke Patients with Stroke Admitted for Rehabilitation in Skilled Nursing Facilities.                                                                           | Wrong study design / publication type |
| Morandi 2013              | Predictors of Rehospitalization Among Elderly Patients Admitted to a Rehabilitation Hospital: The Role of Polypharmacy - Functional Status - and Length of Stay.             | Wrong study design / publication type |
| Mathew 2013               | Effect of Comorbidity on Functional Recovery After Hip Fracture in the Elderly.                                                                                              | Wrong study design / publication type |
| Portegijs 2012            | Failure to Regain Function at 3 months After Acute Hospital Admission Predicts Institutionalization Within 12 Months in Older Patients.                                      | Wrong study design / publication type |
| Martin 2012               | A longitudinal study of poor sleep after inpatient post-acute rehabilitation: the role of depression and pre-illness sleep quality.                                          | Wrong study design / publication type |

|                  |                                                                                                                                                                                                          |                                       |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| Cary Jr 2012     | Inpatient Rehabilitation Outcomes in Medicare Hip Fracture Patients.;                                                                                                                                    | Wrong study design / publication type |
| Torpilliesi 2012 | Outcomes of Nonagenarian Patients After Rehabilitation Following Hip Fracture Surgery.                                                                                                                   | Wrong study design / publication type |
| Martin 2011      | Poor Self-Reported Sleep Quality Predicts Mortality within One Year of Inpatient Post-Acute Rehabilitation among Older Adults.                                                                           | Wrong study design / publication type |
| Poynter 2011     | Does Cognitive Impairment Affect Rehabilitation Outcome?                                                                                                                                                 | Wrong study design / publication type |
| Dudkiewicz 2011  | Gender Differences Among Patients With Proximal Femur Fractures During Rehabilitation.                                                                                                                   | Wrong study design / publication type |
| Frengley 2011    | Influence of age on rehabilitation outcomes and survival in post-acute inpatient cardiac rehabilitation.                                                                                                 | Wrong study design / publication type |
| Young 2011       | Longitudinal Functional Recovery After Postacute Rehabilitation in Older Hip Fracture Patients: The Role of Cognitive Impairment and Implications for Long-Term Care.                                    | Wrong study design / publication type |
| Denkinger 2010   | Relationship between fear of falling and outcomes of an inpatient geriatric rehabilitation population -- fear of the fear of falling.                                                                    | Wrong study design / publication type |
| Zheng 2025       | Effects of Virtual Reality-Based Activities of Daily Living Rehabilitation Training in Older Adults With Cognitive Frailty and Activities of Daily Living Impairments: a Randomized Controlled Trial     | Wrong intervention                    |
| unknown authors  | Geriatrician-performed Comprehensive Geriatric Care in an Outpatient Community Rehabilitation Unit;"                                                                                                     | Wrong study design / publication type |
| Papaioannou 2023 | GERAS VIRTUAL FRAILTY REHABILITATION PROGRAM FOR FRAIL OLDER ADULTS: a PILOT RANDOMIZED CONTROLLED TRIAL                                                                                                 | Wrong study design / publication type |
| Vladutu 2023     | OUTPATIENT REHABILITATION IN SARCOPENIC PATIENTS                                                                                                                                                         | Wrong study design / publication type |
| Ioannidis 2022   | GERAS FRAILTY REHABILITATION AT HOME RANDOMIZED CONTROLLED TRIAL: VIRTUAL BUNDLED CARE FOR SENIORS WHO ARE FRAIL TO BUILD STRENGTH AND RESILIENCE DURING COVID-19                                        | Wrong study design / publication type |
| Xandri 2022      | How the VIVIFRAIL &copy; Multi-Component Exercise Program can improve the functional capacity of older patients admitted to a functional recovery unit                                                   | Wrong study design / publication type |
| Hirashiki 2022   | Robotic Exercise Rehabilitation of Older Adults With Cardiovascular Disease Appears Safe and Effective                                                                                                   | Wrong intervention                    |
| LiC-M 2010       | The effectiveness of a comprehensive geriatric assessment intervention program for frailty in community-dwelling older people: a randomized controlled trial                                             | Wrong intervention                    |
| Caplan 2006      | Does home treatment affect delirium? A randomised controlled trial of rehabilitation of elderly and care at home or usual treatment (The REACH-OUT trial)                                                | Wrong publication date                |
| Prescott 2021    | Home-based Extended Rehabilitation for Older people (HERO): study protocol for an individually randomised controlled multi-centre trial to determine the clinical and cost-effectiveness of a home-based | Wrong study design / publication type |
| no author        | Cognitive Intervention and Rehabilitation Outcomes in Hip Fracture Patients;"                                                                                                                            | Wrong study design / publication type |
| Ozaki 2017       | Training with a balance exercise assist robot is more effective than conventional training for frail older adults                                                                                        | Wrong intervention                    |
| Handoll 2021     | Multidisciplinary rehabilitation for older people with hip fractures                                                                                                                                     | Wrong study design / publication type |
| Campbell 2024    | Does an Inpatient Rehabilitation Admission Via the Community Prevent Hospital Readmissions in Older Adults? An Integrated Care Initiative                                                                | Wrong study design / publication type |
| OConnell 2024    | Determining Inclusion Criteria For Post-Acute Care Rehabilitation - Home Alone Is Not A Barrier To Success                                                                                               | Wrong study design / publication type |

|                    |                                                                                                                                                                                 |                                       |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| Vigore 2024        | Frailty in older patients with chronic obstructive pulmonary disease (COPD) undergoing a multidisciplinary rehabilitation                                                       | Wrong study design / publication type |
| Vigore 2023        | Frailty and rehabilitation outcome in older patients with cardiorespiratory disease: preliminary multidimensional data                                                          | Wrong study design / publication type |
| Tay 2023           | Functional outcomes of COVID-19 patients who underwent acute inpatient rehabilitation and the exploration of the benefits of adjunct robotic therapy and the effects of frailty | Wrong study design / publication type |
| Fraenkel 2023      | Stepped care versus center-based cardiopulmonary rehabilitation for older frail adults living in rural MA: Design of a feasibility randomized controlled trial                  | Wrong population                      |
| Grote 2023         | Outcomes of early rehabilitation in elderly patients                                                                                                                            | Wrong study design / publication type |
| Kuo 2023           | Measurement of 2 Frailty Indicators to Predict Physical Recovery after Rehabilitation in Older Patients Admitted to Acute Geriatric Ward                                        | Wrong study design / publication type |
| Magner 2023        | Avoiding acute hospital admission through rapid access rehabilitation pathways for frail older patients through cross site integrated working                                   | Wrong study design / publication type |
| Jain 2023          | Social Vulnerability and Delivery of In-hospital Rehabilitation Services to Older Adults With Critical Illness                                                                  | Wrong study design / publication type |
| Coen 2022          | OLDER PERSONS REHAB AT HOME (OPRAH) INDICATES AN EFFECTIVE ALTERNATIVE PATHWAY TO INPATIENT REHABILITATION                                                                      | Wrong study design / publication type |
| Hirashiki 2022     | Effects of Cardiac Rehabilitation after Discharge on Frailty and Balance in Elderly Patients with Cardiovascular Disease                                                        | Wrong study design / publication type |
| Haaksma 2022       | Recovery of daily functioning and quality of life in post- COVID-19 patients in geriatric rehabilitation                                                                        | Wrong study design / publication type |
| Hettiarachchi 2021 | Malnutrition is associated with poor trajectories of activities of daily living in geriatric rehabilitation inpatients: RESORT                                                  | Wrong study design / publication type |
| Amata 2021         | Role of frailty in functional recovery after hip fracture; the variable impact in restoring autonomy;                                                                           | Wrong study design / publication type |
| Cheung 2020        | Pilot study on a new intervention programme for geriatric hip fracture patient with sarcopenia                                                                                  | Wrong study design / publication type |
| Zintchouk 2019     | Impact of Geriatrician-Performed Comprehensive Geriatric Care on Medication Use and Cognitive Function in Older Adults Referred to a Non-Hospital-Based Rehabilitation Unit     | Wrong outcome                         |
| Aizen 2019         | Cognitive and functional outcomes in elderly patients with post-stroke delirium                                                                                                 | Wrong study design / publication type |
| DeGroot 2019       | Patient characteristics as early indicators of geriatric rehabilitation                                                                                                         | Wrong study design / publication type |
| McDaid 2019        | The feasibility of an interdisciplinary led community based functional training group for frail older adults in a post-acute orthogeriatric unit                                | Wrong study design / publication type |
| Ho 2019            | Pilot study on a new intervention program for geriatric hip fracture patient with sarcopenia                                                                                    | Wrong study design / publication type |
| Terbraak 2019      | Feasibility of home-based cardiac rehabilitation in frail patients                                                                                                              | Wrong study design / publication type |
| Jensen 2019        | CGA in rehabilitation units                                                                                                                                                     | Wrong study design / publication type |
| McDaid 2019        | Profiling clinical frailty in older adults in an Irish post-acute care ortho-geriatric unit                                                                                     | Wrong study design / publication type |
| Juul-Larsen 2018   | Patterns of multimorbidity in older medical patients (>= 65 years): And how they relate to mobility the first year after an acute admission                                     | Wrong study design / publication type |

|                          |                                                                                                                                                                                                        |                                       |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| Markle-Reid 2018         | Implementation and evaluation of transitional care intervention linking hospital-based outpatient rehabilitation and community-based care for older adults with stroke and multiple chronic conditions | Wrong study design / publication type |
| Kavanagh 2017            | Early mdt intervention and improved care pathways for the frail older person in a rehabilitation hospital                                                                                              | Wrong study design / publication type |
| Huded 2015               | Frailty status and outcomes following trans-catheter aortic valve replacement                                                                                                                          | Wrong study design / publication type |
| Blindenbach 2015         | Reduction of hospital admissions after pulmonary rehabilitation of geriatric patients with COPD                                                                                                        | Wrong study design / publication type |
| Nolan 2014               | Frailty and its association with rehabilitation outcomes: A prospective cohort study of a post-acute frail older population                                                                            | Wrong study design / publication type |
| Power 2013               | Development of a 36 bed gerontological rehabilitation unit: A profile of client and hospital outcomes                                                                                                  | Wrong study design / publication type |
| Bertone 2012             | New technologies applied to rehabilitation in elderly patients: A pilot study on the step training system                                                                                              | Wrong study design / publication type |
| Martin 2012              | Improving functional status in rehabilitation                                                                                                                                                          | Wrong study design / publication type |
| Littbrand 2011           | Effect of a high-intensity functional exercise program on functional balance: Preplanned subgroup analyses of a randomized controlled trial in residential care facilities                             | Wrong intervention                    |
| Coleman 2011             | Outcomes among older people in a post-acute inpatient population                                                                                                                                       | Wrong study design / publication type |
| Singh 2011               | Predictors of adverse outcomes on an acute geriatric rehabilitation ward                                                                                                                               | Wrong study design / publication type |
| Gloth III 1999           | The frail elderly functional assessment questionnaire: Its responsiveness and validity in alternative settings                                                                                         | Wrong publication date                |
| Meyer 2021               | Improved balance and gait ability and basic activities of daily living after comprehensive geriatric care in frail older patients with fractures                                                       | Wrong study design / publication type |
| Bordne 2020              | Behavioral and emotional quality of life of patients undergoing inpatient geriatric rehabilitation.                                                                                                    | Wrong study design / publication type |
| Mattiazzo 2023           | Geriatric rehabilitation care after hip fracture                                                                                                                                                       | Wrong study design / publication type |
| Eijk 2012                | Geriatric rehabilitation of lower limb amputees: a multicenter study                                                                                                                                   | Wrong study design / publication type |
| Doornebosch 2024         | Factors influencing interprofessional collaboration in general and during multidisciplinary team meetings in long-term care and geriatric rehabilitation: a qualitative study                          | Wrong study design / publication type |
| Scheffers-Barnhoorn 2022 | Coping strategies of older adults with a recent hip fracture within inpatient geriatric rehabilitation                                                                                                 | Wrong intervention                    |
| Zintchouk 2016           | Comprehensive Geriatric Care Versus Standard Care for Elderly Referred to a Rehabilitation Unit – a Randomized Controlled Trial                                                                        | Wrong study design / publication type |