



Job No.: BIO-GBR-0042

Date: 16th Aug 18

MAIN NURSE QUESTIONNAIRE – DEVICE EVALUATION RESEARCH

DEVICE X vs DEVICE Y (HUMIRA) (20 minutes)

BLUE INSTRUCTIONS ARE FOR SCRIPTING

ORANGE INSTRUCTIONS ARE FOR MODERATOR

TEXT IN RED NOT TO APPEAR IN THE LINK. ONLY FOR SCRIPTING / DP PURPOSES

[MODERATOR SAY: You are about to enter a market research interview. We are required to pass on to our client details of adverse events/ product complaints pertaining to their products that are mentioned during the course of market research interviews. Although this is a market research interview and what you say will, of course, be treated in confidence, should you raise during the discussion an adverse event or product complaint in a specific patient, or group of patients, we will need to report this even if it has already been reported by you directly to the company or the regulatory authorities using the MHRA's 'Yellow Card' system. In such a situation you will be asked whether or not you are willing to waive the confidentiality given to you under the Market Research Codes of conduct specifically in relation to that adverse event. Everything else you say during the course of the interview will continue to remain confidential.**]** **Note:** All Adverse Events/Product Complaints must be recorded on the faxable FORM and sent to the drug safety department of the commissioning company ideally immediately and within one business day at the very latest."

SINGLE CODE

Yes	01	NOTE AND CONTINUE
No	02	NOTE AND CONTINUE

DEVICE EXPERIENCE (3 minutes)

SECTION 1

	MODERATOR SAY:
	Thank you for taking part in this survey. To start off with, so that we can get to know each other, can I ask you to please introduce yourself (first name only) and tell me your role. MODERATOR, ONCE THEY HAVE INTRODUCED THEMSELVES, CONTINUE WITH: In the first section, we would like to better understand your current experience with autoinjector devices. Please note, the focus will be on <u>devices</u> rather than the active compounds. Please answer the question on the screen and press 'NEXT' to continue with the following question.
	GO TO Q1

Q1	ASK ALL «Multicode per column»		
	Please indicate which of the <u>devices</u> shown below you are aware of and those which you support patients with (including adults and paediatrics). <i>Select all that apply per column.</i>		
	Devices	A. Aware of	B. Support patients
	Humira (adalimumab) Autoinjector/Pen	01	01
	Enbrel (etanercept) Autoinjector	02	02
	ONLY ALLOW RESPONDENTS TO SELECT COLUMN B, WHEN COLUMN A HAS BEEN SELECTED		
	GO TO Q3		

Q3	ASK ALL «1-7 scale per row»							
	On a scale from 1 to 7, where 1 is ‘not at all...’ and 7 is ‘extremely...’, to what extent do you think that the device is important when selecting a treatment for Inflammatory joint disease / Inflammatory bowel disease? <i>Please provide your answer on the below scale.</i>							
		Not at all important			Neither important nor unimportant			Extremely important
	Importance of device when selecting treatment	01	02	03	04	05	06	07
	GO TO Q4							

Q4	ASK ALL «1-7 scale per row»							
	On a scale from 1 to 7, where 1 is 'no impact at all...' and 7 is 'great impact...', to what extent do you think that the patient's comfort with a device increases adherence in Inflammatory joint disease / Inflammatory bowel disease? <i>Please provide your answer on the below scale.</i>							
		No impact at all						Great positive impact
	Patient comfort increases adherence	01	02	03	04	05	06	07
	GO TO SECTION 2							

EVALUATION OF DEVICES

DEVICE 1 INTRODUCTION (3 minutes) – DEVICE X

Note for scripting: NEED TO ROTATE ORDER IN WHICH DEVICES ARE SHOWN

SECTION 2

	MODERATOR SAY:
	Thank you for your answers so far. In the next section of the survey, we would like to understand how you view an actual device for biologics, Device X. I am now going to introduce you to Device X used for the administration of a biologic treatment. After that I will hand over the device to you so you can handle it. This is being presented for market research only, is not intended to be promotional, and should not influence any of your decisions outside of this research. Characteristics of the device as well as the instructions for use can be read on the show cards I will share with you now. MODERATOR, PLEASE GIVE RESPONDENTS THE DEVICE X SHOW CARDS
	GO TO DEVICE 1 (DEVICE X) HANDLING

DEVICE 1 (DEVICE X) HANDLING (3 minutes)

	MODERATOR PLEASE HAND OVER DEVICE X TO THE NURSES AND ALLOW THEM TO HANDLE THE DEVICE
	MODERATOR SAY: I will now hand over the device to you. Please handle the device and make sure you go through the instruction steps I walked you through before. The device is a training device so there is no active ingredient and no needle. MODERATOR, WHILE RESPONDENTS HANDLE THE DEVICE X PLEASE CHECK THAT THEY FOLLOWED INSTRUCTIONS TO USE DEVICE X: MODERATOR, TAKE DEVICE X BACK AND INTRODUCE DEVICE Y (HUMIRA) Please return the device back to me.
	GO TO DEVICE Y

DEVICE Y (HUMIRA) INTRODUCTION (3 minutes)

	MODERATOR SAY:
	Thank you for your answers so far. In this section of the survey, I will introduce you to a second autoinjector used for the administration of biologics. After that I will hand over the device to you so you can handle it. Characteristics of Device Y (HUMIRA) as well as the instructions for use can be read on the show cards I will share with you now. MODERATOR, PLEASE GIVE RESPONDENTS THE DEVICE Y (HUMIRA) SHOW CARDS
	GO TO DEVICE Y HANDLING

DEVICE Y (HUMIRA) HANDLING (3 minutes)

	MODERATOR PLEASE HAND OVER THE DEVICE Y TO THE NURSES AND ALLOW THEM TO HANDLE THE DEVICE
	MODERATOR SAY: I will now hand over DEVICE Y to you. Please handle the device and make sure you go through the instruction steps I walked you through before. The device is a training device so there is no active ingredient and no needle. MODERATOR, WHILE RESPONDENTS HANDLE THE DEVICE PLEASE CHECK THAT THEY HAVE FOLLOWED INSTRUCTIONS TO USE DEVICE Y: MODERATOR, TAKE DEVICE Y BACK Please return the device back to me.
	GO TO DEVICE COMPARISON

DEVICE COMPARISON (5 minutes)

	MODERATOR SAY:
	Thank you for your continued input. In this section of the survey, I would like to understand your views on both devices you have just been introduced to. MODERATOR, GIVE BACK THE TWO DEVICES TO RESPONDENT Please answer the question on your computer screen and press 'NEXT' to be directed to the following question.
	GO TO Q6

Q6	ASK ALL «Single code»		
	Now that you have read the devices' instructions and had the opportunity to handle them, please indicate overall, which autoinjector do you prefer? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q7
	DEVICE Y HUMIRA	02	GO TO Q8
	No Preference	03	GO TO Q9
	MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'I can see that you have no preference between the two devices. Please check the devices again and read the show cards.'		

Q7	ASK CODE 1 @Q6 «Open»		
	You have indicated that overall, you prefer DEVICE X. Please provide us with as much detail as you can to explain your preference.		
	[_____]	IF LESS THAN 20 CHARACTERS, ERROR MESSAGE: “Please provide more detail.”	
	GO TO Q9		

Q8	ASK CODE 2 @Q6 «Open»		
	You have indicated that overall, you prefer DEVICE Y (HUMIRA) . Please provide us with as much detail as you can to explain your preference.		
	[_____]	IF LESS THAN 20 CHARACTERS, ERROR MESSAGE: “Please provide more detail.”	
	GO TO Q9		

Q9	ASK ALL «Single code»		
	Which autoinjector is easier to use ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q10
	DEVICE Y HUMIRA	02	GO TO Q10
	Both are same	03	GO TO Q10
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally easy to use. Please check the devices again and read the show cards.'			

Q10	ASK ALL «Single code»		
	Which autoinjector is better for checking the clarity of the injection solution ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q12
	DEVICE Y HUMIRA	02	GO TO Q12
	Both are same	03	GO TO Q12
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'You believe that both devices are equally good for checking the clarity of the injection solution. Please check the devices again and read the show cards.'			

Q12	ASK ALL «Single code»		
	Which autoinjector is better at indicating that a full dose was administered ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q13
	DEVICE Y HUMIRA	02	GO TO Q13
	Both are same	03	GO TO Q13
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally good at indicating that a full dose was administered. Please check the devices again and read the show cards.'			

Q13	ASK ALL «Single code»		
	Which autoinjector offers the best audio signals that help you to control the injection process? (i.e. start & completion of injection) <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q14
	DEVICE Y HUMIRA	02	GO TO Q14
	Both are same	03	GO TO Q14
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally good at offering good audio signals that help you to control the injection process. Please check the devices again and read the show cards.'			

Q14	ASK ALL «Single code»		
	Which autoinjector is easier to grip? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q15
	DEVICE Y HUMIRA	02	GO TO Q15
	Both are same	03	GO TO Q15
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally easy to grip. Please check the devices again and read the show cards.'			

Q15	ASK ALL «Single code»		
	Which autoinjector was easier to use to administer the dose? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q16
	DEVICE Y HUMIRA	02	GO TO Q16
	Both are same	03	GO TO Q16
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'You believe that both devices are equally easy to administer the dose. Please check the devices again and read the show cards.'			

Q16	ASK ALL «Single code»		
	Which autoinjector would you most recommend to others ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q17
	DEVICE Y HUMIRA	02	GO TO Q17
	Both	03	GO TO Q17
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'I can see that you would recommend both devices to others. Please check the devices again and read the show cards.'			

Q17	ASK ALL «Single code»		
	Which autoinjector do you think would be easier to teach patients how to use ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO 18
	DEVICE Y HUMIRA	02	GO TO 18
	Both are same	03	GO TO 18
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally easy to teach patients how to use. Please check the devices again and read the show cards.'			

DEMOGRAPHICS

Q18	ASK ALL «Single code»		
	What is your gender? <i>Select one answer only.</i>		
	Male	01	GO TO Q19
	Female	02	
	Prefer not to say	99	

Q19	ASK ALL «Single code»		
	And what is your age? <i>Select one answer only.</i>		
	25-30 years old	01	GO TO QClose1
	31-35 years old	02	
	36-40 years old	03	
	41-45 years old	04	
	46-50 years old	05	
	51-55 years old	06	
	56-60 years old	07	
	61+ years old	08	
	Prefer not to say	99	

CLOSE


Qclose1	ASK ALL «Single code»		
	Finally, would you be willing to be re-contacted regarding any follow up questions we may have for this survey?		
	Yes	01	GO TO Close
	No	02	

Qclose	ASK ALL «OPEN»		
	Many thanks for taking part in this research Do you have any feedback on this survey? This could, for example, be regarding the layout and structure of the survey, the types of questions we asked or how engaging you found the survey.		
	END		

MODERATOR THANK AND CLOSE:

Thank you for your time and for taking part in this research.

DEVICE X CHARACTERISTICS SHOW CARD



- Device X is a single dose pre-filled pen
- Rounded four-sided shape for improved grip and to prevent pen from rolling off surfaces
- There is no button on your pre-filled pen.
- The needle is hidden below the green base
- Non-slip material to prevent patient's hands from slipping down the pen
- Two audible clicks start of injection and confirming dose administered
- Medication viewing window with indicator to confirm injection is completed
- One cap only to be removed
- Latex free

DEVICE X INSTRUCTIONS SHOW CARD

How to inject with your pre-filled pen:

1) CAREFULLY PULL OFF THE CLEAR NEEDLE CAP

2) PLACE GREEN BASE ON SKIN, PRESS DOWN FIRMLY, AND HOLD

- With one hand, spread your skin to create a taut surface. Do not pinch your skin together.
- When you push down, the injection starts. You should hear a 1st click.


3) CONTINUE TO HOLD

- Hold the pen firmly in place against the skin until the yellow indicator fills the window.
- You should hear a 2nd click.

4) CONFIRM COMPLETION

- You received your dose if the entire window is yellow

DEVICE Y (HUMIRA) CHARACTERISTICS SHOW CARD



- Device Y is a single dose pre-filled pen
- Round shape
- There is an activation button
- Pen has 2 caps on it: one grey and one plum-colored
- Activation button is on the side of plum colored cap while needle is on other side
- In the actual device, needle is hidden
- There is one audible click when dose is administered
- Medication window with indicator to confirm injection is completed
- Latex free

DEVICE Y (HUMIRA) INSTRUCTIONS SHOW CARD

How to inject with your pre-filled pen:

1) PULL THE GRAY CAP #1 STRAIGHT OFF

2) PULL THE PLUM-COLORED CAP #2 STRAIGHT OFF.

3) POINT THE WHITE ARROW TOWARD THE INJECTION SITE

- Squeeze the skin at your injection site with your other hand to make a raised area and hold it firmly.

4) PRESS THE PLUM ACTIVATOR BOTTON

- A loud “click” will signal the start of the injection.

5) CONFIRM COMPLETION

- Injection is complete when the yellow indicator has stopped moving.

Job No.: BIO-GBR-0042

Date: 13rd Aug 18

MAIN NURSE QUESTIONNAIRE – DEVICE EVALUATION RESEARCH

DEVICE X vs DEVICE Z (MYCLIC) (20 minutes)

BLUE INSTRUCTIONS ARE FOR SCRIPTING

ORANGE INSTRUCTIONS ARE FOR MODERATOR

TEXT IN RED NOT TO APPEAR IN THE LINK. ONLY FOR SCRIPTING / DP PURPOSES

[MODERATOR SAY: You are about to enter a market research interview. We are required to pass on to our client details of adverse events/ product complaints pertaining to their products that are mentioned during the course of market research interviews. Although this is a market research interview and what you say will, of course, be treated in confidence, should you raise during the discussion an adverse event or product complaint in a specific patient, or group of patients, we will need to report this even if it has already been reported by you directly to the company or the regulatory authorities using the MHRA's 'Yellow Card' system. In such a situation you will be asked whether or not you are willing to waive the confidentiality given to you under the Market Research Codes of conduct specifically in relation to that adverse event. Everything else you say during the course of the interview will continue to remain confidential.] **Note:** All Adverse Events/Product Complaints must be recorded on the faxable FORM and sent to the drug safety department of the commissioning company ideally immediately and within one business day at the very latest."

SINGLE CODE

Yes	01	NOTE AND CONTINUE
No	02	NOTE AND CONTINUE

DEVICE EXPERIENCE (3 minutes)

SECTION 1

	MODERATOR SAY:
	Thank you for taking part in this survey. To start off with, so that we can get to know each other, can I ask you to please introduce yourself (first name only) and tell me your role. MODERATOR, ONCE THEY HAVE INTRODUCED THEMSELVES, CONTINUE WITH: In the first section, we would like to better understand your current experience with autoinjector devices. Please note, the focus will be on <u>devices</u> rather than the active compounds. Please answer the question on the screen and press 'NEXT' to continue with the following question.
	GO TO Q1

Q1	ASK ALL «Multicode per column»		
	Please indicate which of the <u>devices</u> shown below you are aware of and those which you support patients with (including adults and paediatrics). <i>Select all that apply per column.</i>		
	Devices	A. Aware of	B. Support patients
	Humira (adalimumab) Autoinjector/Pen	01	01
	Enbrel (etanercept) Autoinjector	02	02
	Other	03	03
	ONLY ALLOW RESPONDENTS TO SELECT COLUMN B, WHEN COLUMN A HAS BEEN SELECTED GO TO Q3		

Q3	ASK ALL «1-7 scale per row»							
	On a scale from 1 to 7, where 1 is ‘not at all...’ and 7 is ‘extremely...’, to what extent do you think that the device is important when selecting a treatment for Inflammatory joint disease / Inflammatory bowel disease? <i>Please provide your answer on the below scale.</i>							
		Not at all important			Neither important nor unimportant			Extremely important
	Importance of device when selecting treatment	01	02	03	04	05	06	07
	GO TO Q4							

Q4	ASK ALL «1-7 scale per row»							
	On a scale from 1 to 7, where 1 is 'no impact at all...' and 7 is 'great impact...', to what extent do you think that the patient's comfort with a device increases adherence in Inflammatory joint disease / Inflammatory bowel disease? <i>Please provide your answer on the below scale.</i>							
		No impact at all						Great positive impact
	Patient comfort increases adherence	01	02	03	04	05	06	07
	GO TO SECTION 2							

EVALUATION OF DEVICES

DEVICE 1 INTRODUCTION (3 minutes) – DEVICE X

Note for scripting: NEED TO ROTATE ORDER IN WHICH DEVICES ARE SHOWN

SECTION 2

	MODERATOR SAY:
	Thank you for your answers so far. In the next section of the survey, we would like to understand how you view an actual device for biologics, Device X. I am now going to introduce you to Device X used for the administration of a biologic treatment. After that I will hand over the device to you so you can handle it. This is being presented for market research only, is not intended to be promotional, and should not influence any of your decisions outside of this research. Characteristics of the device as well as the instructions for use can be read on the show cards I will share with you now. MODERATOR, PLEASE GIVE RESPONDENTS THE DEVICE X SHOW CARDS
	GO TO DEVICE 1 (DEVICE X) HANDLING

DEVICE 1 (DEVICE X) HANDLING (3 minutes)

	MODERATOR PLEASE HAND OVER DEVICE X TO THE NURSES AND ALLOW THEM TO HANDLE THE DEVICE
	MODERATOR SAY: I will now hand over the device to you. Please handle the device and make sure you go through the instruction steps I walked you through before. The device is a training device so there is no active ingredient and no needle. MODERATOR, WHILE RESPONDENTS HANDLE THE DEVICE X PLEASE CHECK THAT THEY FOLLOWED INSTRUCTIONS TO USE DEVICE X: MODERATOR, TAKE DEVICE X BACK AND INTRODUCE DEVICE Z (MYCLIC) Please return the device back to me.
	GO TO DEVICE Z INTRODUCTION

DEVICE Z (MYCLIC) INTRODUCTION (3 minutes)

	MODERATOR SAY:
	Thank you for your answers so far. In this section of the survey, I will introduce you to a second autoinjector used for the administration of biologics. After that I will hand over the device to you so you can handle it. Characteristics of Device Z (MYCLIC) as well as the instructions for use can be read on the show cards I will share with you now. MODERATOR, PLEASE GIVE RESPONDENTS THE DEVICE Z (MYCLIC) SHOW CARDS
	GO TO DEVICE Z HANDLING

DEVICE Z (MYCLIC) HANDLING (3 minutes)

	MODERATOR PLEASE HAND OVER THE DEVICE Z TO THE NURSES AND ALLOW THEM TO HANDLE THE DEVICE
	MODERATOR SAY: I will now hand over DEVICE Z to you. Please handle the device and make sure you go through the instruction steps I walked you through before. The device is a training device so there is no active ingredient and no needle. MODERATOR, WHILE RESPONDENTS HANDLE THE DEVICE PLEASE CHECK THAT THEY HAVE FOLLOWED INSTRUCTIONS TO USE DEVICE Z: MODERATOR, TAKE DEVICE Z BACK Please return the device back to me.
	GO TO DEVICE COMPARISON

DEVICE COMPARISON (5 minutes)

	MODERATOR SAY:
	Thank you for your continued input. In this section of the survey, I would like to understand your views on both devices you have just been introduced to. MODERATOR, GIVE BACK THE TWO DEVICES TO RESPONDENT Please answer the question on your computer screen and press 'NEXT' to be directed to the following question.
	GO TO Q6

Q6	ASK ALL «Single code»		
	Now that you have read the devices' instructions and had the opportunity to handle them, please indicate overall, which autoinjector do you prefer ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q7
	DEVICE Z MYCLIC	02	GO TO Q8
	No Preference	03	GO TO Q9
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'I can see that you have no preference between the two devices. Please check the devices again and read the show cards.'			

Q7	ASK CODE 1 @Q6 «Open»		
	You have indicated that overall, you prefer DEVICE X. Please provide us with as much detail as you can to explain your preference.		
	[_____]	IF LESS THAN 20 CHARACTERS, ERROR MESSAGE: "Please provide more detail."	
	GO TO Q9		

Q8	ASK CODE 2 @Q6 «Open»		
	You have indicated that overall, you prefer DEVICE Z (MYCLIC) . Please provide us with as much detail as you can to explain your preference.		
	[_____]	IF LESS THAN 20 CHARACTERS, ERROR MESSAGE: "Please provide more detail."	
	GO TO Q9		

Q9	ASK ALL «Single code»		
	Which autoinjector is easier to use ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q10
	DEVICE Z MYCLIC	02	GO TO Q10
	Both are same	03	GO TO Q10
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally easy to use. Please check the devices again and read the show cards.'			

Q10	ASK ALL «Single code»		
	Which autoinjector is better for checking the clarity of the injection solution ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q12
	DEVICE Z MYCLIC	02	GO TO Q12
	Both are same	03	GO TO Q12
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'You believe that both devices are equally good for checking the clarity of the injection solution. Please check the devices again and read the show cards.'			

Q12	ASK ALL «Single code»		
	Which autoinjector is better at indicating that a full dose was administered ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q13
	DEVICE Z MYCLIC	02	GO TO Q13
	Both are same	03	GO TO Q13
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally good at indicating that a full dose was administered. Please check the devices again and read the show cards.'			

Q13	ASK ALL «Single code»		
	Which autoinjector offers the best audio signals that help you to control the injection process ? (i.e. start & completion of injection) <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q14
	DEVICE Z MYCLIC	02	GO TO Q14
	Both are same	03	GO TO Q14
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally good at offering good audio signals that help you to control the injection process. Please check the devices again and read the show cards.'			

Q14	ASK ALL «Single code»		
	Which autoinjector is easier to grip ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q15
	DEVICE Z MYCLIC	02	GO TO Q15
	Both are same	03	GO TO Q15
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally easy to grip. Please check the devices again and read the show cards.'			

Q15	ASK ALL «Single code»		
	Which autoinjector was easier to use to administer the dose ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q16
	DEVICE Z MYCLIC	02	GO TO Q16
	Both are same	03	GO TO Q16
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'You believe that both devices are equally easy to administer the dose. Please check the devices again and read the show cards.'			

Q16	ASK ALL «Single code»		
	Which autoinjector would you most recommend to others ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q17
	DEVICE Z MYCLIC	02	GO TO Q17
	Both	03	GO TO Q17
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'I can see that you would recommend both devices to others. Please check the devices again and read the show cards.'			

Q17	ASK ALL «Single code»		
	Which autoinjector do you think would be easier to teach patients how to use? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO 18
	DEVICE Z MYCLIC	02	GO TO 18
	Both are same	03	GO TO 18
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally easy to teach patients how to use. Please check the devices again and read the show cards.'			

DEMOGRAPHICS

Q18	ASK ALL «Single code»		
	What is your gender? <i>Select one answer only.</i>		
	Male	01	GO TO Q19
	Female	02	
	Prefer not to say	99	

Q19	ASK ALL «Single code»		
	And what is your age? <i>Select one answer only.</i>		
	25-30 years old	01	GO TO QClose1
	31-35 years old	02	
	36-40 years old	03	
	41-45 years old	04	
	46-50 years old	05	
	51-55 years old	06	
	56-60 years old	07	
	61+ years old	08	
	Prefer not to say	99	

CLOSE


Qclose1	ASK ALL «Single code»		
	Finally, would you be willing to be re-contacted regarding any follow up questions we may have for this survey?		
	Yes	01	GO TO Close
	No	02	

Qclose	ASK ALL «OPEN»		
	Many thanks for taking part in this research Do you have any feedback on this survey? This could, for example, be regarding the layout and structure of the survey, the types of questions we asked or how engaging you found the survey.		
	END		

MODERATOR THANK AND CLOSE:

Thank you for your time and for taking part in this research.

DEVICE X CHARACTERISTICS SHOW CARD



- Device X is a single dose pre-filled pen
- Rounded four-sided shape for improved grip and to prevent pen from rolling off surfaces
- There is no button on your pre-filled pen.
- The needle is hidden below the green base
- Non-slip material to prevent patient's hands from slipping down the pen
- Two audible clicks start of injection and confirming dose administered
- Medication viewing window with indicator to confirm injection is completed
- One cap only to be removed
- Latex free

DEVICE X INSTRUCTIONS SHOW CARD

How to inject with your pre-filled pen:

5) CAREFULLY PULL OFF THE CLEAR NEEDLE CAP

6) PLACE GREEN BASE ON SKIN, PRESS DOWN FIRMLY, AND HOLD

- With one hand, spread your skin to create a taut surface. Do not pinch your skin together.
- When you push down, the injection starts. You should hear a 1st click.


7) CONTINUE TO HOLD

- Hold the pen firmly in place against the skin until the yellow indicator fills the window.
- You should hear a 2nd click.

8) CONFIRM COMPLETION

- You received your dose if the entire window is yellow

DEVICE Z (MYCLIC) CHARACTERISTICS SHOW CARD



- Device Z is a single dose pre-filled pen
- Round shape
- There is a activation button
- The needle is on the side of the white needle cap
- In the actual device, needle is hidden
- Two audible clicks start of injection and confirming dose administered
- Medication viewing window with indicator to confirm injection is completed
- One cap only to be removed
- Have Latex

DEVICE Z (MYCLIC) INSTRUCTIONS SHOW CARD

How to inject with your pre-filled pen:

How to inject with your pre-filled pen:

1. PULL OFF THE WHITE NEEDLE CAP

2. PLACE PEN ON SKIN, PRESS DOWN FIRMLY

- Lightly pinching the skin around the injection site between the thumb and index finger of your free hand may make the injection easier and more comfortable.
- Place the purple needle safety shield on the injection site
- Push the open end of the pen firmly against the skin, so that the needle safety shield is pushed completely inside of the pen.

3) START THE INJECTION BY PRESSING THE CENTRE OF THE GREY ACTIVATION BUTTON ON THE TOP OF THE PEN WITH YOUR THUMB

- You will hear 1st click

4) CONTINUE TO HOLD

- Do not lift the pen until you hear a second click

5) CONFIRM COMPLETION

- You should hear a 2nd click.
- The pen's inspection window should now be completely purple, confirming that the dose has been injected correctly

Job No.: BIO-GBR-0042

Date: 13rd Aug 18

MAIN NURSE QUESTIONNAIRE – DEVICE EVALUATION RESEARCH

DEVICE X vs DEVICE Z (MYCLIC) (20 minutes)

BLUE INSTRUCTIONS ARE FOR SCRIPTING

ORANGE INSTRUCTIONS ARE FOR MODERATOR

TEXT IN RED NOT TO APPEAR IN THE LINK. ONLY FOR SCRIPTING / DP PURPOSES

[MODERATOR SAY: You are about to enter a market research interview. We are required to pass on to our client details of adverse events/ product complaints pertaining to their products that are mentioned during the course of market research interviews. Although this is a market research interview and what you say will, of course, be treated in confidence, should you raise during the discussion an adverse event or product complaint in a specific patient, or group of patients, we will need to report this even if it has already been reported by you directly to the company or the regulatory authorities using the MHRA's 'Yellow Card' system. In such a situation you will be asked whether or not you are willing to waive the confidentiality given to you under the Market Research Codes of conduct specifically in relation to that adverse event. Everything else you say during the course of the interview will continue to remain confidential.] **Note:** All Adverse Events/Product Complaints must be recorded on the faxable FORM and sent to the drug safety department of the commissioning company ideally immediately and within one business day at the very latest."

SINGLE CODE

▪ Yes	▪ 01	▪ NOTE AND CONTINUE
▪ No	▪ 02	▪ NOTE AND CONTINUE

DEVICE EXPERIENCE (3 minutes)

SECTION 1

	MODERATOR SAY:
	Thank you for taking part in this survey. To start off with, so that we can get to know each other, can I ask you to please introduce yourself (first name only) and tell me your role. MODERATOR, ONCE THEY HAVE INTRODUCED THEMSELVES, CONTINUE WITH: In the first section, we would like to better understand your current experience with autoinjector devices. Please note, the focus will be on <u>devices</u> rather than the active compounds. Please answer the question on the screen and press 'NEXT' to continue with the following question.
	GO TO Q1

Q1	ASK ALL «Multicode per column»		
	Please indicate which of the <u>devices</u> shown below you are aware of and those which you support patients with (including adults and paediatrics). <i>Select all that apply per column.</i>		
	Devices	A. Aware of	B. Support patients
	Humira (adalimumab) Autoinjector/Pen	01	01
	Enbrel (etanercept) Autoinjector	02	02
	Other	03	03
	ONLY ALLOW RESPONDENTS TO SELECT COLUMN B, WHEN COLUMN A HAS BEEN SELECTED GO TO Q3		

Q3	ASK ALL «1-7 scale per row»							
	On a scale from 1 to 7, where 1 is ‘not at all...’ and 7 is ‘extremely...’, to what extent do you think that the device is important when selecting a treatment for Inflammatory joint disease / Inflammatory bowel disease? <i>Please provide your answer on the below scale.</i>							
		Not at all important			Neither important nor unimportant			Extremely important
	Importance of device when selecting treatment	01	02	03	04	05	06	07
	GO TO Q4							

Q4	ASK ALL «1-7 scale per row»							
	On a scale from 1 to 7, where 1 is 'no impact at all...' and 7 is 'great impact...', to what extent do you think that the patient's comfort with a device increases adherence in Inflammatory joint disease / Inflammatory bowel disease? <i>Please provide your answer on the below scale.</i>							
		No impact at all						Great positive impact
	Patient comfort increases adherence	01	02	03	04	05	06	07
	GO TO SECTION 2							

EVALUATION OF DEVICES

DEVICE 1 INTRODUCTION (3 minutes) – DEVICE X

Note for scripting: NEED TO ROTATE ORDER IN WHICH DEVICES ARE SHOWN

SECTION 2

	MODERATOR SAY:
	Thank you for your answers so far. In the next section of the survey, we would like to understand how you view an actual device for biologics, Device X. I am now going to introduce you to Device X used for the administration of a biologic treatment. After that I will hand over the device to you so you can handle it. This is being presented for market research only, is not intended to be promotional, and should not influence any of your decisions outside of this research. Characteristics of the device as well as the instructions for use can be read on the show cards I will share with you now. MODERATOR, PLEASE GIVE RESPONDENTS THE DEVICE X SHOW CARDS
	GO TO DEVICE 1 (DEVICE X) HANDLING

DEVICE 1 (DEVICE X) HANDLING (3 minutes)

	MODERATOR PLEASE HAND OVER DEVICE X TO THE NURSES AND ALLOW THEM TO HANDLE THE DEVICE
	MODERATOR SAY: I will now hand over the device to you. Please handle the device and make sure you go through the instruction steps I walked you through before. The device is a training device so there is no active ingredient and no needle. MODERATOR, WHILE RESPONDENTS HANDLE THE DEVICE X PLEASE CHECK THAT THEY FOLLOWED INSTRUCTIONS TO USE DEVICE X: MODERATOR, TAKE DEVICE X BACK AND INTRODUCE DEVICE Z (MYCLIC) Please return the device back to me.
	GO TO DEVICE Z INTRODUCTION

DEVICE Z (MYCLIC) INTRODUCTION (3 minutes)

	MODERATOR SAY:
	Thank you for your answers so far. In this section of the survey, I will introduce you to a second autoinjector used for the administration of biologics. After that I will hand over the device to you so you can handle it. Characteristics of Device Z (MYCLIC) as well as the instructions for use can be read on the show cards I will share with you now. MODERATOR, PLEASE GIVE RESPONDENTS THE DEVICE Z (MYCLIC) SHOW CARDS
	GO TO DEVICE Z HANDLING

DEVICE Z (MYCLIC) HANDLING (3 minutes)

	MODERATOR PLEASE HAND OVER THE DEVICE Z TO THE NURSES AND ALLOW THEM TO HANDLE THE DEVICE
	MODERATOR SAY: I will now hand over DEVICE Z to you. Please handle the device and make sure you go through the instruction steps I walked you through before. The device is a training device so there is no active ingredient and no needle. MODERATOR, WHILE RESPONDENTS HANDLE THE DEVICE PLEASE CHECK THAT THEY HAVE FOLLOWED INSTRUCTIONS TO USE DEVICE Z: MODERATOR, TAKE DEVICE Z BACK Please return the device back to me.
	GO TO DEVICE COMPARISON

DEVICE COMPARISON (5 minutes)

	MODERATOR SAY:
	Thank you for your continued input. In this section of the survey, I would like to understand your views on both devices you have just been introduced to. MODERATOR, GIVE BACK THE TWO DEVICES TO RESPONDENT Please answer the question on your computer screen and press 'NEXT' to be directed to the following question.
	GO TO Q6

Q6	ASK ALL «Single code»		
	Now that you have read the devices' instructions and had the opportunity to handle them, please indicate overall, which autoinjector do you prefer ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q7
	DEVICE Z MYCLIC	02	GO TO Q8
	No Preference	03	GO TO Q9
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'I can see that you have no preference between the two devices. Please check the devices again and read the show cards.'			

Q7	ASK CODE 1 @Q6 «Open»		
	You have indicated that overall, you prefer DEVICE X. Please provide us with as much detail as you can to explain your preference.		
	[_____]	IF LESS THAN 20 CHARACTERS, ERROR MESSAGE: "Please provide more detail."	
	GO TO Q9		

Q8	ASK CODE 2 @Q6 «Open»		
	You have indicated that overall, you prefer DEVICE Z (MYCLIC) . Please provide us with as much detail as you can to explain your preference.		
	[_____]	IF LESS THAN 20 CHARACTERS, ERROR MESSAGE: "Please provide more detail."	
	GO TO Q9		

Q9	ASK ALL «Single code»		
	Which autoinjector is easier to use ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q10
	DEVICE Z MYCLIC	02	GO TO Q10
	Both are same	03	GO TO Q10
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally easy to use. Please check the devices again and read the show cards.'			

Q10	ASK ALL «Single code»		
	Which autoinjector is better for checking the clarity of the injection solution ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q12
	DEVICE Z MYCLIC	02	GO TO Q12
	Both are same	03	GO TO Q12
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'You believe that both devices are equally good for checking the clarity of the injection solution. Please check the devices again and read the show cards.'			

Q12	ASK ALL «Single code»		
	Which autoinjector is better at indicating that a full dose was administered ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q13
	DEVICE Z MYCLIC	02	GO TO Q13
	Both are same	03	GO TO Q13
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally good at indicating that a full dose was administered. Please check the devices again and read the show cards.'			

Q13	ASK ALL «Single code»		
	Which autoinjector offers the best audio signals that help you to control the injection process ? (i.e. start & completion of injection) <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q14
	DEVICE Z MYCLIC	02	GO TO Q14
	Both are same	03	GO TO Q14
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally good at offering good audio signals that help you to control the injection process. Please check the devices again and read the show cards.'			

Q14	ASK ALL «Single code»		
	Which autoinjector is easier to grip ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q15
	DEVICE Z MYCLIC	02	GO TO Q15
	Both are same	03	GO TO Q15
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally easy to grip. Please check the devices again and read the show cards.'			

Q15	ASK ALL «Single code»		
	Which autoinjector was easier to use to administer the dose ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q16
	DEVICE Z MYCLIC	02	GO TO Q16
	Both are same	03	GO TO Q16
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'You believe that both devices are equally easy to administer the dose. Please check the devices again and read the show cards.'			

Q16	ASK ALL «Single code»		
	Which autoinjector would you most recommend to others ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q17
	DEVICE Z MYCLIC	02	GO TO Q17
	Both	03	GO TO Q17
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'I can see that you would recommend both devices to others. Please check the devices again and read the show cards.'			

Q17	ASK ALL «Single code»		
	Which autoinjector do you think would be easier to teach patients how to use? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO 18
	DEVICE Z MYCLIC	02	GO TO 18
	Both are same	03	GO TO 18
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally easy to teach patients how to use. Please check the devices again and read the show cards.'			

DEMOGRAPHICS

Q18	ASK ALL «Single code»		
	What is your gender? <i>Select one answer only.</i>		
	Male	01	GO TO Q19
	Female	02	
	Prefer not to say	99	

Q19	ASK ALL «Single code»		
	And what is your age? <i>Select one answer only.</i>		
	25-30 years old	01	GO TO QClose1
	31-35 years old	02	
	36-40 years old	03	
	41-45 years old	04	
	46-50 years old	05	
	51-55 years old	06	
	56-60 years old	07	
	61+ years old	08	
	Prefer not to say	99	

CLOSE


Qclose1	ASK ALL «Single code»		
	Finally, would you be willing to be re-contacted regarding any follow up questions we may have for this survey?		
	Yes	01	GO TO Close
	No	02	

Qclose	ASK ALL «OPEN»		
	Many thanks for taking part in this research Do you have any feedback on this survey? This could, for example, be regarding the layout and structure of the survey, the types of questions we asked or how engaging you found the survey.		
	END		

MODERATOR THANK AND CLOSE:

Thank you for your time and for taking part in this research.

DEVICE X CHARACTERISTICS SHOW CARD



- Device X is a single dose pre-filled pen
- Rounded four-sided shape for improved grip and to prevent pen from rolling off surfaces
- There is no button on your pre-filled pen.
- The needle is hidden below the green base
- Non-slip material to prevent patient's hands from slipping down the pen
- Two audible clicks start of injection and confirming dose administered
- Medication viewing window with indicator to confirm injection is completed
- One cap only to be removed
- Latex free

DEVICE X INSTRUCTIONS SHOW CARD

How to inject with your pre-filled pen:

9) CAREFULLY PULL OFF THE CLEAR NEEDLE CAP

10) PLACE GREEN BASE ON SKIN, PRESS DOWN FIRMLY, AND HOLD


- With one hand, spread your skin to create a taut surface. Do not pinch your skin together.
- When you push down, the injection starts. You should hear a 1st click.

11) CONTINUE TO HOLD

- Hold the pen firmly in place against the skin until the yellow indicator fills the window.
- You should hear a 2nd click.

12) CONFIRM COMPLETION

- You received your dose if the entire window is yellow

DEVICE Z (MYCLIC) CHARACTERISTICS SHOW CARD

- Device Z is a single dose pre-filled pen
- Round shape
- There is a activation button
- The needle is on the side of the white needle cap
- In the actual device, needle is hidden
- Two audible clicks start of injection and confirming dose administered
- Medication viewing window with indicator to confirm injection is completed
- One cap only to be removed
- Have Latex

DEVICE Z (MYCLIC) INSTRUCTIONS SHOW CARD

How to inject with your pre-filled pen:

How to inject with your pre-filled pen:

3. PULL OFF THE WHITE NEEDLE CAP

4. PLACE PEN ON SKIN, PRESS DOWN FIRMLY

- Lightly pinching the skin around the injection site between the thumb and index finger of your free hand may make the injection easier and more comfortable.
- Place the purple needle safety shield on the injection site
- Push the open end of the pen firmly against the skin, so that the needle safety shield is pushed completely inside of the pen.

6) START THE INJECTION BY PRESSING THE CENTRE OF THE GREY ACTIVATION BUTTON ON THE TOP OF THE PEN WITH YOUR THUMB

- You will hear 1st click

7) CONTINUE TO HOLD

- Do not lift the pen until you hear a second click

8) CONFIRM COMPLETION

- You should hear a 2nd click.
- The pen's inspection window should now be completely purple, confirming that the dose has been injected correctly

Job No.: BIO-GBR-0042

Date: 13rd Aug 18

MAIN NURSE QUESTIONNAIRE – DEVICE EVALUATION RESEARCH

DEVICE X vs DEVICE Z (MYCLIC) (20 minutes)

BLUE INSTRUCTIONS ARE FOR SCRIPTING

ORANGE INSTRUCTIONS ARE FOR MODERATOR

TEXT IN RED NOT TO APPEAR IN THE LINK. ONLY FOR SCRIPTING / DP PURPOSES

[MODERATOR SAY: You are about to enter a market research interview. We are required to pass on to our client details of adverse events/ product complaints pertaining to their products that are mentioned during the course of market research interviews. Although this is a market research interview and what you say will, of course, be treated in confidence, should you raise during the discussion an adverse event or product complaint in a specific patient, or group of patients, we will need to report this even if it has already been reported by you directly to the company or the regulatory authorities using the MHRA's 'Yellow Card' system. In such a situation you will be asked whether or not you are willing to waive the confidentiality given to you under the Market Research Codes of conduct specifically in relation to that adverse event. Everything else you say during the course of the interview will continue to remain confidential.] **Note:** All Adverse Events/Product Complaints must be recorded on the faxable FORM and sent to the drug safety department of the commissioning company ideally immediately and within one business day at the very latest."

SINGLE CODE

▪ Yes	▪ 01	▪ NOTE AND CONTINUE
▪ No	▪ 02	▪ NOTE AND CONTINUE

DEVICE EXPERIENCE (3 minutes)

SECTION 1

	MODERATOR SAY:
	Thank you for taking part in this survey. To start off with, so that we can get to know each other, can I ask you to please introduce yourself (first name only) and tell me your role. MODERATOR, ONCE THEY HAVE INTRODUCED THEMSELVES, CONTINUE WITH: In the first section, we would like to better understand your current experience with autoinjector devices. Please note, the focus will be on <u>devices</u> rather than the active compounds. Please answer the question on the screen and press 'NEXT' to continue with the following question.
	GO TO Q1

Q1	ASK ALL «Multicode per column»		
	Please indicate which of the <u>devices</u> shown below you are aware of and those which you support patients with (including adults and paediatrics). <i>Select all that apply per column.</i>		
	Devices	A. Aware of	B. Support patients
	Humira (adalimumab) Autoinjector/Pen	01	01
	Enbrel (etanercept) Autoinjector	02	02
	Other	03	03
	ONLY ALLOW RESPONDENTS TO SELECT COLUMN B, WHEN COLUMN A HAS BEEN SELECTED GO TO Q3		

Q3	ASK ALL «1-7 scale per row»							
	On a scale from 1 to 7, where 1 is ‘not at all...’ and 7 is ‘extremely...’, to what extent do you think that the device is important when selecting a treatment for Inflammatory joint disease / Inflammatory bowel disease? <i>Please provide your answer on the below scale.</i>							
		Not at all important			Neither important nor unimportant			Extremely important
	Importance of device when selecting treatment	01	02	03	04	05	06	07
	GO TO Q4							

Q4	ASK ALL «1-7 scale per row»							
	On a scale from 1 to 7, where 1 is 'no impact at all...' and 7 is 'great impact...', to what extent do you think that the patient's comfort with a device increases adherence in Inflammatory joint disease / Inflammatory bowel disease? <i>Please provide your answer on the below scale.</i>							
		No impact at all						Great positive impact
	Patient comfort increases adherence	01	02	03	04	05	06	07
	GO TO SECTION 2							

EVALUATION OF DEVICES

DEVICE 1 INTRODUCTION (3 minutes) – DEVICE X

Note for scripting: NEED TO ROTATE ORDER IN WHICH DEVICES ARE SHOWN

SECTION 2

	MODERATOR SAY:
	Thank you for your answers so far. In the next section of the survey, we would like to understand how you view an actual device for biologics, Device X. I am now going to introduce you to Device X used for the administration of a biologic treatment. After that I will hand over the device to you so you can handle it. This is being presented for market research only, is not intended to be promotional, and should not influence any of your decisions outside of this research. Characteristics of the device as well as the instructions for use can be read on the show cards I will share with you now. MODERATOR, PLEASE GIVE RESPONDENTS THE DEVICE X SHOW CARDS
	GO TO DEVICE 1 (DEVICE X) HANDLING

DEVICE 1 (DEVICE X) HANDLING (3 minutes)

	MODERATOR PLEASE HAND OVER DEVICE X TO THE NURSES AND ALLOW THEM TO HANDLE THE DEVICE
	MODERATOR SAY: I will now hand over the device to you. Please handle the device and make sure you go through the instruction steps I walked you through before. The device is a training device so there is no active ingredient and no needle. MODERATOR, WHILE RESPONDENTS HANDLE THE DEVICE X PLEASE CHECK THAT THEY FOLLOWED INSTRUCTIONS TO USE DEVICE X: MODERATOR, TAKE DEVICE X BACK AND INTRODUCE DEVICE Z (MYCLIC) Please return the device back to me.
	GO TO DEVICE Z INTRODUCTION

DEVICE Z (MYCLIC) INTRODUCTION (3 minutes)

	MODERATOR SAY:
	Thank you for your answers so far. In this section of the survey, I will introduce you to a second autoinjector used for the administration of biologics. After that I will hand over the device to you so you can handle it. Characteristics of Device Z (MYCLIC) as well as the instructions for use can be read on the show cards I will share with you now. MODERATOR, PLEASE GIVE RESPONDENTS THE DEVICE Z (MYCLIC) SHOW CARDS
	GO TO DEVICE Z HANDLING

DEVICE Z (MYCLIC) HANDLING (3 minutes)

	MODERATOR PLEASE HAND OVER THE DEVICE Z TO THE NURSES AND ALLOW THEM TO HANDLE THE DEVICE
	MODERATOR SAY: I will now hand over DEVICE Z to you. Please handle the device and make sure you go through the instruction steps I walked you through before. The device is a training device so there is no active ingredient and no needle. MODERATOR, WHILE RESPONDENTS HANDLE THE DEVICE PLEASE CHECK THAT THEY HAVE FOLLOWED INSTRUCTIONS TO USE DEVICE Z: MODERATOR, TAKE DEVICE Z BACK Please return the device back to me.
	GO TO DEVICE COMPARISON

DEVICE COMPARISON (5 minutes)

	MODERATOR SAY:
	Thank you for your continued input. In this section of the survey, I would like to understand your views on both devices you have just been introduced to. MODERATOR, GIVE BACK THE TWO DEVICES TO RESPONDENT Please answer the question on your computer screen and press 'NEXT' to be directed to the following question.
	GO TO Q6

Q6	ASK ALL «Single code»		
	Now that you have read the devices' instructions and had the opportunity to handle them, please indicate overall, which autoinjector do you prefer ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q7
	DEVICE Z MYCLIC	02	GO TO Q8
	No Preference	03	GO TO Q9
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'I can see that you have no preference between the two devices. Please check the devices again and read the show cards.'			

Q7	ASK CODE 1 @Q6 «Open»		
	You have indicated that overall, you prefer DEVICE X. Please provide us with as much detail as you can to explain your preference.		
	[_____]	IF LESS THAN 20 CHARACTERS, ERROR MESSAGE: "Please provide more detail."	
	GO TO Q9		

Q8	ASK CODE 2 @Q6 «Open»		
	You have indicated that overall, you prefer DEVICE Z (MYCLIC) . Please provide us with as much detail as you can to explain your preference.		
	[_____]	IF LESS THAN 20 CHARACTERS, ERROR MESSAGE: "Please provide more detail."	
	GO TO Q9		

Q9	ASK ALL «Single code»		
	Which autoinjector is easier to use ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q10
	DEVICE Z MYCLIC	02	GO TO Q10
	Both are same	03	GO TO Q10
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally easy to use. Please check the devices again and read the show cards.'			

Q10	ASK ALL «Single code»		
	Which autoinjector is better for checking the clarity of the injection solution? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q12
	DEVICE Z MYCLIC	02	GO TO Q12
	Both are same	03	GO TO Q12
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'You believe that both devices are equally good for checking the clarity of the injection solution. Please check the devices again and read the show cards.'			

Q12	ASK ALL «Single code»		
	Which autoinjector is better at indicating that a full dose was administered? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q13
	DEVICE Z MYCLIC	02	GO TO Q13
	Both are same	03	GO TO Q13
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally good at indicating that a full dose was administered. Please check the devices again and read the show cards.'			

Q13	ASK ALL «Single code»		
	Which autoinjector offers the best audio signals that help you to control the injection process? (i.e. start & completion of injection) <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q14
	DEVICE Z MYCLIC	02	GO TO Q14
	Both are same	03	GO TO Q14
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally good at offering good audio signals that help you to control the injection process. Please check the devices again and read the show cards.'			

Q14	ASK ALL «Single code»		
	Which autoinjector is easier to grip ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q15
	DEVICE Z MYCLIC	02	GO TO Q15
	Both are same	03	GO TO Q15
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally easy to grip. Please check the devices again and read the show cards.'			

Q15	ASK ALL «Single code»		
	Which autoinjector was easier to use to administer the dose ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q16
	DEVICE Z MYCLIC	02	GO TO Q16
	Both are same	03	GO TO Q16
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'You believe that both devices are equally easy to administer the dose. Please check the devices again and read the show cards.'			

Q16	ASK ALL «Single code»		
	Which autoinjector would you most recommend to others ? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO Q17
	DEVICE Z MYCLIC	02	GO TO Q17
	Both	03	GO TO Q17
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'I can see that you would recommend both devices to others. Please check the devices again and read the show cards.'			

Q17	ASK ALL «Single code»		
	Which autoinjector do you think would be easier to teach patients how to use? <i>Select one answer only.</i>		
	DEVICE X	01	GO TO 18
	DEVICE Z MYCLIC	02	GO TO 18
	Both are same	03	GO TO 18
MODERATOR, IF RESPONDENT SELECTED CODE 03 PLEASE ENCOURAGE HIM TO RE-USE THE DEVICES AND CHOSE ONE OF THE TWO. DO NOT FORCE HIM TO PICK ONE, JUST HELP THE RESPONDENT RE-THINK BY MAKING HIM RE-READ THE SHOW CARDS: 'Your opinion is that both devices are equally easy to teach patients how to use. Please check the devices again and read the show cards.'			

DEMOGRAPHICS

Q18	ASK ALL «Single code»		
	What is your gender? <i>Select one answer only.</i>		
	Male	01	GO TO Q19
	Female	02	
	Prefer not to say	99	

Q19	ASK ALL «Single code»		
	And what is your age? <i>Select one answer only.</i>		
	25-30 years old	01	GO TO QClose1
	31-35 years old	02	
	36-40 years old	03	
	41-45 years old	04	
	46-50 years old	05	
	51-55 years old	06	
	56-60 years old	07	
	61+ years old	08	
	Prefer not to say	99	

CLOSE


Qclose1	ASK ALL «Single code»		
	Finally, would you be willing to be re-contacted regarding any follow up questions we may have for this survey?		
	Yes	01	GO TO Close
	No	02	

Qclose	ASK ALL «OPEN»		
	Many thanks for taking part in this research Do you have any feedback on this survey? This could, for example, be regarding the layout and structure of the survey, the types of questions we asked or how engaging you found the survey.		
	END		

MODERATOR THANK AND CLOSE:

Thank you for your time and for taking part in this research.

DEVICE X CHARACTERISTICS SHOW CARD



DEVICE X INSTRUCTIONS SHOW CARD

How to inject with your pre-filled pen:

13) CAREFULLY PULL OFF THE CLEAR NEEDLE CAP

14) PLACE GREEN BASE ON SKIN, PRESS DOWN FIRMLY, AND HOLD


- With one hand, spread your skin to create a taut surface. Do not pinch your skin together.
- When you push down, the injection starts. You should hear a 1st click.

15) CONTINUE TO HOLD

- Hold the pen firmly in place against the skin until the yellow indicator fills the window.
- You should hear a 2nd click.

16) CONFIRM COMPLETION

- You received your dose if the entire window is yellow

DEVICE Z (MYCLIC) CHARACTERISTICS SHOW CARD

- Device Z is a single dose pre-filled pen
- Round shape
- There is a activation button
- The needle is on the side of the white needle cap
- In the actual device, needle is hidden
- Two audible clicks start of injection and confirming dose administered
- Medication viewing window with indicator to confirm injection is completed
- One cap only to be removed
- Have Latex

DEVICE Z (MYCLIC) INSTRUCTIONS SHOW CARD

How to inject with your pre-filled pen:

How to inject with your pre-filled pen:

5. PULL OFF THE WHITE NEEDLE CAP

6. PLACE PEN ON SKIN, PRESS DOWN FIRMLY

- Lightly pinching the skin around the injection site between the thumb and index finger of your free hand may make the injection easier and more comfortable.
- Place the purple needle safety shield on the injection site
- Push the open end of the pen firmly against the skin, so that the needle safety shield is pushed completely inside of the pen.

9) START THE INJECTION BY PRESSING THE CENTRE OF THE GREY ACTIVATION BUTTON ON THE TOP OF THE PEN WITH YOUR THUMB

- You will hear 1st click

10) CONTINUE TO HOLD

- Do not lift the pen until you hear a second click

11) CONFIRM COMPLETION

- You should hear a 2nd click.
- The pen's inspection window should now be completely purple, confirming that the dose has been injected correctly