

Article title: Sociodemographic Predictors and Moderators of Treatment Outcome for Psychotherapeutic Interventions for Adolescents and Young People With Mental Disorders: A Systematic Review

Journal: Adolescent Research Review

Authors: Gergov, V., Prevendar, T., Voursour, E., Ulberg, R., Dahl, H-S.J., Feller, C., Jacobsen, C.F., Karain, A., Milic, B., Poznyak, E., Sacco, R., Tulbure, B.T., Camilleri, N., Liakea, I., Podina, I., Saliba, A., Torres, S., & Poulsen, S.

Corresponding author: Vera Gergov, Department of Psychology and Logopedics, Faculty of Medicine, Email: vera.gergov@helsinki.fi

Online Resource 1. Reference list including all 114 studies filling the inclusion criteria identified in the systematic search (* studies with significant results).

1. Accurso, E. C., Ciao, A. C., Fitzsimmons-Craft, E. E., Lock, J. D., & Le Grange, D. (2014). Is weight gain really a catalyst for broader recovery?: The impact of weight gain on psychological symptoms in the treatment of adolescent anorexia nervosa. *Behaviour research and therapy*, 56, 1-6.
<https://doi.org/10.1016/j.brat.2014.02.006>
2. *Adrian, M., McCauley, E., Berk, M. S., Asarnow, J. R., Korslund, K., Avina, C., Gallop, R., & Linehan, M. M. (2019). Predictors and moderators of recurring self-harm in adolescents participating in a comparative treatment trial of psychological interventions. *Journal of child psychology and psychiatry, and allied disciplines*, 60(10), 1123–1132. <https://doi.org/10.1111/jcpp.13099>
3. *Agras, W. S., Lock, J., Brandt, H., Bryson, S. W., Dodge, E., Halmi, K. A., Jo, B., Johnson, C., Kaye, W., Wilfley, D., & Woodside, B. (2014). Comparison of 2 family therapies for adolescent anorexia nervosa: A randomized parallel trial. *JAMA Psychiatry*, 71(11), 1279-1286.
<https://doi.org/http://dx.doi.org/10.1001/jamapsychiatry.2014.1025>
4. Allott, K., Alvarez-Jimenez, M., Killackey, E. J., Bendall, S., McGorry, P. D., & Jackson, H. J. (2011). Patient predictors of symptom and functional outcome following cognitive behaviour therapy or befriending in first-episode psychosis. *Schizophrenia research*, 132(2-3), 125–130. <https://doi.org/10.1016/j.schres.2011.08.011>
5. *Amaya, M. M., Reinecke, M. A., Silva, S. G., & March, J. S. (2011). Parental marital discord and treatment response in depressed adolescents. *Journal of abnormal child psychology*, 39(3), 401-411. DOI 10.1007/s10802-010-9466-2
6. Ammerman, R. T., Altaye, M., Putnam, F. W., Teeters, A. R., Zou, Y., & Van Ginkel, J. B. (2015). Depression improvement and parenting in low-income mothers in home visiting. *Archives of women's mental health*, 18(3), 555–563. <https://doi.org/10.1007/s00737-014-0479-7>

7. *Ammerman, R. T., Peugh, J. L., Teeters, A. R., Putnam, F. W., & Van Ginkel, J. B. (2016). Child Maltreatment History and Response to CBT Treatment in Depressed Mothers Participating in Home Visiting. *Journal of interpersonal violence, 31*(5), 774–791. <https://doi.org/10.1177/0886260514556769>
8. Ammerman, R. T., Putnam, F. W., Stevens, J., Bosse, N. R., Short, J. A., Bodley, A. L., & Van Ginkel, J. B. (2011). An open trial of in-home CBT for depressed mothers in home visitation. *Maternal and child health journal, 15*(8), 1333–1341. <https://doi.org/10.1007/s10995-010-0691-7>
9. Antshel, K. M., Faraone, S. V., & Gordon, M. (2012). Cognitive behavioral treatment outcomes in adolescent ADHD. *Focus, 10*(3), 334–345. <https://doi.org/10.1176/appi.focus.10.3.334>
10. *Barbe, R. P., Bridge, J. A., Birmaher, B., Kolko, D. J., & Brent, D. A. (2004). Lifetime history of sexual abuse, clinical presentation, and outcome in a clinical trial for adolescent depression. *The Journal of clinical psychiatry, 65*(1), 77–83. <https://doi.org/10.4088/jcp.v65n0113>
11. Barkley, R. A., Guevremont, D. C., Anastopoulos, A. D., & Fletcher, K. E. (1992). A comparison of three family therapy programs for treating family conflicts in adolescents with attention-deficit hyperactivity disorder. *Journal of consulting and clinical psychology, 60*(3), 450–462. <https://doi.org/10.1037/0022-006X.60.3.450>
12. *Battjes, R. J., Gordon, M. S., O'Grady, K. E., Kinlock, T. W., Katz, E. C., & Sears, E. A. (2004). Evaluation of a group-based substance abuse treatment program for adolescents. *Journal of substance abuse treatment, 27*(2), 123–134. <https://doi.org/10.1016/j.jsat.2004.06.002>
13. *Betancourt, T. S., Newnham, E. A., Brennan, R. T., Verdelli, H., Borisova, I., Neugebauer, R., Bass, J., & Bolton, P. (2012). Moderators of treatment effectiveness for war-affected youth with depression in northern Uganda. *Journal of Adolescent Health, 51*(6), 544–550. <https://doi.org/10.1016/j.jadohealth.2012.02.010>
14. Boyer, B. E., Doove, L. L., Geurts, H. M., Prins, P. J., Van Mechelen, I., & Van der Oord, S. (2016). Qualitative treatment-subgroup interactions in a randomized clinical trial of treatments for adolescents with ADHD: Exploring what cognitive-behavioral treatment works for whom. *PloS one, 11*(3), e0150698. <https://doi.org/10.1371/journal.pone.0150698>
15. *Brent, D. A., Greenhill, L. L., Compton, S., Emslie, G., Wells, K., Walkup, J. T., Vitiello, B., Bukstein, O., Stanley, B., Posner, K., Kennard, B. D., Cwik, M. F., Wagner, A., Coffey, B., March, J. S., Riddle, M., Goldstein, T., Curry, J., Barnett, S., Capasso, L., ... Turner, J. B. (2009). The Treatment of Adolescent Suicide Attempters study (TASA): predictors of suicidal events in an open treatment trial. *Journal of the American*

Academy of Child and Adolescent Psychiatry, 48(10), 987–996.

<https://doi.org/10.1097/CHI.0b013e3181b5dbe4>

16. *Brent, D. A., Kolko, D. J., Birmaher, B., Baugher, M., Bridge, J., Roth, C., & Holder, D. (1998). Predictors of treatment efficacy in a clinical trial of three psychosocial treatments for adolescent depression. *Journal of the American Academy of Child & Adolescent Psychiatry*, 37(9), 906-914. <https://doi.org/10.1097/00004583-199809000-00010>
17. Brent, D., Melhem, N., Ferrell, R., Emslie, G., Wagner, K. D., Ryan, N., ... & Keller, M. (2010). Association of FKBP5 polymorphisms with suicidal events in the Treatment of Resistant Depression in Adolescents (TORDIA) study. *American Journal of Psychiatry*, 167(2), 190-197. <https://doi.org/10.1176/appi.ajp.2009.09040576>
18. Bridge, J. A., Barbe, R. P., Birmaher, B., Kolko, D. J., & Brent, D. A. (2005). Emergent suicidality in a clinical psychotherapy trial for adolescent depression. *The American journal of psychiatry*, 162(11), 2173–2175. <https://doi.org/10.1176/appi.ajp.162.11.2173>
19. Brown, R. A., Abrantes, A. M., Minami, H., Prince, M. A., Bloom, E. L., Apodaca, T. R., Strong, D. R., Picotte, D. M., Monti, P. M., MacPherson, L., Matsko, S. V., & Hunt, J. I. (2015). Motivational Interviewing to Reduce Substance Use in Adolescents with Psychiatric Comorbidity. *Journal of substance abuse treatment* 59, 20–29. <https://doi.org/https://doi.org/10.1016/j.jsat.2015.06.016>
20. *Burrow-Sanchez, J. J., Minami, T., & Hops, H. (2015). Cultural accommodation of group substance abuse treatment for Latino adolescents: Results of an RCT. *Cultural Diversity & Ethnic Minority Psychology*, 21(4), 571-583. <https://doi.org/10.1037/cdp0000023>
21. Burrow-Sánchez, J. J., Totsky, J., Ratcliff, B. R., & Corrales, C. (2021). Generalizing treatment outcomes to externalizing behaviors for Latino/a adolescents with substance use disorders: A secondary analysis. *Psychology of Addictive Behaviors*, 35(7), 797-802. <https://doi.org/10.1037/adb0000713>
22. *Charkhandeh, M., Talib, M. A., & Hunt, C. J. (2016). The clinical effectiveness of cognitive behavior therapy and an alternative medicine approach in reducing symptoms of depression in adolescents. *Psychiatry research*, 239, 325-330. <https://doi.org/10.1016/j.psychres.2016.03.044>
23. *Ciao, A. C., Accurso, E. C., Fitzsimmons-Craft, E. E., & Le Grange, D. (2015). Predictors and moderators of psychological changes during the treatment of adolescent bulimia nervosa. *Behaviour Research and Therapy*, 69, 48-53. <https://doi.org/http://dx.doi.org/10.1016/j.brat.2015.04.002>

24. *Cornelius, J. R., Bukstein, O. G., Douaihy, A. B., Clark, D. B., Chung, T. A., Daley, D. C., Wood, D.S., & Brown, S. J. (2010). Double-blind fluoxetine trial in comorbid MDD–CUD youth and young adults. *Drug and alcohol dependence*, 112(1-2), 39-45. <https://doi.org/10.1016/j.drugalcdep.2010.05.010>
25. Cornelius, J. R., Bukstein, O. G., Wood, D. S., Kirisci, L., Douaihy, A., & Clark, D. B. (2009). Double-blind placebo-controlled trial of fluoxetine in adolescents with comorbid major depression and an alcohol use disorder. *Addictive behaviors*, 34(10), 905-909. <https://doi.org/10.1016/j.addbeh.2009.03.008>
26. Courtney, D. B., & Flament, M. F. (2015). Adapted Dialectical Behavior Therapy for Adolescents with Self-injurious Thoughts and Behaviors. *The Journal of Nervous and Mental Disease*, 203(7), 537-544. <https://doi.org/10.1097/NMD.0000000000000324>
27. *Curry, J., Rohde, P., Simons, A., Silva, S., Vitiello, B., Kratochvil, C., Reinecke, M., Feeny, N., Wells, K., Pathak, S., Weller, E., Rosenberg, D., Kennard, B., Robins, M., Ginsburg, G., March, J., & TADS Team (2006). Predictors and moderators of acute outcome in the Treatment for Adolescents with Depression Study (TADS). *Journal of the American Academy of Child and Adolescent Psychiatry*, 45(12), 1427–1439. <https://doi.org/10.1097/01.chi.0000240838.78984.e2>
28. *Davey, C. G., Chanen, A. M., Hetrick, S. E., Cotton, S. M., Ratheesh, A., Amminger, G. P., Koutsogiannis, J., Phelan, M., Mullen, E., Harrison, B. J., Rice, S., Parker, A. G., Dean, O. M., Weller, A., Kerr, M., Quinn, A. L., Catania, L., Kazantzis, N., McGorry, P. D., & Berk, M. (2019). The addition of fluoxetine to cognitive behavioural therapy for youth depression (YoDA-C): a randomised, double-blind, placebo-controlled, multicentre clinical trial. *Lancet Psychiatry*, 6(9), 735-744. [https://doi.org/10.1016/S2215-0366\(19\)30215-9](https://doi.org/10.1016/S2215-0366(19)30215-9)
29. *Davis, A. K., Arterberry, B. J., Bonar, E. E., Chermack, S. T., Blow, F. C., Cunningham, R. M., & Walton, M. A. (2018). Predictors of positive drinking outcomes among youth receiving an alcohol brief intervention in the emergency department. *Drug and alcohol dependence*, 188, 102–108. <https://doi.org/10.1016/j.drugalcdep.2018.03.044>
30. Fassino, S., Abbate Daga, G., Amianto, F., Leombruni, P., Garzaro, L., & Rovera, G. G. (2001). Nonresponder anorectic patients after 6 months of multimodal treatment: predictors of outcome. *European psychiatry : the journal of the Association of European Psychiatrists*, 16(8), 466–473. [https://doi.org/10.1016/s0924-9338\(01\)00608-3](https://doi.org/10.1016/s0924-9338(01)00608-3)
31. Fleming, A. P., McMahon, R. J., Moran, L. R., Peterson, A. P., & Dreessen, A. (2015). Pilot randomized controlled trial of dialectical behavior therapy group skills training for ADHD among college students. *Journal of attention disorders*, 19(3), 260-271. <https://doi.org/10.1177/1087054714535951>

32. *French, M. T., Zavala, S. K., McCollister, K. E., Waldron, H. B., Turner, C. W., & Ozechowski, T. J. (2008). Cost-effectiveness analysis of four interventions for adolescents with a substance use disorder. *Journal of substance abuse treatment*, 34(3), 272-281. <https://doi.org/10.1016/j.jsat.2007.04.008>
33. Gergov, V., Lindberg, N., Lahti, J., Lipsanen, J. & Marttunen, M. (2021). Effectiveness and Predictors of Outcome for Psychotherapeutic Interventions in Clinical Settings Among Adolescents. *Frontiers in Psychology*, 12:628977. <https://doi.org/10.3389/fpsyg.2021.628977>
34. Goldstein, M., Murray, S. B., Griffiths, S., Rayner, K., Podkowska, J., Bateman, J. E., Wallis, A., & Thornton, C. E. (2016). The effectiveness of family-based treatment for full and partial adolescent anorexia nervosa in an independent private practice setting: Clinical outcomes. *International Journal of Eating Disorders*, 49(11), 1023-1026. <https://doi.org/http://dx.doi.org/10.1002/eat.22568>
35. Gorrell, S., Kinasz, K., Hail, L., Bruett, L., Forsberg, S., Lock, J., & Le Grange, D. (2019). Rituals and preoccupations associated with bulimia nervosa in adolescents: Does motivation to change matter? *European Eating Disorders Review*, 27(3), 323-328. <https://doi.org/10.1002/erv.2664>
36. Gowers, S., Norton, K., Halek, C., & Crisp, A. H. (1994). Outcome of outpatient psychotherapy in a random allocation treatment study of anorexia nervosa. *International Journal of Eating Disorders*, 15(2), 165-177. [https://doi.org/10.1002/1098-108X\(199403\)15:2%3C165::AID-EAT2260150208%3E3.0.CO;2-0](https://doi.org/10.1002/1098-108X(199403)15:2%3C165::AID-EAT2260150208%3E3.0.CO;2-0)
37. *Guo, X., Slesnick, N., & Feng, X. (2016). Changes in family relationships among substance abusing runaway adolescents: A comparison between family and individual therapies. *Journal of Marital and Family Therapy*, 42(2), 299-312. <https://doi.org/10.1111/jmft.12128>
38. Hawke, J. M., Kaminer, Y., Burke, R., & Bursleson, J. A. (2008). Stability of comorbid psychiatric diagnosis among youths in treatment and aftercare for alcohol use disorders. *Substance abuse*, 29(2), 33-41. <https://doi.org/10.1080/08897070802093015>
39. *Hendriks, V., van der Schee, E., & Blanken, P. (2011). Treatment of adolescents with a cannabis use disorder: main findings of a randomized controlled trial comparing multidimensional family therapy and cognitive behavioral therapy in The Netherlands. *Drug and alcohol dependence*, 119(1-2), 64-71. <https://doi.org/10.1016/j.drugalcdep.2011.05.021>
40. *Hendriks, V., van der Schee, E., & Blanken, P. (2012). Matching adolescents with a cannabis use disorder to multidimensional family therapy or cognitive behavioral therapy: Treatment effect moderators in a randomized controlled trial. *Drug and alcohol dependence*, 125(1-2), 119-126. <https://doi.org/10.1016/j.drugalcdep.2012.03.023>

41. Henggeler, S. W., Clingempeel, W. G., Brondino, M. J., & Pickrel, S. G. (2002). Four-year follow-up of multisystemic therapy with substance-abusing and substance-dependent juvenile offenders. *Journal of the American Academy of Child & Adolescent Psychiatry*, 41(7), 868-874. <https://doi.org/10.1097/00004583-200207000-00021>
42. Hersh, J., Curry, J. F., & Becker, S. J. (2013). The influence of comorbid depression and conduct disorder on MET/CBT treatment outcome for adolescent substance use disorders. *International journal of cognitive therapy*, 6(4), 325-341. <https://doi.org/10.1521/ijct.2013.6.4.325>
43. *Hops, H., Ozechowski, T. J., Waldron, H. B., Davis, B., Turner, C. W., Brody, J. L., & Barrera, M. (2011). Adolescent health-risk sexual behaviors: Effects of a drug abuse intervention. *AIDS and Behavior*, 15(8), 1664-1676. <https://doi.org/10.1007/s10461-011-0019-7>
44. Horigian, V. E., Feaster, D. J., Robbins, M. S., Brincks, A. M., Ucha, J., Rohrbaugh, M. J., ... & Szapocznik, J. (2015). A cross-sectional assessment of the long term effects of brief strategic family therapy for adolescent substance use. *The American journal on addictions*, 24(7), 637-645. <https://doi.org/10.1111/ajad.12278>
45. *Horigian, V. E., Weems, C. F., Robbins, M. S., Feaster, D. J., Ucha, J., Miller, M., & Werstlein, R. (2013). Reductions in anxiety and depression symptoms in youth receiving substance use treatment. *The American journal on addictions*, 22(4), 329-337. <https://doi.org/10.1111/j.1521-0391.2013.12031.x>
46. Ingul, J. M., Aune, T., & Nordahl, H. M. (2014). A randomized controlled trial of individual cognitive therapy, group cognitive behaviour therapy and attentional placebo for adolescent social phobia. *Psychotherapy and Psychosomatics*, 83(1), 54-61. <https://doi.org/10.1159/000354672>
47. *Kaminer, Y., Burleson, J. A., & Burke, R. H. (2008). Efficacy of outpatient aftercare for adolescents with alcohol use disorders: A randomized controlled study. *Journal of the American Academy of Child & Adolescent Psychiatry*, 47(12), 1405-1412. <https://doi.org/10.1097/CHI.0b013e318189147c>
48. *Kaminer, Y., Burleson, J. A., & Goldberger, R. (2002). Cognitive-behavioral coping skills and psychoeducation therapies for adolescent substance abuse. *The Journal of nervous and mental disease*, 190(11), 737-745. <https://doi.org/10.1097/01.NMD.0000038168.51591.B6>
49. *Kaminer, Y., Burleson, J. A., Blitz, C., Sussman, J., & Rounsaville, B. J. (1998). Psychotherapies for adolescent substance abusers: A pilot study. *The Journal of Nervous and Mental Disease*, 186(11), 684-690. <https://doi.org/10.1097/00005053-199811000-00004>

50. Kaminer, Y., Burleson, J. A., Burke, R., & Litt, M. D. (2014). The efficacy of contingency management for adolescent cannabis use disorder: a controlled study. *Substance abuse*, 35(4), 391-398.
<https://doi.org/10.1080/08897077.2014.933724>
51. *Kaminer, Y., Burleson, J. A., Goldston, D. B., & Burke, R. H. (2006). Suicidal ideation among adolescents with alcohol use disorders during treatment and aftercare. *The American Journal on Addictions*, 15, s43-s49.
<https://doi.org/10.1080/10550490601006154>
52. Kaminer, Y., Ohannessian, C. M., & Burke, R. H. (2017). Adolescents with cannabis use disorders: Adaptive treatment for poor responders. *Addictive Behaviors*, 70, 102-106. <https://doi.org/10.1016/j.addbeh.2017.02.013>
53. Kolko, D. J., Brent, D. A., Baugher, M., Bridge, J., & Birmaher, B. (2000). Cognitive and family therapies for adolescent depression: treatment specificity, mediation, and moderation. *Journal of consulting and clinical psychology*, 68(4), 603-614. <https://doi.org/10.1037/0022-006X.68.4.603>
54. Layne, A. E., Bernstein, G. A., Egan, E. A., & Kushner, M. G. (2003). Predictors of treatment response in anxious-depressed adolescents with school refusal. *Journal of the American Academy of Child and Adolescent Psychiatry*, 42(3), 319-326. <https://doi.org/10.1097/00004583-200303000-00012>
55. *Lazaro, L., Font, E., Moreno, E., Calvo, R., Vila, M., Andres-Perpina, S., Canalda, G., Martinez, E., & Castro-Fornieles, J. (2011). Effectiveness of self-esteem and social skills group therapy in adolescent eating disorder patients attending a day hospital treatment programme. *European Eating Disorders Review*, 19(5), 398-406. <https://onlinelibrary.wiley.com/doi/abs/10.1002/erv.1054>
56. *Le Grange, D., Accurso, E. C., Lock, J., Agras, S., & Bryson, S. W. (2014). Early weight gain predicts outcome in two treatments for adolescent anorexia nervosa. *International Journal of Eating Disorders*, 47(2), 124-129. <https://doi.org/10.1002/eat.22221>
57. Le Grange, D., Crosby, R. D., & Lock, J. (2008). Predictors and moderators of outcome in family-based treatment for adolescent bulimia nervosa. *Journal of the American Academy of Child & Adolescent Psychiatry*, 47(4), 464-470. <https://doi.org/10.1097/CHI.0b013e3181640816>
58. Le Grange, D., Gorrell, S., Hughes, E. K., Accurso, E. C., Yeo, M., Pradel, M., & Sawyer, S. M. (2020). Delivery of Family-Based Treatment for Adolescent Anorexia Nervosa in a Public Health Care Setting: Research Versus Non-Research Specialty Care. *Frontiers of Psychiatry*, 10, 1001.
<https://doi.org/10.3389/fpsy.2019.01001>

59. *Le Grange, D., Lock, J., Agras, W. S., Bryson, S. W., & Jo, B. (2015). Randomized clinical trial of family-based treatment and cognitive-behavioral therapy for adolescent bulimia nervosa. *Journal of the American Academy of Child & Adolescent Psychiatry*, 54(11), 886-894. <https://doi.org/10.1016/j.jaac.2015.08.008>
60. Le Grange, D., Lock, J., Agras, W. S., Moye, A., Bryson, S. W., Jo, B., & Kraemer, H. C. (2012). Moderators and mediators of remission in family-based treatment and adolescent focused therapy for anorexia nervosa. *Behaviour research and therapy*, 50(2), 85-92. <https://doi.org/10.1016/j.brat.2011.11.003>
61. Lenhard, F., Sauer, S., Andersson, E., Månsson, K. N., Mataix-Cols, D., Rück, C., & Serlachius, E. (2018). Prediction of outcome in internet-delivered cognitive behaviour therapy for paediatric obsessive-compulsive disorder: A machine learning approach. *International Journal of Methods in Psychiatric Research*, 27(1), e1576. <https://doi.org/10.1002/mpr.1576>
62. Linszen, D. H., Dingemans, P. M., Nugter, M. A., van der Does, A. J. W., Scholte, W. F., & Lenior, M. A. (1997). Patient attributes and expressed emotion as risk factors for psychotic relapse. *Schizophrenia Bulletin*, 23(1), 119-130. <https://doi.org/10.1093/schbul/23.1.119>
63. Lock, J., Agras, W. S., Bryson, S., & Kraemer, H. C. (2005). A comparison of short- and long-term family therapy for adolescent anorexia nervosa. *Journal of the American Academy of Child and Adolescent Psychiatry*, 44(7), 632–639. <https://doi.org/10.1097/01.chi.0000161647.82775.0a>
64. Lorenzo-Luaces, L., Rodriguez-Quintana, N., & Bailey, A. J. (2020). Double trouble: Do symptom severity and duration interact to predicting treatment outcomes in adolescent depression? *Behaviour Research and Therapy*, 131, 103637. <https://doi.org/10.1016/j.brat.2020.103637>
65. Martin-Wagar, C. A., Holmes, S., & Bhatnagar, K. A. (2019). Predictors of weight restoration in a day-treatment program that supports family-based treatment for adolescents with anorexia nervosa. *Eating Disorders*, 27(4), 400-417. <https://doi.org/10.1080/10640266.2018.1528085>
66. McIndoo, C. C., File, A. A., Preddy, T., Clark, C. G., & Hopko, D. R. (2016). Mindfulness-based therapy and behavioral activation: a randomized controlled trial with depressed college students. *Behaviour research and therapy*, 77, 118-128. <https://doi.org/10.1016/j.brat.2015.12.012>
67. Merry, S. N., Stasiak, K., Shepherd, M., Frampton, C., Fleming, T., & Lucassen, M. F. (2012). The effectiveness of SPARX, a computerised self-help intervention for adolescents seeking help for depression: randomised controlled non-inferiority trial. *BMJ*, 344, e2598. <https://doi.org/10.1136/bmj.e2598>
68. *Miklowitz, D. J., Schneck, C. D., George, E. L., Taylor, D. O., Sugar, C. A., Birmaher, B., ... & Axelson, D. A. (2014). Pharmacotherapy and family-focused treatment for adolescents with bipolar I and II disorders: a 2-

- year randomized trial. *American Journal of Psychiatry*, 171(6), 658-667.
<https://doi.org/10.1176/appi.ajp.2014.13081130>
69. Montgomery, L., Petry, N. M., & Carroll, K. M. (2012). Moderating effects of race in clinical trial participation and outcomes among marijuana-dependent young adults. *Drug and alcohol dependence*, 126(3), 333-339. <https://doi.org/10.1016/j.drugalcdep.2012.05.033>
 70. *Mufson, L., Dorta, K. P., Wickramaratne, P., Nomura, Y., Olfson, M., & Weissman M. (2004). A Randomized Effectiveness Trial of Interpersonal Psychotherapy for Depressed Adolescents. *Archives of General Psychiatry*, 61, 577-584. <http://doi.org/10.1001/archpsyc.61.6.577>
 71. *Ngo, V. K., Asarnow, J. R., Lange, J., Jaycox, L. H., Rea, M. M., Landon, C., ... & Miranda, J. (2009). Outcomes for youths from racial-ethnic minority groups in a quality improvement intervention for depression treatment. *Psychiatric Services*, 60(10), 1357-1364. <https://doi.org/10.1176/ps.2009.60.10.1357>.
 72. *Ögel, K., & Coskun, S. (2011). Cognitive behavioral therapy-based brief intervention for volatile substance misusers during adolescence: a follow-up study. *Substance use & misuse*, 46 Suppl 1, 128-133.
<https://doi.org/10.3109/10826084.2011.580233>
 73. Paauw, C., de Roos, C., Tummers, J., de Jongh, A., & Dingemans, A. (2019). Effectiveness of trauma-focused treatment for adolescents with major depressive disorder. *European journal of psychotraumatology*, 10(1), 1682931. <https://doi.org/10.1080/20008198.2019.1682931>
 74. *Pan, D., Huey Jr, S. J., & Heflin, L. H. (2019). Ethnic differences in response to directive vs. non-directive brief intervention for subsyndromal depression. *Psychotherapy Research*, 29(2), 186-197.
<https://doi.org/10.1080/10503307.2017.1325023>.
 75. Piehler, T. F., & Winters, K. C. (2015). Parental involvement in brief interventions for adolescent marijuana use. *Psychology of addictive behaviors: journal of the Society of Psychologists in Addictive Behaviors*, 29(3), 512-521. <https://doi.org/10.1037/adb0000106>
 76. Piehler, T. F., & Winters, K. C. (2017). Decision-making style and response to parental involvement in brief interventions for adolescent substance use. *Journal of Family Psychology*, 31(3), 336-346.
<https://doi.org/10.1037/fam0000266>
 77. Pinus, U., Canetti, L., Bonne, O., & Bachar, E. (2019). Selflessness as a predictor of remission from an eating disorder: 1-4 year outcomes from an adolescent day-care unit. *Eating and Weight Disorders*, 24(4), 777-786.
<https://doi.org/10.1007/s40519-017-0444-3>

78. Pretorius, N., Dimmer, M., Power, E., Eisler, I., Simic, M., Tchanturia, K., & Orcid: <http://orcid.org>, K. A. I. O. h. o. o. T. (2012). Evaluation of a cognitive remediation therapy group for adolescents with anorexia nervosa: Pilot study. *European Eating Disorders Review*, 20(4), 321-325.
<https://doi.org/http://dx.doi.org/10.1002/erv.2176>
79. Raj, S., Sachdeva, S. A., Jha, R., Sharad, S., Singh, T., Arya, Y. K., & Verma, S. K. (2019). Effectiveness of mindfulness based cognitive behavior therapy on life satisfaction, and life orientation of adolescents with depression and suicidal ideation. *Asian journal of psychiatry*, 39, 58-62.
<https://doi.org/10.1016/j.ajp.2018.12.001>
80. *Renner, F., van Goor, M., Huibers, M., Arntz, A., Butz, B., & Bernstein, D. (2013). Short-term group schema cognitive-behavioral therapy for young adults with personality disorders and personality disorder features: associations with changes in symptomatic distress, schemas, schema modes and coping styles. *Behaviour Research and Therapy*, 51(8), 487-492. <https://doi.org/10.1016/j.brat.2013.05.011>
81. Rienecke, R. D., & Ebeling, M. (2019). Desired weight and treatment outcome among adolescents in a novel family-based partial hospitalization program. *Psychiatry Research*, 273, 149-152.
<https://doi.org/10.1016/j.psychres.2019.01.028>
82. *Robbins, M. S., Szapocznik, J., Dillon, F. R., Turner, C. W., Mitrani, V. B., & Feaster, D. J. (2008). The efficacy of structural ecosystems therapy with drug-abusing/dependent African American and Hispanic American adolescents. *Journal of Family Psychology*, 22(1), 51. <https://doi.org/10.1037/0893-3200.22.1.51>.
83. *Rohde, P., Seeley, J. R., Kaufman, N. K., Clarke, G. N., & Stice, E. (2006). Predicting time to recovery among depressed adolescents treated in two psychosocial group interventions. *Journal of consulting and clinical psychology*, 74(1), 80-88. <https://doi.org/10.1037/0022-006X.74.1.80>
84. Rohde, P., Silva, S. G., Tonev, S. T., Kennard, B. D., Vitiello, B., Kratochvil, C. J., Reinecke, M. A., Curry, J. F., Simons, A. D., & March, J. S. (2008). Achievement and maintenance of sustained response during the Treatment for Adolescents With Depression Study continuation and maintenance therapy. *Archives of general psychiatry*, 65(4), 447-455. <https://doi.org/10.1001/archpsyc.65.4.447>
85. Rohde, P., Turner, C. W., Waldron, H. B., Brody, J. L., & Jorgensen, J. (2018). Depression Change Profiles in Adolescents Treated for Comorbid Depression/Substance Abuse and Profile Membership Predictors. *Journal of Clinical Child & Adolescent Psychology*, 47(4), 595-607. <https://doi.org/10.1080/15374416.2015.1118695>

86. Rowe, C. L., Liddle, H. A., Greenbaum, P. E., & Henderson, C. E. (2004). Impact of psychiatric comorbidity on treatment of adolescent drug abusers. *Journal of Substance Abuse Treatment*, 26(2), 129-140.
[https://doi.org/10.1016/S0740-5472\(03\)00166-1](https://doi.org/10.1016/S0740-5472(03)00166-1)
87. *Schaub, M. P., Henderson, C. E., Pelc, I., Tossmann, P., Phan, O., Hendriks, V., ... & Rigter, H. (2014). Multidimensional family therapy decreases the rate of externalising behavioural disorder symptoms in cannabis abusing adolescents: outcomes of the INCANT trial. *BMC Psychiatry*, 14(1), 1-8.
<https://doi.org/10.1186/1471-244X-14-26>.
88. Schneider, S. C., La Buissonniere-Ariza, V., Hojgaard, D., Kay, B. S., Riemann, B. C., Eken, S. C., Lake, P., Nadeau, J. M., & Storch, E. A. (2018). Multimodal Residential Treatment for Adolescent Anxiety: Outcome and Associations with Pre-treatment Variables. *Child Psychiatry & Human Development*, 49(3), 434-442.
<https://doi.org/10.1007/s10578-017-0762-8>
89. *Schuppert, H. M., Timmerman, M. E., Bloo, J., van Gemert, T. G., Wiersema, H. M., Minderaa, R. B., Emmelkamp, P. M., & Nauta, M. H. (2012). Emotion regulation training for adolescents with borderline personality disorder traits: a randomized controlled trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, 51(12), 1314–1323.e2. <https://doi.org/10.1016/j.jaac.2012.09.002>
90. *Shamseddeen, W., Asarnow, J. R., Clarke, G., Vitiello, B., Wagner, K. D., Birmaher, B., Keller, M. B., Emslie, G., Iyengar, S., Ryan, N. D., McCracken, J. T., Porta, G., Mayes, T., & Brent, D. A. (2011). Impact of physical and sexual abuse on treatment response in the Treatment of Resistant Depression in Adolescent Study (TORDIA). *Journal of the American Academy of Child and Adolescent Psychiatry*, 50(3), 293–301.
<https://doi.org/10.1016/j.jaac.2010.11.019>
91. Shirk, S. R., Kaplinski, H., & Gudmundsen, G. (2009). School-based cognitive-behavioral therapy for adolescent depression: A benchmarking study. *Journal of Emotional and Behavioral Disorders*, 17(2), 106-117. <https://doi.org/10.1177/1063426608326202>
92. *Slesnick, N., & Prestopnik, J. L. (2009). Comparison of family therapy outcome with alcohol-abusing, runaway adolescents. *Journal of marital and family therapy*, 35(3), 255-277. <https://doi.org/10.1111/j.1752-0606.2009.00121.x>
93. Slesnick, N., Bartle-Haring, S., & Gangamma, R. (2006). Predictors of substance use and family therapy outcome among physically and sexually abused runaway adolescents. *Journal of marital and family therapy*, 32(3), 261–281. <https://doi.org/10.1111/j.1752-0606.2006.tb01606.x>

94. *Slesnick, N., Bartle-Haring, S., Glebova, T., & Glade, A. (2006). Primary alcohol versus primary drug use among adolescents: An examination of differences. *Addictive behaviors*, 31(11), 2080-2093.
<https://doi.org/10.1016/j.addbeh.2006.02.006>
95. *Slesnick, N., Erdem, G., Bartle-Haring, S., & Brigham, G. S. (2013). Intervention with substance-abusing runaway adolescents and their families: results of a randomized clinical trial. *Journal of consulting and clinical psychology*, 81(4), 600. <https://doi.org/10.1037/a0033463>
96. Smith, P., Scott, R., Eshkevari, E., Jatta, F., Leigh, E., Harris, V., Robinson, A., Abeles, P., Proudfoot, J., Verduyn, C., & Yule, W. (2015). Computerised CBT for depressed adolescents: Randomised controlled trial. *Behaviour Research and Therapy*, 73, 104–110. <https://doi.org/https://doi.org/10.1016/j.brat.2015.07.009>
97. Spence, S. H., O'Shea, G., & Donovan, C. L. (2016). Improvements in interpersonal functioning following interpersonal psychotherapy (IPT) with adolescents and their association with change in depression. *Behavioural and Cognitive Psychotherapy*, 44(3), 257-272. <https://doi.org/10.1017/S1352465815000442>
98. *Stasiak, K., Hatcher, S., Frampton, C., & Merry, S. N. (2014). A pilot double blind randomized placebo controlled trial of a prototype computer-based cognitive behavioural therapy program for adolescents with symptoms of depression. *Behavioural and cognitive psychotherapy*, 42(4), 385-401.
<https://doi.org/10.1017/S1352465812001087>
99. Sundgot-Borgen, J., Rosenvinge, J. H., Bahr, R., & Schneider, L. S. (2002). The effect of exercise, cognitive therapy, and nutritional counseling in treating bulimia nervosa. *Medicine and science in sports and exercise*, 34(2), 190-195. <https://doi.org/10.1097/00005768-200202000-00002>
100. *Tamm, L., Trello-Rishel, K., Riggs, P., Nakonezny, P. A., Acosta, M., Bailey, G., & Winhusen, T. (2013). Predictors of treatment response in adolescents with comorbid substance use disorder and attention-deficit/hyperactivity disorder. *Journal of substance abuse treatment*, 44(2), 224-230.
<https://doi.org/10.1016/j.jsat.2012.07.001>
101. *Timko, C. A., Zucker, N. L., Herbert, J. D., Rodriguez, D., & Merwin, R. M. (2015). An open trial of Acceptance-based Separated Family Treatment (ASFT) for adolescents with anorexia nervosa. *Behaviour research and therapy*, 69, 63-74. <https://doi.org/10.1016/j.brat.2015.03.011>
102. van der Pol, T. M., Hendriks, V., Rigter, H., Cohn, M. D., Doreleijers, T., van Domburgh, L., & Vermeiren, R. (2018). (2018). Multidimensional family therapy in adolescents with a cannabis use disorder: long-term effects on delinquency in a randomized controlled trial. *Child and Adolescent Psychiatry and Mental Health*, 12, 44.
<https://doi.org/https://doi.org/10.1186/s13034-018-0248-x>

103. Vidal, R., Castells, J., Richarte, V., Palomar, G., García, M., Nicolau, R., Lazaro, L., Casas, M., & Ramos-Quiroga, J. A. (2015). Group therapy for adolescents with attention-deficit/hyperactivity disorder: a randomized controlled trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, 54(4), 275–282. <https://doi.org/10.1016/j.jaac.2014.12.016>
104. *Visser, K., Greaves-Lord, K., Tick, N. T., Verhulst, F. C., Maras, A., & van der Vegt, E. J. (2017). A randomized controlled trial to examine the effects of the Tackling Teenage psychosexual training program for adolescents with autism spectrum disorder. *Journal of Child Psychology and Psychiatry*, 58(7), 840-850. <https://doi.org/10.1111/jcpp.12709>
105. Vitiello, B., Brent, D. A., Greenhill, L. L., Emslie, G., Wells, K., Walkup, J. T., ... & Zelazny, J. (2009). Depressive symptoms and clinical status during the Treatment of Adolescent Suicide Attempters (TASA) Study. *Journal of the American Academy of Child & Adolescent Psychiatry*, 48(10), 997-1004. <https://doi.org/10.1097/CHI.0b013e3181b5db66>
106. Vitiello, B., Rohde, P., Silva, S., Wells, K., Casat, C., Waslick, B., Simons, A., Reinecke, M., Weller, E., Kratochvil, C., Walkup, J., Pathak, S., Robins, M., March, J., & Team, T. (2006). Functioning and quality of life in the Treatment for Adolescents with Depression Study (TADS). *Journal of the American Academy of Child & Adolescent Psychiatry*, 45(12), 1419-1426. <https://doi.org/10.1097/01.chi.0000242229.52646.6e>
107. Walter, D., Hautmann, C., Minkus, J., Petermann, M., Lehmkuhl, G., Goertz-Dorten, A., & Doepfner, M. (2013). Predicting outcome of inpatient CBT for adolescents with anxious-depressed school absenteeism. *Clinical psychology & psychotherapy*, 20(3), 206–215. <https://doi.org/10.1002/cpp.797>
108. *Wang, L. J., Lu, S. F., Chong, M. Y., Chou, W. J., Hsieh, Y. L., Tsai, T. N., Chen, C., & Lee, Y. H. (2016). A family-oriented therapy program for youths with substance abuse: long-term outcomes related to relapse and academic or social status. *Neuropsychiatric disease and treatment*, 12, 699–706. <https://doi.org/10.2147/NDT.S105199>
109. *Weersing, V. R., Iyengar, S., Kolko, D. J., Birmaher, B., & Brent, D. A. (2006). Effectiveness of cognitive-behavioral therapy for adolescent depression: A benchmarking investigation. *Behavior therapy*, 37(1), 36-48. <https://doi.org/10.1016/j.beth.2005.03.003>
110. Wehman, P., Schall, C., McDonough, J., Sima, A., Brooke, A., Ham, W., Whittenburg, H., Brooke, V., Avellone, L., & Riehle, E. (2020). Competitive Employment for Transition-Aged Youth with Significant Impact from Autism: A Multi-site Randomized Clinical Trial. *Journal of Autism and Developmental Disorders*, 50(6), 1882-1897. <https://doi.org/10.1007/s10803-019-03940-2>

111. *Weintraub, M. J., Schneek, C. D., Axelson, D. A., Birmaher, B., Kowatch, R. A., & Miklowitz, D. J. (2020). Classifying Mood Symptom Trajectories in Adolescents With Bipolar Disorder. *Journal of the American Academy of Child and Adolescent Psychiatry*, 59(3), 381–390. <https://doi.org/10.1016/j.jaac.2019.04.028>
112. Winters, K. C., Fahnhorst, T., Botzet, A., Lee, S., & Lalone, B. (2012). Brief intervention for drug-abusing adolescents in a school setting: Outcomes and mediating factors. *Journal of substance abuse treatment*, 42(3), 279-288. <https://doi.org/10.1016/j.jsat.2011.08.005>
113. Winters, K. C., Lee, S., Botzet, A., Fahnhorst, T., & Nicholson, A. (2014). One-year outcomes and mediators of a brief intervention for drug abusing adolescents. *Psychology of Addictive Behaviors*, 28(2), 464. <https://doi.org/10.1037/a0035041>
114. *Zhang, J., & Slesnick, N. (2018). Substance use and social stability of homeless youth: A comparison of three interventions. *Psychology of Addictive Behaviors*, 32(8), 873-884. <https://doi.org/10.1037/adb0000424>