

Supplementary table 2: Absolute numbers and percentages of different fractures in each group. Due to Finnish legislation, absolute numbers under 5 are shown as <5 in tables. Only fractures with n<10 in either of the groups are presented in the table.

		Underweight		Normal weight	
Total number of patients		20 784		344 753	
ICD-10 code	Definition	n	%	n	%
Upper extremity					
S42.0	Fracture of clavicle	5	0.02	90	0.03
S42.1	Fracture of scapula	0	0.	17	0.
S42.2	Fracture of upper end of humerus	<5	<0.02	54	0.02
S42.3	Fracture of shaft of humerus	0	0	27	0.01
S42.4	Fracture of lower end of humerus	<5	<0.02	54	0.02
S52.0	Fracture of upper end of ulna	<5	<0.02	83	0.02
S52.1	Fracture of upper end of radius	<5	<0.02	87	0.02
S52.2	Fracture of shaft of ulna	<5	<0.02	15	0.
S52.5	Fracture of lower end of radius	18	0.09	494	0.14
S52.6	Fracture of lower end of ulna	<5	<0.02	41	0.01
S62.0	Fracture of navicular bone of wrist	<5	<0.02	33	0.01
S62.1	Fracture of other and unspecified carpal bone	<5	<0.02	27	0.01
Spine or pelvis					
S12.2	Fracture of third cervical vertebra	<5	<0.02	23	0.01
S22.0	Fracture of thoracic vertebra	<5	<0.02	40	0.01
S32.1	Fracture of sacrum	<5	<0.02	20	0.01
S32.8	Fracture of other parts of pelvis	<5	<0.02	10	0.
Lower extremity					
S72.0	Fracture of head and neck of femur	<5	<0.02	13	0.
S72.3	Fracture of shaft of femur	<5	<0.02	21	0.
S72.4	Fracture of lower end of femur	<5	<0.02	17	0.
S82.0	Fracture of patella	0	0.	42	0.01
S82.1	Fracture of upper end of tibia	<5	<0.02	51	0.02
S82.2	Fracture of shaft of tibia	<5	<0.02	53	0.02
S82.3	Fracture of lower end of tibia	<5	<0.02	79	0.02
S82.4	Fracture of shaft of fibula	0	0.	28	0.01
S82.5	Fracture of medial malleolus	0	0.	42	0.01
S82.6	Fracture of lateral malleolus	<5	<0.02	212	0.06
S82.8	Other fractures of lower leg	<5	<0.02	101	0.03
S92.1	Fracture of talus	<5	<0.02	20	0.