

```
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS CI(95) R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT Perpetration
  /METHOD=STEPWISE totalDigitalFitnessDF totalDigitalResponsibilityDR
  /RESIDUALS NORMPROB(ZRESID) .
```

Regression

Notes		
Output Created	21-JUN-2025 23:48:10	
Comments		
Input	Data	C:\Users\fg\Desktop\Towards a Safe Digital Environment The Role of Digital Fitness and Responsibility in Reducing Cyberbullying Among university students A Quantitative Study\Untitled2.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	1546
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any variable used.
Syntax	REGRESSION /MISSING LISTWISE /STATISTICS COEFF OUTS CI(95) R ANOVA /CRITERIA=PIN(.05) POUT(.10) /NOORIGIN /DEPENDENT Perpetration /METHOD=STEPWISE totalDigitalFitnessDF totalDigitalResponsibilityDR /RESIDUALS NORMPROB(ZRESID).	
Resources	Processor Time	00:00:00.84
	Elapsed Time	00:00:00.81
	Memory Required	2884 bytes

Additional Memory Required for Residual Plots	304 bytes
--	-----------

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	total Digital Responsibility (DR)		Stepwise (Criteria: Probability-of-F-to-enter <= .050, Probability-of-F-to-remove >= .100).
2	total Digital Fitness (DF)		Stepwise (Criteria: Probability-of-F-to-enter <= .050, Probability-of-F-to-remove >= .100).

a. Dependent Variable: Perpetration

Model Summary^c

Model	R	R Square	Adjusted R Square
1	.362 ^a	.131	.130
2	.365 ^b	.133	.132

a. Predictors: (Constant), total Digital Responsibility (DR)

b. Predictors: (Constant), total Digital Responsibility (DR) , total Digital Fitness (DF)

c. Dependent Variable: Perpetration

ANOVA^a

Model		Sum of Squares	df
1	Regression	2471.510	1
	Residual	16418.297	1544
	Total	18889.807	1545
2	Regression	2513.620	2
	Residual	16376.187	1543
	Total	18889.807	1545

a. Dependent Variable: Perpetration

b. Predictors: (Constant), total Digital Responsibility (DR)

c. Predictors: (Constant), total Digital Responsibility (DR) , total Digital Fitness (DF)

Coefficients^a

Model		Unstandardized Coefficients	
		B	Std. Error
1	(Constant)	26.869	.498
	total Digital Responsibility (DR)	-.116	.008
2	(Constant)	27.099	.510
	total Digital Responsibility (DR)	-.063	.028
	total Digital Fitness (DF)	-.047	.024

a. Dependent Variable: Perpetration

Excluded Variables^a

Model	Beta In	t
1 total Digital Fitness (DF)	-.173 ^b	-1.992

a. Dependent Variable: Perpetration

b. Predictors in the Model: (Constant), total Digital Responsibility (DR)

Residuals Statistics^a


	Minimum	Maximum	Mean
Predicted Value	18.166	24.779	19.390
Residual	-18.7787	5.4114	.0000
Std. Predicted Value	-.959	4.225	.000
Std. Residual	-5.764	1.661	.000

a. Dependent Variable: Perpetration

Charts

Normal P-P Plot of Regression Standardized Residual

Dependent Variable: Perpetration



Std. Error of the Estimate
3.2609
3.2578

Mean Square	F	Sig.
2471.510 10.634	232.424	.000 ^b
1256.810 10.613	118.419	.000 ^c

Standardized Coefficients	t	Sig.	95.0% Confidence Interval for B	
Beta			Lower Bound	Upper Bound
	54.005	0.000	25.893	27.845
-.362	-15.245	.000	-.131	-.101
	53.110	0.000	26.098	28.099
-.196	-2.261	.024	-.117	-.008
-.173	-1.992	.047	-.093	-.001

Sig.	Partial Correlation	Collinearity Statistics
		Tolerance
.047	-.051	.075

Std. Deviation	N
1.2755	1546
3.2557	1546
1.000	1546
.999	1546

