

Supplementary Information S1 | Association of elevated GRP protein level in patient samples with cancer aggressiveness and poor survival

Type of Cancer	GRP78	GRP94	GRP75	GRP170	Refs
Bladder	+			+	1,2
Brain	+		+		3-5
Breast	+	+	+	+	6-12
Colorectal	+	+	+		13-15
Endometrial	+				16,17
Esophageal	+	+			18-20
Gastric	+	+			21-25
Head and Neck	+	+			26
Leukemia	+		+		27-30
Liver	+	+	+		31,32
Lung	+	+	+		33-36
Melanoma	+				37
Multiple myeloma	+	+			38,39
Nasopharyngeal		+			40
Oral	+	+			41,42
Osteosarcoma		+			43
Ovarian	+		+		33,44
Pancreatic	+	+	+	+	10,33,45-47
Prostate	+			+	48-51
Renal	+				52
Thyroid				+	10

References

- Uematsu, K. et al. Glucose-regulated protein 78 expression in urothelial carcinoma of the upper urinary tract. *BJU Int.* **106**, 873-878 (2010).
- Asahi, H., Koshida, K., Hori, O., Ogawa, S. & Namiki, M. Immunohistochemical detection of the 150-kDa oxygen-regulated protein in bladder cancer. *BJU Int.* **90**, 462-466 (2002).
- Takano, S. et al. Elevated levels of mortalin expression in human brain tumors. *Exp. Cell Res.* **237**, 38-45 (1997).
- Pyrko, P., Schonthal, A. H., Hofman, F. M., Chen, T. C. & Lee, A. S. The unfolded protein response regulator GRP78/BiP as a novel target for increasing chemosensitivity in malignant gliomas. *Cancer Res.* **67**, 9809-9816 (2007).
- Zhang, L. H., Yang, X. L., Zhang, X., Cheng, J. X. & Zhang, W. Association of elevated GRP78 expression with increased astrocytoma malignancy via Akt and ERK pathways. *Brain Res.* **1371**, 23-31 (2011).
- Cook, K. L. et al. Glucose-regulated protein 78 controls cross-talk between apoptosis and autophagy to determine antiestrogen responsiveness. *Cancer Res.* **72**, 3337-3349 (2012).
- Bini, L. et al. Protein expression profiles in human breast ductal carcinoma and histologically normal tissue. *Electrophoresis* **18**, 2832-2841 (1997).

8. Lee, E. et al. GRP78 as a novel predictor of responsiveness to chemotherapy in breast cancer. *Cancer Res.* **66**, 7849-7853 (2006).
9. Fernandez, P. M. et al. Overexpression of the glucose-regulated stress gene GRP78 in malignant but not benign human breast lesions. *Breast Cancer Res. Treat.* **59**, 15-26 (2000).
10. Tsukamoto, Y. et al. Expression of the 150-kd oxygen-regulated protein in human breast cancer. *Lab. Invest.* **78**, 699-706 (1998).
11. Stojadinovic, A. et al. HYOU1/Orp150 expression in breast cancer. *Med. Sci. Monit.* **13**, BR231-239 (2007).
12. Dejeans, N. et al. Overexpression of GRP94 in breast cancer cells resistant to oxidative stress promotes high levels of cancer cell proliferation and migration: implications for tumor recurrence. *Free Radic. Biol. Med.* **52**, 993-1002 (2012).
13. Dundas, S. R., Lawrie, L. C., Rooney, P. H. & Murray, G. I. Mortalin is over-expressed by colorectal adenocarcinomas and correlates with poor survival. *J. Pathol.* **205**, 74-81 (2005).
14. Takahashi, H., Wang, J. P., Zheng, H. C., Masuda, S. & Takano, Y. Overexpression of GRP78 and GRP94 is involved in colorectal carcinogenesis. *Histol. Histopathol.* **26**, 663-671 (2011).
15. Thornton, M. et al. The unfolded protein response regulator GRP78 is a novel predictive biomarker in colorectal cancer. *Int. J. Cancer* **133**, 1408-1418 (2013).
16. Bifulco, G. et al. Endoplasmic reticulum stress is activated in endometrial adenocarcinoma. *Gynecol. Oncol.* **125**, 220-225 (2012).
17. Gray, M. J. et al. AKT inhibition mitigates GRP78 (glucose-regulated protein) expression and contribution to chemoresistance in endometrial cancers. *Int. J. Cancer* **133**, 21-30 (2013).
18. Chen, X., Ding, Y., Liu, C. G., Mikhail, S. & Yang, C. S. Overexpression of glucose-regulated protein 94 (Grp94) in esophageal adenocarcinomas of a rat surgical model and humans. *Carcinogenesis* **23**, 123-130 (2002).
19. Zhou, J. et al. A novel gene, NMES1, downregulated in human esophageal squamous cell carcinoma. *Int. J. Cancer* **101**, 311-316 (2002).
20. Langer, R., Feith, M., Siewert, J. R., Wester, H. J. & Hoefler, H. Expression and clinical significance of glucose regulated proteins GRP78 (BiP) and GRP94 (GP96) in human adenocarcinomas of the esophagus. *BMC Cancer* **8**, 70 (2008).
21. Zhang, J. et al. Association of elevated GRP78 expression with increased lymph node metastasis and poor prognosis in patients with gastric cancer. *Clin. Exp. Metastasis* **23**, 401-410 (2006).
22. Zheng, H. C. et al. Overexpression of GRP78 and GRP94 are markers for aggressive behavior and poor prognosis in gastric carcinomas. *Hum. Pathol.* **39**, 1042-1049 (2008).
23. Bai, Z. et al. Proteomics-based identification of a group of apoptosis-related proteins and biomarkers in gastric cancer. *Int. J. Oncol.* **38**, 375-383 (2011).
24. Cheng, C. C. et al. Targeting to overexpressed glucose-regulated protein 78 in gastric cancer discovered by 2D DIGE improves the diagnostic and therapeutic efficacy of micelles-mediated system. *Proteomics* **12**, 2584-2597 (2012).
25. Baird, M. et al. The unfolded protein response is activated in Helicobacter-induced gastric carcinogenesis in a non-cell autonomous manner. *Lab. Invest.* **93**, 112-122 (2013).
26. Chiu, C. C. et al. Molecular chaperones as a common set of proteins that regulate the invasion phenotype of head and neck cancer. *Clin. Cancer Res.* **17**, 4629-4641 (2011).
27. Pizzatti, L., Sa, L. A., de Souza, J. M., Bisch, P. M. & Abdelhay, E. Altered protein profile in chronic myeloid leukemia chronic phase identified by a comparative proteomic study. *Biochim. Biophys. Acta* **1764**, 929-942 (2006).
28. Schardt, J. A., Mueller, B. U. & Pabst, T. Activation of the unfolded protein response in human acute myeloid leukemia. *Methods Enzymol.* **489**, 227-243 (2011).
29. Uckun, F. M. et al. Inducing apoptosis in chemotherapy-resistant B-lineage acute lymphoblastic leukaemia cells by targeting HSPA5, a master regulator of the anti-apoptotic unfolded protein response signalling network. *Br. J. Haematol.* **153**, 741-752 (2011).

30. Wey, S. et al. Inducible knockout of GRP78/BiP in the hematopoietic system suppresses Pten-null leukemogenesis and AKT oncogenic signaling. *Blood* **119**, 817-825 (2012).
31. Lim, S. O. et al. Expression of heat shock proteins (HSP27, HSP60, HSP70, HSP90, GRP78, GRP94) in hepatitis B virus-related hepatocellular carcinomas and dysplastic nodules. *World J. Gastroenterol.* **11**, 2072-2079 (2005).
32. Chen, X. et al. Expression of mortalin detected in human liver cancer by tissue microarrays. *Anat. Rec. (Hoboken)* **294**, 1344-1351 (2011).
33. Srokowski, T., Pfeifer, J. D., Li, J., Olson, L. M. & Rader, J. S. Expression and localization of GRP75 in human epithelial tumors and normal tissues. *Appl. Immunohistochem. Mol. Morphol.* **12**, 132-138 (2004).
34. Wang, Q. et al. Overexpression of endoplasmic reticulum molecular chaperone GRP94 and GRP78 in human lung cancer tissues and its significance. *Cancer Detect. Prev.* **29**, 544-551 (2005).
35. Tsai, H. Y. et al. Endoplasmic reticulum ribosome-binding protein 1 (RBP1) overexpression is frequently found in lung cancer patients and alleviates intracellular stress-induced apoptosis through the enhancement of GRP78. *Oncogene* **32**, 4921-4931 (2013).
36. Li, X. J. et al. A blood-based proteomic classifier for the molecular characterization of pulmonary nodules. *Sci Transl Med* **5**, 207ra142 (2013).
37. Zhuang, L. et al. Expression of glucose-regulated stress protein GRP78 is related to progression of melanoma. *Histopathology* **54**, 462-470 (2009).
38. Hua, Y. et al. Molecular chaperone gp96 is a novel therapeutic target of multiple myeloma. *Clin. Cancer Res.* **19**, 6242-6251 (2013).
39. Rasche, L. et al. The natural human IgM antibody PAT-SM6 induces apoptosis in primary human multiple myeloma cells by targeting heat shock protein GRP78. *PLoS One* **8**, e63414 (2013).
40. Zhou, J. et al. Upregulation of Gp96 correlates with the radiosensitivity and five-year survival rate of nasopharyngeal carcinoma. *ORL J. Otorhinolaryngol. Relat. Spec.* **74**, 164-171 (2012).
41. Lin, C. Y. et al. Positive association of glucose-regulated protein 78 during oral cancer progression and the prognostic value in oral precancerous lesions. *Head Neck* **32**, 1028-1039 (2010).
42. Lin, C. Y. et al. GP96 is over-expressed in oral cavity cancer and is a poor prognostic indicator for patients receiving radiotherapy. *Radiat. Oncol.* **6**, 136 (2011).
43. Guo, W. C. et al. Expression and its clinical significance of heat shock protein gp96 in human osteosarcoma. *Neoplasma* **57**, 62-67 (2010).
44. Huang, L. W., Lin, C. Y., Lee, C. C., Liu, T. Z. & Jeng, C. J. Overexpression of GRP78 is associated with malignant transformation in epithelial ovarian tumors. *Appl. Immunohistochem. Mol. Morphol.* **20**, 381-385 (2012).
45. Pan, Z., Erkan, M., Streit, S., Friess, H. & Kleeff, J. Silencing of GRP94 expression promotes apoptosis in pancreatic cancer cells. *Int. J. Oncol.* **35**, 823-828 (2009).
46. Cui, Y. et al. Proteomic and tissue array profiling identifies elevated hypoxia-regulated proteins in pancreatic ductal adenocarcinoma. *Cancer Invest.* **27**, 747-755 (2009).
47. Hill, R. et al. Cell intrinsic role of COX-2 in pancreatic cancer development. *Mol. Cancer Ther.* **11**, 2127-2137 (2012).
48. Miyagi, T. et al. Antitumor effect of reduction of 150-kDa oxygen-regulated protein expression on human prostate cancer cells. *Int. J. Urol.* **9**, 577-585 (2002).
49. Pootrakul, L. et al. Expression of stress response protein Grp78 is associated with the development of castration-resistant prostate cancer. *Clin. Cancer Res.* **12**, 5987-5993 (2006).
50. Daneshmand, S. et al. Glucose-regulated protein GRP78 is up-regulated in prostate cancer and correlates with recurrence and survival. *Hum. Pathol.* **38**, 1547-1552 (2007).
51. Tan, S. S. et al. GRP78 up-regulation is associated with androgen receptor status, Hsp70-Hsp90 client proteins and castrate-resistant prostate cancer. *J. Pathol.* **223**, 81-87 (2011).
52. Fu, W. et al. Upregulation of GRP78 in renal cell carcinoma and its significance. *Urology* **75**, 603-607 (2010).