

Supplementary Table S11: Antibodies used in the study

Western Blot					
epitope	species	clone	working dilution	supplier	
cleaved CASPASE 3	rabbit	5A1E	1:1000	Cell Signaling Technology	Danvers, MA, USA
c-MYB	rabbit	D2R4Y	1:1000	Cell Signaling Technology	Danvers, MA, USA
GSK3 β	mouse	13A	1:1000	BD Biosciences	Franklin Lakes, NJ, USA
HA	rat	3F10	1:1000	Roche Applied Science	Mannheim, Germany
PARP	rabbit	46D11	1:1000	Cell Signaling Technology	Danvers, MA, USA
RNA POLYMERASE II	rabbit	N-20	1:1000	Santa Cruz	Heidelberg, Germany
SLUG	rabbit	C19G3	1:1000	Cell Signaling Technology	Danvers, MA, USA
SNAIL1	rabbit	C15D3	1:1000	Cell Signaling Technology	Danvers, MA, USA
TCF7L2	rabbit	C9B9	1:1000	Cell Signaling Technology	Danvers, MA, USA
α -TUBULIN	mouse	B-5-1-2	1:10000	Sigma-Aldrich	Munich, Germany

Chromatin Immunoprecipitation					
epitope	species	clone	amount used	supplier	
H3	rabbit	ab1791	2 μ g	Abcam	Cambridge, UK
H3K27Ac	rabbit	ab4729	2 μ g	Abcam	Cambridge, UK
H3K4me1	rabbit	pAb-037-050	2 μ g	Diagenode	Denville, NJ, USA
H3K4me3	rabbit	05-745	1 μ g	Merck	Darmstadt, Germany
HA	rabbit	ab9110	1 μ g	Abcam	Cambridge, UK
ASCL2	mouse	MAB4418	5 μ g	EMD Millipore	Darmstadt, Germany
TCF7L2	goat	sc-8631 X	2 μ g	Santa Cruz	Heidelberg, Germany