

SUPPLEMENTARY TABLE S1. Survival subclasses

	SGA GROUP	AGA GROUP	<i>p-value</i>
GA 22+ ⁽ⁿ⁼¹⁾	0 (0%)	1 (100%)	—
GA 23+ ⁽ⁿ⁼¹³⁾	3 (23%)	7 (54%)	0.107
GA 24+ ⁽ⁿ⁼²⁰⁾	11 (55%)	17 (85%)	0.038
GA 25+ ⁽ⁿ⁼²²⁾	12 (55%)	17 (81%)	0.065
GA 26+ ⁽ⁿ⁼²²⁾	14 (67%)	21 (96%)	0.015
GA 27+ ⁽ⁿ⁼⁹⁾	6 (67%)	9 (100%)	0.058
GA 28+ ⁽ⁿ⁼¹⁰⁾	7 (70%)	10 (100%)	0.060
GA 29+ ⁽ⁿ⁼⁶⁾	4 (67%)	6 (100%)	0.121
<400g ^(n=13/0)	1 (8%)	0 (0%)	—
401-500 g ^(n=42/0)	20 (48%)	0 (0%)	—
501-600 g ^(n=48/14)	37 (77%)	6 (43%)	0.015
601-700 g ^(n=0/21)	0 (0%)	18 (86%)	—
701-800 g ^(n=0/19)	0 (0%)	19 (100%)	—
801-900 g ^(n=0/19)	0 (0%)	15 (79%)	—
901-1000 g ^(n=0/8)	0 (0%)	8 (100%)	—
>1000 g ^(n=0/22)	0 (0%)	22 (100%)	—

Data are shown as n (%); p-values were calculated using Mann-Whitney U test and chi-square-test.

Abbreviations: SGA, small for gestational age; AGA, appropriate for gestational age; GA, gestational age