

Original Data – Uncropped Western Blot Images

HSPA2 influences the differentiation and production of immunomodulatory mediators in human immortalized epidermal keratinocyte lines

Agnieszka Gogler^{1*}, Agata Małgorzata Wilk^{2,3*}, Damian Robert Sojka¹, Małgorzata Adamiec-Organisio^{1,3}, Natalia Matysiak⁴, Daria Kania¹, Klaudia Wiecha¹, Ewa Małusecka¹, Alexander Jorge Cortez², Dawid Zamojski^{1,5,6}, Michał Marczyk^{5,7}, Agnieszka Maria Mazurek¹, Sylwia Oziębło¹, Dorota Scieglinska^{#1}

¹ Center for Translational Research and Molecular Biology of Cancer, Maria Skłodowska-Curie National Research Institute of Oncology Gliwice Branch, Wybrzeże Armii Krajowej 15, 44-102 Gliwice, Poland

² Department of Biostatistics and Bioinformatics, Maria Skłodowska-Curie National Research Institute of Oncology, Gliwice Branch, Wybrzeże Armii Krajowej 15, 44-102 Gliwice, Poland

³ Department of Systems Biology and Engineering, Silesian University of Technology, Akademicka 16, 44-100 Gliwice, Poland

⁴ Department of Histology and Cell Pathology, Faculty of Medical Sciences in Zabrze, Medical University of Silesia in Katowice, Jordana 19, 41-808 Zabrze, Poland

⁵ Department of Data Science and Engineering, Silesian University of Technology, Akademicka 16, 44-100 Gliwice

⁶ Genetic Laboratory, Gyncentrum Sp. z o.o., 41-208 Sosnowiec, Poland

⁷ Yale Cancer Center, Yale School of Medicine, New Haven, CT, USA

*These authors contributed equally to this work

Running title: Homeostatic role of HSPA2 in the human epidermis

Corresponding author

Dorota Scieglinska, dorota.scieglinska@gliwice.nio.gov.pl; tel: (48) 32 27 89 679, ORCID 0000-0003-3489-8464

Fig 4G




Fig 4M




Fig 5A




Fig 6G




Fig 7C




Fig 7D




Fig 8A




Fig 8B




Fig S1A




Fig S1B

