




Figure legend. The western blot results of VEGF protein in C166 cells among the Control, BMSC CM, and δ -TT-BMSC CM groups.




Figure legend. The western blot results of GAPDH protein in C166 cells among the Control, BMSC CM, and δ -TT-BMSC CM groups.




Figure legend. The western blot results of PTGS2 protein in PAM-212 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.



Figure legend. The western blot results of GPX4 protein in PAM-212 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of NFE2L2 protein in PAM-212 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of GAPDH protein in PAM-212 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of PTGS2 protein in NIH-3T3 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of GPX4 protein in NIH-3T3 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of NFE2L2 protein in NIH-3T3 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of GAPDH protein in NIH-3T3 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of BACH1 protein in PAM-212 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of PIK3CA protein in PAM-212 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of p-PI3K protein in PAM-212 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of AKT protein in PAM-212 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of p-AKT protein in PAM-212 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of GAPDH protein in PAM-212 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of BACH1 protein in NIH-3T3 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of PIK3CA protein in NIH-3T3 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of p-PI3K protein in NIH-3T3 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of AKT protein in NIH-3T3 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of p-AKT protein in NIH-3T3 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.




Figure legend. The western blot results of GAPDH protein in NIH-3T3 cells among the Control, BMSC CM, δ -TT-BMSC CM, RSL3, and RSL3 + δ -TT-BMSC CM groups.