

Supplementary Data 1


All raw relative uptake plots of the deuterium exchange for each state and experiment.




Relative deuterium uptake plots of peptic peptides of iso2-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso2-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso2-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso2-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso2-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso2-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso2-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso2-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso2-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso2-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso2-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso2-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides Elongin B of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides Elongin B of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides Elongin B of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides Elongin B of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides Elongin B of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides Elongin B of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides Elongin B of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides Elongin B of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides Elongin B of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides Elongin B of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides Elongin B of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of Elongin C of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of Elongin C of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of Elongin C of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of Elongin C of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of Elongin C of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of Elongin C of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of Elongin C of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of Elongin C of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of Elongin C of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of Elongin C of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of VHL of the VCB complex in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + SMARCA2^{BD}.




Relative deuterium uptake plots of peptic peptides of iso1-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso1-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso1-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso1-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso1-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso1-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso1-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso1-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.




Relative deuterium uptake plots of peptic peptides of iso1-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.



Relative deuterium uptake plots of peptic peptides of iso1-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.



Relative deuterium uptake plots of peptic peptides of iso1-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.



Relative deuterium uptake plots of peptic peptides of iso1-SMARCA2^{BD} in the APO, Binary with SiTX-0038404 (PROTAC 1), SiTX-0038405(PROTAC 2), SiTX-0038406(ACBI1) or Ternary complex with 404, 405, 406 + VCB.