




A. digitifera







A. vaga




A. planipennis




A. melanoleuca




A. queenslandica




A. carolinensis




A. gambiae




A. glabripennis




A. nancymae




A. mellifera




A. mexicanus




A. cephalotes




B. antarctica




B. impatiens




B. mori




B. floridae




C. elegans




C. jacchus







C. teleta




C. syrichta




C. porcellus




C. capucinus







C. lanigera




C. sabaesus




C. hoffmanni




C. picta




C. intestinalis




C. savignyi




C. angolensis




C. gigas




C. porosus





C. quinquefasciatus




D. plexippus










D. novemcinctus




D. ponderosae









D. erecta







D. melanogaster




D. mojavensis







D. pseudoobscura




D. sechellia





D. simulans







D. willistoni









E. balteatus




E. caballus




E. europaeus







F. albicollis





G. morhua






G. aculeatus







H. melpomene




H. robusta







H. vulgaris




I. tridecemlineatus







L. chalumnae




L. salmonis





L. oculatus







L. gigantea









M. leucophaeus





M. destructor







M. undulatus









M. domestica




M. musculus







M. lucifugus




N. parkeri




N. vectensis




N. leucogenys




N. eugenii




O. princeps




O. bimaculoides







O. niloticus




O. anatinus




O. afer




O. cuniculus




O. latipes





O. pearsei




O. garnettii









P. troglodytes








P. humanus




P. sinensis












P. formosa








P. pacificus




P. capensis













R. prolixus






S. boliviensis







S. mansoni




S. invicta




S. araneus




S. mimosarum





S. maritima




S. purpuratus









T. rubripes







T. nigroviridis




T. castaneum








T. adhaerens




T. belangeri









X. tropicalis




X. maculatus




Z. nevadensis




A. alternata




A. oligospora




A. nidulans




B. inositovora




B. dendrobatidis







B. cinerea




B. bruxellensis




C. albicans




C. maltosa




C. tanzawaensis




C. tenuis





C. coronatus




C. fabianii









D. hansenii




E. cymbalariae




E. gossypii




E. necator




F. graminearum




G. prolifera




H. uvarum





H. valbyensis






K. africana







K. lactis




K. marxianus




K. pastoris




K. capsulata




L. amethystina




L. lanzarotensis





L. thermotolerans




L. ramosa









M. pachydermatis




M. bicuspidata





M. guilliermondii






N. fulvescens







N. dairenensis




N. irregularis




N. crassa




O. polymorpha





P. tannophilus







P. membranifaciens









P. omphalodes




R. irregularis




R. microsporus




S. arboricola




S. cerevisiae




S. eubayanus







S. complicata




S. stipitis




S. paradoxa







S. passalidarum





S. stellatus




S. salmonicolor










T. caseinolytica









U. pustulata







V. polyspora





W. anomalus







Y. lipolytica












A. chinensis





A. trichopoda




A. coerulea









A. thaliana




A. protothecoides




B. vulgaris




B. napus




B. oleracea







C. sativa




C. grandiflora







C. papaya




C. follicularis




C. braunii




C. eustigma




C. reinhardtii




C. variabilis




C. micranthum




C. clementina




C. sinensis




C. subellipsoidea




C. capsularis




C. sativus




C. moschata







D. rotundata




D. salina





D. zibethinus




E. grandis













G. pectorale











H. annuus














K. fedtschenkoi







L. siceraria




L. angustifolius




M. cordata




M. esculenta




M. polymorpha







M. conductrix





M. charantia




M. neglectum










P. somniferum














P. trichocarpa

















R. subcapitata







S. lycopersicum





S. oleracea




S. polyrhiza









T. orientale




T. pratense





V. radiata




V. vinifera









Z. marina




A. castellanii




A. spectabilis




A. anophagefferens




B. natans




B. stoltei




B. saltans




C. owczarzaki




C. perplexa




C. crispus




C. perkinsii




C. hollandica




C. limacisporum




C. fragrantissima




C. merolae




D. grandis




D. discoideum




D. costata




E. cuniculi




E. histolytica




F. alba




G. sulphuraria




H. balthica





H. gracilis




H. nana









M. roanoka




M. daphniae




M. brevicollis




M. fluctuans




N. gruberi




N. gaditana







P. tricornutum





P. brassicae




P. falciparum









S. dolichothecata




S. helianthica




S. infusionum




S. kvevrii




S. macrocollata




S. punica




S. rosetta




S. urceolata




S. parva




S. arctica



S. diplocostata



T. trahens



T. hominis

