



MaxPeak: 98.24%
Ret_Time: 0.755 min


BA005629\$2




Mol Wt 348.35
Exact Mass 348.15

#	Time	Area%
1	0.755	98.24
2	1.089	1.76


DAD1 A, Sig=215,16 Ref=off (D:\DATE\0117\L568462D\040-D6B-F7-BA005629\$2.D)




DAD1 B, Sig=254,16 Ref=off (D:\DATE\0117\L568462D\040-D6B-F7-BA005629\$2.D)




MSD1 TIC, MS File (D:\DATE\0117\L568462D\040-D6B-F7-BA005629\$2.D) ES-API, Fast Scan, Frag: 100, "POS"




MSD2 TIC, MS File (D:\DATE\0117\L568462D\040-D6B-F7-BA005629\$2.D) ES-API, Fast Scan, Frag: 100, "POS"




ELS1 A, ELS1A, ELSD Signal (D:\DATE\0117\L568462D\040-D6B-F7-BA005629\$2.D)



*MSD1 SPC, time=0.764 of D:\DATE\0117\L568462D\040-D6B-F7-BA005629\$2.D ES-API, Fast Scan, Frag: 100, "POS"



*MSD1 SPC, time=1.099 of D:\DATE\0117\L568462D\040-D6B-F7-BA005629\$2.D ES-API, Fast Scan, Frag: 100, "POS"



*MSD2 SPC, time=0.766 of D:\DATE\0117\L568462D\040-D6B-F7-BA005629\$2.D ES-API, Fast Scan, Frag: 100, "NEG"

