


BA888156\$2



MaxPeak: 100.00%
Ret_Time: 0.940 min




Mol Wt 374.46


Exact Mass 374.16

#	Time	Area%
1	0.940	100.00


DAD1 A, Sig=215,16 Ref=off (D:\DATE\05 01\L607445D\026-D1F-D4-BA888156\$2.D)




DAD1 B, Sig=254,16 Ref=off (D:\DATE\05 01\L607445D\026-D1F-D4-BA888156\$2.D)




MSD1 TIC, MS File (D:\DATE\05 01\L607445D\026-D1F-D4-BA888156\$2.D) ES-API, Fast Scan, Frag: 100, "POS"



MSD2 TIC, MS File (D:\DATE\05 01\L607445D\026-D1F-D4-BA888156\$2.D) ES-API, Fast Scan, Frag: 100, "NEG"




ELS1 A, ELS1A, ELSD Signal (D:\DATE\05 01\L607445D\026-D1F-D4-BA888156\$2.D)



RT 0.950

*MSD1 SPC, time=0.949 of D:\DATE\05 01\L607445D\026-D1F-D4-BA888156\$2.D ES-API, Fast Scan, Frag: 100, "POS"



RT 0.950

*MSD2 SPC, time=0.951 of D:\DATE\05 01\L607445D\026-D1F-D4-BA888156\$2.D ES-API, Fast Scan, Frag: 100, "NEG"

