


BA888190\$2




MaxPeak: 100.00%
Ret_Time: 0.990 min




Mol Wt 391.47
Exact Mass 391.08

#	Time	Area%
1	0.990	100.00


DAD1 A, Sig=215,16 Ref=off (D:\DATA\0502\L607528D\017-D6B-B6-BA888190\$2.D)




DAD1 B, Sig=254,16 Ref=off (D:\DATA\0502\L607528D\017-D6B-B6-BA888190\$2.D)




MSD1 TIC, MS File (D:\DATA\0502\L607528D\017-D6B-B6-BA888190\$2.D) ES-API, Scan, Frag: 100, "POS"



MSD2 TIC, MS File (D:\DATA\0502\L607528D\017-D6B-B6-BA888190\$2.D) ES-API, Scan, Frag: 100, "NEG"




ELS1 A, ELS1A, ELSD Signal (D:\DATA\0502\L607528D\017-D6B-B6-BA888190\$2.D)



*MSD1 SPC, time=0.996 of D:\DATA\0502\L607528D\017-D6B-B6-BA888190\$2.D ES-API, Scan, Frag: 100, "POS"

RT 0.998



*MSD2 SPC, time=1.000 of D:\DATA\0502\L607528D\017-D6B-B6-BA888190\$2.D ES-API, Scan, Frag: 100, "NEG"

RT 0.999

