

Reporting Summary

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our [Editorial Policies](#) and the [Editorial Policy Checklist](#).

Statistics

For all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.

- n/a
- Confirmed
- ☐

☒

The exact sample size (*n*) for each experimental group/condition, given as a discrete number and unit of measurement
- ☐

☒

A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
- ☐

☒

The statistical test(s) used AND whether they are one- or two-sided
Only common tests should be described solely by name; describe more complex techniques in the Methods section.
- ☒

☐

A description of all covariates tested
- ☒

☐

A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
- ☐

☒

A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
- ☐

☒

For null hypothesis testing, the test statistic (e.g. *F*, *t*, *r*) with confidence intervals, effect sizes, degrees of freedom and *P* value noted
*Give *P* values as exact values whenever suitable.*
- ☒

☐

For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
- ☒

☐

For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
- ☐

☒

Estimates of effect sizes (e.g. Cohen's *d*, Pearson's *r*), indicating how they were calculated

Our web collection on [statistics for biologists](#) contains articles on many of the points above.

Software and code

Policy information about [availability of computer code](#)

Data collection

Whole-genome sequencing of synXIII was performed on the NextSeq 500 platform. For transcriptomic data, RNA sequencing libraries were constructed using the NEB Next Ultra TMRNA Library Prep Kit (catalog number: E7770S, NEB) and then sequenced on Illumina HiSeq PE150 Sequencing Systems with v2 kit (catalog number: 256782). Proteomic data was obtained using a previously described free-labeled peptide method [PMID:25069810]. Peptides were loaded on an EASY-nLCTM 1200 UHPLC with an autosampler onto a 2 cm C18 trap column and an analytical C18 column (0.075 × 150 mm column, 3μm) packed in-house. Nano-electrospray ionization (nano ESI) was used to ionize the peptides followed by tandem mass spectrometry (MS/MS) analysis on a benchtop Orbitrap Q Exactive mass spectrometer (Thermo Fisher Scientific, San Jose, CA), coupled online to the HPLC.

For SCRaMbLEant library preparation, the synXIII strain was cultured in the SC-His medium overnight and then diluted to an A600 of 0.1 in the 5 mL fresh SC-His medium containing the inducer 1 μM estradiol at 200 rpm in a shaking flask, with induction for 8 h at 30 °C. Finally, 200 μL solution was collected and the cells were washed by sterile water, culturing on a SC+5-FOA plates for 3 days. For each plate, 96 FOA-resistant single colonies were isolated from the plate for culturing with SC liquid medium in 96 deep-well plate. In this way, a pool of about 6000 SCRaMbLEant colonies was produced.

For replicative lifespan measurement, a microfluidic device based on published reports was used to monitor the number of mother cell divisions (PMID:22498653). Cells incubated in 5 mL SC medium cultured overnight were diluted to an A600 of 0.1 in fresh medium, and incubated at 30 °C for 4~6 h until they reached an A600 of 0.6. The microfluidic device contains 8 micro-posts (side length in the range of 40100 μm, depth of the chamber ranging between 3.8-4.2 μm) that clamp mother cells in place. In contrast, newly formed daughter cells are washed away by hydrodynamically controlled flow of the surrounding liquid medium. Each micro-post tested one strain combined with time-lapse microscopy at the high temporal resolution. Mother cells were continuously monitored for 60 h repeated microscopic imaging to measure produced daughter cells (PMID:22498653). For growth measurement, a single colony of each strain was cultured in YPD medium at 30°C for 2/3 days. Subsequently, the colonies on the plates were automatically identified, photographed, and analyzed using software that measures colony diameter in millimeters. The relative colony size of each strain was determined by dividing the colony size (diameter) of

individual colonies by the mean colony size of BY4741.

Data analysis

GraphPad Prism (version 9.4.0) and (version 10.1.2) was utilized for analyzing doubling time and performing relevant statistical calculations. Snapgene (v6.0.2) was used for gene sequence analysis and primer design. Whole-genome sequencing data was filtered using SOAPnuke (v2.1.1). The clean sequenced reads were then aligned to the reference sequence of the synXIII yeast genome using Bowtie2 (v2.2.5). Variations were identified using GATK (v2.7) and SAMtools (v0.1.19) with default settings. Transcriptomic reads were mapped to reference genomes using hisat2 (v2.1.0), with quantification and analysis of differentially expressed genes performed using FeatureCounts (version 2.0.1) and DEseq2 (version v1.30.1). Proteomic data was analyzed using MaxQuant (version v1.5.3.30) and Spectronaut (version v12) for protein identification and quantification.

In the GFP fluorescence density assay, the median fluorescence value was derived from an analysis of 100,000 cells.

For the analysis of replicative lifespan, we randomly selected 40 mother cells and recorded the number of daughter cells produced. Survival curves were then plotted using Matlab.

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio [guidelines for submitting code & software](#) for further information.

Data

Policy information about [availability of data](#)

All manuscripts must include a [data availability statement](#). This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A description of any restrictions on data availability
- For clinical datasets or third party data, please ensure that the statement adheres to our [policy](#)

The DNA sequencing data and RNA sequencing of this study has been deposited in the CNSA (CNGB) Nucleotide Sequence Archive) under accession number CNP0003780 (<https://db.cngb.org/search/project/CNP0003780/>). The reference genome of BY4741 is downloaded from the Saccharomyces Genome Database (http://sgd-archive.yeastgenome.org/sequence/strains/BY4741_Toronto_2012/). The raw proteomics data is deposited at iProX under accession code PXD057330 [<https://www.iprox.cn/page/project.html?id=IPX0010096000>] and CNSA under accession number CNP0003780 [<https://db.cngb.org/search/project/CNP0003780/>], available at <https://ftp.cngb.org/pub/CNSA/data2/CNP0003780/Protein/>. The results of sequencing data analysis in this study are provided in the Supplementary data and Source data file, which are provided with this paper. All data supporting the findings of this study are available within the manuscript file and its Supplementary Information files. Source data are provided with this paper.

Research involving human participants, their data, or biological material

Policy information about studies with [human participants or human data](#). See also policy information about [sex, gender \(identity/presentation\), and sexual orientation](#) and [race, ethnicity and racism](#).

Reporting on sex and gender N/A

Reporting on race, ethnicity, or other socially relevant groupings N/A

Population characteristics N/A

Recruitment N/A

Ethics oversight N/A

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Field-specific reporting

Please select the one below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.

☒ Life sciences ☐ Behavioural & social sciences ☐ Ecological, evolutionary & environmental sciences

For a reference copy of the document with all sections, see nature.com/documents/nr-reporting-summary-flat.pdf

Life sciences study design

All studies must disclose on these points even when the disclosure is negative.

Sample size

1. To measure the replicative lifespan, we carried out three biological replicates for each strain, with forty cells counted per replicate, as supported by the studies cited (PMIDs: 35662728 and 22498653).
2. For assessing gene expression, each strain was evaluated using three biological replicates and three technical replicates (PMID: 38020968). In the preparation of the SCRaMbLEant library, we generated 6,000 SCRaMbLEant colonies by activating the SCRaMbLE system in the synXIII strain and subsequently selecting colonies on SC + 5FOA plates. Each colony underwent an independent fluorescence intensity assay via FACS.

The strains highlighted in the figures underwent three rounds of replication for validation purposes.
 3. For the measurement of fluorescence intensity using FACS, approximately 100,000 cells were analyzed in each experiment (PMID:37817905).
 We conducted our experiments with sufficient amount of measurements to make reliable conclusions. Regarding each experiment, the sample size was clearly stated in according figure legends.

Data exclusions All data are included for analysis.

Replication We demonstrate the reproducibility of our findings through the relevant plots presented.

Randomization To mitigate the effects of position and phenotypic variation, clones exhibiting different colony sizes and growing in distinct areas of the agar plate were randomly selected. Furthermore, for growth measurement purposes, replicates were strategically randomized across the microplate, ensuring the minimization of potential position effects.

Blinding Binding is not relevant because no group allocation was involved in this study.

Behavioural & social sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description	Briefly describe the study type including whether data are quantitative, qualitative, or mixed-methods (e.g. qualitative cross-sectional, quantitative experimental, mixed-methods case study).
Research sample	State the research sample (e.g. Harvard university undergraduates, villagers in rural India) and provide relevant demographic information (e.g. age, sex) and indicate whether the sample is representative. Provide a rationale for the study sample chosen. For studies involving existing datasets, please describe the dataset and source.
Sampling strategy	Describe the sampling procedure (e.g. random, snowball, stratified, convenience). Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient. For qualitative data, please indicate whether data saturation was considered, and what criteria were used to decide that no further sampling was needed.
Data collection	Provide details about the data collection procedure, including the instruments or devices used to record the data (e.g. pen and paper, computer, eye tracker, video or audio equipment) whether anyone was present besides the participant(s) and the researcher, and whether the researcher was blind to experimental condition and/or the study hypothesis during data collection.
Timing	Indicate the start and stop dates of data collection. If there is a gap between collection periods, state the dates for each sample cohort.
Data exclusions	If no data were excluded from the analyses, state so OR if data were excluded, provide the exact number of exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.
Non-participation	State how many participants dropped out/declined participation and the reason(s) given OR provide response rate OR state that no participants dropped out/declined participation.
Randomization	If participants were not allocated into experimental groups, state so OR describe how participants were allocated to groups, and if allocation was not random, describe how covariates were controlled.

Ecological, evolutionary & environmental sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description	Briefly describe the study. For quantitative data include treatment factors and interactions, design structure (e.g. factorial, nested, hierarchical), nature and number of experimental units and replicates.
Research sample	Describe the research sample (e.g. a group of tagged <i>Passer domesticus</i> , all <i>Stenocereus thurberi</i> within Organ Pipe Cactus National Monument), and provide a rationale for the sample choice. When relevant, describe the organism taxa, source, sex, age range and any manipulations. State what population the sample is meant to represent when applicable. For studies involving existing datasets, describe the data and its source.
Sampling strategy	Note the sampling procedure. Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient.
Data collection	Describe the data collection procedure, including who recorded the data and how.
Timing and spatial scale	Indicate the start and stop dates of data collection, noting the frequency and periodicity of sampling and providing a rationale for these choices. If there is a gap between collection periods, state the dates for each sample cohort. Specify the spatial scale from which the data are taken

Data exclusions	<i>If no data were excluded from the analyses, state so OR if data were excluded, describe the exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.</i>
Reproducibility	<i>Describe the measures taken to verify the reproducibility of experimental findings. For each experiment, note whether any attempts to repeat the experiment failed OR state that all attempts to repeat the experiment were successful.</i>
Randomization	<i>Describe how samples/organisms/participants were allocated into groups. If allocation was not random, describe how covariates were controlled. If this is not relevant to your study, explain why.</i>
Blinding	<i>Describe the extent of blinding used during data acquisition and analysis. If blinding was not possible, describe why OR explain why blinding was not relevant to your study.</i>

Did the study involve field work? ☐ Yes ☐ No

Field work, collection and transport

Field conditions	<i>Describe the study conditions for field work, providing relevant parameters (e.g. temperature, rainfall).</i>
Location	<i>State the location of the sampling or experiment, providing relevant parameters (e.g. latitude and longitude, elevation, water depth).</i>
Access & import/export	<i>Describe the efforts you have made to access habitats and to collect and import/export your samples in a responsible manner and in compliance with local, national and international laws, noting any permits that were obtained (give the name of the issuing authority, the date of issue, and any identifying information).</i>
Disturbance	<i>Describe any disturbance caused by the study and how it was minimized.</i>

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

Materials & experimental systems

n/a	Involved in the study
☐	☒ Antibodies
☒	☐ Eukaryotic cell lines
☒	☐ Palaeontology and archaeology
☒	☐ Animals and other organisms
☒	☐ Clinical data
☒	☐ Dual use research of concern
☒	☐ Plants

Methods

n/a	Involved in the study
☒	☐ ChIP-seq
☐	☒ Flow cytometry
☒	☐ MRI-based neuroimaging

Antibodies

Antibodies used	Primary antibody: Anti-Flag (F1804, Sigma), 1:1000 dilution for WB Secondary antibody: Donkey Anti-rabbit IgG (IRD®680, LICOR Bioscience), 1:5000 dilution for WB
Validation	All antibody used in this study are commercially available and have been carefully validated.

Eukaryotic cell lines

Policy information about [cell lines and Sex and Gender in Research](#)

Cell line source(s)	Mutation verification were conducted using S.cerevisiae BY4741 haploid strain background. Yeast MATa knockout containing
Authentication	<i>Describe the authentication procedures for each cell line used OR declare that none of the cell lines used were authenticated.</i>
Mycoplasma contamination	<i>Confirm that all cell lines tested negative for mycoplasma contamination OR describe the results of the testing for mycoplasma contamination OR declare that the cell lines were not tested for mycoplasma contamination.</i>

Commonly misidentified lines
(See [ICLAC](#) register)

Name any commonly misidentified cell lines used in the study and provide a rationale for their use.

Palaeontology and Archaeology

Specimen provenance

Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information). Permits should encompass collection and, where applicable, export.

Specimen deposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

☐ Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Animals and other research organisms

Policy information about [studies involving animals](#); [ARRIVE guidelines](#) recommended for reporting animal research, and [Sex and Gender in Research](#)

Laboratory animals

For laboratory animals, report species, strain and age OR state that the study did not involve laboratory animals.

Wild animals

Provide details on animals observed in or captured in the field; report species and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.

Reporting on sex

Indicate if findings apply to only one sex; describe whether sex was considered in study design, methods used for assigning sex. Provide data disaggregated for sex where this information has been collected in the source data as appropriate; provide overall numbers in this Reporting Summary. Please state if this information has not been collected. Report sex-based analyses where performed, justify reasons for lack of sex-based analysis.

Field-collected samples

For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about [clinical studies](#)

All manuscripts should comply with the ICMJE [guidelines for publication of clinical research](#) and a completed [CONSORT checklist](#) must be included with all submissions.

Clinical trial registration

Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

Study protocol

Note where the full trial protocol can be accessed OR if not available, explain why.

Data collection

Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.

Outcomes

Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.

Dual use research of concern

Policy information about [dual use research of concern](#)

Hazards

Could the accidental, deliberate or reckless misuse of agents or technologies generated in the work, or the application of information presented in the manuscript, pose a threat to:

- | | |
|--------------------------|---|
| No | Yes |
| ☐ | ☐ Public health |
| ☐ | ☐ National security |
| ☐ | ☐ Crops and/or livestock |
| ☐ | ☐ Ecosystems |
| ☐ | ☐ Any other significant area |

Experiments of concern

Does the work involve any of these experiments of concern:

- | | |
|--------------------------|--|
| No | Yes |
| ☐ | ☐ Demonstrate how to render a vaccine ineffective |
| ☐ | ☐ Confer resistance to therapeutically useful antibiotics or antiviral agents |
| ☐ | ☐ Enhance the virulence of a pathogen or render a nonpathogen virulent |
| ☐ | ☐ Increase transmissibility of a pathogen |
| ☐ | ☐ Alter the host range of a pathogen |
| ☐ | ☐ Enable evasion of diagnostic/detection modalities |
| ☐ | ☐ Enable the weaponization of a biological agent or toxin |
| ☐ | ☐ Any other potentially harmful combination of experiments and agents |

Plants

- | | |
|-----------------------|--|
| Seed stocks | <i>Report on the source of all seed stocks or other plant material used. If applicable, state the seed stock centre and catalogue number. If plant specimens were collected from the field, describe the collection location, date and sampling procedures.</i> |
| Novel plant genotypes | <i>Describe the methods by which all novel plant genotypes were produced. This includes those generated by transgenic approaches, gene editing, chemical/radiation-based mutagenesis and hybridization. For transgenic lines, describe the transformation method, the number of independent lines analyzed and the generation upon which experiments were performed. For gene-edited lines, describe the editor used, the endogenous sequence targeted for editing, the targeting guide RNA sequence (if applicable) and how the editor was applied.</i> |
| Authentication | <i>Describe any authentication procedures for each seed stock used or novel genotype generated. Describe any experiments used to assess the effect of a mutation and, where applicable, how potential secondary effects (e.g. second site T-DNA insertions, mosaicism, off-target gene editing) were examined.</i> |

ChIP-seq

Data deposition

- ☐ Confirm that both raw and final processed data have been deposited in a public database such as [GEO](#).
- ☐ Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

- | | |
|--|--|
| Data access links
<i>May remain private before publication.</i> | <i>For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.</i> |
| Files in database submission | <i>Provide a list of all files available in the database submission.</i> |
| Genome browser session
(e.g. UCSC) | <i>Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.</i> |

Methodology

- | | |
|-------------------------|--|
| Replicates | <i>Describe the experimental replicates, specifying number, type and replicate agreement.</i> |
| Sequencing depth | <i>Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.</i> |
| Antibodies | <i>Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.</i> |
| Peak calling parameters | <i>Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.</i> |

Data quality

Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.

Software

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

Flow Cytometry

Plots

Confirm that:

- ☐ The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).
- ☐ The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).
- ☐ All plots are contour plots with outliers or pseudocolor plots.
- ☐ A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation

Detailed descriptions of sample preparation is included in the Method section of the manuscript and in the supplementary information.

Single colony was generated by constructed strain.

Instrument

FACSAria Cell Sorter (BD) and CytoFLEX (Beckman)

Software

Flow cytometric data were collected using the software comes with the instrument and analyzed using Flowjo _10.8.1.

Cell population abundance

Cell numbers are provided in the figure legends. Flow cytometry was used for analyses. No cell sorting was conducted.

Gating strategy

No gating strategy was conducted

- ☐ Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

Magnetic resonance imaging

Experimental design

Design type

Indicate task or resting state; event-related or block design.

Design specifications

Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.

Behavioral performance measures

State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).

Acquisition

Imaging type(s)

Specify: functional, structural, diffusion, perfusion.

Field strength

Specify in Tesla

Sequence & imaging parameters

Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.

Area of acquisition

State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.

Diffusion MRI

☐ Used☐ Not used

Preprocessing

Preprocessing software

Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).

Normalization

If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.

Normalization template	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).
Volume censoring	Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.

Statistical modeling & inference

Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.
Specify type of analysis:	☐ Whole brain ☐ ROI-based ☐ Both
Statistic type for inference	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.
(See Eklund et al. 2016)	
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).

Models & analysis

n/a	Involved in the study
☐	☐ Functional and/or effective connectivity
☐	☐ Graph analysis
☐	☐ Multivariate modeling or predictive analysis
Functional and/or effective connectivity	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).
Graph analysis	Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).
Multivariate modeling and predictive analysis	Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.