






Source Data Figure 1 Uncropped images of SDS-PAGE from Main Figures.


Uncropped gel image of final FLAG eluates separated on 4-12% SDS-PAGE after colloidal Coomassie staining. The lines indicate the regions cropped for display in the respective figures. a: Figure 1, b-d: Figure 2.

a


Utp7-FTpA from cells containing empty plasmid, expressing pGAL-Krr1 wt or pGAL-Krr1 Δ C3. Used in Supplementary Figure 1b.

b


Utp10-FTpA from Krr1wt and Krr1 Δ C1 cells. Used in Supplementary Figure 1c.

c


Noc4-FTpA from Krr1wt and Krr1 Δ C1 cells. Used in Supplementary Figure 1c.

d

Kri1-FTpA from Krr1wt and Krr1 Δ C1 cells, Utp23-FTpA from Krr1wt and Krr1 Δ C1 cells. Used in Supplementary Figure 3b.

e


Utp23-TEV-protA and Krr1 Δ C1-FLAG. Used in Supplementary Figure 3d.

f

¹⁰Utp23-TEV-protA and Krr1 Δ C1-FLAG. Used in Supplementary Figure 3e.


Source Data Figure 2 Uncropped images of SDS-PAGE from Supplementary Figures.

Uncropped gel image of final FLAG eluates separated on 4-12% SDS-PAGE after colloidal Coomassie staining. a-c: Supplementary Figure 1, d-f: Supplementary Figure 3.




Source Data Figure 3 Uncropped Northern Blots from Main and Supplementary Figures.


Uncropped images of Northern Blots. The line indicates the region cropped for display in the respective figures. a: Figure 2, b: Supplementary Figure 3, c: Figure 1.



Used in Figure 1c.



Used in Figure 1d.



Used in Supplementary Figure 3a.

Source Data Figure 4 Uncropped Dot spots from Main and Supplementary Figures.

Uncropped images of Dotspots. The line indicates the region cropped for display in the respective figures. a, b: Figure 1, c: Supplementary Figure 3.