

Supplementary Data 6. References used in meta-analysis.

1. Aggerbeck, M. R., Nielsen, T. K., Mosbacher, J. B., Schmidt, N. M. & Hansen, L. H. Muskoxen homogenise soil microbial communities and affect the abundance of methanogens and methanotrophs. *Sci. Total Environ.* **827**, 153877 (2022).
2. Allen, K. *et al.* Long-term exclusion of invasive ungulates alters tree recruitment and functional traits but not total forest carbon. *Ecol. Appl.* **33**, e2836 (2023).
3. Anderson, T. M., Ritchie, M. E. & McNaughton, S. J. Rainfall and soils modify plant community response to grazing in Serengeti National Park. *Ecology* **88**, 1191–1201 (2007).
4. Antoniella, G. *et al.* Wild ungulates and carbon dynamics in Mediterranean peri-urban forests: Evaluating their impact on soil and biomass carbon storage. *Urban For. Urban Greening* 128967 (2025).
5. Arvidsson, F., Montes, M. S. & Birkhofer, K. Microhabitat conditions affect web-building spider communities and their prey independent of effects of short-term wildlife fencing on forest vegetation. *J. Arachnol.* **50**, 308–313 (2022).
6. Augustine, D. J. & Frank, D. A. Effects of migratory grazers on spatial heterogeneity of soil nitrogen properties in a grassland ecosystem. *Ecology* **82**, 3149–3162 (2001).
7. Augustine, D. J. & McNaughton, S. J. Regulation of shrub dynamics by native browsing ungulates on East African rangeland. *J. Appl. Ecol.* **41**, 45–58 (2004).
8. Augustine, D. J. *et al.* Large herbivores maintain a two-phase herbaceous vegetation mosaic in a semi-arid savanna. *Ecol. Evol.* **9**, 12779–12788 (2019).
9. Bagchi, S. & Ritchie, M. E. Introduced grazers can restrict potential soil carbon sequestration through impacts on plant community composition: Soil carbon and livestock production. *Ecol. Lett.* **13**, 959–968 (2010).
10. Baidya, P., Roy, S., Karapurkar, J. & Bagchi, S. Replacing native grazers with livestock influences arthropods to have implications for ecosystem functions and disease. *Ecol. Appl.* **35**, e3091 (2025).
11. Bailey, J. K. & Whitham, T. G. Interactions among fire, aspen, and elk affect insect diversity: reversal of a community response. *Ecology* **83**,

1701–1712 (2002).

12. Baines, D., Sage, R. B. & Baines, M. M. The implications of red deer grazing to ground vegetation and invertebrate communities of Scottish native pinewoods. *J. Appl. Ecol.* 776–783 (1994).
13. Baker, B. W., Ducharme, H. C., Mitchell, D. C. S., Stanley, T. R. & Peinetti, H. R. Interaction of beaver and elk herbivory reduces standing crop of willow. *Ecol. Appl.* **15**, 110–118 (2005).
14. Banks, J. E. *et al.* The cascading effects of elephant presence/absence on arthropods and an Afrotropical thrush in Arabuko-Sokoke Forest, Kenya: Ecological cascades in Arabuko-Sokoke Forest, Kenya. *Afr. J. Ecol.* **48**, 1030–1038 (2010).
15. Baraza, E. *et al.* Long-term grazing influences root-associated fungal communities in a common Mediterranean grass. *Plant Soil* 1–20 (2025).
16. Barber, N. A., Hosler, S. C., Whiston, P. & Jones, H. P. Initial responses of dung beetle communities to bison reintroduction in restored and remnant tallgrass prairie. *Nat. Areas J.* **39**, 420 (2019).
17. Barrett, M. A. & Stiling, P. Relationships among Key deer, insect herbivores, and plant quality. *Ecol. Res.* **22**, 268–273 (2007).
18. Barrios-Garcia, M. N., Gonzalez-Polo, M., Simberloff, D. & Classen, A. T. Wild boar rooting impacts soil function differently in different plant community types. *Biol. Invasions* **25**, 583–592 (2023).
19. Barrios-Garcia, M. N., Classen, A. T. & Simberloff, D. Disparate responses of above- and belowground properties to soil disturbance by an invasive mammal. *Ecosphere* **5**, 1–13 (2014).
20. Beckett, K. *et al.* Hyperabundant black-tailed deer impact endangered Garry oak ecosystem floral and bumblebee communities. *Glob. Ecol. Conserv.* **38**, e02237 (2022).
21. Berger, J., Swenson, J. E. & Persson, I. L. Recolonizing carnivores and naïve prey: Conservation lessons from Pleistocene extinctions. *Science* **291**, 1036–1039 (2001).
22. Binkley, D., Singer, F., Kaye, M. & Rochelle, R. Influence of elk grazing on soil properties in Rocky Mountain National Park. *For. Ecol. Manage.* **185**, 239 (2003).
23. Petit Bon, M. *et al.* Long-term herbivore removal experiments reveal how geese and reindeer shape vegetation and ecosystem CO₂-fluxes in

- high-Arctic tundra. *J. Ecol.* **111**, 2627–2642 (2023).
24. Botes, A., McGeoch, M. A. & van Rensburg, B. J. Elephant- and human-induced changes to dung beetle (Coleoptera: Scarabaeidae) assemblages in the Maputaland Centre of Endemism. *Biol. Conserv.* **130**, 573–583 (2006).
25. Boyd, C. S., Davies, K. W. & Collins, G. H. Impacts of feral horse use on herbaceous riparian vegetation within a sagebrush steppe ecosystem. *Rangeland Ecol. Manage.* **70**, 411–417 (2017).
26. Braden, J., Mills, C. H., Cornwell, W. K., Waudby, H. P. & Letnic, M. Impacts of grazing by kangaroos and rabbits on vegetation and soils in a semi-arid conservation reserve. *J. Arid Environ.* **190**, 104526 (2021).
27. Brearley, F. Q. *et al.* Wild pigs influence tropical forest soil microbial communities in a forest-agriculture mosaic landscape. *For. Ecol. Manage.* **572**, 122320 (2024).
28. Bressette, J. W., Beck, H. & Beauchamp, V. B. Beyond the browse line: complex cascade effects mediated by white-tailed deer. *Oikos* **121**, 1749–1760 (2012).
29. Brooks, R. T. Residual effects of thinning and high white-tailed deer densities on northern redback salamanders in southern New England oak forests. *J. Wildl. Manage.* **63**, 1172–1180 (1999).
30. Brousseau, P.-M., Hébert, C., Cloutier, C. & Côté, S. D. Short-term effects of reduced white-tailed deer density on insect communities in a strongly overbrowsed boreal forest ecosystem. *Biodivers. Conserv.* **22**, 77–92 (2013).
31. Bucher, R. *et al.* Deer exclusion changes vegetation structure and hunting guilds of spiders, but not multitrophic understory biodiversity. *Diversity* **13**, 25 (2021).
32. Buesching, C. D., Newman, C., Jones, J. T. & Macdonald, D. W. Testing the effects of deer grazing on two woodland rodents, bankvoles and woodmice. *Basic Appl. Ecol.* **12**, 207–214 (2011).
33. Burke, D. J. *et al.* Deer and invasive plant removal alters mycorrhizal fungal communities and soil chemistry: Evidence from a long-term field experiment. *Soil Biol. Biochem.* **128**, 13–21 (2019).
34. Bush, E. R., Buesching, C. D., Slade, E. M. & Macdonald, D. W. Woodland recovery after suppression of deer: cascade effects for small

- mammals, wood mice (*Apodemus sylvaticus*) and bank voles (*Myodes glareolus*). *PLoS One* **7**, e31404 (2012).
35. Cain, S. L., Cary, G. J., Blanchard, W. & Foster, C. N. Native herbivore browsing alters plant physical and chemical traits in a eucalypt forest understory. *Ecosphere* **15**, e4756 (2024).
 36. Carline, K. A., Jones, H. E. & Bardgett, R. D. Large herbivores affect the stoichiometry of nutrients in a regenerating woodland ecosystem. *Oikos* **110**, 453–460 (2005).
 37. Carpio, A. J. *et al.* Effect of wild ungulate density on invertebrates in a Mediterranean ecosystem. *Anim. Biodivers. Conserv.* **37**, 115–125 (2014).
 38. Case, R. L. & Kauffman, J. B. Wild ungulate influences on the recovery of willows, black cottonwood and thin-leaf alder following cessation of cattle grazing in northeastern Oregon. *Northwest science* **71**, 115–126 (1997).
 39. Casey, D. & Hein, D. Effects of heavy browsing on a bird community in deciduous forest. *J. Wildl. Manage.* **47**, 829 (1983).
 40. Cecil, E. M., Spasojevic, M. J. & Cushman, J. H. Cascading effects of mammalian herbivores on ground-dwelling arthropods: Variable responses across arthropod groups, habitats and years. *J. Anim. Ecol.* **88**, 1319–1331 (2019).
 41. Cepeda, C., Oliva, G. & Ferrante, D. Experimental Exclusion of Guanaco Grazing Increases Cover, Diversity, Land Function and Plant Recruitment in Patagonia. *Phyton (B. Aires)* **93**, (2024).
 42. Charles, G. K., Riginos, C., Veblen, K. E., Kimuyu, D. M. & Young, T. P. Termite mound cover and abundance respond to herbivore-mediated biotic changes in a Kenyan savanna. *Ecol. Evol.* **11**, 7226–7238 (2021).
 43. Charles, G. K., Porensky, L. M., Riginos, C., Veblen, K. E. & Young, T. P. Herbivore effects on productivity vary by guild: cattle increase mean productivity while wildlife reduce variability. *Ecol. Appl.* **27**, 143–155 (2017).
 44. Chen, J. *et al.* Effects of deer disturbance on soil respiration in a subtropical floodplain wetland of the Yangtze River. *Eur. J. Soil Biol.* **56**, 65–71 (2013).
 45. Chips, M. J., Magliocca, M. R., Hasson, B. & Carson, W. P. Quantifying deer and turkey leaf litter disturbances in the eastern deciduous forest: have nontrophic effects of consumers been overlooked? *Can. J. For. Res.* **44**, 1128–1132 (2014).

46. Chips, M. J. *et al.* The indirect impact of long-term overbrowsing on insects in the Allegheny national forest region of Pennsylvania. *Northeast. Nat. (Steuben)* **22**, 782–797 (2015).
47. Chollet, S. *et al.* Positive plant and bird diversity response to experimental deer population reduction after decades of uncontrolled browsing. *Diversity and Distributions* **22**, 274–287 (2016).
48. Chollet, S., Maillard, M., Schörghuber, J., Grayston, S. J. & Martin, J.-L. Deer slow down litter decomposition by reducing litter quality in a temperate forest. *Ecology* **102**, e03235 (2021).
49. Christopher, C. C. & Cameron, G. N. Effects of invasive Amur honeysuckle (*Lonicera maackii*) and white-tailed deer (*Odocoileus virginianus*) on litter-dwelling arthropod communities. *Am. Midl. Nat.* **167**, 256–272 (2012).
50. Churski, M., Bubnicki, J. W., Jędrzejewska, B., Kuijper, D. P. J. & Cromsigt, J. P. G. M. Brown world forests: increased ungulate browsing keeps temperate trees in recruitment bottlenecks in resource hotspots. *New Phytol.* **214**, 158–168 (2017).
51. Cocquelet, A., Mårell, A., Bonthoux, S., Baltzinger, C. & Archaux, F. Direct and indirect effects of ungulates on forest birds' nesting failure? An experimental test with artificial nests. *For. Ecol. Manage.* **437**, 148–155 (2019).
52. Coetsee, C., Wigley, B. J., Sankaran, M., Ratnam, J. & Augustine, D. J. Contrasting effects of grazing vs browsing herbivores determine changes in soil fertility in an East African Savanna. *Ecosystems* **26**, 161–173 (2023).
53. Cole, R. J. & Litton, C. M. Vegetation response to removal of non-native feral pigs from Hawaiian tropical montane wet forest. *Biol. Invasions* **16**, 125–140 (2014).
54. Cole, R. J., Litton, C. M., Koontz, M. J. & Loh, R. K. Vegetation Recovery 16 Years after Feral Pig Removal from a Wet Hawaiian Forest. *Biotropica* **44**, 463–471 (2012).
55. Connally, N. P. *et al.* The impact of deer exclusion fencing on host-seeking blacklegged ticks on suburban residential properties in southern New England. *J. Med. Entomol.* tja070 (2025).
56. Copeland, S. *et al.* Variable effects of wildlife and livestock on questing tick abundance across a topographical–climatic gradient. *Ecosphere* **16**, e70190 (2025).

57. Coughenour, M. B. Biomass and nitrogen responses to grazing of upland steppe on Yellowstone's northern winter range. *J. Appl. Ecol.* 71–82 (1991).
58. Cramer, N. J. *et al.* Feral ungulate impacts on carbon cycling in a coastal floodplain wetland in tropical northern Australia. *J. Geophys. Res. Biogeosci.* **130**, e2025JG009056 (2025).
59. Cushman, J. H., Tierney, T. A. & Hinds, J. M. Variable effects of feral pig disturbances on native and exotic plants in a California grassland. *Ecol. Appl.* **14**, 1746–1756 (2004).
60. Darmon, G., Hidding, B., Bellefeuille, S. D., Tremblay, J.-P. & Côté, S. D. A generalist rodent benefits from logging regardless of deer density. *Écoscience* **20**, 319–327 (2015).
61. DeGraaf, R. M., Healy, W. M. & Brooks, R. T. Effects of thinning and deer browsing on breeding birds in New England oak woodlands. *For. Ecol. Manage.* **41**, 179–191 (1991).
62. deCalesta, D. S. Effect of white-tailed deer on songbirds within managed forests in Pennsylvania. *J. Wildl. Manage.* 711–718 (1994).
63. DiTommaso, A., Morris, S. H., Parker, J. D., Cone, C. L. & Agrawal, A. A. Deer browsing delays succession by altering aboveground vegetation and belowground seed banks. *PLoS One* **9**, e91155 (2014).
64. Dodge, V. J., Eviner, V. T. & Cushman, J. H. Context-dependent effects of a reintroduced ungulate on soil properties are driven by soil texture, moisture, and herbivore activity. *Ecol. Evol.* **10**, 10858–10871 (2020).
65. Don, S. K., Anyomi, K. A. & Dudley, S. A. Effects of Deer Browsing on Soil Nutrients and Regeneration Dynamics in a Carolinian Old-Growth Forest of Ontario. *Sustainability* **16**, 10589 (2024).
66. Dornbusch, M. J. *et al.* Factors influencing the persistence of a fire-sensitive *Artemisia* species in a fire-dependent ecosystem. *Ecol. Appl.* **32**, e2604 (2022).
67. Doupe, R. G., Mitchell, J., Knott, M. J., Davis, A. M. & Lymbery, A. J. Efficacy of exclusion fencing to protect ephemeral floodplain lagoon habitats from feral pigs (*Sus scrofa*). *Wetl. Ecol. Manage.* **18**, 69–78 (2010).
68. Dunkell, D. O., Bruland, G. L., Evensen, C. I. & Litton, C. M. Runoff, Sediment Transport, and Effects of Feral Pig (*Sus scrofa*) Exclusion in a

- Forested Hawaiian Watershed1. *Pac. Sci.* **65**, 175–194 (2011).
69. Eldridge, D. J., Ding, J. & Travers, S. K. Low-intensity kangaroo grazing has largely benign effects on soil health. *Ecol. Manage. Restor.* **22**, 58–63 (2021).
 70. Enochs, B. E., Chong, J. & Kearney, M. A. Exclusion of Overabundant White-tailed Deer (*Odocoileus virginianus*) Results in Shifts in Soil Microbial Communities and Abiotic Soil Condition in a Northeastern Deciduous Forest. *Am. Midl. Nat.* **187**, 173–194 (2022).
 71. Falk, J. M., Schmidt, N. M., Christensen, T. R. & Ström, L. Large herbivore grazing affects the vegetation structure and greenhouse gas balance in a high arctic mire. *Environ. Res. Lett.* **10**, 045001 (2015).
 72. Firn, J., Nguyen, H., Schütz, M. & Risch, A. C. Leaf trait variability between and within subalpine grassland species differs depending on site conditions and herbivory. *Proc. Biol. Sci.* **286**, 20190429 (2019).
 73. Forbes, E. S. *et al.* Labile Soil Carbon Heterogeneity Driven by Consumer Engineering of Aboveground Structure in a Kenyan Savanna. *Ecosystems* **28**, 10 (2025).
 74. Foster, C. N. & Scheele, B. C. Feral-horse impacts on corroboree frog habitat in the Australian Alps. *Wildl. Res.* **46**, 184–190 (2019).
 75. Frank, D. A. The interactive effects of grazing ungulates and aboveground production on grassland diversity. *Oecologia* **143**, 629–634 (2005).
 76. Frank, D. A. & Evans, R. D. Effects of native grazers on grassland N cycling in Yellowstone National Park. *Ecology* **78**, 2238 (1997).
 77. Frank, D. A. & Groffman, P. M. Ungulate vs. landscape control of soil C and N processes in grasslands of Yellowstone National Park. *Ecology* **79**, 2229–2241 (1998).
 78. Frank, D. A., Groffman, P. M., Evans, R. D. & Tracy, B. F. Ungulate stimulation of nitrogen cycling and retention in Yellowstone Park grasslands. *Oecologia* **123**, 116–121 (2000).
 79. Frank, D. A., Depriest, T., Mclauchlan, K. & Risch, A. C. Topographic and ungulate regulation of soil C turnover in a temperate grassland ecosystem: GRASSLAND SOIL C TURNOVER. *Glob. Chang. Biol.* **17**, 495–504 (2011).
 80. Frank, D. A., Wallen, R. L., Hamilton, E. W., III, White, P. J. & Fridley, J. D. Manipulating the system: How large herbivores control bottom-up regulation of grasslands. *J. Ecol.* **106**, 434–443 (2018).

81. Fraser, D. & Hristienko, H. Effects of moose, *Alces alces*, on aquatic vegetation in Sibley Provincial Park, Ontario. (1983).
82. Freedman, B., Catling, P. M. & Lucas, Z. Effects of feral horses on vegetation of Sable Island, Nova Scotia. *Can. Field-Nat.* **125**, 200–212 (2011).
83. Goheen, J. R., Keesing, F., Allan, B. F., Ogada, D. & Ostfeld, R. S. Net effects of large mammals on acacia seedling survival in an african savanna. *Ecology* **85**, 1555–1561 (2004).
84. Goheen, J. R. *et al.* Piecewise disassembly of a large-herbivore community across a rainfall gradient: the UHURU experiment. *PLoS One* **8**, e55192 (2013).
85. Gomez, J. M. & González-Megías, A. Long-term effects of ungulates on phytophagous insects. *Ecol. Entomol.* **32**, 229–234 (2007).
86. Greenwald, K., Petit, L. & Waite, T. Indirect effects of a keystone herbivore elevate local animal diversity. *J. Wildl. Manage.* **72**, 1318–1321 (2008).
87. Guy, T. J. *et al.* Large herbivores transform plant-pollinator networks in an African savanna. *Curr. Biol.* **31**, 2964–2971 (2021).
88. Hannaford, J., Pinn, E. H. & Diaz, A. The impact of sika deer grazing on the vegetation and infauna of Arne saltmarsh. *Mar. Pollut. Bull.* **53**, 56–62 (2006).
89. Hartley, S. E., Gardner, S. M. & Mitchell, R. J. Indirect effects of grazing and nutrient addition on the hemipteran community of heather moorlands: Moorland vegetation and insect community diversity. *J. Appl. Ecol.* **40**, 793–803 (2003).
90. Hatton, J. C. & Smart, N. O. E. The effect of long-term exclusion of large herbivores on soil nutrient status in Murchison Falls National Park, Uganda. *Afr. J. Ecol.* **22**, 23–30 (1984).
91. Hendricks-Franco, L., Stephens, S. L. & Sousa, W. P. Mammalian herbivory in post-fire chaparral impacts herbaceous composition but not N and C cycling. *Journal of Plant Ecology* **14**, 213–228 (2021).
92. Holt, C. A., Fuller, R. J. & Dolman, P. M. Experimental evidence that deer browsing reduces habitat suitability for breeding Common Nightingales *Luscinia megarhynchos*. *Ibis (Lond. 1859)* **152**, 335–346 (2010).
93. Huffman, D. W., Laughlin, D. C., Pearson, K. M. & Pandey, S. Effects of vertebrate herbivores and shrub characteristics on arthropod

- assemblages in a northern Arizona forest ecosystem. *For. Ecol. Manage.* **258**, 616–625 (2009).
94. Huntzinger, M., Karban, R. & Cushman, J. H. Negative effects of vertebrate herbivores on invertebrates in a coastal dune community. *Ecology* **89**, 1972–1980 (2008).
95. Husheer, S. W., Hansen, Q. W. & Ulrich, S. C. Effects of red deer on tree regeneration and growth in Aorangi Forest, Wairarapa. *N. Z. J. Ecol.* 271–277 (2005).
96. Ibañez-Alvarez, M. *et al.* Ungulates alter plant cover without consistent effect on soil ecosystem functioning. *Agric. Ecosyst. Environ.* **326**, 107796 (2022).
97. Ickes, K., DeWalt, S. J. & Appanah, S. Effects of native pigs (*Sus scrofa*) on woody understorey vegetation in a Malaysian lowland rain forest. *J. Trop. Ecol.* **17**, 191–206 (2001).
98. Johnson, B. E. & Cushman, J. H. Influence of a large herbivore reintroduction on plant invasions and community composition in a California grassland. *Conservation Biology* **21**, 515–526 (2007).
99. Jonsson, M., Bell, D., Hjältén, J., Rooke, T. & Scogings, P. F. Do mammalian herbivores influence invertebrate communities via changes in the vegetation? Results from a preliminary survey in Kruger National Park, South Africa. *Afr. J. Range Forage Sci.* **27**, 39–44 (2010).
100. Kadowaki, K. *et al.* eDNA metabarcoding analysis reveals the consequence of creating ecosystem-scale refugia from deer grazing for the soil microbial communities. *Environ. DNA* **5**, 1732–1742 (2023).
101. Kardol, P. *et al.* Soil-mediated effects of invasive ungulates on native tree seedlings. *J. Ecol.* **102**, 622–631 (2014).
102. Keesing, F. Impacts of ungulates on the demography and diversity of small mammals in central Kenya. *Oecologia* **116**, 381–389 (1998).
103. Keesing, F. Cryptic consumers and the ecology of an African Savanna. *Bioscience* **50**, 205 (2000).
104. Keesing, F. & Young, T. P. Cascading Consequences of the Loss of Large Mammals in an African Savanna. *Bioscience* **64**, 487–495 (2014).
105. Keesing, F., Allan, B. F., Young, T. P. & Ostfeld, R. S. Effects of wildlife and cattle on tick abundance in central Kenya. *Ecol. Appl.* **23**, 1410–1418 (2013).
106. Kielland, K. & Bryant, J. P. Moose herbivory in taiga: Effects on biogeochemistry and vegetation dynamics in primary succession. *Oikos* **82**,

- 377 (1998).
107. Kielland, K., Bryant, J. P. & Ruess, R. W. Moose herbivory and carbon turnover of early successional stands in interior Alaska. *Oikos* **80**, 25 (1997).
 108. Kolstad, A. L. *et al.* Moose effects on soil temperatures, tree canopies, and understory vegetation: a path analysis. *Ecosphere* **10**, e02966 (2019).
 109. Lacki, M. J. & Lancia, R. A. Changes in soil properties of forests rooted by wild boar. in *Proceedings of the annual conference of the Southeastern association of fish and wildlife agencies* vol. 37 228–236 (1983).
 110. Lacki, M. J. & Lancia, R. A. Effects of Wild Pigs on Beech Growth in Great Smoky Mountains National Park. *J. Wildl. Manage.* **50**, 655–659 (1986).
 111. Lamperty, T., Zhu, K., Poulsen, J. R. & Dunham, A. E. Defaunation of large mammals alters understory vegetation and functional importance of invertebrates in an Afrotropical forest. *Biol. Conserv.* **241**, 108329 (2020).
 112. Lecomte, X. *et al.* Ungulates mitigate the effects of drought and shrub encroachment on the fire hazard of Mediterranean oak woodlands. *Ecol. Appl.* **34**, e2971 (2024).
 113. Lessard, J.-P. *et al.* Equivalence in the strength of deer herbivory on above and below ground communities. *Basic Appl. Ecol.* **13**, 59–66 (2012).
 114. Levin, P. S., Ellis, J., Petrik, R. & Hay, M. E. Indirect effects of feral horses on estuarine communities. *Conserv. Biol.* **16**, 1364–1371 (2002).
 115. Levine, C. R., Winchcombe, R. J., Canham, C. D., Christenson, L. M. & Ronsheim, M. L. Deer impacts on seed banks and saplings in eastern New York. *Northeast. Nat. (Steuben)* **19**, 49–66 (2012).
 116. Lindén, E., Gough, L. & Olofsson, J. Large and small herbivores have strong effects on tundra vegetation in Scandinavia and Alaska. *Ecol. Evol.* **11**, 12141–12152 (2021).
 117. Long, M. S. *et al.* Impact of nonnative feral pig removal on soil structure and nutrient availability in Hawaiian tropical montane wet forests. *Biol. Invasions* **19**, 749–763 (2017).

118. Loydi, A. Effects of grazing exclusion on vegetation and seed bank composition in a mesic mountain grassland in Argentina. *Plant Ecol. Divers.* **12**, 127–138 (2019).
119. Loydi, A., Zalba, S. M. & Distel, R. A. Vegetation change in response to grazing exclusion in montane grasslands, Argentina. *Plant Ecol. Evol.* **145**, 313–322 (2012).
120. Lucas, S. The Effects of Ungulates on Species Composition and Nutrient Cycles in Central NZ Forests. *Post-graduate Diploma, University of Otago* (2010).
121. Lucas, R. W. *et al.* White-tailed deer (*Odocoileus virginianus*) positively affect the growth of mature northern red oak (*Quercus rubra*) trees. *Ecosphere* **4**, art84 (2013).
122. Lugar, K. J. & Pennings, S. C. Effects of Large Mammal Herbivory on Salt Marsh Invertebrate Communities Vary with Grazing Type. *Estuaries Coast.* **48**, 1–9 (2025).
123. Maillard, M. *et al.* Belowground effects of deer in a temperate forest are time-dependent. *For. Ecol. Manage.* **493**, 119228 (2021).
124. Malongweni, S. O. & van Tol, J. Medium-term interactive effects of herbivores and plant life form on the biochemistry of shallow sandy soils in a protected semi-arid savanna. *Environ. Syst. Res.* **12**, 38 (2023).
125. Maron, J. L. & Pearson, D. E. Vertebrate predators have minimal cascading effects on plant production or seed predation in an intact grassland ecosystem. *Ecol. Lett.* **14**, 661–669 (2011).
126. Masunga, G. S., Moe, S. R. & Pelekekae, B. Fire and grazing change herbaceous species composition and reduce beta diversity in the Kalahari sand system. *Ecosystems* **16**, 252–268 (2013).
127. McCauley, D. J., Keesing, F., Young, T. P., Allan, B. F. & Pringle, R. M. Indirect effects of large herbivores on snakes in an African savanna. *Ecology* **87**, 2657–2663 (2006).
128. McCleery, R. A. *et al.* Megaherbivores facilitate large grazing herbivores and suppress small mammals through vegetation structure and cryptic pathways. *Biol. Conserv.* **310**, 111378 (2025).
129. McInnes, P. F., Naiman, R. J., Pastor, J. & Cohen, Y. Effects of moose browsing on vegetation and litter of the boreal forest, Isle Royale,

- Michigan, USA. *Ecology* **73**, 2059–2075 (1992).
130. McNeil, S. G. & Cushman, J. H. Indirect effects of deer herbivory on local nitrogen availability in a coastal dune ecosystem. *Oikos* **110**, 124–132 (2005).
131. Woods, M. J., Roberson, E., Cipollini, D. & Rúa, M. A. White-tailed deer and an invasive shrub facilitate faster carbon cycling in a forest ecosystem. *For. Ecol. Manage.* **448**, 104–111 (2019).
132. Mills, C. H. *et al.* Grazing by over-abundant native herbivores jeopardizes conservation goals in semi-arid reserves. *Global Ecology and Conservation* **24**, e01384 (2020).
133. Minoshima, M., Takada, M. B., Agetsuma, N. & Hiura, T. Sika deer browsing differentially affects web-building spider densities in high and low productivity forest understories. *Ecoscience* **20**, 55–64 (2013).
134. Mitchell, J. L. Ecology and management of feral pigs (*Sus scrofa*) in rainforests. *PhD Thesis, James Cook University* (2002).
135. Mizutani, A., Azuma, W. A., Kaneko, M. & Matsuyama, S. Soil nutrient and moisture environments and shoot growth of *Quercus crispula* canopy trees in two areas that experienced contrasting effects of deer overabundance over an 11-year period. *J. Forest Res.* **27**, 469–475 (2022).
136. Moe, S. R. *et al.* Strong positive effects of termites on savanna bird abundance and diversity are amplified by large herbivore exclusion. *Ecol. Evol.* **7**, 10079–10088 (2017).
137. Mohanbabu, N. & Ritchie, M. E. Large herbivore impact on plant biomass along multiple resource gradients in the Serengeti. *J. Ecol.* **110**, 1537–1547 (2022).
138. Mohr, D. & Topp, W. Influence of deer exclusion on soil nutrients in oak forests of a central European low mountain range. *Land Degrad. Dev.* **16**, 303–309 (2005).
139. Mohr, D., Cohnstaedt, L. & Topp, W. Wild boar and red deer affect soil nutrients and soil biota in steep oak stands of the Eifel. *Soil Biol. Biochem.* **37**, 693–700 (2005).
140. Moody, A. & Jones, J. A. Soil response to canopy position and feral pig disturbance beneath *Quercus agrifolia* on Santa Cruz Island,

- California. *Appl. Soil Ecol.* **14**, 269–281 (2000).
141. Moon, J. B., Norman, B., Shdaimah, E., Fetcher, N. & Fennessy, S. M. White-Tailed Deer (*Odocoileus virginianus*) Exclusion Shifts Soil Carbon Dynamics in Mature Oak-Dominated and Hemlock-Dominated Forest Stands. *Ecosystems* **28**, 1–21 (2025).
 142. Morimoto, J., Sugiura, M., Morimoto, M. & Nakamura, F. Restoration of natural forests after severe wind disturbance in a cold, snowy region with a deer population: Implications from 15 years of field experiments. *Front. For. Glob. Chang.* **4**, 675475 (2021).
 143. Morris, T. & Letnic, M. Removal of an apex predator initiates a trophic cascade that extends from herbivores to vegetation and the soil nutrient pool. *Proceedings of the Royal Society B: Biological Sciences* **284**, 20170111 (2017).
 144. Mosbacher, J. B., Michelsen, A., Stelvig, M., Hjermstad-Sollerud, H. & Schmidt, N. M. Muskoxen modify plant abundance, phenology, and nitrogen dynamics in a High Arctic fen. *Ecosystems* **22**, 1095–1107 (2019).
 145. Muñoz, A. & Bonal, R. Rodents change acorn dispersal behaviour in response to ungulate presence. *Oikos* **116**, 1631–1638 (2007).
 146. Munoz, A., Bonal, R. & Díaz, M. Ungulates, rodents, shrubs: interactions in a diverse Mediterranean ecosystem. *Basic Appl. Ecol.* **10**, 151–160 (2009).
 147. Murray, T. R., Frank, D. A. & Gehring, C. A. Ungulate and topographic control of arbuscular mycorrhizal fungal spore community composition in a temperate grassland. *Ecology* **91**, 815–827 (2010).
 148. Muthoni, F. K., Groen, T. A., Skidmore, A. K. & van Oel, P. Ungulate herbivory overrides rainfall impacts on herbaceous regrowth and residual biomass in a key resource area. *J. Arid Environ.* **100**, 9–17 (2014).
 149. Nakahama, N. *et al.* Construction of deer fences restores the diversity of butterflies and bumblebees as well as flowering plants in semi-natural grassland. *Biodivers. Conserv.* **29**, 2201–2215 (2020).
 150. Nasser, N. A., McBrayer, L. D. & Schulte, B. A. The impact of tree modification by African elephant (*Loxodonta africana*) on herpetofaunal species richness in northern Tanzania: Impact of African elephants on herpetofauna. *Afr. J. Ecol.* **49**, 133–140 (2011).
 151. Kleintjes Neff, P. K., Fettig, S. M. & VanOverbeke, D. R. VARIABLE RESPONSE OF BUTTERFLIES AND VEGETATION TO ELK HERBIVORY: AN EXCLOSURE EXPERIMENT IN PONDEROSA PINE AND ASPEN-MIXED CONIFER FORESTS. *The Southwestern Naturalist* **52**, 1–14

(2007).

152. Niwa, S., Mariani, L., Kaneko, N., Okada, H. & Sakamoto, K. Early-stage impacts of sika deer on structure and function of the soil microbial food webs in a temperate forest: A large-scale experiment. *For. Ecol. Manage.* **261**, 391–399 (2011).
153. Ogada, D. L., Gadd, M. E., Ostfeld, R. S., Young, T. P. & Keesing, F. Impacts of large herbivorous mammals on bird diversity and abundance in an African savanna. *Oecologia* **156**, 387–397 (2008).
154. Ohira, M., Gomi, T., Iwai, A., Hiraoka, M. & Uchiyama, Y. Ecological resilience of physical plant–soil feedback to chronic deer herbivory: Slow, partial, but functional recovery. *Ecol. Appl.* **32**, e2656 (2022).
155. Okullo, P., Greve, P. M. K. & Moe, S. R. Termites, large herbivores, and herbaceous plant dominance structure small mammal communities in savannahs. *Ecosystems* **16**, 1002–1012 (2013).
156. Orr, D. A. *et al.* Context-dependent effects of shifting large herbivore assemblages on plant structure and diversity. *J. Ecol.* **110**, 1312–1327 (2022).
157. Parker, H. A. *et al.* Avian response to plant community composition and structure in regenerating timber harvests protected by ungulate exclusion fencing. *Avian Conserv. Ecol.* **17**, (2022).
158. Parsons, E. W. R., Maron, J. L. & Martin, T. E. Elk herbivory alters small mammal assemblages in high-elevation drainages. *J. Anim. Ecol.* **82**, 459–467 (2013).
159. Pastor, J., Dewey, B., Naiman, R. J., McInnes, P. F. & Cohen, Y. Moose browsing and soil fertility in the boreal forests of Isle Royale National Park. *Ecology* **74**, 467–480 (1993).
160. Peebles-Spencer, J. R., Gorchov, D. L. & Crist, T. O. Effects of an invasive shrub, *Lonicera maackii*, and a generalist herbivore, white-tailed deer, on forest floor plant community composition. *For. Ecol. Manage.* **402**, 204–212 (2017).
161. Peebles-Spencer, J. R., Haffey, C. M. & Gorchov, D. L. Browse by white-tailed deer decreases cover and growth of the invasive shrub, *Lonicera maackii*. *Am. Midl. Nat.* **179**, 68–77 (2018).
162. Penner, J. F. & Frank, D. A. Litter decomposition in Yellowstone grasslands: The roles of large herbivores, litter quality, and climate.

- Ecosystems* **22**, 929–937 (2019).
163. Porter, K. M., DePerno, C. S., Krings, A., Krachey, M. & Braham, R. Vegetative impact of feral horses, feral pigs, and white-tailed deer on the Currituck National Wildlife Refuge, North Carolina. *Castanea* **79**, 8–17 (2014).
164. Pringle, R. M., Young, T. P., Rubenstein, D. I. & McCauley, D. J. Herbivore-initiated interaction cascades and their modulation by productivity in an African savanna. *Proceedings of the National Academy of Sciences* **104**, 193–197 (2007).
165. Thiele, K. R. & Prober, S. M. Assessment of Impacts of Feral Horses (*Equus caballus*) in the Australian Alps. (1999).
166. Ramirez, J. I. *et al.* Above-and below-ground cascading effects of wild ungulates in temperate forests. *Ecosystems* **24**, 153–167 (2021).
167. Razgulin, S. M. Trophic Role of the Moose (*Alces alces* L.) Population and Its Effect on the Nitrogen and Carbon Cycles in a Southern Taiga Spruce–Birch Forest. *Biol. Bull. Russ. Acad. Sci.* **49**, 234–243 (2022).
168. Rearick, D., Kintz, L., Burke, K. L. & Ransom, T. S. Effects of white-tailed deer on the native earthworm, *Eisenoides carolinensis*, in the southern Appalachian Mountains, USA. *Pedobiologia* **54**, S173–S180 (2011).
169. Reed, S. P. *et al.* Linked disturbance in the temperate forest: Earthworms, deer, and canopy gaps. *Ecology* **104**, e4040 (2023).
170. Relva, M. A., Castán, E. & Mazzarino, M. J. Litter and soil properties are not altered by invasive deer browsing in forests of NW Patagonia. *Acta Oecol. (Montrouge)* **54**, 45–50 (2014).
171. Riesch, F. *et al.* Grazing by wild red deer maintains characteristic vegetation of semi-natural open habitats: Evidence from a three-year exclusion experiment. *Appl. Veg. Sci.* **23**, 522–538 (2020).
172. Risch, A. C., Wirthner, S., Busse, M. D., Page-Dumroese, D. S. & Schütz, M. Grubbing by wild boars (*Sus scrofa* L.) and its impact on hardwood forest soil carbon dioxide emissions in Switzerland. *Oecologia* **164**, 773–784 (2010).
173. Risch, A. C. *et al.* Aboveground vertebrate and invertebrate herbivore impact on net N mineralization in subalpine grasslands. *Ecology* **96**, 3312–3322 (2015).
174. Rocca, C. *et al.* Exotic wild boars and native wild guinea pigs maintain plant diversity in Argentinean coastal grasslands by decreasing plant dominance. *J. Veg. Sci.* **35**, (2024).

175. Rodriguez-Cabal, M. A. *et al.* Non-native ungulates indirectly impact foliar arthropods but not soil function. *Biol. Invasions* **21**, 3077–3084 (2019).
176. Rossow, L. J., Bryant, J. P. & Kielland, K. Effects of above-ground browsing by mammals on mycorrhizal infection in an early successional taiga ecosystem. *Oecologia* **110**, 94–98 (1997).
177. Roy, S., Naidu, D. G. T. & Bagchi, S. Functional substitutability of native herbivores by livestock for soil carbon stock is mediated by microbial decomposers. *Glob. Chang. Biol.* **29**, 2141–2155 (2023).
178. Roy, A., Suchocki, M., Gough, L. & McLaren, J. R. Above-and belowground responses to long-term herbivore exclusion. *Arct. Antarct. Alp. Res.* **52**, 109–119 (2020).
179. Ruess, R. W., Hendrick, R. L. & Bryant, J. P. Regulation of fine root dynamics by mammalian browsers in early successional Alaskan taiga forests. *Ecology* **79**, 2706–2720 (1998).
180. Rupprecht, D., Jedrzejek, B. & Hölzel, N. Fallow deer foraging alone does not preserve the vegetation of traditionally sheep-grazed calcareous grasslands. *J. Appl. Ecol.* **59**, 2520–2530 (2022).
181. Sakai, M., Natuhara, Y., Imanishi, A., Imai, K. & Kato, M. Indirect effects of excessive deer browsing through understory vegetation on stream insect assemblages. *Popul. Ecol.* **54**, 65–74 (2012).
182. Schoenecker, K. A., Singer, F. J., Zeigenfuss, L. C., Binkley, D. & Menezes, R. S. C. Effects of elk herbivory on vegetation and nitrogen processes. *J. Wildl. Manage.* **68**, 837–849 (2004).
183. Schoenecker, K. A., Zeigenfuss, L. C. & Augustine, D. J. Can grazing by elk and bison stimulate herbaceous plant productivity in semiarid ecosystems? *Ecosphere* **13**, (2022).
184. Scogings, P. F., Mamashela, T. C. & Zobolo, A. M. Deciduous sapling responses to season and large herbivores in a semi-arid African savanna: Sapling Responses to Browsing in Savanna. *Austral Ecol.* **38**, 548–556 (2013).
185. Scogings, P. F., Hjäältén, J. & Skarpe, C. Does large herbivore removal affect secondary metabolites, nutrients and shoot length in woody species in semi-arid savannas? *J. Arid Environ.* **88**, 4–8 (2013).

186. Seki, Y. & Koganezawa, M. Does sika deer overabundance exert cascading effects on the raccoon dog population? *J. Forest Res.* **18**, 121–127 (2013).
187. Seki, Y., Ito, M., Okuda, K. & Koganezawa, M. Effects of sika deer density on the diet and population of red foxes. *Eur. J. Wildl. Res.* **67**, 30 (2021).
188. Sharp, S. J. *et al.* Large grazers suppress a foundational plant and reduce soil carbon concentration in eastern US saltmarshes. *J. Ecol.* **112**, 2624–2637 (2024).
189. Shibata, E., Saito, M. & Tanaka, M. Deer-proof fence prevents regeneration of *Picea jezoensis* var. *hondoensis* through seed predation by increased woodmouse populations. *J. Forest Res.* **13**, 89–95 (2008).
190. Shimazaki, A. & Miyashita, T. Deer browsing reduces leaf damage by herbivorous insects through an induced response of the host plant: Deer browsing reduces leaf damage by insects. *Ecol. Res.* **17**, 527–533 (2002).
191. Siemann, E., Carrillo, J. A., Gabler, C. A., Zipp, R. & Rogers, W. E. Experimental test of the impacts of feral hogs on forest dynamics and processes in the southeastern US. *For. Ecol. Manage.* **258**, 546–553 (2009).
192. Singer, F. J. Effects of grazing by ungulates on upland bunchgrass communities of the northern winter range of Yellowstone National Park. *Northwest Sci.* **69**, 191–203 (1995).
193. Singer, F. J. & Harter, M. K. Comparative effects of elk herbivory and 1988 fires on northern Yellowstone National Park grasslands. *Ecol. Appl.* **6**, 185–199 (1996).
194. Singer, F. J. & Renkin, R. A. Effects of browsing by native ungulates on the shrubs in big sagebrush communities in Yellowstone National Park. *Great Basin Nat.* 201–212 (1995).
195. Singer, F. J., Swank, W. T. & Clebsch, E. E. C. Effects of wild pig rooting in a deciduous forest. *J. Wildl. Manage.* **48**, 464 (1984).
196. Sitters, J., Kimuyu, D. M., Young, T. P., Claeys, P. & Olde Venterink, H. Negative effects of cattle on soil carbon and nutrient pools reversed by megaherbivores. *Nature Sustainability* **3**, 360–366 (2020).
197. Sławski, M. & Sławska, M. Collembolan assemblages response to wild boars (*Sus scrofa* L.) rooting in Pine Forest soil. *Forests* **11**, 1123

- (2020).
198. Smit, R. *et al.* Effects of introduction and exclusion of large herbivores on small rodent communities. *Plant Ecol.* **155**, 119–127 (2001).
199. Soper, F. M. *et al.* Inconsistent recovery of nitrogen cycling after feral ungulate removal across three tropical island ecosystems. *Biogeochemistry* **167**, 651–663 (2024).
200. Van Staalduinen, M. A., During, H. & Werger, M. J. A. Impact of grazing regime on a Mongolian forest steppe. *Appl. Veg. Sci.* **10**, 299–306 (2007).
201. Stark, S. & Grellmann, D. Soil microbial responses to herbivory in an arctic tundra heath at two levels of nutrient availability. *Ecology* **83**, 2736 (2002).
202. Stephan, J. G. *et al.* Long-term deer exclosure alters soil properties, plant traits, understory plant community and insect herbivory, but not the functional relationships among them. *Oecologia* **184**, 685–699 (2017).
203. Stohlgren, T. J., Schell, L. D. & Vanden Heuvel, B. How grazing and soil quality affect native and exotic plant diversity in Rocky Mountain grasslands. *Ecol. Appl.* **9**, 45–64 (1999).
204. Stritar, M. L., Schweitzer, J. A., Hart, S. C. & Bailey, J. K. Introduced ungulate herbivore alters soil processes after fire. *Biol. Invasions* **12**, 313–324 (2010).
205. Suominen, O. Impact of cervid browsing and grazing on the terrestrial gastropod fauna in the boreal forests of Fennoscandia. *Ecography (Cop.)* **22**, 651–658 (1999).
206. Suominen, O., Danell, K. & Bryant, J. P. Indirect effects of mammalian browsers on vegetation and ground-dwelling insects in an Alaskan floodplain. *Écoscience* **6**, 505–510 (1999).
207. Suominen, O., Danell, K. & Bergström, R. Moose, trees, and ground-living invertebrates: indirect interactions in Swedish pine forests. *Oikos* **215–226** (1999).
208. Suominen, O., Niemelä, J., Martikainen, P., Niemelä, P. & Kojola, I. Impact of reindeer grazing on ground-dwelling Carabidae and Curculionidae assemblages in Lapland. *Ecography (Cop.)* **26**, 503–513 (2003).

209. Swain, M., Leroux, S. J. & Buchkowski, R. Strong above-ground impacts of a non-native ungulate do not cascade to impact below-ground functioning in a boreal ecosystem. *J. Anim. Ecol.* **92**, 2016–2027 (2023).
210. Tabuchi, K., Quiring, D. T., Flaherty, L. E., Pinault, L. L. & Ozaki, K. Bottom-up trophic cascades caused by moose browsing on a natural enemy of a galling insect on balsam fir. *Basic Appl. Ecol.* **12**, 523–531 (2011).
211. Tanentzap, A. J. *et al.* Trade-offs between passive and trophic rewilding for biodiversity and ecosystem functioning. *Biol. Conserv.* **281**, 110005 (2023).
212. Taylor, D. L., Leung, L.-P. & Gordon, I. J. The impact of feral pigs (*Sus scrofa*) on an Australian lowland tropical rainforest. *Wildl. Res.* **38**, 437–445 (2011).
213. Tokumoto, Y., Sakurai, Y., Abe, H. & Katayama, A. Effects of deer-exclusion fences on soil microbial communities through understory environmental changes in a cool temperate deciduous forest in Southern Japan. *For. Ecol. Manage.* **564**, 121993 (2024).
214. Tracy, B. F. & Frank, D. A. Herbivore influence on soil microbial biomass and nitrogen mineralization in a northern grassland ecosystem: Yellowstone National Park. *Oecologia* 556–562 (1998).
215. Treby, S. & Carnell, P. Impacts of feral grazers and unseasonal summer flooding on floodplain carbon dynamics: A case study. *Int. J. Ecohydrol. Hydrobiol.* **23**, 186–197 (2023).
216. Trepel, J. *et al.* Zoogeochemistry of a protected area: Driven by anthropogenic impacts and animal behavior. *Conserv. Sci. Pract.* **6**, e13107 (2024).
217. Treydte, A. C., Grant, C. C. & Jeltsch, F. Tree size and herbivory determine below-canopy grass quality and species composition in savannahs. *Biodivers. Conserv.* **18**, 3989–4002 (2009).
218. Vandegehuchte, M. L., Schütz, M., de Schaetzen, F. & Risch, A. C. Mammal-induced trophic cascades in invertebrate food webs are modulated by grazing intensity in subalpine grassland. *J. Anim. Ecol.* **86**, 1434–1446 (2017).
219. Vandegehuchte, M. L., Van Der Putten, W. H., Duyts, H., Schütz, M. & Risch, A. C. Aboveground mammal and invertebrate exclusions cause consistent changes in soil food webs of two subalpine grassland types, but mechanisms are system-specific. *Oikos* **126**, (2017).

220. Varriano, S. *et al.* The complementary relationship of bison grazing and arthropod herbivory in structuring a tallgrass prairie community. *Rangeland Ecol. Manage.* **73**, 491–500 (2020).
221. Villar, N. *et al.* Frugivory underpins the nitrogen cycle. *Funct. Ecol.* **35**, 357–368 (2021).
222. Voysey, M. D. *et al.* The role of browsers in maintaining the openness of savanna grazing lawns. *J. Ecol.* **109**, 913–926 (2021).
223. Waldram, M. S., Bond, W. J. & Stock, W. D. Ecological engineering by a mega-grazer: White rhino impacts on a south African Savanna. *Ecosystems* **11**, 101–112 (2008).
224. Ward-Jones, J., Pulsford, I., Thackway, R., Bishwokarma, D. & Freudenberger, D. Impacts of feral horses and deer on an endangered woodland of Kosciuszko National Park. *Ecol. Manage. Restor.* **20**, 37–46 (2019).
225. Warui, C. M., Villet, M. H., Young, T. P. & Jocqué, R. Influence of grazing by large mammals on the spider community of a Kenyan Savanna biome. *J. Arachnol.* **33**, 269–279 (2005).
226. Watson, M., Bushley, K., Seabloom, E. W. & May, G. Response of fungal endophyte communities within *Andropogon gerardii* (Big bluestem) to nutrient addition and herbivore exclusion. *Fungal Ecol.* **51**, 101043 (2021).
227. Wehr, N. H., Litton, C. M., Lincoln, N. K. & Hess, S. C. Relationships between soil macroinvertebrates and nonnative feral pigs (*Sus scrofa*) in Hawaiian tropical montane wet forests. *Biol. Invasions* **22**, 577–586 (2020).
228. Werner, P. A., Cowie, I. D. & Cusack, J. S. Juvenile tree growth and demography in response to feral water buffalo in savannas of northern Australia: an experimental field study in Kakadu National Park. *Aust. J. Bot.* **54**, 283–296 (2006).
229. Wigley, B. J., Augustine, D. J., Coetsee, C., Ratnam, J. & Sankaran, M. Grasses continue to trump trees at soil carbon sequestration following herbivore exclusion in a semiarid African savanna. *Ecology* **101**, e03008 (2020).
230. Wijas, B. J., Cornwell, W. K. & Letnic, M. Herbivores disrupt the flow of food resources to termites in dryland ecosystems. *Ecology* **104**, e4035 (2023).
231. Young, T. P. *et al.* Effects of large mammalian herbivory, previous fire, and year of burn on fire behavior in an African savanna. *Ecosphere* **13**, e3980 (2022).

232. Zalba, S. M. & Cozzani, N. C. The impact of feral horses on grassland bird communities in Argentina. in vol. 7 35–44 (Cambridge University Press, 2004).
233. Zamin, T. J. & Grogan, P. Caribou exclusion during a population low increases deciduous and evergreen shrub species biomass and nitrogen pools in low Arctic tundra. *J. Ecol.* **101**, 671–683 (2013).
234. de Villalobos, A. E. & Schwerdt, L. Feral horses and alien plants: effects on the structure and function of the Pampean Mountain grasslands (Argentina). *Ecoscience* **25**, 49–60 (2018).
235. De Villalobos, A. E., Zalba, S. M. & Peláez, D. V. Pinus halepensis invasion in mountain pampean grassland: effects of feral horses grazing on seedling establishment. *Environ. Res.* **111**, 953–959 (2011).