| Table | Contents |
|---|---|
| **Supplementary Table S1** | The detailed information of 432 brain white matter IDPs. |
| **Supplementary Table S2** | Summary information for cognitive assessments. |
| **Supplementary Table S3** | The items used for the assessment of mental health symptoms. |
| **Supplementary Table S4** | The excluded ICD-10 diagnostic codes for neuropsychiatric disorders. |
| **Supplementary Table S5** | Demographic characteristics of all analytical samples. |
| **Supplementary Table S6** | Associations between $PRS_{SCZ}$ and brain white matter microstructure IDPs. |
| **Supplementary Table S7** | Associations between $PRS_{SCZ}$ and PCs of white matter microstructure. |
| **Supplementary Table S8** | PCA results for the 26 white matter tracts with significant primary associations. |
| **Supplementary Table S9** | Associations between $PRS_{SCZ}$ and brain white matter microstructure IDPs in the non-Caucasian ancestry sample. |
| **Supplementary Table S10** | Associations between $PRS_{SCZ}$ and brain white matter microstructure IDPs in the clinical sample. |
| **Supplementary Table S11** | Associations between $PRS_{SCZ}$ and behavioral traits. |
| **Supplementary Table S12** | Associations between $PRS_{SCZ}$ and behavioral traits in the non-Caucasian ancestry sample. |
| **Supplementary Table S13** | Associations between $PRS_{SCZ}$ and behavioral traits in the clinical sample. |
| **Supplementary Table S14** | Associations of $PRS_{SCZ}$ × sex with brain white matter microstructure and behavioral traits. |
| **Supplementary Table S15** | Associations of $PRS_{SCZ}$ × IMD with brain white matter microstructure and behavioral traits. |
| **Supplementary Table S16** | Causal mediation results. |
| **Supplementary Table S17** | Reverse causal mediation results. |

**Supplementary Table S1. The detailed information of 432 brain white matter IDPs.**

| Field ID | Category | Description |
|---|---|---|
| 25079 | WM tract FA | IDP_dMRI_TBSS_FA_Anterior_corona_radiata_L |
| 25078 | WM tract FA | IDP_dMRI_TBSS_FA_Anterior_corona_radiata_R |
| 25073 | WM tract FA | IDP_dMRI_TBSS_FA_Anterior_limb_of_internal_capsule_L |
| 25072 | WM tract FA | IDP_dMRI_TBSS_FA_Anterior_limb_of_internal_capsule_R |
| 25059 | WM tract FA | IDP_dMRI_TBSS_FA_Body_of_corpus_callosum |
| 25071 | WM tract FA | IDP_dMRI_TBSS_FA_Cerebral_peduncle_L |
| 25070 | WM tract FA | IDP_dMRI_TBSS_FA_Cerebral_peduncle_R |
| 25091 | WM tract FA | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_L |
| 25090 | WM tract FA | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_R |
| 25093 | WM tract FA | IDP_dMRI_TBSS_FA_Cingulum_hippocampus_L |
| 25092 | WM tract FA | IDP_dMRI_TBSS_FA_Cingulum_hippocampus_R |
| 25063 | WM tract FA | IDP_dMRI_TBSS_FA_Corticospinal_tract_L |
| 25062 | WM tract FA | IDP_dMRI_TBSS_FA_Corticospinal_tract_R |
| 25089 | WM tract FA | IDP_dMRI_TBSS_FA_External_capsule_L |
| 25088 | WM tract FA | IDP_dMRI_TBSS_FA_External_capsule_R |
| 25061 | WM tract FA | IDP_dMRI_TBSS_FA_Fornix |
| 25095 | WM tract FA | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_L |
| 25094 | WM tract FA | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_R |
| 25058 | WM tract FA | IDP_dMRI_TBSS_FA_Genu_of_corpus_callosum |
| 25067 | WM tract FA | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_L |
| 25066 | WM tract FA | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_R |
| 25065 | WM tract FA | IDP_dMRI_TBSS_FA_Medial_lemniscus_L |
| 25064 | WM tract FA | IDP_dMRI_TBSS_FA_Medial_lemniscus_R |
| 25056 | WM tract FA | IDP_dMRI_TBSS_FA_Middle_cerebellar_peduncle |
| 25057 | WM tract FA | IDP_dMRI_TBSS_FA_Pontine_crossing_tract |
| 25083 | WM tract FA | IDP_dMRI_TBSS_FA_Posterior_corona_radiata_L |
| 25082 | WM tract FA | IDP_dMRI_TBSS_FA_Posterior_corona_radiata_R |
| 25075 | WM tract FA | IDP_dMRI_TBSS_FA_Posterior_limb_of_internal_capsule_L |
| 25074 | WM tract FA | IDP_dMRI_TBSS_FA_Posterior_limb_of_internal_capsule_R |
| 25085 | WM tract FA | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_L |
| 25084 | WM tract FA | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_R |
| 25077 | WM tract FA | IDP_dMRI_TBSS_FA_Retrolenticular_part_of_internal_capsule_L |
| 25076 | WM tract FA | IDP_dMRI_TBSS_FA_Retrolenticular_part_of_internal_capsule_R |
| 25087 | WM tract FA | IDP_dMRI_TBSS_FA_Sagittal_stratum_L |
| 25086 | WM tract FA | IDP_dMRI_TBSS_FA_Sagittal_stratum_R |
| 25060 | WM tract FA | IDP_dMRI_TBSS_FA_Splenium_of_corpus_callosum |
| 25069 | WM tract FA | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_L |
| 25068 | WM tract FA | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_R |
| 25081 | WM tract FA | IDP_dMRI_TBSS_FA_Superior_corona_radiata_L |
| 25080 | WM tract FA | IDP_dMRI_TBSS_FA_Superior_corona_radiata_R |
| 25099 | WM tract FA | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_L |
| 25098 | WM tract FA | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_R |
| 25097 | WM tract FA | IDP_dMRI_TBSS_FA_Superior_longitudinal_fasciculus_L |
| 25096 | WM tract FA | IDP_dMRI_TBSS_FA_Superior_longitudinal_fasciculus_R |
| 25103 | WM tract FA | IDP_dMRI_TBSS_FA_Tapetum_L |
| 25102 | WM tract FA | IDP_dMRI_TBSS_FA_Tapetum_R |
| 25101 | WM tract FA | IDP_dMRI_TBSS_FA_Uncinate_fasciculus_L |
| 25100 | WM tract FA | IDP_dMRI_TBSS_FA_Uncinate_fasciculus_R |
| 25367 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Anterior_corona_radiata_L |
| 25366 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Anterior_corona_radiata_R |
| 25361 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Anterior_limb_of_internal_capsule_L |
| 25360 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Anterior_limb_of_internal_capsule_R |
| 25347 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Body_of_corpus_callosum |
| 25359 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Cerebral_peduncle_L |
| 25358 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Cerebral_peduncle_R |
| 25379 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Cingulum_cingulate_gyrus_L |
| 25378 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Cingulum_cingulate_gyrus_R |
| 25381 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Cingulum_hippocampus_L |
| 25380 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Cingulum_hippocampus_R |
| 25351 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Corticospinal_tract_L |
| 25350 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Corticospinal_tract_R |
| 25377 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_External_capsule_L |
| 25376 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_External_capsule_R |
| 25349 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Fornix |
| 25383 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Fornix_cres+Stria_terminalis_L |
| 25382 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Fornix_cres+Stria_terminalis_R |
| 25346 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Genu_of_corpus_callosum |
| 25355 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Inferior_cerebellar_peduncle_L |
| 25354 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Inferior_cerebellar_peduncle_R |
| 25353 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Medial_lemniscus_L |
| 25352 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Medial_lemniscus_R |
| 25344 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Middle_cerebellar_peduncle |
| 25345 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Pontine_crossing_tract |
| 25371 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Posterior_corona_radiata_L |
| 25370 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Posterior_corona_radiata_R |
| 25363 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Posterior_limb_of_internal_capsule_L |
| 25362 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Posterior_limb_of_internal_capsule_R |
| 25373 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Posterior_thalamic_radiation_L |
| 25372 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Posterior_thalamic_radiation_R |
| 25365 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Retrolenticular_part_of_internal_capsule_L |
| 25364 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Retrolenticular_part_of_internal_capsule_R |
| 25375 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Sagittal_stratum_L |
| 25374 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Sagittal_stratum_R |
| 25348 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Splenium_of_corpus_callosum |
| 25357 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Superior_cerebellar_peduncle_L |
| 25356 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Superior_cerebellar_peduncle_R |
| 25369 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Superior_corona_radiata_L |
| 25368 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Superior_corona_radiata_R |
| 25387 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Superior_fronto-occipital_fasciculus_L |
| 25386 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Superior_fronto-occipital_fasciculus_R |
| 25385 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Superior_longitudinal_fasciculus_L |
| 25384 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Superior_longitudinal_fasciculus_R |
| 25391 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Tapetum_L |
| 25390 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Tapetum_R |
| 25389 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Uncinate_fasciculus_L |
| 25388 | WM tract ICVF | IDP_dMRI_TBSS_ICVF_Uncinate_fasciculus_R |
| 25463 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Anterior_corona_radiata_L |
| 25462 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Anterior_corona_radiata_R |
| 25457 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Anterior_limb_of_internal_capsule_L |
| 25456 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Anterior_limb_of_internal_capsule_R |
| 25443 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Body_of_corpus_callosum |
| 25455 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Cerebral_peduncle_L |
| 25454 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Cerebral_peduncle_R |
| 25475 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Cingulum_cingulate_gyrus_L |
| 25474 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Cingulum_cingulate_gyrus_R |
| 25477 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Cingulum_hippocampus_L |
| 25476 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Cingulum_hippocampus_R |
| 25447 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Corticospinal_tract_L |
| 25446 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Corticospinal_tract_R |
| 25473 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_External_capsule_L |
| 25472 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_External_capsule_R |
| 25445 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Fornix |
| 25479 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Fornix_cres+Stria_terminalis_L |
| 25478 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Fornix_cres+Stria_terminalis_R |
| 25442 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Genu_of_corpus_callosum |
| 25451 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Inferior_cerebellar_peduncle_L |
| 25450 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Inferior_cerebellar_peduncle_R |
| 25449 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Medial_lemniscus_L |
| 25448 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Medial_lemniscus_R |
| 25440 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Middle_cerebellar_peduncle |
| 25441 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Pontine_crossing_tract |
| 25467 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Posterior_corona_radiata_L |
| 25466 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Posterior_corona_radiata_R |
| 25459 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Posterior_limb_of_internal_capsule_L |
| 25458 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Posterior_limb_of_internal_capsule_R |
| 25469 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Posterior_thalamic_radiation_L |
| 25468 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Posterior_thalamic_radiation_R |
| 25461 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Retrolenticular_part_of_internal_capsule_L |
| 25460 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Retrolenticular_part_of_internal_capsule_R |
| 25471 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Sagittal_stratum_L |
| 25470 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Sagittal_stratum_R |
| 25444 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Splenium_of_corpus_callosum |
| 25453 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Superior_cerebellar_peduncle_L |
| 25452 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Superior_cerebellar_peduncle_R |
| 25465 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Superior_corona_radiata_L |
| 25464 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Superior_corona_radiata_R |
| 25483 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Superior_fronto-occipital_fasciculus_L |
| 25482 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Superior_fronto-occipital_fasciculus_R |
| 25481 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Superior_longitudinal_fasciculus_L |
| 25480 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Superior_longitudinal_fasciculus_R |
| 25487 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Tapetum_L |
| 25486 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Tapetum_R |
| 25485 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Uncinate_fasciculus_L |
| 25484 | WM tract ISOVF | IDP_dMRI_TBSS_ISOVF_Uncinate_fasciculus_R |
| 25127 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Anterior_corona_radiata_L |
| 25126 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Anterior_corona_radiata_R |
| 25121 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Anterior_limb_of_internal_capsule_L |
| 25120 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Anterior_limb_of_internal_capsule_R |
| 25107 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Body_of_corpus_callosum |
| 25119 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Cerebral_peduncle_L |
| 25118 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Cerebral_peduncle_R |
| 25139 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Cingulum_cingulate_gyrus_L |
| 25138 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Cingulum_cingulate_gyrus_R |
| 25141 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Cingulum_hippocampus_L |
| 25140 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Cingulum_hippocampus_R |
| 25111 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Corticospinal_tract_L |
| 25110 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Corticospinal_tract_R |
| 25137 | WM tract diffusivity | IDP_dMRI_TBSS_MD_External_capsule_L |
| 25136 | WM tract diffusivity | IDP_dMRI_TBSS_MD_External_capsule_R |
| 25109 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Fornix |
| 25143 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Fornix_cres+Stria_terminalis_L |
| 25142 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Fornix_cres+Stria_terminalis_R |
| 25106 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Genu_of_corpus_callosum |
| 25115 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Inferior_cerebellar_peduncle_L |
| 25114 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Inferior_cerebellar_peduncle_R |
| 25113 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Medial_lemniscus_L |
| 25112 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Medial_lemniscus_R |
| 25104 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Middle_cerebellar_peduncle |
| 25105 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Pontine_crossing_tract |
| 25131 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_L |
| 25130 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_R |
| 25123 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Posterior_limb_of_internal_capsule_L |
| 25122 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Posterior_limb_of_internal_capsule_R |
| 25133 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Posterior_thalamic_radiation_L |
| 25132 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Posterior_thalamic_radiation_R |
| 25125 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Retrolenticular_part_of_internal_capsule_L |
| 25124 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Retrolenticular_part_of_internal_capsule_R |
| 25135 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Sagittal_stratum_L |
| 25134 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Sagittal_stratum_R |
| 25108 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Splenium_of_corpus_callosum |
| 25117 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Superior_cerebellar_peduncle_L |
| 25116 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Superior_cerebellar_peduncle_R |
| 25129 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Superior_corona_radiata_L |
| 25128 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Superior_corona_radiata_R |
| 25147 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Superior_fronto-occipital_fasciculus_L |
| 25146 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Superior_fronto-occipital_fasciculus_R |
| 25145 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Superior_longitudinal_fasciculus_L |
| 25144 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Superior_longitudinal_fasciculus_R |
| 25151 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Tapetum_L |
| 25150 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Tapetum_R |
| 25149 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Uncinate_fasciculus_L |
| 25148 | WM tract diffusivity | IDP_dMRI_TBSS_MD_Uncinate_fasciculus_R |
| 25175 | WM tract MO | IDP_dMRI_TBSS_MO_Anterior_corona_radiata_L |
| 25174 | WM tract MO | IDP_dMRI_TBSS_MO_Anterior_corona_radiata_R |
| 25169 | WM tract MO | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_L |
| 25168 | WM tract MO | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_R |
| 25155 | WM tract MO | IDP_dMRI_TBSS_MO_Body_of_corpus_callosum |
| 25167 | WM tract MO | IDP_dMRI_TBSS_MO_Cerebral_peduncle_L |
| 25166 | WM tract MO | IDP_dMRI_TBSS_MO_Cerebral_peduncle_R |
| 25187 | WM tract MO | IDP_dMRI_TBSS_MO_Cingulum_cingulate_gyrus_L |
| 25186 | WM tract MO | IDP_dMRI_TBSS_MO_Cingulum_cingulate_gyrus_R |
| 25189 | WM tract MO | IDP_dMRI_TBSS_MO_Cingulum_hippocampus_L |
| 25188 | WM tract MO | IDP_dMRI_TBSS_MO_Cingulum_hippocampus_R |
| 25159 | WM tract MO | IDP_dMRI_TBSS_MO_Corticospinal_tract_L |
| 25158 | WM tract MO | IDP_dMRI_TBSS_MO_Corticospinal_tract_R |
| 25185 | WM tract MO | IDP_dMRI_TBSS_MO_External_capsule_L |
| 25184 | WM tract MO | IDP_dMRI_TBSS_MO_External_capsule_R |
| 25157 | WM tract MO | IDP_dMRI_TBSS_MO_Fornix |
| 25191 | WM tract MO | IDP_dMRI_TBSS_MO_Fornix_cres+Stria_terminalis_L |
| 25190 | WM tract MO | IDP_dMRI_TBSS_MO_Fornix_cres+Stria_terminalis_R |
| 25154 | WM tract MO | IDP_dMRI_TBSS_MO_Genu_of_corpus_callosum |
| 25163 | WM tract MO | IDP_dMRI_TBSS_MO_Inferior_cerebellar_peduncle_L |
| 25162 | WM tract MO | IDP_dMRI_TBSS_MO_Inferior_cerebellar_peduncle_R |
| 25161 | WM tract MO | IDP_dMRI_TBSS_MO_Medial_lemniscus_L |
| 25160 | WM tract MO | IDP_dMRI_TBSS_MO_Medial_lemniscus_R |
| 25152 | WM tract MO | IDP_dMRI_TBSS_MO_Middle_cerebellar_peduncle |
| 25153 | WM tract MO | IDP_dMRI_TBSS_MO_Pontine_crossing_tract |
| 25179 | WM tract MO | IDP_dMRI_TBSS_MO_Posterior_corona_radiata_L |
| 25178 | WM tract MO | IDP_dMRI_TBSS_MO_Posterior_corona_radiata_R |
| 25171 | WM tract MO | IDP_dMRI_TBSS_MO_Posterior_limb_of_internal_capsule_L |
| 25170 | WM tract MO | IDP_dMRI_TBSS_MO_Posterior_limb_of_internal_capsule_R |
| 25181 | WM tract MO | IDP_dMRI_TBSS_MO_Posterior_thalamic_radiation_L |
| 25180 | WM tract MO | IDP_dMRI_TBSS_MO_Posterior_thalamic_radiation_R |
| 25173 | WM tract MO | IDP_dMRI_TBSS_MO_Retrolenticular_part_of_internal_capsule_L |
| 25172 | WM tract MO | IDP_dMRI_TBSS_MO_Retrolenticular_part_of_internal_capsule_R |
| 25183 | WM tract MO | IDP_dMRI_TBSS_MO_Sagittal_stratum_L |
| 25182 | WM tract MO | IDP_dMRI_TBSS_MO_Sagittal_stratum_R |
| 25156 | WM tract MO | IDP_dMRI_TBSS_MO_Splenium_of_corpus_callosum |
| 25165 | WM tract MO | IDP_dMRI_TBSS_MO_Superior_cerebellar_peduncle_L |
| 25164 | WM tract MO | IDP_dMRI_TBSS_MO_Superior_cerebellar_peduncle_R |
| 25177 | WM tract MO | IDP_dMRI_TBSS_MO_Superior_corona_radiata_L |
| 25176 | WM tract MO | IDP_dMRI_TBSS_MO_Superior_corona_radiata_R |
| 25195 | WM tract MO | IDP_dMRI_TBSS_MO_Superior_fronto-occipital_fasciculus_L |
| 25194 | WM tract MO | IDP_dMRI_TBSS_MO_Superior_fronto-occipital_fasciculus_R |
| 25193 | WM tract MO | IDP_dMRI_TBSS_MO_Superior_longitudinal_fasciculus_L |
| 25192 | WM tract MO | IDP_dMRI_TBSS_MO_Superior_longitudinal_fasciculus_R |
| 25199 | WM tract MO | IDP_dMRI_TBSS_MO_Tapetum_L |
| 25198 | WM tract MO | IDP_dMRI_TBSS_MO_Tapetum_R |
| 25197 | WM tract MO | IDP_dMRI_TBSS_MO_Uncinate_fasciculus_L |
| 25196 | WM tract MO | IDP_dMRI_TBSS_MO_Uncinate_fasciculus_R |
| 25415 | WM tract OD | IDP_dMRI_TBSS_OD_Anterior_corona_radiata_L |
| 25414 | WM tract OD | IDP_dMRI_TBSS_OD_Anterior_corona_radiata_R |
| 25409 | WM tract OD | IDP_dMRI_TBSS_OD_Anterior_limb_of_internal_capsule_L |
| 25408 | WM tract OD | IDP_dMRI_TBSS_OD_Anterior_limb_of_internal_capsule_R |
| 25395 | WM tract OD | IDP_dMRI_TBSS_OD_Body_of_corpus_callosum |
| 25407 | WM tract OD | IDP_dMRI_TBSS_OD_Cerebral_peduncle_L |
| 25406 | WM tract OD | IDP_dMRI_TBSS_OD_Cerebral_peduncle_R |
| 25427 | WM tract OD | IDP_dMRI_TBSS_OD_Cingulum_cingulate_gyrus_L |
| 25426 | WM tract OD | IDP_dMRI_TBSS_OD_Cingulum_cingulate_gyrus_R |
| 25429 | WM tract OD | IDP_dMRI_TBSS_OD_Cingulum_hippocampus_L |
| 25428 | WM tract OD | IDP_dMRI_TBSS_OD_Cingulum_hippocampus_R |
| 25399 | WM tract OD | IDP_dMRI_TBSS_OD_Corticospinal_tract_L |
| 25398 | WM tract OD | IDP_dMRI_TBSS_OD_Corticospinal_tract_R |
| 25425 | WM tract OD | IDP_dMRI_TBSS_OD_External_capsule_L |
| 25424 | WM tract OD | IDP_dMRI_TBSS_OD_External_capsule_R |
| 25397 | WM tract OD | IDP_dMRI_TBSS_OD_Fornix |
| 25431 | WM tract OD | IDP_dMRI_TBSS_OD_Fornix_cres+Stria_terminalis_L |
| 25430 | WM tract OD | IDP_dMRI_TBSS_OD_Fornix_cres+Stria_terminalis_R |
| 25394 | WM tract OD | IDP_dMRI_TBSS_OD_Genu_of_corpus_callosum |
| 25403 | WM tract OD | IDP_dMRI_TBSS_OD_Inferior_cerebellar_peduncle_L |
| 25402 | WM tract OD | IDP_dMRI_TBSS_OD_Inferior_cerebellar_peduncle_R |
| 25401 | WM tract OD | IDP_dMRI_TBSS_OD_Medial_lemniscus_L |
| 25400 | WM tract OD | IDP_dMRI_TBSS_OD_Medial_lemniscus_R |
| 25392 | WM tract OD | IDP_dMRI_TBSS_OD_Middle_cerebellar_peduncle |
| 25393 | WM tract OD | IDP_dMRI_TBSS_OD_Pontine_crossing_tract |
| 25419 | WM tract OD | IDP_dMRI_TBSS_OD_Posterior_corona_radiata_L |
| 25418 | WM tract OD | IDP_dMRI_TBSS_OD_Posterior_corona_radiata_R |
| 25411 | WM tract OD | IDP_dMRI_TBSS_OD_Posterior_limb_of_internal_capsule_L |
| 25410 | WM tract OD | IDP_dMRI_TBSS_OD_Posterior_limb_of_internal_capsule_R |
| 25421 | WM tract OD | IDP_dMRI_TBSS_OD_Posterior_thalamic_radiation_L |
| 25420 | WM tract OD | IDP_dMRI_TBSS_OD_Posterior_thalamic_radiation_R |
| 25413 | WM tract OD | IDP_dMRI_TBSS_OD_Retrolenticular_part_of_internal_capsule_L |
| 25412 | WM tract OD | IDP_dMRI_TBSS_OD_Retrolenticular_part_of_internal_capsule_R |
| 25423 | WM tract OD | IDP_dMRI_TBSS_OD_Sagittal_stratum_L |
| 25422 | WM tract OD | IDP_dMRI_TBSS_OD_Sagittal_stratum_R |
| 25396 | WM tract OD | IDP_dMRI_TBSS_OD_Splenium_of_corpus_callosum |
| 25405 | WM tract OD | IDP_dMRI_TBSS_OD_Superior_cerebellar_peduncle_L |
| 25404 | WM tract OD | IDP_dMRI_TBSS_OD_Superior_cerebellar_peduncle_R |
| 25417 | WM tract OD | IDP_dMRI_TBSS_OD_Superior_corona_radiata_L |
| 25416 | WM tract OD | IDP_dMRI_TBSS_OD_Superior_corona_radiata_R |
| 25435 | WM tract OD | IDP_dMRI_TBSS_OD_Superior_fronto-occipital_fasciculus_L |
| 25434 | WM tract OD | IDP_dMRI_TBSS_OD_Superior_fronto-occipital_fasciculus_R |
| 25433 | WM tract OD | IDP_dMRI_TBSS_OD_Superior_longitudinal_fasciculus_L |
| 25432 | WM tract OD | IDP_dMRI_TBSS_OD_Superior_longitudinal_fasciculus_R |
| 25439 | WM tract OD | IDP_dMRI_TBSS_OD_Tapetum_L |
| 25438 | WM tract OD | IDP_dMRI_TBSS_OD_Tapetum_R |
| 25437 | WM tract OD | IDP_dMRI_TBSS_OD_Uncinate_fasciculus_L |
| 25436 | WM tract OD | IDP_dMRI_TBSS_OD_Uncinate_fasciculus_R |
| 25200 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Middle_cerebellar_peduncle |
| 25201 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Pontine_crossing_tract |
| 25202 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Genu_of_corpus_callosum |
| 25203 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Body_of_corpus_callosum |
| 25204 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Splenium_of_corpus_callosum |
| 25205 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Fornix |
| 25206 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Corticospinal_tract_R |
| 25207 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Corticospinal_tract_L |
| 25208 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Medial_lemniscus_R |
| 25209 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Medial_lemniscus_L |
| 25210 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Inferior_cerebellar_peduncle_R |
| 25211 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Inferior_cerebellar_peduncle_L |
| 25212 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Superior_cerebellar_peduncle_R |
| 25213 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Superior_cerebellar_peduncle_L |
| 25214 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Cerebral_peduncle_R |
| 25215 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Cerebral_peduncle_L |
| 25216 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Anterior_limb_of_internal_capsule_R |
| 25217 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Anterior_limb_of_internal_capsule_L |
| 25218 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Posterior_limb_of_internal_capsule_R |
| 25219 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Posterior_limb_of_internal_capsule_L |
| 25220 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Retrolenticular_part_of_internal_capsule_R |
| 25221 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Retrolenticular_part_of_internal_capsule_L |
| 25222 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Anterior_corona_radiata_R |
| 25223 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Anterior_corona_radiata_L |
| 25224 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Superior_corona_radiata_R |
| 25225 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Superior_corona_radiata_L |
| 25226 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Posterior_corona_radiata_R |
| 25227 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Posterior_corona_radiata_L |
| 25228 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Posterior_thalamic_radiation_R |
| 25229 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Posterior_thalamic_radiation_L |
| 25230 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Sagittal_stratum_R |
| 25231 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Sagittal_stratum_L |
| 25232 | WM tract diffusivity | IDP_dMRI_TBSS_L1_External_capsule_R |
| 25233 | WM tract diffusivity | IDP_dMRI_TBSS_L1_External_capsule_L |
| 25234 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Cingulum_cingulate_gyrus_R |
| 25235 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Cingulum_cingulate_gyrus_L |
| 25236 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Cingulum_hippocampus_R |
| 25237 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Cingulum_hippocampus_L |
| 25238 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Fornix_cres+Stria_terminalis_R |
| 25239 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Fornix_cres+Stria_terminalis_L |
| 25240 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Superior_longitudinal_fasciculus_R |
| 25241 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Superior_longitudinal_fasciculus_L |
| 25242 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Superior_fronto-occipital_fasciculus_R |
| 25243 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Superior_fronto-occipital_fasciculus_L |
| 25244 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Uncinate_fasciculus_R |
| 25245 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Uncinate_fasciculus_L |
| 25246 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Tapetum_R |
| 25247 | WM tract diffusivity | IDP_dMRI_TBSS_L1_Tapetum_L |
| 25248 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Middle_cerebellar_peduncle |
| 25249 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Pontine_crossing_tract |
| 25250 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Genu_of_corpus_callosum |
| 25251 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Body_of_corpus_callosum |
| 25252 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Splenium_of_corpus_callosum |
| 25253 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Fornix |
| 25254 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Corticospinal_tract_R |
| 25255 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Corticospinal_tract_L |
| 25256 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Medial_lemniscus_R |
| 25257 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Medial_lemniscus_L |
| 25258 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Inferior_cerebellar_peduncle_R |
| 25259 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Inferior_cerebellar_peduncle_L |
| 25260 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Superior_cerebellar_peduncle_R |
| 25261 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Superior_cerebellar_peduncle_L |
| 25262 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Cerebral_peduncle_R |
| 25263 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Cerebral_peduncle_L |
| 25264 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Anterior_limb_of_internal_capsule_R |
| 25265 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Anterior_limb_of_internal_capsule_L |
| 25266 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Posterior_limb_of_internal_capsule_R |
| 25267 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Posterior_limb_of_internal_capsule_L |
| 25268 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Retrolenticular_part_of_internal_capsule_R |
| 25269 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Retrolenticular_part_of_internal_capsule_L |
| 25270 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Anterior_corona_radiata_R |
| 25271 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Anterior_corona_radiata_L |
| 25272 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Superior_corona_radiata_R |
| 25273 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Superior_corona_radiata_L |
| 25274 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Posterior_corona_radiata_R |
| 25275 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Posterior_corona_radiata_L |
| 25276 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Posterior_thalamic_radiation_R |
| 25277 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Posterior_thalamic_radiation_L |
| 25278 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Sagittal_stratum_R |
| 25279 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Sagittal_stratum_L |
| 25280 | WM tract diffusivity | IDP_dMRI_TBSS_L2_External_capsule_R |
| 25281 | WM tract diffusivity | IDP_dMRI_TBSS_L2_External_capsule_L |
| 25282 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Cingulum_cingulate_gyrus_R |
| 25283 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Cingulum_cingulate_gyrus_L |
| 25284 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Cingulum_hippocampus_R |
| 25285 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Cingulum_hippocampus_L |
| 25286 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Fornix_cres+Stria_terminalis_R |
| 25287 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Fornix_cres+Stria_terminalis_L |
| 25288 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Superior_longitudinal_fasciculus_R |
| 25289 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Superior_longitudinal_fasciculus_L |
| 25290 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Superior_fronto-occipital_fasciculus_R |
| 25291 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Superior_fronto-occipital_fasciculus_L |
| 25292 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Uncinate_fasciculus_R |
| 25293 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Uncinate_fasciculus_L |
| 25294 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Tapetum_R |
| 25295 | WM tract diffusivity | IDP_dMRI_TBSS_L2_Tapetum_L |
| 25296 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Middle_cerebellar_peduncle |
| 25297 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Pontine_crossing_tract |
| 25298 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Genu_of_corpus_callosum |
| 25299 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Body_of_corpus_callosum |
| 25300 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Splenium_of_corpus_callosum |
| 25301 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Fornix |
| 25302 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Corticospinal_tract_R |
| 25303 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Corticospinal_tract_L |
| 25304 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Medial_lemniscus_R |
| 25305 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Medial_lemniscus_L |
| 25306 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Inferior_cerebellar_peduncle_R |
| 25307 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Inferior_cerebellar_peduncle_L |
| 25308 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Superior_cerebellar_peduncle_R |
| 25309 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Superior_cerebellar_peduncle_L |
| 25310 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Cerebral_peduncle_R |
| 25311 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Cerebral_peduncle_L |
| 25312 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Anterior_limb_of_internal_capsule_R |
| 25313 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Anterior_limb_of_internal_capsule_L |
| 25314 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Posterior_limb_of_internal_capsule_R |
| 25315 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Posterior_limb_of_internal_capsule_L |
| 25316 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Retrolenticular_part_of_internal_capsule_R |
| 25317 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Retrolenticular_part_of_internal_capsule_L |
| 25318 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Anterior_corona_radiata_R |
| 25319 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Anterior_corona_radiata_L |
| 25320 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Superior_corona_radiata_R |
| 25321 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Superior_corona_radiata_L |
| 25322 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Posterior_corona_radiata_R |
| 25323 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Posterior_corona_radiata_L |
| 25324 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Posterior_thalamic_radiation_R |
| 25325 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Posterior_thalamic_radiation_L |
| 25326 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Sagittal_stratum_R |
| 25327 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Sagittal_stratum_L |
| 25328 | WM tract diffusivity | IDP_dMRI_TBSS_L3_External_capsule_R |
| 25329 | WM tract diffusivity | IDP_dMRI_TBSS_L3_External_capsule_L |
| 25330 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Cingulum_cingulate_gyrus_R |
| 25331 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Cingulum_cingulate_gyrus_L |
| 25332 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Cingulum_hippocampus_R |
| 25333 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Cingulum_hippocampus_L |
| 25334 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Fornix_cres+Stria_terminalis_R |
| 25335 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Fornix_cres+Stria_terminalis_L |
| 25336 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Superior_longitudinal_fasciculus_R |
| 25337 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Superior_longitudinal_fasciculus_L |
| 25338 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Superior_fronto-occipital_fasciculus_R |
| 25339 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Superior_fronto-occipital_fasciculus_L |
| 25340 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Uncinate_fasciculus_R |
| 25341 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Uncinate_fasciculus_L |
| 25342 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Tapetum_R |
| 25343 | WM tract diffusivity | IDP_dMRI_TBSS_L3_Tapetum_L |

Note: L1=axial diffusivity (AD), mean (L2+L3)=radial diffusivity (RD).

Abbreviation: dMRI, diffusional magnetic resonance imaging; FA, fractional anisotropy; ICVF, intracellular volume fraction; IDP, imaging-derived phenotype; ISOVF, isotropic volume fraction; L, left; MD, mean diffusivity; MO, mode of anisotropy; OD, orientation dispersion; R, right; TBSS, tract-based spatial statistics; WM, white matter.

**Supplementary Table S2. Summary information for cognitive assessments.**

| Cognitive function | Field ID | Description | Sample size |
|---|---|---|---|
| Fluid intelligence | 20191 | Fluid intelligence score | 82,613 |
| Numeric memory | 20240 | Maximum digits remembered correctly | 74,795 |
| Pairs matching | 20131 | Number of correct matches in round | 79,434 |
| Symbol-digit substitution | 20159 | Number of symbol digit matches made correctly | 79,405 |
| Trail making | 20156 | Duration to complete numeric path (trail #1) | 70,260 |
| Reaction time | 20023 | Mean time to correctly identify matches | 299,846 |

**Supplementary Table S3. The items used for the assessment of mental health symptoms.**

| **Anxiety** | **Sample size: 104,114** |
|---|---|
| **Field ID** | **Description** |
| 20506 | Feeling nervous, anxious or on edge |
| 20509 | Not being able to stop or control worrying |
| 20520 | Worrying too much about different things |
| 20515 | Trouble relaxing |
| 20516 | Being so restless that it is hard to sit still |
| 20505 | Becoming easily annoyed or irritable |
| 20512 | Feeling afraid as if something awful might happen |
| **Depression** | **Sample size: 31,336** |
| **Field ID** | **Description** |
| 20514 | Little interest or pleasure in doing things |
| 20510 | Feeling down, depressed, or hopeless |
| 20517 | Trouble falling or staying asleep, or sleeping too much |
| 20519 | Feeling tired or having little energy |
| 20511 | Poor appetite or overeating |
| 20507 | Feeling of inadequacy |
| 20508 | Trouble concentrating on things |
| 20518 | Changes in speed/amount of moving or speaking |
| 20513 | Thoughts of suicide or self-harm |
| 20446 | Ever had prolonged feelings of sadness or depression |
| 20441 | Ever had prolonged loss of interest in normal activities |
| 20532 | Did your sleep change? |
| 20435 | Difficulty concentrating during worst depression |
| 20438 | Duration of worst depression |
| 20449 | Feelings of tiredness during worst episode of depression |
| 20450 | Feelings of worthlessness during worst period of depression |
| 20436 | Fraction of day affected during worst episode of depression |
| 20439 | Frequency of depressed days during worst episode of depression |
| 20440 | Impact on normal roles during worst period of depression |
| 20437 | Thoughts of death during worst depression |
| 20536 | Weight change during worst episode of depression |
| **Mania** | **Sample size: 19,739** |
| **Field ID** | **Description** |
| 20501 | Ever had period of mania / excitability |
| 20502 | Ever had period extreme irritability |
| 20548 | Manifestations of mania or irritability |
| 20492 | Longest period of mania or irritability |
| 20493 | Severity of problems due to mania or irritability |
| **Mental distress** | **Sample size: 103,956** |
| **Field ID** | **Description** |
| 20499 | Ever sought or received professional help for mental distress |
| 20500 | Ever suffered mental distress preventing usual activities |
| 20544 | Mental health problems ever diagnosed by a professional |
| **Psychotic experience** | **Sample size: 4,080** |
| **Field ID** | **Description** |
| 20471 | Ever seen an un-real vision |
| 20463 | Ever heard an un-real voice |
| 20474 | Ever believed in un-real communications or signs |
| 20468 | Ever believed in an un-real conspiracy against self |
| 20467 | Frequency of unusual or psychotic experiences in past year |
| **Self-harm** | **Sample size: 3,269** |
| **Field ID** | **Description** |
| 20479 | Ever thought that life not worth living |
| 20485 | Ever contemplated self-harm |
| 20480 | Ever self-harmed |
| 20482 | Number of times self-harmed |
| 20553 | Methods of self-harm used |
| 20483 | Ever attempted suicide |
| **Trauma** | **Sample size: 41,307** |
| **Field ID** | **Description** |
| 20489 | Felt loved as a child |
| 20488 | Physically abused by family as a child |
| 20487 | Felt hated by family member as a child |
| 20490 | Sexually molested as a child |
| 20491 | Someone to take to doctor when needed as a child |
| 20522 | Been in a confiding relationship as an adult |
| 20523 | Physical violence by partner or ex-partner as an adult |
| 20521 | Belittlement by partner or ex-partner as an adult |
| 20524 | Sexual interference by partner or ex-partner without consent as an adult |
| 20525 | Able to pay rent/mortgage as an adult |
| 20531 | Victim of sexual assault |
| 20529 | Victim of physically violent crime |
| 20526 | Been in serious accident believed to be life-threatening |
| 20530 | Witnessed sudden violent death |
| 20528 | Diagnosed with life-threatening illness |
| 20527 | Been involved in combat or exposed to war-zone |
| 20497 | Repeated disturbing thoughts of stressful experience in past month |
| 20498 | Felt very upset when reminded of stressful experience in past month |
| 20495 | Avoided activities or situations because of previous stressful experience in past month |
| 20496 | Felt distant from other people in past month |
| 20494 | Felt irritable or had angry outbursts in past month |
| **Well-being** | **Sample size: 102,601** |
| **Field ID** | **Description** |
| 20458 | In general, how happy you are? |
| 20459 | In general, how happy you are with your health? |
| 20460 | To what extent do you feel your life to be meaningful? |

**Supplementary Table S4. The excluded ICD-10 diagnostic codes for neuropsychiatric disorders.**

| Coding | Meaning |
|---|---|
| C70 | C70 Malignant neoplasm of meninges |
| C700 | C70.0 Cerebral meninges |
| C701 | C70.1 Spinal meninges |
| C709 | C70.9 Meninges, unspecified |
| C71 | C71 Malignant neoplasm of brain |
| C710 | C71.0 Cerebrum, except lobes and ventricles |
| C711 | C71.1 Frontal lobe |
| C712 | C71.2 Temporal lobe |
| C713 | C71.3 Parietal lobe |
| C714 | C71.4 Occipital lobe |
| C715 | C71.5 Cerebral ventricle |
| C716 | C71.6 Cerebellum |
| C717 | C71.7 Brain stem |
| C718 | C71.8 Overlapping lesion of brain |
| C719 | C71.9 Brain, unspecified |
| C72 | C72 Malignant neoplasm of spinal cord, cranial nerves and other parts of central nervous system |
| C720 | C72.0 Spinal cord |
| C721 | C72.1 Cauda equina |
| C722 | C72.2 Olfactory nerve |
| C723 | C72.3 Optic nerve |
| C724 | C72.4 Acoustic nerve |
| C725 | C72.5 Other and unspecified cranial nerves |
| C728 | C72.8 Overlapping lesion of brain and other parts of central nervous system |
| C729 | C72.9 Central nervous system, unspecified |
| F00 | F00 Dementia in Alzheimer's disease |
| F000 | F00.0 Dementia in Alzheimer's disease with early onset |
| F001 | F00.1 Dementia in Alzheimer's disease with late onset |
| F002 | F00.2 Dementia in Alzheimer's disease, atypical or mixed type |
| F009 | F00.9 Dementia in Alzheimer's disease, unspecified |
| F01 | F01 Vascular dementia |
| F010 | F01.0 Vascular dementia of acute onset |
| F011 | F01.1 Multi-infarct dementia |
| F012 | F01.2 Subcortical vascular dementia |
| F013 | F01.3 Mixed cortical and subcortical vascular dementia |
| F018 | F01.8 Other vascular dementia |
| F019 | F01.9 Vascular dementia, unspecified |
| F02 | F02 Dementia in other diseases classified elsewhere |
| F020 | F02.0 Dementia in Pick's disease |
| F021 | F02.1 Dementia in Creutzfeldt-Jakob disease |
| F022 | F02.2 Dementia in Huntington's disease |
| F023 | F02.3 Dementia in Parkinson's disease |
| F024 | F02.4 Dementia in human immunodeficiency virus [HIV] disease |
| F028 | F02.8 Dementia in other specified diseases classified elsewhere |
| F03 | F03 Unspecified dementia |
| F04 | F04 Organic amnesic syndrome, not induced by alcohol and other psychoactive substances |
| F05 | F05 Delirium, not induced by alcohol and other psychoactive substances |
| F050 | F05.0 Delirium not superimposed on dementia, so described |
| F051 | F05.1 Delirium superimposed on dementia |
| F058 | F05.8 Other delirium |
| F059 | F05.9 Delirium, unspecified |
| F06 | F06 Other mental disorders due to brain damage and dysfunction and to physical disease |
| F060 | F06.0 Organic hallucinosis |
| F061 | F06.1 Organic catatonic disorder |
| F062 | F06.2 Organic delusional [schizophrenia-like] disorder |
| F063 | F06.3 Organic mood [affective] disorders |
| F064 | F06.4 Organic anxiety disorder |
| F065 | F06.5 Organic dissociative disorder |
| F066 | F06.6 Organic emotionally labile [asthenic] disorder |
| F067 | F06.7 Mild cognitive disorder |
| F068 | F06.8 Other specified mental disorders due to brain damage and dysfunction and to physical disease |
| F069 | F06.9 Unspecified mental disorder due to brain damage and dysfunction and to physical disease |
| F07 | F07 Personality and behavioural disorders due to brain disease, damage and dysfunction |
| F070 | F07.0 Organic personality disorder |
| F071 | F07.1 Postencephalitic syndrome |
| F072 | F07.2 Postconcussional syndrome |
| F078 | F07.8 Other organic personality and behavioural disorders due to brain disease, damage and dysfunction |
| F079 | F07.9 Unspecified organic personality and behavioural disorder due to brain disease, damage and dysfunction |
| F09 | F09 Unspecified organic or symptomatic mental disorder |
| F10 | F10 Mental and behavioural disorders due to use of alcohol |
| F100 | F10.0 Acute intoxication |
| F101 | F10.1 Harmful use |
| F102 | F10.2 Dependence syndrome |
| F103 | F10.3 Withdrawal state |
| F104 | F10.4 Withdrawal state with delirium |
| F105 | F10.5 Psychotic disorder |
| F106 | F10.6 Amnesic syndrome |
| F107 | F10.7 Residual and late-onset psychotic disorder |
| F108 | F10.8 Other mental and behavioural disorders |
| F109 | F10.9 Unspecified mental and behavioural disorder |
| F11 | F11 Mental and behavioural disorders due to use of opioids |
| F110 | F11.0 Acute intoxication |
| F111 | F11.1 Harmful use |
| F112 | F11.2 Dependence syndrome |
| F113 | F11.3 Withdrawal state |
| F114 | F11.4 Withdrawal state with delirium |
| F115 | F11.5 Psychotic disorder |
| F116 | F11.6 Amnesic syndrome |
| F117 | F11.7 Residual and late-onset psychotic disorder |
| F118 | F11.8 Other mental and behavioural disorders |
| F119 | F11.9 Unspecified mental and behavioural disorder |
| F12 | F12 Mental and behavioural disorders due to use of cannabinoids |
| F120 | F12.0 Acute intoxication |
| F121 | F12.1 Harmful use |
| F122 | F12.2 Dependence syndrome |
| F123 | F12.3 Withdrawal state |
| F124 | F12.4 Withdrawal state with delirium |
| F125 | F12.5 Psychotic disorder |
| F126 | F12.6 Amnesic syndrome |
| F127 | F12.7 Residual and late-onset psychotic disorder |
| F128 | F12.8 Other mental and behavioural disorders |
| F129 | F12.9 Unspecified mental and behavioural disorder |
| F13 | F13 Mental and behavioural disorders due to use of sedatives or hypnotics |
| F130 | F13.0 Acute intoxication |
| F131 | F13.1 Harmful use |
| F132 | F13.2 Dependence syndrome |
| F133 | F13.3 Withdrawal state |
| F134 | F13.4 Withdrawal state with delirium |
| F135 | F13.5 Psychotic disorder |
| F136 | F13.6 Amnesic syndrome |
| F137 | F13.7 Residual and late-onset psychotic disorder |
| F138 | F13.8 Other mental and behavioural disorders |
| F139 | F13.9 Unspecified mental and behavioural disorder |
| F14 | F14 Mental and behavioural disorders due to use of cocaine |
| F140 | F14.0 Acute intoxication |
| F141 | F14.1 Harmful use |
| F142 | F14.2 Dependence syndrome |
| F143 | F14.3 Withdrawal state |
| F144 | F14.4 Withdrawal state with delirium |
| F145 | F14.5 Psychotic disorder |
| F146 | F14.6 Amnesic syndrome |
| F147 | F14.7 Residual and late-onset psychotic disorder |
| F148 | F14.8 Other mental and behavioural disorders |
| F149 | F14.9 Unspecified mental and behavioural disorder |
| F15 | F15 Mental and behavioural disorders due to use of other stimulants, including caffeine |
| F150 | F15.0 Acute intoxication |
| F151 | F15.1 Harmful use |
| F152 | F15.2 Dependence syndrome |
| F153 | F15.3 Withdrawal state |
| F154 | F15.4 Withdrawal state with delirium |
| F155 | F15.5 Psychotic disorder |
| F156 | F15.6 Amnesic syndrome |
| F157 | F15.7 Residual and late-onset psychotic disorder |
| F158 | F15.8 Other mental and behavioural disorders |
| F159 | F15.9 Unspecified mental and behavioural disorder |
| F16 | F16 Mental and behavioural disorders due to use of hallucinogens |
| F160 | F16.0 Acute intoxication |
| F161 | F16.1 Harmful use |
| F162 | F16.2 Dependence syndrome |
| F163 | F16.3 Withdrawal state |
| F164 | F16.4 Withdrawal state with delirium |
| F165 | F16.5 Psychotic disorder |
| F166 | F16.6 Amnesic syndrome |
| F167 | F16.7 Residual and late-onset psychotic disorder |
| F168 | F16.8 Other mental and behavioural disorders |
| F169 | F16.9 Unspecified mental and behavioural disorder |
| F17 | F17 Mental and behavioural disorders due to use of tobacco |
| F170 | F17.0 Acute intoxication |
| F171 | F17.1 Harmful use |
| F172 | F17.2 Dependence syndrome |
| F173 | F17.3 Withdrawal state |
| F174 | F17.4 Withdrawal state with delirium |
| F175 | F17.5 Psychotic disorder |
| F176 | F17.6 Amnesic syndrome |
| F177 | F17.7 Residual and late-onset psychotic disorder |
| F178 | F17.8 Other mental and behavioural disorders |
| F179 | F17.9 Unspecified mental and behavioural disorder |
| F18 | F18 Mental and behavioural disorders due to use of volatile solvents |
| F180 | F18.0 Acute intoxication |
| F181 | F18.1 Harmful use |
| F182 | F18.2 Dependence syndrome |
| F183 | F18.3 Withdrawal state |
| F184 | F18.4 Withdrawal state with delirium |
| F185 | F18.5 Psychotic disorder |
| F186 | F18.6 Amnesic syndrome |
| F187 | F18.7 Residual and late-onset psychotic disorder |
| F188 | F18.8 Other mental and behavioural disorders |
| F189 | F18.9 Unspecified mental and behavioural disorder |
| F19 | F19 Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances |
| F190 | F19.0 Acute intoxication |
| F191 | F19.1 Harmful use |
| F192 | F19.2 Dependence syndrome |
| F193 | F19.3 Withdrawal state |
| F194 | F19.4 Withdrawal state with delirium |
| F195 | F19.5 Psychotic disorder |
| F196 | F19.6 Amnesic syndrome |
| F197 | F19.7 Residual and late-onset psychotic disorder |
| F198 | F19.8 Other mental and behavioural disorders |
| F199 | F19.9 Unspecified mental and behavioural disorder |
| F20 | F20 Schizophrenia |
| F200 | F20.0 Paranoid schizophrenia |
| F201 | F20.1 Hebephrenic schizophrenia |
| F202 | F20.2 Catatonic schizophrenia |
| F203 | F20.3 Undifferentiated schizophrenia |
| F204 | F20.4 Postschizophrenic depression |
| F205 | F20.5 Residual schizophrenia |
| F206 | F20.6 Simple schizophrenia |
| F208 | F20.8 Other schizophrenia |
| F209 | F20.9 Schizophrenia, unspecified |
| F21 | F21 Schizotypal disorder |
| F22 | F22 Persistent delusional disorders |
| F220 | F22.0 Delusional disorder |
| F228 | F22.8 Other persistent delusional disorders |
| F229 | F22.9 Persistent delusional disorder, unspecified |
| F23 | F23 Acute and transient psychotic disorders |
| F230 | F23.0 Acute polymorphic psychotic disorder without symptoms of schizophrenia |
| F231 | F23.1 Acute polymorphic psychotic disorder with symptoms of schizophrenia |
| F232 | F23.2 Acute schizophrenia-like psychotic disorder |
| F233 | F23.3 Other acute predominantly delusional psychotic disorders |
| F238 | F23.8 Other acute and transient psychotic disorders |
| F239 | F23.9 Acute and transient psychotic disorder, unspecified |
| F24 | F24 Induced delusional disorder |
| F25 | F25 Schizoaffective disorders |
| F250 | F25.0 Schizoaffective disorder, manic type |
| F251 | F25.1 Schizoaffective disorder, depressive type |
| F252 | F25.2 Schizoaffective disorder, mixed type |
| F258 | F25.8 Other schizoaffective disorders |
| F259 | F25.9 Schizoaffective disorder, unspecified |
| F28 | F28 Other nonorganic psychotic disorders |
| F29 | F29 Unspecified nonorganic psychosis |
| F30 | F30 Manic episode |
| F300 | F30.0 Hypomania |
| F301 | F30.1 Mania without psychotic symptoms |
| F302 | F30.2 Mania with psychotic symptoms |
| F308 | F30.8 Other manic episodes |
| F309 | F30.9 Manic episode, unspecified |
| F31 | F31 Bipolar affective disorder |
| F310 | F31.0 Bipolar affective disorder, current episode hypomanic |
| F311 | F31.1 Bipolar affective disorder, current episode manic without psychotic symptoms |
| F312 | F31.2 Bipolar affective disorder, current episode manic with psychotic symptoms |
| F313 | F31.3 Bipolar affective disorder, current episode mild or moderate depression |
| F314 | F31.4 Bipolar affective disorder, current episode severe depression without psychotic symptoms |
| F315 | F31.5 Bipolar affective disorder, current episode severe depression with psychotic symptoms |
| F316 | F31.6 Bipolar affective disorder, current episode mixed |
| F317 | F31.7 Bipolar affective disorder, currently in remission |
| F318 | F31.8 Other bipolar affective disorders |
| F319 | F31.9 Bipolar affective disorder, unspecified |
| F32 | F32 Depressive episode |
| F320 | F32.0 Mild depressive episode |
| F321 | F32.1 Moderate depressive episode |
| F322 | F32.2 Severe depressive episode without psychotic symptoms |
| F323 | F32.3 Severe depressive episode with psychotic symptoms |
| F328 | F32.8 Other depressive episodes |
| F329 | F32.9 Depressive episode, unspecified |
| F33 | F33 Recurrent depressive disorder |
| F330 | F33.0 Recurrent depressive disorder, current episode mild |
| F331 | F33.1 Recurrent depressive disorder, current episode moderate |
| F332 | F33.2 Recurrent depressive disorder, current episode severe without psychotic symptoms |
| F333 | F33.3 Recurrent depressive disorder, current episode severe with psychotic symptoms |
| F334 | F33.4 Recurrent depressive disorder, currently in remission |
| F338 | F33.8 Other recurrent depressive disorders |
| F339 | F33.9 Recurrent depressive disorder, unspecified |
| F34 | F34 Persistent mood [affective] disorders |
| F340 | F34.0 Cyclothymia |
| F341 | F34.1 Dysthymia |
| F348 | F34.8 Other persistent mood [affective] disorders |
| F349 | F34.9 Persistent mood [affective] disorder, unspecified |
| F38 | F38 Other mood [affective] disorders |
| F380 | F38.0 Other single mood [affective] disorders |
| F381 | F38.1 Other recurrent mood [affective] disorders |
| F388 | F38.8 Other specified mood [affective] disorders |
| F39 | F39 Unspecified mood [affective] disorder |
| F40 | F40 Phobic anxiety disorders |
| F400 | F40.0 Agoraphobia |
| F401 | F40.1 Social phobias |
| F402 | F40.2 Specific (isolated) phobias |
| F408 | F40.8 Other phobic anxiety disorders |
| F409 | F40.9 Phobic anxiety disorder, unspecified |
| F41 | F41 Other anxiety disorders |
| F410 | F41.0 Panic disorder [episodic paroxysmal anxiety] |
| F411 | F41.1 Generalised anxiety disorder |
| F412 | F41.2 Mixed anxiety and depressive disorder |
| F413 | F41.3 Other mixed anxiety disorders |
| F418 | F41.8 Other specified anxiety disorders |
| F419 | F41.9 Anxiety disorder, unspecified |
| F42 | F42 Obsessive-compulsive disorder |
| F420 | F42.0 Predominantly obsessional thoughts or ruminations |
| F421 | F42.1 Predominantly compulsive acts [obsessional rituals] |
| F422 | F42.2 Mixed obsessional thoughts and acts |
| F428 | F42.8 Other obsessive-compulsive disorders |
| F429 | F42.9 Obsessive-compulsive disorder, unspecified |
| F43 | F43 Reaction to severe stress, and adjustment disorders |
| F430 | F43.0 Acute stress reaction |
| F431 | F43.1 Posttraumatic stress disorder |
| F432 | F43.2 Adjustment disorders |
| F438 | F43.8 Other reactions to severe stress |
| F439 | F43.9 Reaction to severe stress, unspecified |
| F44 | F44 Dissociative [conversion] disorders |
| F440 | F44.0 Dissociative amnesia |
| F441 | F44.1 Dissociative fugue |
| F442 | F44.2 Dissociative stupor |
| F443 | F44.3 Trance and possession disorders |
| F444 | F44.4 Dissociative motor disorders |
| F445 | F44.5 Dissociative convulsions |
| F446 | F44.6 Dissociative anaesthesia and sensory loss |
| F447 | F44.7 Mixed dissociative [conversion] disorders |
| F448 | F44.8 Other dissociative [conversion] disorders |
| F449 | F44.9 Dissociative [conversion] disorder, unspecified |
| F45 | F45 Somatoform disorders |
| F450 | F45.0 Somatisation disorder |
| F451 | F45.1 Undifferentiated somatoform disorder |
| F452 | F45.2 Hypochondriacal disorder |
| F453 | F45.3 Somatoform autonomic dysfunction |
| F454 | F45.4 Persistent somatoform pain disorder |
| F458 | F45.8 Other somatoform disorders |
| F459 | F45.9 Somatoform disorder, unspecified |
| F48 | F48 Other neurotic disorders |
| F480 | F48.0 Neurasthenia |
| F481 | F48.1 Depersonalisation-derealisation syndrome |
| F488 | F48.8 Other specified neurotic disorders |
| F489 | F48.9 Neurotic disorder, unspecified |
| F50 | F50 Eating disorders |
| F500 | F50.0 Anorexia nervosa |
| F501 | F50.1 Atypical anorexia nervosa |
| F502 | F50.2 Bulimia nervosa |
| F503 | F50.3 Atypical bulimia nervosa |
| F504 | F50.4 Overeating associated with other psychological disturbances |
| F505 | F50.5 Vomiting associated with other psychological disturbances |
| F508 | F50.8 Other eating disorders |
| F509 | F50.9 Eating disorder, unspecified |
| F51 | F51 Nonorganic sleep disorders |
| F510 | F51.0 Nonorganic insomnia |
| F511 | F51.1 Nonorganic hypersomnia |
| F512 | F51.2 Nonorganic disorder of the sleep-wake schedule |
| F513 | F51.3 Sleepwalking [somnambulism] |
| F514 | F51.4 Sleep terrors [night terrors] |
| F515 | F51.5 Nightmares |
| F518 | F51.8 Other nonorganic sleep disorders |
| F519 | F51.9 Nonorganic sleep disorder, unspecified |
| F52 | F52 Sexual dysfunction, not caused by organic disorder or disease |
| F520 | F52.0 Lack or loss of sexual desire |
| F521 | F52.1 Sexual aversion and lack of sexual enjoyment |
| F522 | F52.2 Failure of genital response |
| F523 | F52.3 Orgasmic dysfunction |
| F524 | F52.4 Premature ejaculation |
| F525 | F52.5 Nonorganic vaginismus |
| F526 | F52.6 Nonorganic dyspareunia |
| F527 | F52.7 Excessive sexual drive |
| F528 | F52.8 Other sexual dysfunction, not caused by organic disorder or disease |
| F529 | F52.9 Unspecified sexual dysfunction, not caused by organic disorder or disease |
| F53 | F53 Mental and behavioural disorders associated with the puerperium, not elsewhere classified |
| F530 | F53.0 Mild mental and behavioural disorders associated with the puerperium, not elsewhere classified |
| F531 | F53.1 Severe mental and behavioural disorders associated with the puerperium, not elsewhere classified |
| F538 | F53.8 Other mental and behavioural disorders associated with the puerperium, not elsewhere classified |
| F539 | F53.9 Puerperal mental disorder, unspecified |
| F54 | F54 Psychological and behavioural factors associated with disorders or diseases classified elsewhere |
| F55 | F55 Abuse of non-dependence-producing substances |
| F59 | F59 Unspecified behavioural syndromes associated with physiological disturbances and physical factors |
| F60 | F60 Specific personality disorders |
| F600 | F60.0 Paranoid personality disorder |
| F601 | F60.1 Schizoid personality disorder |
| F602 | F60.2 Dissocial personality disorder |
| F603 | F60.3 Emotionally unstable personality disorder |
| F604 | F60.4 Histrionic personality disorder |
| F605 | F60.5 Anankastic personality disorder |
| F606 | F60.6 Anxious [avoidant] personality disorder |
| F607 | F60.7 Dependent personality disorder |
| F608 | F60.8 Other specific personality disorders |
| F609 | F60.9 Personality disorder, unspecified |
| F61 | F61 Mixed and other personality disorders |
| F62 | F62 Enduring personality changes, not attributable to brain damage and disease |
| F620 | F62.0 Enduring personality change after catastrophic experience |
| F621 | F62.1 Enduring personality change after psychiatric illness |
| F628 | F62.8 Other enduring personality changes |
| F629 | F62.9 Enduring personality change, unspecified |
| F63 | F63 Habit and impulse disorders |
| F630 | F63.0 Pathological gambling |
| F631 | F63.1 Pathological fire-setting [pyromania] |
| F632 | F63.2 Pathological stealing [kleptomania] |
| F633 | F63.3 Trichotillomania |
| F638 | F63.8 Other habit and impulse disorders |
| F639 | F63.9 Habit and impulse disorder, unspecified |
| F64 | F64 Gender identity disorders |
| F640 | F64.0 Transsexualism |
| F641 | F64.1 Dual-role transvestism |
| F642 | F64.2 Gender identity disorder of childhood |
| F648 | F64.8 Other gender identity disorders |
| F649 | F64.9 Gender identity disorder, unspecified |
| F65 | F65 Disorders of sexual preference |
| F650 | F65.0 Fetishism |
| F651 | F65.1 Fetishistic transvestism |
| F652 | F65.2 Exhibitionism |
| F653 | F65.3 Voyeurism |
| F654 | F65.4 Paedophilia |
| F655 | F65.5 Sadomasochism |
| F656 | F65.6 Multiple disorders of sexual preference |
| F658 | F65.8 Other disorders of sexual preference |
| F659 | F65.9 Disorder of sexual preference, unspecified |
| F66 | F66 Psychological and behavioural disorders associated with sexual development and orientation |
| F660 | F66.0 Sexual maturation disorder |
| F661 | F66.1 Egodystonic sexual orientation |
| F662 | F66.2 Sexual relationship disorder |
| F668 | F66.8 Other psychosexual development disorders |
| F669 | F66.9 Psychosexual development disorder, unspecified |
| F68 | F68 Other disorders of adult personality and behaviour |
| F680 | F68.0 Elaboration of physical symptoms for psychological reasons |
| F681 | F68.1 Intentional production or feigning of symptoms or disabilities, either physical or psychological [factitious disorder] |
| F688 | F68.8 Other specified disorders of adult personality and behaviour |
| F69 | F69 Unspecified disorder of adult personality and behaviour |
| F70 | F70 Mild mental retardation |
| F700 | F70.0 Mild mental retardation (With the statement of no, or minimal, impairment of behaviour) |
| F701 | F70.1 Mild mental retardation (Significant impairment of behaviour requiring attention or treatment) |
| F708 | F70.8 Mild mental retardation (Other impairments of behaviour) |
| F709 | F70.9 Mild mental retardation (Without mention of impairment of behaviour) |
| F71 | F71 Moderate mental retardation |
| F710 | F71.0 Moderate mental retardation (With the statement of no, or minimal, impairment of behaviour) |
| F711 | F71.1 Moderate mental retardation (Significant impairment of behaviour requiring attention or treatment) |
| F718 | F71.8 Moderate mental retardation (Other impairments of behaviour) |
| F719 | F71.9 Moderate mental retardation (Without mention of impairment of behaviour) |
| F72 | F72 Severe mental retardation |
| F720 | F72.0 Severe mental retardation (With the statement of no, or minimal, impairment of behaviour) |
| F721 | F72.1 Severe mental retardation (Significant impairment of behaviour requiring attention or treatment) |
| F728 | F72.8 Severe mental retardation (Other impairments of behaviour) |
| F729 | F72.9 Severe mental retardation (Without mention of impairment of behaviour) |
| F73 | F73 Profound mental retardation |
| F730 | F73.0 Profound mental retardation (With the statement of no, or minimal, impairment of behaviour) |
| F731 | F73.1 Profound mental retardation (Significant impairment of behaviour requiring attention or treatment) |
| F738 | F73.8 Profound mental retardation (Other impairments of behaviour) |
| F739 | F73.9 Profound mental retardation (Without mention of impairment of behaviour) |
| F78 | F78 Other mental retardation |
| F780 | F78.0 Other mental retardation (With the statement of no, or minimal, impairment of behaviour) |
| F781 | F78.1 Other mental retardation (Significant impairment of behaviour requiring attention or treatment) |
| F788 | F78.8 Other mental retardation (Other impairments of behaviour) |
| F789 | F78.9 Other mental retardation (Without mention of impairment of behaviour) |
| F79 | F79 Unspecified mental retardation |
| F790 | F79.0 Unspecified mental retardation (With the statement of no, or minimal, impairment of behaviour) |
| F791 | F79.1 Unspecified mental retardation (Significant impairment of behaviour requiring attention or treatment) |
| F798 | F79.8 Unspecified mental retardation (Other impairments of behaviour) |
| F799 | F79.9 Unspecified mental retardation (Without mention of impairment of behaviour) |
| F80 | F80 Specific developmental disorders of speech and language |
| F800 | F80.0 Specific speech articulation disorder |
| F801 | F80.1 Expressive language disorder |
| F802 | F80.2 Receptive language disorder |
| F803 | F80.3 Acquired aphasia with epilepsy [Landau-Kleffner] |
| F808 | F80.8 Other developmental disorders of speech and language |
| F809 | F80.9 Developmental disorder of speech and language, unspecified |
| F81 | F81 Specific developmental disorders of scholastic skills |
| F810 | F81.0 Specific reading disorder |
| F811 | F81.1 Specific spelling disorder |
| F812 | F81.2 Specific disorder of arithmetical skills |
| F813 | F81.3 Mixed disorder of scholastic skills |
| F818 | F81.8 Other developmental disorders of scholastic skills |
| F819 | F81.9 Developmental disorder of scholastic skills, unspecified |
| F82 | F82 Specific developmental disorder of motor function |
| F83 | F83 Mixed specific developmental disorders |
| F84 | F84 Pervasive developmental disorders |
| F840 | F84.0 Childhood autism |
| F841 | F84.1 Atypical autism |
| F842 | F84.2 Rett's syndrome |
| F843 | F84.3 Other childhood disintegrative disorder |
| F844 | F84.4 Overactive disorder associated with mental retardation and stereotyped movements |
| F845 | F84.5 Asperger's syndrome |
| F848 | F84.8 Other pervasive developmental disorders |
| F849 | F84.9 Pervasive developmental disorder, unspecified |
| F88 | F88 Other disorders of psychological development |
| F89 | F89 Unspecified disorder of psychological development |
| F90 | F90 Hyperkinetic disorders |
| F900 | F90.0 Disturbance of activity and attention |
| F901 | F90.1 Hyperkinetic conduct disorder |
| F908 | F90.8 Other hyperkinetic disorders |
| F909 | F90.9 Hyperkinetic disorder, unspecified |
| F91 | F91 Conduct disorders |
| F910 | F91.0 Conduct disorder confined to the family context |
| F911 | F91.1 Unsocialised conduct disorder |
| F912 | F91.2 Socialised conduct disorder |
| F913 | F91.3 Oppositional defiant disorder |
| F918 | F91.8 Other conduct disorders |
| F919 | F91.9 Conduct disorder, unspecified |
| F92 | F92 Mixed disorders of conduct and emotions |
| F920 | F92.0 Depressive conduct disorder |
| F928 | F92.8 Other mixed disorders of conduct and emotions |
| F929 | F92.9 Mixed disorder of conduct and emotions, unspecified |
| F93 | F93 Emotional disorders with onset specific to childhood |
| F930 | F93.0 Separation anxiety disorder of childhood |
| F931 | F93.1 Phobic anxiety disorder of childhood |
| F932 | F93.2 Social anxiety disorder of childhood |
| F933 | F93.3 Sibling rivalry disorder |
| F938 | F93.8 Other childhood emotional disorders |
| F939 | F93.9 Childhood emotional disorder, unspecified |
| F94 | F94 Disorders of social functioning with onset specific to childhood and adolescence |
| F940 | F94.0 Elective mutism |
| F941 | F94.1 Reactive attachment disorder of childhood |
| F942 | F94.2 Disinhibited attachment disorder of childhood |
| F948 | F94.8 Other childhood disorders of social functioning |
| F949 | F94.9 Childhood disorder of social functioning, unspecified |
| F95 | F95 Tic disorders |
| F950 | F95.0 Transient tic disorder |
| F951 | F95.1 Chronic motor or vocal tic disorder |
| F952 | F95.2 Combined vocal and multiple motor tic disorder [de la Tourette] |
| F958 | F95.8 Other tic disorders |
| F959 | F95.9 Tic disorder, unspecified |
| F98 | F98 Other behavioural and emotional disorders with onset usually occurring in childhood and adolescence |
| F980 | F98.0 Nonorganic enuresis |
| F981 | F98.1 Nonorganic encopresis |
| F982 | F98.2 Feeding disorder of infancy and childhood |
| F983 | F98.3 Pica of infancy and childhood |
| F984 | F98.4 Stereotyped movement disorders |
| F985 | F98.5 Stuttering [stammering] |
| F986 | F98.6 Cluttering |
| F988 | F98.8 Other specified behavioural and emotional disorders with onset usually occurring in childhood and adolescence |
| F989 | F98.9 Unspecified behavioural and emotional disorders with onset usually occurring in childhood and adolescence |
| F99 | F99 Mental disorder, not otherwise specified |
| G00 | G00 Bacterial meningitis, not elsewhere classified |
| G000 | G00.0 Haemophilus meningitis |
| G001 | G00.1 Pneumococcal meningitis |
| G002 | G00.2 Streptococcal meningitis |
| G003 | G00.3 Staphylococcal meningitis |
| G008 | G00.8 Other bacterial meningitis |
| G009 | G00.9 Bacterial meningitis, unspecified |
| G01 | G01 Meningitis in bacterial diseases classified elsewhere |
| G02 | G02 Meningitis in other infectious and parasitic diseases classified elsewhere |
| G020 | G02.0 Meningitis in viral diseases classified elsewhere |
| G021 | G02.1 Meningitis in mycoses |
| G028 | G02.8 Meningitis in other specified infectious and parasitic diseases classified elsewhere |
| G03 | G03 Meningitis due to other and unspecified causes |
| G030 | G03.0 Nonpyogenic meningitis |
| G031 | G03.1 Chronic meningitis |
| G032 | G03.2 Benign recurrent meningitis [Mollaret] |
| G038 | G03.8 Meningitis due to other specified causes |
| G039 | G03.9 Meningitis, unspecified |
| G04 | G04 Encephalitis, myelitis and encephalomyelitis |
| G040 | G04.0 Acute disseminated encephalitis |
| G041 | G04.1 Tropical spastic paraplegia |
| G042 | G04.2 Bacterial meningoencephalitis and meningomyelitis, not elsewhere classified |
| G048 | G04.8 Other encephalitis, myelitis and encephalomyelitis |
| G049 | G04.9 Encephalitis, myelitis and encephalomyelitis, unspecified |
| G05 | G05 Encephalitis, myelitis and encephalomyelitis in diseases classified elsewhere |
| G050 | G05.0 Encephalitis, myelitis and encephalomyelitis in bacterial diseases classified elsewhere |
| G051 | G05.1 Encephalitis, myelitis and encephalomyelitis in viral diseases classified elsewhere |
| G052 | G05.2 Encephalitis, myelitis and encephalomyelitis in other infectious and parasitic diseases classified elsewhere |
| G058 | G05.8 Encephalitis, myelitis and encephalomyelitis in other diseases classified elsewhere |
| G06 | G06 Intracranial and intraspinal abscess and granuloma |
| G060 | G06.0 Intracranial abscess and granuloma |
| G061 | G06.1 Intraspinal abscess and granuloma |
| G062 | G06.2 Extradural and subdural abscess, unspecified |
| G07 | G07 Intracranial and intraspinal abscess and granuloma in diseases classified elsewhere |
| G08 | G08 Intracranial and intraspinal phlebitis and thrombophlebitis |
| G09 | G09 Sequelae of inflammatory diseases of central nervous system |
| G10 | G10 Huntington's disease |
| G11 | G11 Hereditary ataxia |
| G110 | G11.0 Congenital nonprogressive ataxia |
| G111 | G11.1 Early-onset cerebellar ataxia |
| G112 | G11.2 Late-onset cerebellar ataxia |
| G113 | G11.3 Cerebellar ataxia with defective DNA repair |
| G114 | G11.4 Hereditary spastic paraplegia |
| G118 | G11.8 Other hereditary ataxias |
| G119 | G11.9 Hereditary ataxia, unspecified |
| G12 | G12 Spinal muscular atrophy and related syndromes |
| G120 | G12.0 Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] |
| G121 | G12.1 Other inherited spinal muscular atrophy |
| G122 | G12.2 Motor neuron disease |
| G128 | G12.8 Other spinal muscular atrophies and related syndromes |
| G129 | G12.9 Spinal muscular atrophy, unspecified |
| G13 | G13 Systemic atrophies primarily affecting central nervous system in diseases classified elsewhere |
| G130 | G13.0 Paraneoplastic neuromyopathy and neuropathy |
| G131 | G13.1 Other systemic atrophy primarily affecting central nervous system in neoplastic disease |
| G132 | G13.2 Systemic atrophy primarily affecting central nervous system in myxoedema |
| G138 | G13.8 Systemic atrophy primarily affecting central nervous system in other diseases classified elsewhere |
| G14 | G14 Postpolio syndrome |
| G20 | G20 Parkinson's disease |
| G21 | G21 Secondary Parkinsonism |
| G210 | G21.0 Malignant neuroleptic syndrome |
| G211 | G21.1 Other drug-induced secondary Parkinsonism |
| G212 | G21.2 Secondary Parkinsonism due to other external agents |
| G213 | G21.3 Postencephalitic Parkinsonism |
| G214 | G21.4 Vascular parkinsonism |
| G218 | G21.8 Other secondary Parkinsonism |
| G219 | G21.9 Secondary Parkinsonism, unspecified |
| G22 | G22 Parkinsonism in diseases classified elsewhere |
| G23 | G23 Other degenerative diseases of basal ganglia |
| G230 | G23.0 Hallervorden-Spatz disease |
| G231 | G23.1 Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski] |
| G232 | G23.2 Striatonigral degeneration |
| G233 | G23.3 Multiple system atrophy, cerebellar type |
| G238 | G23.8 Other specified degenerative diseases of basal ganglia |
| G239 | G23.9 Degenerative disease of basal ganglia, unspecified |
| G24 | G24 Dystonia |
| G240 | G24.0 Drug-induced dystonia |
| G241 | G24.1 Idiopathic familial dystonia |
| G242 | G24.2 Idiopathic nonfamilial dystonia |
| G243 | G24.3 Spasmodic torticollis |
| G244 | G24.4 Idiopathic orofacial dystonia |
| G245 | G24.5 Blepharospasm |
| G248 | G24.8 Other dystonia |
| G249 | G24.9 Dystonia, unspecified |
| G25 | G25 Other extrapyramidal and movement disorders |
| G250 | G25.0 Essential tremor |
| G251 | G25.1 Drug-induced tremor |
| G252 | G25.2 Other specified forms of tremor |
| G253 | G25.3 Myoclonus |
| G254 | G25.4 Drug-induced chorea |
| G255 | G25.5 Other chorea |
| G256 | G25.6 Drug-induced tics and other tics of organic origin |
| G258 | G25.8 Other specified extrapyramidal and movement disorders |
| G259 | G25.9 Extrapyramidal and movement disorder, unspecified |
| G26 | G26 Extrapyramidal and movement disorders in diseases classified elsewhere |
| G30 | G30 Alzheimer's disease |
| G300 | G30.0 Alzheimer's disease with early onset |
| G301 | G30.1 Alzheimer's disease with late onset |
| G308 | G30.8 Other Alzheimer's disease |
| G309 | G30.9 Alzheimer's disease, unspecified |
| G31 | G31 Other degenerative diseases of nervous system, not elsewhere classified |
| G310 | G31.0 Circumscribed brain atrophy |
| G311 | G31.1 Senile degeneration of brain, not elsewhere classified |
| G312 | G31.2 Degeneration of nervous system due to alcohol |
| G318 | G31.8 Other specified degenerative diseases of nervous system |
| G319 | G31.9 Degenerative disease of nervous system, unspecified |
| G32 | G32 Other degenerative disorders of nervous system in diseases classified elsewhere |
| G320 | G32.0 Subacute combined degeneration of spinal cord in diseases classified elsewhere |
| G328 | G32.8 Other specified degenerative disorders of nervous system in diseases classified elsewhere |
| G35 | G35 Multiple sclerosis |
| G36 | G36 Other acute disseminated demyelination |
| G360 | G36.0 Neuromyelitis optica [Devic] |
| G361 | G36.1 Acute and subacute haemorrhagic leukoencephalitis [Hurst] |
| G368 | G36.8 Other specified acute disseminated demyelination |
| G369 | G36.9 Acute disseminated demyelination, unspecified |
| G37 | G37 Other demyelinating diseases of central nervous system |
| G370 | G37.0 Diffuse sclerosis |
| G371 | G37.1 Central demyelination of corpus callosum |
| G372 | G37.2 Central pontine myelinolysis |
| G373 | G37.3 Acute transverse myelitis in demyelinating disease of central nervous system |
| G374 | G37.4 Subacute necrotising myelitis |
| G375 | G37.5 Concentric sclerosis [Balo] |
| G378 | G37.8 Other specified demyelinating diseases of central nervous system |
| G379 | G37.9 Demyelinating disease of central nervous system, unspecified |
| G40 | G40 Epilepsy |
| G400 | G40.0 Localisation-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localised onset |
| G401 | G40.1 Localisation-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures |
| G402 | G40.2 Localisation-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures |
| G403 | G40.3 Generalised idiopathic epilepsy and epileptic syndromes |
| G404 | G40.4 Other generalised epilepsy and epileptic syndromes |
| G405 | G40.5 Special epileptic syndromes |
| G406 | G40.6 Grand mal seizures, unspecified (with or without petit mal) |
| G407 | G40.7 Petit mal, unspecified, without grand mal seizures |
| G408 | G40.8 Other epilepsy |
| G409 | G40.9 Epilepsy, unspecified |
| G41 | G41 Status epilepticus |
| G410 | G41.0 Grand mal status epilepticus |
| G411 | G41.1 Petit mal status epilepticus |
| G412 | G41.2 Complex partial status epilepticus |
| G418 | G41.8 Other status epilepticus |
| G419 | G41.9 Status epilepticus, unspecified |
| G43 | G43 Migraine |
| G430 | G43.0 Migraine without aura [common migraine] |
| G431 | G43.1 Migraine with aura [classical migraine] |
| G432 | G43.2 Status migrainosus |
| G433 | G43.3 Complicated migraine |
| G438 | G43.8 Other migraine |
| G439 | G43.9 Migraine, unspecified |
| G44 | G44 Other headache syndromes |
| G440 | G44.0 Cluster headache syndrome |
| G441 | G44.1 Vascular headache, not elsewhere classified |
| G442 | G44.2 Tension-type headache |
| G443 | G44.3 Chronic posttraumatic headache |
| G444 | G44.4 Drug-induced headache, not elsewhere classified |
| G448 | G44.8 Other specified headache syndromes |
| G45 | G45 Transient cerebral ischaemic attacks and related syndromes |
| G450 | G45.0 Vertebro-basilar artery syndrome |
| G451 | G45.1 Carotid artery syndrome (hemispheric) |
| G452 | G45.2 Multiple and bilateral precerebral artery syndromes |
| G453 | G45.3 Amaurosis fugax |
| G454 | G45.4 Transient global amnesia |
| G458 | G45.8 Other transient cerebral ischaemic attacks and related syndromes |
| G459 | G45.9 Transient cerebral ischaemic attack, unspecified |
| G46 | G46 Vascular syndromes of brain in cerebrovascular diseases |
| G460 | G46.0 Middle cerebral artery syndrome |
| G461 | G46.1 Anterior cerebral artery syndrome |
| G462 | G46.2 Posterior cerebral artery syndrome |
| G463 | G46.3 Brain stem stroke syndrome |
| G464 | G46.4 Cerebellar stroke syndrome |
| G465 | G46.5 Pure motor lacunar syndrome |
| G466 | G46.6 Pure sensory lacunar syndrome |
| G467 | G46.7 Other lacunar syndromes |
| G468 | G46.8 Other vascular syndromes of brain in cerebrovascular diseases |
| G47 | G47 Sleep disorders |
| G470 | G47.0 Disorders of initiating and maintaining sleep [insomnias] |
| G471 | G47.1 Disorders of excessive somnolence [hypersomnias] |
| G472 | G47.2 Disorders of the sleep-wake schedule |
| G473 | G47.3 Sleep apnoea |
| G474 | G47.4 Narcolepsy and cataplexy |
| G478 | G47.8 Other sleep disorders |
| G479 | G47.9 Sleep disorder, unspecified |
| G50 | G50 Disorders of trigeminal nerve |
| G500 | G50.0 Trigeminal neuralgia |
| G501 | G50.1 Atypical facial pain |
| G508 | G50.8 Other disorders of trigeminal nerve |
| G509 | G50.9 Disorder of trigeminal nerve, unspecified |
| G51 | G51 Facial nerve disorders |
| G510 | G51.0 Bell's palsy |
| G511 | G51.1 Geniculate ganglionitis |
| G512 | G51.2 Melkersson's syndrome |
| G513 | G51.3 Clonic hemifacial spasm |
| G514 | G51.4 Facial myokymia |
| G518 | G51.8 Other disorders of facial nerve |
| G519 | G51.9 Disorder of facial nerve, unspecified |
| G52 | G52 Disorders of other cranial nerves |
| G520 | G52.0 Disorders of olfactory nerve |
| G521 | G52.1 Disorders of glossopharyngeal nerve |
| G522 | G52.2 Disorders of vagus nerve |
| G523 | G52.3 Disorders of hypoglossal nerve |
| G527 | G52.7 Disorders of multiple cranial nerves |
| G528 | G52.8 Disorders of other specified cranial nerves |
| G529 | G52.9 Cranial nerve disorder, unspecified |
| G53 | G53 Cranial nerve disorders in diseases classified elsewhere |
| G530 | G53.0 Postzoster neuralgia |
| G531 | G53.1 Multiple cranial nerve palsies in infectious and parasitic diseases classified elsewhere |
| G532 | G53.2 Multiple cranial nerve palsies in sarcoidosis |
| G533 | G53.3 Multiple cranial nerve palsies in neoplastic disease |
| G538 | G53.8 Other cranial nerve disorders in other diseases classified elsewhere |
| G54 | G54 Nerve root and plexus disorders |
| G540 | G54.0 Brachial plexus disorders |
| G541 | G54.1 Lumbosacral plexus disorders |
| G542 | G54.2 Cervical root disorders, not elsewhere classified |
| G543 | G54.3 Thoracic root disorders, not elsewhere classified |
| G544 | G54.4 Lumbosacral root disorders, not elsewhere classified |
| G545 | G54.5 Neuralgic amyotrophy |
| G546 | G54.6 Phantom limb syndrome with pain |
| G547 | G54.7 Phantom limb syndrome without pain |
| G548 | G54.8 Other nerve root and plexus disorders |
| G549 | G54.9 Nerve root and plexus disorder, unspecified |
| G55 | G55 Nerve root and plexus compressions in diseases classified elsewhere |
| G550 | G55.0 Nerve root and plexus compressions in neoplastic disease |
| G551 | G55.1 Nerve root and plexus compressions in intervertebral disk disorders |
| G552 | G55.2 Nerve root and plexus compressions in spondylosis |
| G553 | G55.3 Nerve root and plexus compressions in other dorsopathies |
| G558 | G55.8 Nerve root and plexus compressions in other diseases classified elsewhere |
| G56 | G56 Mononeuropathies of upper limb |
| G560 | G56.0 Carpal tunnel syndrome |
| G561 | G56.1 Other lesions of median nerve |
| G562 | G56.2 Lesion of ulnar nerve |
| G563 | G56.3 Lesion of radial nerve |
| G564 | G56.4 Causalgia |
| G568 | G56.8 Other mononeuropathies of upper limb |
| G569 | G56.9 Mononeuropathy of upper limb, unspecified |
| G57 | G57 Mononeuropathies of lower limb |
| G570 | G57.0 Lesion of sciatic nerve |
| G571 | G57.1 Meralgia paraesthetica |
| G572 | G57.2 Lesion of femoral nerve |
| G573 | G57.3 Lesion of lateral popliteal nerve |
| G574 | G57.4 Lesion of medial popliteal nerve |
| G575 | G57.5 Tarsal tunnel syndrome |
| G576 | G57.6 Lesion of plantar nerve |
| G578 | G57.8 Other mononeuropathies of lower limb |
| G579 | G57.9 Mononeuropathy of lower limb, unspecified |
| G58 | G58 Other mononeuropathies |
| G580 | G58.0 Intercostal neuropathy |
| G587 | G58.7 Mononeuritis multiplex |
| G588 | G58.8 Other specified mononeuropathies |
| G589 | G58.9 Mononeuropathy, unspecified |
| G59 | G59 Mononeuropathy in diseases classified elsewhere |
| G590 | G59.0 Diabetic mononeuropathy |
| G598 | G59.8 Other mononeuropathies in diseases classified elsewhere |
| G60 | G60 Hereditary and idiopathic neuropathy |
| G600 | G60.0 Hereditary motor and sensory neuropathy |
| G601 | G60.1 Refsum's disease |
| G602 | G60.2 Neuropathy in association with hereditary ataxia |
| G603 | G60.3 Idiopathic progressive neuropathy |
| G608 | G60.8 Other hereditary and idiopathic neuropathies |
| G609 | G60.9 Hereditary and idiopathic neuropathy, unspecified |
| G61 | G61 Inflammatory polyneuropathy |
| G610 | G61.0 Guillain-Barre syndrome |
| G611 | G61.1 Serum neuropathy |
| G618 | G61.8 Other inflammatory polyneuropathies |
| G619 | G61.9 Inflammatory polyneuropathy, unspecified |
| G62 | G62 Other polyneuropathies |
| G620 | G62.0 Drug-induced polyneuropathy |
| G621 | G62.1 Alcoholic polyneuropathy |
| G622 | G62.2 Polyneuropathy due to other toxic agents |
| G628 | G62.8 Other specified polyneuropathies |
| G629 | G62.9 Polyneuropathy, unspecified |
| G63 | G63 Polyneuropathy in diseases classified elsewhere |
| G630 | G63.0 Polyneuropathy in infectious and parasitic diseases classified elsewhere |
| G631 | G63.1 Polyneuropathy in neoplastic disease |
| G632 | G63.2 Diabetic polyneuropathy |
| G633 | G63.3 Polyneuropathy in other endocrine and metabolic diseases |
| G634 | G63.4 Polyneuropathy in nutritional deficiency |
| G635 | G63.5 Polyneuropathy in systemic connective tissue disorders |
| G636 | G63.6 Polyneuropathy in other musculoskeletal disorders |
| G638 | G63.8 Polyneuropathy in other diseases classified elsewhere |
| G64 | G64 Other disorders of peripheral nervous system |
| G70 | G70 Myasthenia gravis and other myoneural disorders |
| G700 | G70.0 Myasthenia gravis |
| G701 | G70.1 Toxic myoneural disorders |
| G702 | G70.2 Congenital and developmental myasthenia |
| G708 | G70.8 Other specified myoneural disorders |
| G709 | G70.9 Myoneural disorder, unspecified |
| G71 | G71 Primary disorders of muscles |
| G710 | G71.0 Muscular dystrophy |
| G711 | G71.1 Myotonic disorders |
| G712 | G71.2 Congenital myopathies |
| G713 | G71.3 Mitochondrial myopathy, not elsewhere classified |
| G718 | G71.8 Other primary disorders of muscles |
| G719 | G71.9 Primary disorder of muscle, unspecified |
| G72 | G72 Other myopathies |
| G720 | G72.0 Drug-induced myopathy |
| G721 | G72.1 Alcoholic myopathy |
| G722 | G72.2 Myopathy due to other toxic agents |
| G723 | G72.3 Periodic paralysis |
| G724 | G72.4 Inflammatory myopathy, not elsewhere classified |
| G728 | G72.8 Other specified myopathies |
| G729 | G72.9 Myopathy, unspecified |
| G73 | G73 Disorders of myoneural junction and muscle in diseases classified elsewhere |
| G730 | G73.0 Myasthenic syndromes in endocrine diseases |
| G731 | G73.1 Eaton-Lambert syndrome |
| G732 | G73.2 Other myasthenic syndromes in neoplastic disease |
| G733 | G73.3 Myasthenic syndromes in other diseases classified elsewhere |
| G734 | G73.4 Myopathy in infectious and parasitic diseases classified elsewhere |
| G735 | G73.5 Myopathy in endocrine diseases |
| G736 | G73.6 Myopathy in metabolic diseases |
| G737 | G73.7 Myopathy other diseases classified elsewhere |
| G80 | G80 Infantile cerebral palsy |
| G800 | G80.0 Spastic cerebral palsy |
| G801 | G80.1 Spastic diplegia |
| G802 | G80.2 Infantile hemiplegia |
| G803 | G80.3 Dyskinetic cerebral palsy |
| G804 | G80.4 Ataxic cerebral palsy |
| G808 | G80.8 Other infantile cerebral palsy |
| G809 | G80.9 Infantile cerebral palsy, unspecified |
| G81 | G81 Hemiplegia |
| G810 | G81.0 Flaccid hemiplegia |
| G811 | G81.1 Spastic hemiplegia |
| G819 | G81.9 Hemiplegia, unspecified |
| G82 | G82 Paraplegia and tetraplegia |
| G820 | G82.0 Flaccid paraplegia |
| G821 | G82.1 Spastic paraplegia |
| G822 | G82.2 Paraplegia, unspecified |
| G823 | G82.3 Flaccid tetraplegia |
| G824 | G82.4 Spastic tetraplegia |
| G825 | G82.5 Tetraplegia, unspecified |
| G83 | G83 Other paralytic syndromes |
| G830 | G83.0 Diplegia of upper limbs |
| G831 | G83.1 Monoplegia of lower limb |
| G832 | G83.2 Monoplegia of upper limb |
| G833 | G83.3 Monoplegia, unspecified |
| G834 | G83.4 Cauda equina syndrome |
| G835 | G83.5 Locked-in syndrome |
| G838 | G83.8 Other specified paralytic syndromes |
| G839 | G83.9 Paralytic syndrome, unspecified |
| G90 | G90 Disorders of autonomic nervous system |
| G900 | G90.0 Idiopathic peripheral autonomic neuropathy |
| G901 | G90.1 Familial dysautonomia [Riley-Day] |
| G902 | G90.2 Horner's syndrome |
| G903 | G90.3 Multisystem degeneration |
| G904 | G90.4 Autonomic dysreflexia |
| G908 | G90.8 Other disorders of autonomic nervous system |
| G909 | G90.9 Disorder of autonomic nervous system, unspecified |
| G91 | G91 Hydrocephalus |
| G910 | G91.0 Communicating hydrocephalus |
| G911 | G91.1 Obstructive hydrocephalus |
| G912 | G91.2 Normal-pressure hydrocephalus |
| G913 | G91.3 Posttraumatic hydrocephalus, unspecified |
| G918 | G91.8 Other hydrocephalus |
| G919 | G91.9 Hydrocephalus, unspecified |
| G92 | G92 Toxic encephalopathy |
| G93 | G93 Other disorders of brain |
| G930 | G93.0 Cerebral cysts |
| G931 | G93.1 Anoxic brain damage, not elsewhere classified |
| G932 | G93.2 Benign intracranial hypertension |
| G933 | G93.3 Postviral fatigue syndrome |
| G934 | G93.4 Encephalopathy, unspecified |
| G935 | G93.5 Compression of brain |
| G936 | G93.6 Cerebral oedema |
| G937 | G93.7 Reye's syndrome |
| G938 | G93.8 Other specified disorders of brain |
| G939 | G93.9 Disorder of brain, unspecified |
| G94 | G94 Other disorders of brain in diseases classified elsewhere |
| G940 | G94.0 Hydrocephalus in infectious and parasitic diseases classified elsewhere |
| G941 | G94.1 Hydrocephalus in neoplastic disease |
| G942 | G94.2 Hydrocephalus in other diseases classified elsewhere |
| G948 | G94.8 Other specified disorders of brain in diseases classified elsewhere |
| G95 | G95 Other diseases of spinal cord |
| G950 | G95.0 Syringomyelia and syringobulbia |
| G951 | G95.1 Vascular myelopathies |
| G952 | G95.2 Cord compression, unspecified |
| G958 | G95.8 Other specified diseases of spinal cord |
| G959 | G95.9 Disease of spinal cord, unspecified |
| G96 | G96 Other disorders of central nervous system |
| G960 | G96.0 Cerebrospinal fluid leak |
| G961 | G96.1 Disorders of meninges, not elsewhere classified |
| G968 | G96.8 Other specified disorders of central nervous system |
| G969 | G96.9 Disorder of central nervous system, unspecified |
| G97 | G97 Postprocedural disorders of nervous system, not elsewhere classified |
| G970 | G97.0 Cerebrospinal fluid leak from spinal puncture |
| G971 | G97.1 Other reaction to spinal and lumbar puncture |
| G972 | G97.2 Intracranial hypotension following ventricular shunting |
| G978 | G97.8 Other postprocedural disorders of nervous system |
| G979 | G97.9 Postprocedural disorder of nervous system, unspecified |
| G98 | G98 Other disorders of nervous system, not elsewhere classified |
| G99 | G99 Other disorders of nervous system in diseases classified elsewhere |
| G990 | G99.0 Autonomic neuropathy in endocrine and metabolic diseases |
| G991 | G99.1 Other disorders of autonomic nervous system in other diseases classified elsewhere |
| G992 | G99.2 Myelopathy in diseases classified elsewhere |
| G998 | G99.8 Other specified disorders of nervous system in diseases classified elsewhere |

**Supplementary Table S5. Demographic characteristics of all analytical samples.**

| Characteristic | Main Analysis (N=301,236) | Non-Caucasian (N=58,219) | Schizophrenia (N=1,486) |
|---|---|---|---|
| Sex,n(%) | | | |
| Male | 137,699 (45.7%) | 25,873 (44.4%) | 799 (53.8%) |
| Female | 163,537 (54.3%) | 32,346 (55.6%) | 687 (46.2%) |
| Age at baseline, years | | | |
| Mean ± SD | 58.00 ± 8.01 | 54 ± 8.23 | 57 ± 8.42 |
| Range | 39 - 73 | 38 - 72 | 40 - 70 |
| PRSscz | | | |
| Mean ± SD | -0.36 ± 0.99 | -0.04 ± 1.02 | 0.24 ± 1.03 |
| Range | -5.54 to 3.95 | -4.98 to 5.16 | -3.62 to 3.47 |
| Ancestry, n (%) | | | |
| Caucasian | 301,236 (100%) | 0 (0%) | 1,486 (100%) |
| White | 0 (0%) | 37,254 (64.0%) | 0 (0%) |
| Mixed | 0 (0%) | 2,037 (3.5%) | 0 (0%) |
| Asian or Asian British | 0 (0%) | 7,135 (12.3%) | 0 (0%) |
| Black or Black British | 0 (0%) | 5,670 (9.7%) | 0 (0%) |
| Chinese | 0 (0%) | 1,302 (2.2%) | 0 (0%) |
| Other ethnic group | 0 (0%) | 3,256 (5.6%) | 0 (0%) |

Abbreviation: PRSscz, polygenic risk score for schizophrenia; SD, standard deviation. Detailed inclusion and exclusion criteria are shown in Supplementary Figs. S1-S3.

**Supplementary Table S6. Associations between PRS$_{CC}$ and brain white matter microstructure IDPs.**

| Field ID | Description | *Estimate* | *SE* | *T value* | *P value* |
|---|---|---|---|---|---|
| f.25078.2.0 | IDP_dMRI_TBSS_FA_Anterior_corona_radiata_L | -0.0194 | 0.0041 | -4.75 | 3.32E-03 |
| f.25079.2.0 | IDP_dMRI_TBSS_FA_Anterior_corona_radiata_R | -0.0199 | 0.0041 | -5.25 | 1.34E-03 |
| f.25080.2.0 | IDP_dMRI_TBSS_FA_Anterior_limb_of_internal_capsule_L | -0.0049 | 0.0041 | -1.21 | 6.98E-01 |
| f.25072.2.0 | IDP_dMRI_TBSS_FA_Anterior_limb_of_internal_capsule_R | -0.0051 | 0.0041 | -0.87 | 9.51E-01 |
| f.25081.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_L | -0.0085 | 0.0041 | -2.07 | 3.68E-01 |
| f.25073.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_R | -0.0224 | 0.0042 | -5.34 | 1.07E-03 |
| f.25090.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_L | -0.0389 | 0.0043 | -9.05 | 1.00E-06 |
| f.25086.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_R | -0.0279 | 0.0043 | -6.43 | 9.68E-06 |
| f.25091.2.0 | IDP_dMRI_TBSS_FA_Cingulum_hippocampus_L | -0.0141 | 0.0044 | -3.19 | 1.61E-02 |
| f.25087.2.0 | IDP_dMRI_TBSS_FA_Cingulum_hippocampus_R | -0.0054 | 0.0044 | -0.54 | 9.52E-01 |
| f.25092.2.0 | IDP_dMRI_TBSS_FA_Corticospinal_tract_L | -0.0072 | 0.0042 | -1.72 | 2.48E-01 |
| f.25082.2.0 | IDP_dMRI_TBSS_FA_Corticospinal_tract_R | -0.0072 | 0.0042 | -1.73 | 2.48E-01 |
| f.25093.2.0 | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_L | -0.0087 | 0.0041 | -2.12 | 3.07E-01 |
| f.25088.2.0 | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_R | -0.0162 | 0.0042 | -3.86 | 3.37E-02 |
| f.25094.2.0 | IDP_dMRI_TBSS_FA_Fornix_body_of_fornix | -0.0319 | 0.0051 | -6.23 | 1.93E-05 |
| f.25095.2.0 | IDP_dMRI_TBSS_FA_Fornix_crus+Stria_terminalis_L | -0.0258 | 0.0057 | -4.53 | 3.65E-05 |
| f.25096.2.0 | IDP_dMRI_TBSS_FA_Fornix_crus+Stria_terminalis_R | -0.0306 | 0.0058 | -5.28 | 1.34E-04 |
| f.25019.2.0 | IDP_dMRI_TBSS_FA_Genu_of_corpus_callosum | -0.0229 | 0.0051 | -4.73 | 3.90E-04 |
| f.25097.2.0 | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_L | -0.0148 | 0.0043 | -3.46 | 1.07E-02 |
| f.25098.2.0 | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_R | -0.0114 | 0.0043 | -2.66 | 1.07E-01 |
| f.25065.2.0 | IDP_dMRI_TBSS_FA_Medial_lemniscus_L | -0.0052 | 0.0042 | -1.25 | 6.98E-01 |
| f.25066.2.0 | IDP_dMRI_TBSS_FA_Medial_lemniscus_R | -0.0050 | 0.0042 | -0.96 | 9.51E-01 |
| f.25099.2.0 | IDP_dMRI_TBSS_FA_Middle_cerebellar_peduncle | -0.0180 | 0.0042 | -4.88 | 4.04E-03 |
| f.25100.2.0 | IDP_dMRI_TBSS_FA_Pontine_crossing_tract | -0.0085 | 0.0042 | -2.04 | 3.68E-01 |
| f.25083.2.0 | IDP_dMRI_TBSS_FA_Posterior_corona_radiata_L | -0.0089 | 0.0044 | -1.99 | 1.65E-01 |
| f.25074.2.0 | IDP_dMRI_TBSS_FA_Posterior_corona_radiata_R | -0.0087 | 0.0043 | -2.03 | 3.68E-01 |
| f.25075.2.0 | IDP_dMRI_TBSS_FA_Posterior_limb_of_internal_capsule_L | -0.0104 | 0.0042 | -2.70 | 8.99E-02 |
| f.25067.2.0 | IDP_dMRI_TBSS_FA_Posterior_limb_of_internal_capsule_R | -0.0011 | 0.0044 | -0.25 | 9.84E-01 |
| f.25085.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_L | -0.0304 | 0.0042 | -6.90 | 9.12E-07 |
| f.25076.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_R | -0.0294 | 0.0042 | -6.90 | 9.12E-07 |
| f.25072.2.0 | IDP_dMRI_TBSS_FA_Retrolenticular_part_of_internal_capsule_L | -0.0106 | 0.0042 | -1.85 | 9.85E-02 |
| f.25068.2.0 | IDP_dMRI_TBSS_FA_Retrolenticular_part_of_internal_capsule_R | -0.0178 | 0.0042 | -4.28 | 7.12E-03 |
| f.25087.2.0 | IDP_dMRI_TBSS_FA_Sagittal_stratum_L | -0.0137 | 0.0044 | -2.14 | 3.28E-02 |
| f.25077.2.0 | IDP_dMRI_TBSS_FA_Sagittal_stratum_R | -0.0184 | 0.0043 | -4.24 | 2.13E-03 |
| f.25060.2.0 | IDP_dMRI_TBSS_FA_Splenium_of_corpus_callosum | -0.0148 | 0.0051 | -2.27 | 2.29E-02 |
| f.25101.2.0 | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_L | -0.0118 | 0.0042 | -2.79 | 7.49E-02 |
| f.25102.2.0 | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_R | -0.0108 | 0.0042 | -2.56 | 1.32E-01 |
| f.25081.2.0 | IDP_dMRI_TBSS_FA_Superior_corona_radiata_L | -0.0107 | 0.0042 | -1.71 | 8.82E-02 |
| f.25071.2.0 | IDP_dMRI_TBSS_FA_Superior_corona_radiata_R | -0.0182 | 0.0042 | -4.34 | 1.92E-03 |
| f.25099.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_L | -0.0241 | 0.0042 | -5.87 | 1.07E-04 |
| f.25089.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_R | -0.0187 | 0.0042 | -4.47 | 2.20E-03 |
| f.25097.2.0 | IDP_dMRI_TBSS_FA_Superior_longitudinal_fasciculus_L | -0.0161 | 0.0044 | -3.18 | 9.81E-03 |
| f.25103.2.0 | IDP_dMRI_TBSS_FA_Superior_longitudinal_fasciculus_R | -0.0202 | 0.0044 | -4.56 | 1.32E-03 |
| f.25103.2.0 | IDP_dMRI_TBSS_FA_Tapetum_L | -0.0182 | 0.0041 | -2.81 | 4.91E-03 |
| f.25104.2.0 | IDP_dMRI_TBSS_FA_Tapetum_R | -0.0183 | 0.0041 | -4.45 | 2.20E-03 |
| f.25105.2.0 | IDP_dMRI_TBSS_FA_Uncinate_fasciculus_L | 0.0092 | 0.0041 | 1.42 | 1.58E-01 |
| f.25106.2.0 | IDP_dMRI_TBSS_FA_Uncinate_fasciculus_R | 0.0031 | 0.0041 | 0.75 | 1.90E-01 |
| f.25107.2.0 | IDP_dMRI_TBSS_FA_Anterior_corona_radiata_L | -0.0134 | 0.0041 | -2.19 | 2.22E-02 |
| f.25108.2.0 | IDP_dMRI_TBSS_FA_Anterior_corona_radiata_R | -0.0160 | 0.0041 | -3.78 | 3.37E-02 |
| f.25067.2.0 | IDP_dMRI_TBSS_FA_Anterior_limb_of_internal_capsule_L | -0.0052 | 0.0041 | -0.21 | 8.05E-01 |
| f.25109.2.0 | IDP_dMRI_TBSS_FA_Anterior_limb_of_internal_capsule_R | -0.0107 | 0.0041 | -1.71 | 8.82E-02 |
| f.25047.2.0 | IDP_dMRI_TBSS_FA_Body_of_corpus_callosum | -0.0178 | 0.0051 | -3.71 | 6.18E-03 |
| f.25110.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_L | -0.0107 | 0.0042 | -1.73 | 2.48E-01 |
| f.25111.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_R | -0.0241 | 0.0042 | -5.74 | 1.07E-03 |
| f.25079.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_L | -0.0241 | 0.0042 | -5.89 | 1.02E-04 |
| f.25112.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_R | -0.0233 | 0.0042 | -5.62 | 1.07E-03 |
| f.25081.2.0 | IDP_dMRI_TBSS_FA_Cingulum_hippocampus_L | -0.0080 | 0.0043 | -0.95 | 3.63E-01 |
| f.25113.2.0 | IDP_dMRI_TBSS_FA_Cingulum_hippocampus_R | -0.0041 | 0.0044 | -0.24 | 9.84E-01 |
| f.25033.2.0 | IDP_dMRI_TBSS_FA_Corticospinal_tract_L | -0.0031 | 0.0044 | -0.11 | 6.08E-01 |
| f.25114.2.0 | IDP_dMRI_TBSS_FA_Corticospinal_tract_R | -0.0018 | 0.0044 | -0.41 | 7.79E-01 |
| f.25072.2.0 | IDP_dMRI_TBSS_FA_External_capsule_L | -0.0119 | 0.0041 | -2.90 | 9.30E-03 |
| f.25115.2.0 | IDP_dMRI_TBSS_FA_External_capsule_R | -0.0179 | 0.0041 | -3.88 | 3.37E-02 |
| f.25048.2.0 | IDP_dMRI_TBSS_FA_Fornix | -0.0260 | 0.0064 | -4.03 | 5.49E-03 |
| f.25116.2.0 | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_L | -0.0116 | 0.0041 | -2.84 | 1.02E-01 |
| f.25082.2.0 | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_R | -0.0132 | 0.0044 | -2.05 | 4.08E-02 |
| f.25117.2.0 | IDP_dMRI_TBSS_FA_Genu_of_corpus_callosum | -0.0242 | 0.0051 | -4.77 | 3.90E-04 |
| f.25033.2.0 | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_L | -0.0053 | 0.0043 | -0.53 | 5.80E-01 |
| f.25118.2.0 | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_R | -0.0031 | 0.0043 | -0.71 | 6.08E-01 |
| f.25119.2.0 | IDP_dMRI_TBSS_FA_Medial_lemniscus_L | -0.0080 | 0.0042 | -0.96 | 3.71E-01 |
| f.25120.2.0 | IDP_dMRI_TBSS_FA_Medial_lemniscus_R | -0.0085 | 0.0042 | -0.96 | 3.71E-01 |
| f.25121.2.0 | IDP_dMRI_TBSS_FA_Middle_cerebellar_peduncle | -0.0200 | 0.0042 | -4.54 | 1.24E-03 |
| f.25122.2.0 | IDP_dMRI_TBSS_FA_Pontine_crossing_tract | -0.0099 | 0.0044 | -2.14 | 3.28E-01 |
| f.25123.2.0 | IDP_dMRI_TBSS_FA_Posterior_corona_radiata_L | -0.0150 | 0.0043 | -3.45 | 1.07E-02 |
| f.25070.2.0 | IDP_dMRI_TBSS_FA_Posterior_corona_radiata_R | -0.0228 | 0.0043 | -5.01 | 3.12E-04 |
| f.25124.2.0 | IDP_dMRI_TBSS_FA_Posterior_limb_of_internal_capsule_L | -0.0239 | 0.0044 | -5.38 | 1.07E-03 |
| f.25102.2.0 | IDP_dMRI_TBSS_FA_Posterior_limb_of_internal_capsule_R | -0.0195 | 0.0044 | -5.01 | 2.62E-03 |
| f.25125.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_L | -0.0268 | 0.0043 | -6.23 | 1.93E-05 |
| f.25072.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_R | -0.0181 | 0.0043 | -5.00 | 3.31E-03 |
| f.25126.2.0 | IDP_dMRI_TBSS_FA_Retrolenticular_part_of_internal_capsule_L | -0.0178 | 0.0043 | -4.14 | 3.50E-03 |
| f.25127.2.0 | IDP_dMRI_TBSS_FA_Retrolenticular_part_of_internal_capsule_R | -0.0317 | 0.0043 | -7.33 | 3.53E-07 |
| f.25064.2.0 | IDP_dMRI_TBSS_FA_Sagittal_stratum_L | -0.0141 | 0.0044 | -2.34 | 1.91E-02 |
| f.25074.2.0 | IDP_dMRI_TBSS_FA_Sagittal_stratum_R | -0.0202 | 0.0043 | -4.68 | 1.07E-03 |
| f.25128.2.0 | IDP_dMRI_TBSS_FA_Splenium_of_corpus_callosum | -0.0159 | 0.0051 | -3.09 | 2.03E-02 |
| f.25129.2.0 | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_L | -0.0119 | 0.0044 | -2.71 | 8.99E-02 |
| f.25130.2.0 | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_R | -0.0178 | 0.0044 | -4.04 | 5.49E-03 |
| f.25131.2.0 | IDP_dMRI_TBSS_FA_Superior_corona_radiata_L | -0.0107 | 0.0043 | -2.47 | 1.79E-02 |
| f.25132.2.0 | IDP_dMRI_TBSS_FA_Superior_corona_radiata_R | -0.0186 | 0.0043 | -4.32 | 1.92E-03 |
| f.25133.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_L | -0.0149 | 0.0043 | -3.44 | 1.07E-02 |
| f.25134.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_R | -0.0158 | 0.0044 | -3.62 | 1.07E-02 |
| f.25135.2.0 | IDP_dMRI_TBSS_FA_Superior_longitudinal_fasciculus_L | -0.0140 | 0.0044 | -3.18 | 1.61E-02 |
| f.25136.2.0 | IDP_dMRI_TBSS_FA_Superior_longitudinal_fasciculus_R | -0.0172 | 0.0045 | -3.82 | 3.37E-02 |
| f.25137.2.0 | IDP_dMRI_TBSS_FA_Tapetum_L | 0.0214 | 0.0044 | 3.33 | 8.12E-04 |
| f.25138.2.0 | IDP_dMRI_TBSS_FA_Tapetum_R | 0.0219 | 0.0043 | 3.93 | 2.48E-04 |
| f.25083.2.0 | IDP_dMRI_TBSS_FA_Uncinate_fasciculus_L | 0.0101 | 0.0043 | 1.53 | 1.23E-01 |
| f.25046.2.0 | IDP_dMRI_TBSS_FA_Uncinate_fasciculus_R | 0.0332 | 0.0043 | 4.16 | 3.14E-05 |
| f.25127.2.0 | IDP_dMRI_TBSS_FA_Anterior_corona_radiata_L | 0.0208 | 0.0043 | 3.43 | 1.01E-04 |
| f.25139.2.0 | IDP_dMRI_TBSS_FA_Anterior_corona_radiata_R | 0.0219 | 0.0043 | 3.99 | 2.48E-04 |
| f.25121.2.0 | IDP_dMRI_TBSS_FA_Anterior_limb_of_internal_capsule_L | 0.0152 | 0.0043 | 3.59 | 2.48E-04 |
| f.25140.2.0 | IDP_dMRI_TBSS_FA_Anterior_limb_of_internal_capsule_R | 0.0168 | 0.0043 | 4.23 | 2.13E-03 |
| f.25037.2.0 | IDP_dMRI_TBSS_FA_Body_of_corpus_callosum | 0.0257 | 0.0051 | 5.01 | 3.58E-05 |
| f.25141.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_L | 0.0169 | 0.0043 | 3.93 | 2.48E-04 |
| f.25142.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_R | 0.0294 | 0.0043 | 6.84 | 1.31E-06 |
| f.25139.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_L | 0.0307 | 0.0043 | 4.84 | 3.13E-06 |
| f.25143.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_R | 0.0294 | 0.0043 | 4.56 | 1.24E-03 |
| f.25141.2.0 | IDP_dMRI_TBSS_FA_Cingulum_hippocampus_L | 0.0012 | 0.0044 | 0.18 | 8.51E-01 |
| f.25144.2.0 | IDP_dMRI_TBSS_FA_Cingulum_hippocampus_R | 0.0052 | 0.0044 | 0.84 | 5.49E-01 |
| f.25033.2.0 | IDP_dMRI_TBSS_FA_Corticospinal_tract_L | -0.0046 | 0.0045 | -0.71 | 6.08E-01 |
| f.25145.2.0 | IDP_dMRI_TBSS_FA_Corticospinal_tract_R | -0.0021 | 0.0045 | -0.36 | 7.19E-01 |
| f.25137.2.0 | IDP_dMRI_TBSS_FA_External_capsule_L | 0.0120 | 0.0043 | 1.99 | 4.68E-02 |
| f.25146.2.0 | IDP_dMRI_TBSS_FA_External_capsule_R | 0.0178 | 0.0043 | 3.92 | 2.48E-04 |
| f.25109.2.0 | IDP_dMRI_TBSS_FA_Fornix | 0.0250 | 0.0054 | 4.29 | 1.83E-03 |
| f.25147.2.0 | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_L | 0.0095 | 0.0043 | 2.19 | 4.48E-02 |
| f.25142.2.0 | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_R | 0.0257 | 0.0059 | 4.39 | 1.38E-03 |
| f.25148.2.0 | IDP_dMRI_TBSS_FA_Genu_of_corpus_callosum | 0.0229 | 0.0052 | 4.39 | 1.38E-03 |
| f.25115.2.0 | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_L | 0.0141 | 0.0042 | 3.28 | 3.58E-02 |
| f.25149.2.0 | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_R | 0.0141 | 0.0042 | 3.34 | 3.58E-02 |
| f.25150.2.0 | IDP_dMRI_TBSS_FA_Medial_lemniscus_L | 0.0083 | 0.0043 | 1.92 | 1.23E-01 |
| f.25151.2.0 | IDP_dMRI_TBSS_FA_Medial_lemniscus_R | 0.0021 | 0.0043 | 0.34 | 7.04E-01 |
| f.25152.2.0 | IDP_dMRI_TBSS_FA_Middle_cerebellar_peduncle | 0.0042 | 0.0043 | 0.98 | 5.10E-01 |
| f.25101.2.0 | IDP_dMRI_TBSS_FA_Pontine_crossing_tract | 0.0091 | 0.0043 | 1.42 | 1.58E-01 |
| f.25153.2.0 | IDP_dMRI_TBSS_FA_Posterior_corona_radiata_L | 0.0208 | 0.0043 | 3.98 | 2.48E-04 |
| f.25130.2.0 | IDP_dMRI_TBSS_FA_Posterior_corona_radiata_R | 0.0247 | 0.0040 | 6.11 | 3.94E-06 |
| f.25154.2.0 | IDP_dMRI_TBSS_FA_Posterior_limb_of_internal_capsule_L | 0.0247 | 0.0042 | 5.92 | 2.23E-06 |
| f.25122.2.0 | IDP_dMRI_TBSS_FA_Posterior_limb_of_internal_capsule_R | 0.0224 | 0.0042 | 5.79 | 1.48E-04 |
| f.25155.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_L | 0.0247 | 0.0042 | 5.87 | 2.98E-04 |
| f.25132.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_R | 0.0228 | 0.0042 | 5.87 | 2.98E-04 |
| f.25156.2.0 | IDP_dMRI_TBSS_FA_Retrolenticular_part_of_internal_capsule_L | 0.0247 | 0.0043 | 5.72 | 2.23E-06 |
| f.25124.2.0 | IDP_dMRI_TBSS_FA_Retrolenticular_part_of_internal_capsule_R | 0.0128 | 0.0043 | 2.93 | 4.07E-02 |
| f.25157.2.0 | IDP_dMRI_TBSS_FA_Sagittal_stratum_L | 0.0064 | 0.0043 | 1.48 | 1.58E-01 |
| f.25134.2.0 | IDP_dMRI_TBSS_FA_Sagittal_stratum_R | 0.0203 | 0.0043 | 4.82 | 6.94E-03 |
| f.25158.2.0 | IDP_dMRI_TBSS_FA_Splenium_of_corpus_callosum | 0.0204 | 0.0052 | 3.92 | 2.03E-02 |
| f.25117.2.0 | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_L | 0.0124 | 0.0043 | 2.90 | 9.30E-03 |
| f.25159.2.0 | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_R | 0.0174 | 0.0043 | 4.06 | 5.49E-03 |
| f.25160.2.0 | IDP_dMRI_TBSS_FA_Superior_corona_radiata_L | 0.0197 | 0.0043 | 4.58 | 1.24E-03 |
| f.25128.2.0 | IDP_dMRI_TBSS_FA_Superior_corona_radiata_R | 0.0202 | 0.0043 | 4.70 | 1.07E-03 |
| f.25161.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_L | 0.0157 | 0.0043 | 3.66 | 1.72E-02 |
| f.25146.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_R | 0.0190 | 0.0038 | 5.21 | 1.14E-03 |
| f.25144.2.0 | IDP_dMRI_TBSS_FA_Superior_longitudinal_fasciculus_L | 0.0216 | 0.0041 | 5.12 | 4.32E-04 |
| f.25162.2.0 | IDP_dMRI_TBSS_FA_Superior_longitudinal_fasciculus_R | 0.0190 | 0.0042 | 4.58 | 1.24E-03 |
| f.25163.2.0 | IDP_dMRI_TBSS_FA_Tapetum_L | 0.0288 | 0.0042 | 6.64 | 3.12E-06 |
| f.25164.2.0 | IDP_dMRI_TBSS_FA_Tapetum_R | 0.0288 | 0.0042 | 6.66 | 3.12E-06 |
| f.25148.2.0 | IDP_dMRI_TBSS_FA_Uncinate_fasciculus_L | 0.0049 | 0.0042 | 0.93 | 3.54E-01 |
| f.25165.2.0 | IDP_dMRI_TBSS_FA_Uncinate_fasciculus_R | 0.0204 | 0.0042 | 4.89 | 3.34E-03 |
| f.25119.2.0 | IDP_dMRI_TBSS_FA_Anterior_corona_radiata_L | -0.0038 | 0.0041 | -0.88 | 3.91E-01 |
| f.25166.2.0 | IDP_dMRI_TBSS_FA_Anterior_corona_radiata_R | -0.0032 | 0.0041 | -0.78 | 4.35E-01 |
| f.25108.2.0 | IDP_dMRI_TBSS_FA_Anterior_limb_of_internal_capsule_L | -0.0029 | 0.0039 | -1.10 | 3.15E-01 |
| f.25167.2.0 | IDP_dMRI_TBSS_FA_Anterior_limb_of_internal_capsule_R | -0.0042 | 0.0041 | -1.03 | 3.15E-01 |
| f.25168.2.0 | IDP_dMRI_TBSS_FA_Body_of_corpus_callosum | -0.0041 | 0.0049 | -0.85 | 3.91E-01 |
| f.25169.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_L | -0.0041 | 0.0041 | -0.99 | 3.15E-01 |
| f.25170.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_R | -0.0018 | 0.0041 | -0.44 | 6.60E-01 |
| f.25171.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25172.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25173.2.0 | IDP_dMRI_TBSS_FA_Cingulum_hippocampus_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25174.2.0 | IDP_dMRI_TBSS_FA_Cingulum_hippocampus_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25175.2.0 | IDP_dMRI_TBSS_FA_Corticospinal_tract_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25176.2.0 | IDP_dMRI_TBSS_FA_Corticospinal_tract_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25177.2.0 | IDP_dMRI_TBSS_FA_External_capsule_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25178.2.0 | IDP_dMRI_TBSS_FA_External_capsule_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25179.2.0 | IDP_dMRI_TBSS_FA_Fornix | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25180.2.0 | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25181.2.0 | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25182.2.0 | IDP_dMRI_TBSS_FA_Genu_of_corpus_callosum | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25183.2.0 | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25184.2.0 | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25185.2.0 | IDP_dMRI_TBSS_FA_Medial_lemniscus_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25186.2.0 | IDP_dMRI_TBSS_FA_Medial_lemniscus_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25187.2.0 | IDP_dMRI_TBSS_FA_Middle_cerebellar_peduncle | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25188.2.0 | IDP_dMRI_TBSS_FA_Pontine_crossing_tract | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25189.2.0 | IDP_dMRI_TBSS_FA_Posterior_corona_radiata_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25190.2.0 | IDP_dMRI_TBSS_FA_Posterior_corona_radiata_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25191.2.0 | IDP_dMRI_TBSS_FA_Posterior_limb_of_internal_capsule_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25192.2.0 | IDP_dMRI_TBSS_FA_Posterior_limb_of_internal_capsule_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25193.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25194.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25195.2.0 | IDP_dMRI_TBSS_FA_Retrolenticular_part_of_internal_capsule_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25196.2.0 | IDP_dMRI_TBSS_FA_Retrolenticular_part_of_internal_capsule_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25197.2.0 | IDP_dMRI_TBSS_FA_Sagittal_stratum_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25198.2.0 | IDP_dMRI_TBSS_FA_Sagittal_stratum_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25199.2.0 | IDP_dMRI_TBSS_FA_Splenium_of_corpus_callosum | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25200.2.0 | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25201.2.0 | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25202.2.0 | IDP_dMRI_TBSS_FA_Superior_corona_radiata_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25203.2.0 | IDP_dMRI_TBSS_FA_Superior_corona_radiata_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25204.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25205.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25206.2.0 | IDP_dMRI_TBSS_FA_Superior_longitudinal_fasciculus_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25207.2.0 | IDP_dMRI_TBSS_FA_Superior_longitudinal_fasciculus_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25208.2.0 | IDP_dMRI_TBSS_FA_Tapetum_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25209.2.0 | IDP_dMRI_TBSS_FA_Tapetum_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25210.2.0 | IDP_dMRI_TBSS_FA_Uncinate_fasciculus_L | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |
| f.25211.2.0 | IDP_dMRI_TBSS_FA_Uncinate_fasciculus_R | -0.0041 | 0.0041 | -1.00 | 3.15E-01 |

*Estimate* = 0.28 × *T value*; *SE* = *Estimate*/*T value*; Significant

Abbreviations: AD, axial diffusivity; dMRI, diffusional magnetic resonance imaging; FA, fractional anisotropy; ICVF, intracellular volume fraction; IDP, imaging derived phenotype; ISOVF, isotropic or free water diffusion; MD, mean diffusivity; NDI, neurite density index; OD, orientation dispersion; PRS$_{CC}$, polygenic risk score for schizophrenia; R, right; RD, radial diffusivity; SE, standard error; TBSS, tract-based spatial statistics.

**Supplementary Table S7. Associations between PRSscz and PCs of white matter microstructure.**

| White matter tract | Component | *Estimate* | *SE* | *T value* | *P value* |
|---|---|---|---|---|---|
| Anterior_limb_of_internal_capsule_L | PC1 | 0.0129 | 0.0059 | 2.20 | 2.78E-02 |
| | PC2 | 0.0144 | 0.0063 | 2.26 | 2.36E-02 |
| Anterior_limb_of_internal_capsule_R | PC1 | 0.0167 | 0.0059 | 2.84 | 4.56E-03 |
| | PC2 | 0.0155 | 0.0063 | 2.47 | 1.34E-02 |
| Body_of_corpus_callosum | PC1 | -0.0248 | 0.0061 | -4.09 | 4.30E-05 |
| | PC2 | 0.0089 | 0.0065 | 1.37 | 1.69E-01 |
| Cerebral_peduncle_L | PC1 | 0.0002 | 0.0065 | 0.03 | 9.78E-01 |
| | PC2 | -0.0321 | 0.0062 | -5.18 | 2.22E-07 |
| Cerebral_peduncle_R | PC1 | 0.0106 | 0.0064 | 1.65 | 9.94E-02 |
| | PC2 | -0.0257 | 0.0063 | -4.11 | 4.03E-05 |
| Cingulum_cingulate_gyrus_L | PC1 | -0.0245 | 0.0063 | -3.91 | 9.25E-05 |
| | PC2 | 0.0247 | 0.0064 | 3.85 | 1.20E-04 |
| Cingulum_cingulate_gyrus_R | PC1 | 0.0290 | 0.0063 | 4.61 | 4.05E-06 |
| | PC2 | -0.0165 | 0.0064 | -2.58 | 9.80E-03 |
| Fornix | PC1 | 0.0274 | 0.0055 | 4.99 | 6.24E-07 |
| | PC2 | 0.0187 | 0.0064 | 2.91 | 3.63E-03 |
| Fornix_cres+Stria_terminalis_L | PC1 | -0.0164 | 0.0056 | -2.94 | 3.23E-03 |
| | PC2 | 0.0161 | 0.0063 | 2.56 | 1.03E-02 |
| Fornix_cres+Stria_terminalis_R | PC1 | -0.0249 | 0.0056 | -4.40 | 1.08E-05 |
| | PC2 | -0.0055 | 0.0063 | -0.86 | 3.88E-01 |
| Genu_of_corpus_callosum | PC1 | -0.0230 | 0.0060 | -3.85 | 1.17E-04 |
| | PC2 | 0.0051 | 0.0064 | 0.80 | 4.26E-01 |
| Inferior_cerebellar_peduncle_R | PC1 | 0.0257 | 0.0063 | 4.10 | 4.12E-05 |
| | PC2 | 0.0033 | 0.0063 | 0.52 | 6.02E-01 |
| Posterior_corona_radiata_L | PC1 | -0.0282 | 0.0061 | -4.62 | 3.91E-06 |
| | PC2 | -0.0083 | 0.0064 | -1.29 | 1.96E-01 |
| Posterior_corona_radiata_R | PC1 | 0.0243 | 0.0060 | 4.07 | 4.63E-05 |
| | PC2 | -0.0072 | 0.0064 | -1.12 | 2.64E-01 |
| Posterior_limb_of_internal_capsule_L | PC1 | -0.0185 | 0.0064 | -2.91 | 3.67E-03 |
| | PC2 | -0.0208 | 0.0063 | -3.32 | 9.08E-04 |
| Posterior_limb_of_internal_capsule_R | PC1 | -0.0064 | 0.0065 | -0.99 | 3.23E-01 |
| | PC2 | 0.0297 | 0.0062 | 4.77 | 1.85E-06 |
| Posterior_thalamic_radiation_L | PC1 | 0.0187 | 0.0061 | 3.05 | 2.25E-03 |
| | PC2 | 0.0266 | 0.0064 | 4.17 | 3.01E-05 |
| Posterior_thalamic_radiation_R | PC1 | -0.0243 | 0.0062 | -3.90 | 9.77E-05 |
| | PC2 | 0.0175 | 0.0063 | 2.76 | 5.71E-03 |
| Splenium_of_corpus_callosum | PC1 | -0.0248 | 0.0061 | -4.03 | 5.49E-05 |
| | PC2 | -0.0043 | 0.0064 | -0.66 | 5.09E-01 |
| Superior_cerebellar_peduncle_R | PC1 | -0.0223 | 0.0063 | -3.52 | 4.37E-04 |
| | PC2 | 0.0113 | 0.0063 | 1.80 | 7.22E-02 |
| Superior_corona_radiata_L | PC1 | 0.0293 | 0.0059 | 4.96 | 7.19E-07 |
| | PC2 | -0.0045 | 0.0065 | -0.70 | 4.86E-01 |
| Superior_corona_radiata_R | PC1 | -0.0326 | 0.0060 | -5.47 | 4.44E-08 |
| | PC2 | 0.0056 | 0.0065 | 0.86 | 3.90E-01 |
| Superior_fronto-occipital_fasciculus_L | PC1 | 0.0236 | 0.0058 | 4.09 | 4.35E-05 |
| | PC2 | -0.0099 | 0.0065 | -1.52 | 1.28E-01 |
| Superior_fronto-occipital_fasciculus_R | PC1 | 0.0222 | 0.0058 | 3.82 | 1.36E-04 |
| | PC2 | -0.0177 | 0.0065 | -2.72 | 6.44E-03 |
| Tapetum_L | PC1 | 0.0300 | 0.0063 | 4.73 | 2.26E-06 |
| | PC2 | -0.0054 | 0.0064 | -0.84 | 3.99E-01 |
| Tapetum_R | PC1 | 0.0297 | 0.0062 | 4.77 | 1.86E-06 |
| | PC2 | 0.0047 | 0.0064 | 0.72 | 4.69E-01 |

Note: *P value* < 0.05 was considered significant.

Abbreviation: L, left; PC, principal components; $PRS_{SCZ}$, polygenic risk score for schizophrenia; R, right; SE, standard error.

**Supplementary Table S8. PCA results for the 26 white matter tracts with significant primary associations.**

| White matter tract | Component | Variance Explained (%) | Cumulative Variance (%) | FA loading | ICVF loading | ISOVF loading | MD loading | MO loading | OD loading | AD loading | RD loading |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Anterior_limb_of_internal_capsule_L | PC1 | 0.48 | 0.48 | -0.33 | -0.32 | 0.36 | 0.51 | 0.09 | -0.11 | 0.39 | 0.48 |
| | PC2 | 0.26 | 0.75 | 0.50 | 0.05 | 0.02 | 0.04 | 0.45 | -0.57 | 0.41 | -0.23 |
| | PC3 | 0.14 | 0.89 | -0.10 | -0.71 | -0.67 | -0.04 | 0.11 | -0.14 | -0.08 | 0.00 |
| | PC4 | 0.09 | 0.98 | -0.13 | 0.03 | 0.02 | -0.05 | 0.84 | 0.52 | -0.06 | -0.03 |
| | PC5 | 0.02 | 1.00 | 0.46 | -0.23 | -0.05 | 0.13 | -0.26 | 0.61 | 0.50 | -0.16 |
| | PC6 | 0.00 | 1.00 | -0.18 | 0.57 | -0.65 | 0.28 | -0.01 | 0.03 | 0.31 | 0.20 |
| | PC7 | 0.00 | 1.00 | 0.61 | 0.02 | -0.07 | 0.21 | 0.07 | 0.04 | -0.43 | 0.62 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.77 | 0.00 | 0.00 | -0.36 | -0.52 |
| Anterior_limb_of_internal_capsule_R | PC1 | 0.47 | 0.47 | -0.34 | -0.31 | 0.38 | 0.51 | 0.06 | -0.06 | 0.38 | 0.49 |
| | PC2 | 0.28 | 0.75 | 0.47 | 0.01 | 0.03 | 0.07 | 0.46 | -0.57 | 0.43 | -0.21 |
| | PC3 | 0.14 | 0.90 | -0.13 | -0.72 | -0.62 | -0.04 | 0.25 | -0.04 | -0.10 | 0.01 |
| | PC4 | 0.08 | 0.98 | -0.09 | 0.16 | 0.12 | -0.03 | 0.79 | 0.57 | -0.02 | -0.03 |
| | PC5 | 0.01 | 1.00 | 0.46 | -0.22 | -0.09 | 0.13 | -0.30 | 0.59 | 0.50 | -0.17 |
| | PC6 | 0.00 | 1.00 | -0.18 | 0.55 | -0.67 | 0.29 | 0.00 | 0.00 | 0.29 | 0.22 |
| | PC7 | 0.00 | 1.00 | 0.63 | 0.01 | -0.06 | 0.20 | 0.07 | 0.04 | -0.43 | 0.61 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | -0.77 | 0.00 | 0.00 | 0.37 | 0.52 |
| Body_of_corpus_callosum | PC1 | 0.53 | 0.53 | 0.44 | 0.30 | -0.35 | -0.46 | 0.29 | -0.14 | -0.23 | -0.48 |
| | PC2 | 0.27 | 0.80 | 0.23 | 0.03 | 0.24 | 0.23 | 0.38 | -0.61 | 0.56 | -0.03 |
| | PC3 | 0.16 | 0.95 | -0.19 | -0.68 | -0.49 | 0.02 | 0.40 | -0.21 | -0.18 | 0.13 |
| | PC4 | 0.03 | 0.98 | -0.26 | 0.26 | 0.41 | -0.02 | 0.71 | 0.19 | -0.35 | 0.18 |
| | PC5 | 0.01 | 1.00 | 0.09 | -0.08 | -0.21 | 0.10 | 0.32 | 0.70 | 0.55 | -0.19 |
| | PC6 | 0.00 | 1.00 | 0.31 | -0.61 | 0.60 | -0.26 | -0.03 | 0.12 | -0.11 | -0.29 |
| | PC7 | 0.00 | 1.00 | 0.74 | -0.01 | -0.07 | 0.30 | 0.04 | 0.14 | -0.23 | 0.53 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | -0.75 | 0.00 | 0.00 | 0.33 | 0.57 |
| Cerebral_peduncle_L | PC1 | 0.42 | 0.42 | -0.29 | -0.21 | 0.42 | 0.54 | 0.12 | -0.18 | 0.39 | 0.45 |
| | PC2 | 0.36 | 0.78 | 0.46 | -0.10 | -0.13 | 0.02 | 0.49 | -0.53 | 0.38 | -0.32 |
| | PC3 | 0.15 | 0.93 | -0.18 | -0.81 | -0.52 | -0.02 | -0.03 | -0.08 | -0.15 | 0.11 |
| | PC4 | 0.04 | 0.98 | 0.30 | -0.09 | -0.01 | 0.12 | -0.86 | -0.21 | 0.31 | -0.11 |
| | PC5 | 0.01 | 0.99 | 0.28 | -0.20 | -0.08 | 0.18 | 0.12 | 0.80 | 0.42 | -0.13 |
| | PC6 | 0.01 | 1.00 | -0.20 | 0.50 | -0.72 | 0.29 | 0.00 | -0.03 | 0.24 | 0.21 |
| | PC7 | 0.00 | 1.00 | 0.68 | 0.03 | -0.05 | 0.17 | 0.04 | 0.01 | -0.37 | 0.61 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | -0.74 | 0.00 | 0.00 | 0.46 | 0.49 |
| Cerebral_peduncle_R | PC1 | 0.43 | 0.43 | -0.26 | -0.20 | 0.42 | 0.54 | 0.13 | -0.21 | 0.41 | 0.44 |
| | PC2 | 0.36 | 0.78 | 0.48 | -0.08 | -0.14 | 0.00 | 0.49 | -0.52 | 0.35 | -0.34 |
| | PC3 | 0.15 | 0.94 | -0.20 | -0.81 | -0.51 | -0.02 | 0.01 | -0.08 | -0.14 | 0.11 |
| | PC4 | 0.04 | 0.98 | 0.29 | -0.12 | -0.02 | 0.10 | -0.86 | -0.24 | 0.29 | -0.12 |
| | PC5 | 0.01 | 0.99 | 0.31 | -0.21 | -0.05 | 0.18 | 0.09 | 0.79 | 0.42 | -0.13 |
| | PC6 | 0.01 | 1.00 | 0.22 | -0.48 | 0.73 | -0.29 | 0.01 | 0.02 | -0.28 | -0.17 |
| | PC7 | 0.00 | 1.00 | 0.66 | 0.04 | -0.09 | 0.18 | 0.03 | 0.01 | -0.37 | 0.63 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | -0.74 | 0.00 | 0.00 | 0.46 | 0.48 |
| Cingulum_cingulate_gyrus_L | PC1 | 0.50 | 0.50 | 0.48 | 0.36 | 0.16 | -0.13 | 0.42 | -0.40 | 0.30 | -0.41 |
| | PC2 | 0.34 | 0.83 | -0.12 | -0.26 | 0.39 | 0.59 | 0.17 | -0.22 | 0.47 | 0.35 |
| | PC3 | 0.12 | 0.95 | -0.07 | 0.56 | 0.70 | 0.00 | -0.24 | 0.37 | -0.06 | 0.04 |
| | PC4 | 0.03 | 0.98 | -0.25 | 0.00 | 0.05 | -0.07 | 0.86 | 0.38 | -0.22 | 0.09 |
| | PC5 | 0.02 | 1.00 | 0.31 | -0.17 | -0.16 | 0.12 | -0.05 | 0.71 | 0.51 | -0.26 |
| | PC6 | 0.00 | 1.00 | -0.19 | 0.68 | -0.55 | 0.32 | 0.03 | 0.01 | 0.21 | 0.23 |
| | PC7 | 0.00 | 1.00 | 0.74 | 0.02 | -0.03 | 0.18 | 0.05 | 0.09 | -0.36 | 0.52 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.69 | 0.00 | 0.00 | -0.46 | -0.56 |
| Cingulum_cingulate_gyrus_R | PC1 | 0.49 | 0.49 | -0.49 | -0.33 | -0.18 | 0.11 | -0.42 | 0.42 | -0.32 | 0.40 |
| | PC2 | 0.34 | 0.83 | 0.11 | 0.32 | -0.33 | -0.59 | -0.16 | 0.23 | -0.46 | -0.37 |
| | PC3 | 0.13 | 0.95 | -0.07 | 0.53 | 0.75 | 0.02 | -0.27 | 0.28 | -0.05 | 0.07 |
| | PC4 | 0.03 | 0.98 | -0.30 | 0.05 | 0.09 | -0.07 | 0.85 | 0.33 | -0.23 | 0.11 |
| | PC5 | 0.02 | 1.00 | 0.31 | -0.17 | -0.08 | 0.10 | 0.00 | 0.76 | 0.47 | -0.26 |
| | PC6 | 0.00 | 1.00 | -0.08 | 0.69 | -0.53 | 0.35 | 0.02 | 0.05 | 0.20 | 0.27 |
| | PC7 | 0.00 | 1.00 | 0.74 | -0.05 | 0.02 | 0.13 | 0.07 | 0.09 | -0.41 | 0.50 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | -0.70 | 0.00 | 0.00 | 0.46 | 0.55 |
| Fornix | PC1 | 0.73 | 0.73 | -0.39 | -0.16 | 0.39 | 0.41 | -0.27 | 0.33 | 0.38 | 0.41 |
| | PC2 | 0.16 | 0.88 | 0.00 | -0.74 | -0.26 | -0.15 | -0.46 | 0.22 | -0.31 | -0.08 |
| | PC3 | 0.06 | 0.94 | -0.27 | -0.59 | 0.04 | 0.09 | 0.62 | -0.42 | 0.06 | 0.10 |
| | PC4 | 0.04 | 0.99 | 0.32 | -0.13 | -0.07 | 0.00 | 0.53 | 0.76 | 0.13 | -0.06 |
| | PC5 | 0.01 | 1.00 | -0.65 | 0.24 | -0.05 | -0.11 | 0.20 | 0.28 | -0.61 | 0.10 |
| | PC6 | 0.00 | 1.00 | -0.11 | 0.12 | -0.87 | 0.29 | 0.00 | -0.02 | 0.21 | 0.31 |
| | PC7 | 0.00 | 1.00 | 0.49 | -0.01 | 0.13 | 0.30 | 0.04 | -0.09 | -0.51 | 0.62 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.79 | 0.00 | 0.00 | -0.23 | -0.57 |
| Fornix_cres+Stria_terminalis_L | PC1 | 0.46 | 0.46 | 0.47 | 0.07 | -0.41 | -0.43 | 0.29 | -0.27 | -0.11 | -0.51 |
| | PC2 | 0.34 | 0.80 | -0.21 | 0.05 | -0.24 | -0.34 | -0.43 | 0.50 | -0.58 | -0.09 |
| | PC3 | 0.16 | 0.96 | 0.16 | 0.88 | 0.42 | -0.06 | -0.02 | 0.11 | 0.01 | -0.09 |
| | PC4 | 0.03 | 0.99 | 0.36 | -0.02 | -0.06 | 0.07 | -0.85 | -0.29 | 0.24 | -0.06 |
| | PC5 | 0.01 | 1.00 | 0.45 | -0.21 | 0.05 | 0.07 | 0.05 | 0.76 | 0.38 | -0.15 |
| | PC6 | 0.00 | 1.00 | 0.24 | -0.41 | 0.75 | -0.24 | -0.02 | -0.12 | -0.36 | -0.10 |
| | PC7 | 0.00 | 1.00 | 0.57 | 0.08 | -0.19 | 0.25 | 0.11 | 0.00 | -0.43 | 0.61 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | -0.75 | 0.00 | 0.00 | 0.36 | 0.56 |
| Fornix_cres+Stria_terminalis_R | PC1 | 0.47 | 0.47 | 0.45 | 0.10 | -0.41 | -0.45 | 0.26 | -0.22 | -0.18 | -0.51 |
| | PC2 | 0.33 | 0.80 | -0.23 | 0.13 | -0.17 | -0.29 | -0.46 | 0.53 | -0.57 | -0.05 |
| | PC3 | 0.16 | 0.96 | 0.18 | 0.86 | 0.46 | -0.03 | 0.03 | 0.10 | 0.06 | -0.08 |
| | PC4 | 0.03 | 0.99 | -0.35 | 0.01 | 0.02 | -0.04 | 0.84 | 0.34 | -0.21 | 0.07 |
| | PC5 | 0.01 | 1.00 | 0.48 | -0.20 | -0.05 | 0.10 | 0.02 | 0.74 | 0.40 | -0.12 |
| | PC6 | 0.00 | 1.00 | -0.25 | 0.44 | -0.74 | 0.24 | -0.02 | 0.03 | 0.34 | 0.11 |
| | PC7 | 0.00 | 1.00 | 0.54 | 0.07 | -0.17 | 0.25 | 0.10 | 0.03 | -0.45 | 0.63 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | -0.76 | 0.00 | 0.00 | 0.34 | 0.55 |
| Genu_of_corpus_callosum | PC1 | 0.54 | 0.54 | 0.41 | 0.37 | -0.34 | -0.48 | 0.01 | 0.13 | -0.35 | -0.46 |
| | PC2 | 0.28 | 0.82 | -0.31 | -0.09 | -0.05 | -0.03 | -0.57 | 0.61 | -0.40 | 0.18 |
| | PC3 | 0.12 | 0.94 | 0.14 | 0.63 | 0.68 | 0.04 | -0.26 | 0.12 | 0.19 | -0.05 |
| | PC4 | 0.04 | 0.99 | -0.28 | 0.18 | 0.26 | -0.06 | 0.74 | 0.28 | -0.41 | 0.15 |
| | PC5 | 0.01 | 1.00 | -0.24 | 0.15 | 0.12 | -0.12 | -0.23 | -0.72 | -0.54 | 0.15 |
| | PC6 | 0.00 | 1.00 | 0.38 | -0.63 | 0.57 | -0.23 | -0.02 | 0.01 | -0.23 | -0.17 |
| | PC7 | 0.00 | 1.00 | 0.66 | 0.09 | -0.12 | 0.34 | 0.03 | 0.03 | -0.26 | 0.60 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | -0.76 | 0.00 | 0.00 | 0.32 | 0.56 |
| Inferior_cerebellar_peduncle_R | PC1 | 0.43 | 0.43 | -0.51 | -0.04 | 0.25 | 0.19 | -0.41 | 0.46 | -0.25 | 0.45 |
| | PC2 | 0.34 | 0.77 | -0.01 | -0.33 | 0.30 | 0.56 | 0.22 | -0.27 | 0.52 | 0.31 |
| | PC3 | 0.16 | 0.94 | 0.20 | 0.72 | 0.64 | 0.03 | -0.08 | -0.01 | 0.14 | -0.07 |
| | PC4 | 0.05 | 0.98 | -0.36 | 0.14 | 0.12 | -0.08 | 0.86 | 0.19 | -0.20 | 0.06 |
| | PC5 | 0.01 | 1.00 | -0.35 | 0.14 | 0.03 | -0.08 | 0.10 | -0.83 | -0.35 | 0.19 |
| | PC6 | 0.00 | 1.00 | 0.07 | -0.57 | 0.65 | -0.34 | -0.02 | -0.04 | -0.21 | -0.28 |
| | PC7 | 0.00 | 1.00 | 0.67 | -0.05 | 0.02 | 0.09 | 0.14 | 0.02 | -0.49 | 0.53 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.71 | 0.00 | 0.00 | -0.45 | -0.54 |
| Posterior_corona_radiata_L | PC1 | 0.55 | 0.55 | 0.32 | 0.43 | -0.17 | -0.47 | -0.15 | 0.23 | -0.43 | -0.45 |
| | PC2 | 0.24 | 0.79 | -0.49 | -0.08 | 0.02 | 0.05 | -0.54 | 0.58 | -0.25 | 0.24 |
| | PC3 | 0.14 | 0.93 | 0.12 | 0.39 | 0.89 | 0.06 | -0.11 | 0.06 | 0.12 | 0.02 |
| | PC4 | 0.06 | 0.99 | -0.34 | 0.08 | 0.11 | -0.08 | 0.82 | 0.40 | -0.18 | 0.00 |
| | PC5 | 0.01 | 1.00 | 0.49 | -0.20 | -0.10 | 0.14 | 0.03 | 0.66 | 0.49 | -0.10 |
| | PC6 | 0.00 | 1.00 | -0.07 | -0.73 | 0.37 | -0.33 | -0.04 | -0.04 | -0.09 | -0.45 |
| | PC7 | 0.00 | 1.00 | 0.53 | -0.28 | 0.12 | 0.09 | 0.10 | 0.03 | -0.58 | 0.51 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | -0.79 | 0.00 | 0.00 | 0.33 | 0.52 |
| Posterior_corona_radiata_R | PC1 | 0.56 | 0.56 | -0.29 | -0.42 | 0.20 | 0.47 | 0.18 | -0.26 | 0.43 | 0.44 |
| | PC2 | 0.26 | 0.81 | -0.52 | -0.11 | -0.01 | 0.07 | -0.54 | 0.54 | -0.25 | 0.27 |
| | PC3 | 0.13 | 0.95 | 0.12 | 0.41 | 0.88 | 0.06 | -0.13 | 0.11 | 0.12 | 0.02 |
| | PC4 | 0.04 | 0.99 | -0.35 | 0.08 | 0.11 | -0.08 | 0.80 | 0.42 | -0.19 | 0.00 |
| | PC5 | 0.01 | 1.00 | -0.47 | 0.21 | 0.11 | -0.15 | -0.02 | -0.68 | -0.48 | 0.09 |
| | PC6 | 0.00 | 1.00 | 0.11 | 0.69 | -0.38 | 0.34 | 0.06 | 0.03 | 0.04 | 0.50 |
| | PC7 | 0.00 | 1.00 | -0.52 | 0.34 | -0.16 | -0.04 | -0.10 | -0.02 | 0.59 | -0.47 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | -0.79 | 0.00 | 0.00 | 0.34 | 0.51 |
| Posterior_limb_of_internal_capsule_L | PC1 | 0.44 | 0.44 | -0.51 | -0.04 | 0.21 | 0.15 | -0.42 | 0.45 | -0.29 | 0.45 |
| | PC2 | 0.37 | 0.80 | 0.10 | 0.30 | -0.37 | -0.56 | -0.24 | 0.28 | -0.47 | -0.30 |
| | PC3 | 0.15 | 0.95 | -0.14 | -0.77 | -0.60 | -0.03 | 0.04 | -0.07 | -0.13 | 0.08 |
| | PC4 | 0.04 | 0.99 | -0.29 | 0.08 | 0.06 | -0.12 | 0.87 | 0.24 | -0.26 | 0.08 |
| | PC5 | 0.01 | 1.00 | 0.33 | -0.25 | 0.04 | 0.09 | 0.05 | 0.80 | 0.37 | -0.21 |
| | PC6 | 0.00 | 1.00 | -0.18 | 0.49 | -0.67 | 0.36 | 0.04 | 0.12 | 0.32 | 0.17 |
| | PC7 | 0.00 | 1.00 | 0.69 | 0.05 | -0.08 | 0.19 | 0.09 | 0.03 | -0.37 | 0.57 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.69 | 0.00 | 0.00 | -0.48 | -0.54 |
| Posterior_limb_of_internal_capsule_R | PC1 | 0.44 | 0.44 | -0.52 | -0.07 | 0.26 | 0.22 | -0.39 | 0.43 | -0.23 | 0.48 |
| | PC2 | 0.36 | 0.80 | -0.05 | -0.27 | 0.35 | 0.53 | 0.30 | -0.32 | 0.51 | 0.26 |
| | PC3 | 0.15 | 0.95 | 0.13 | 0.79 | 0.58 | 0.01 | 0.01 | 0.09 | 0.11 | -0.08 |
| | PC4 | 0.04 | 0.99 | -0.29 | 0.05 | 0.01 | -0.12 | 0.87 | 0.24 | -0.28 | 0.09 |
| | PC5 | 0.01 | 1.00 | 0.32 | -0.20 | -0.02 | 0.11 | 0.06 | 0.80 | 0.40 | -0.20 |
| | PC6 | 0.00 | 1.00 | -0.21 | 0.50 | -0.69 | 0.33 | 0.02 | 0.05 | 0.29 | 0.18 |
| | PC7 | 0.00 | 1.00 | -0.69 | -0.05 | 0.09 | -0.21 | -0.07 | -0.03 | 0.37 | -0.57 |
| | PC8 | 0.00 | 1.00 | 0.01 | 0.00 | 0.00 | -0.70 | 0.00 | 0.00 | 0.46 | 0.55 |
| Posterior_thalamic_radiation_L | PC1 | 0.52 | 0.52 | -0.36 | -0.43 | 0.22 | 0.49 | 0.09 | -0.18 | 0.39 | 0.45 |
| | PC2 | 0.30 | 0.82 | -0.41 | -0.10 | -0.07 | 0.01 | -0.56 | 0.57 | -0.35 | 0.23 |
| | PC3 | 0.13 | 0.95 | -0.10 | -0.42 | -0.86 | -0.05 | 0.18 | -0.15 | -0.12 | 0.01 |
| | PC4 | 0.04 | 0.99 | 0.31 | -0.09 | -0.16 | 0.08 | -0.79 | -0.34 | 0.33 | -0.09 |
| | PC5 | 0.01 | 1.00 | -0.35 | 0.13 | 0.16 | -0.14 | -0.13 | -0.71 | -0.53 | 0.12 |
| | PC6 | 0.00 | 1.00 | -0.44 | 0.73 | -0.36 | 0.17 | -0.01 | -0.02 | 0.36 | 0.03 |
| | PC7 | 0.00 | 1.00 | 0.53 | 0.28 | -0.16 | 0.34 | 0.04 | 0.00 | -0.29 | 0.64 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | -0.77 | 0.00 | 0.00 | 0.33 | 0.55 |
| Posterior_thalamic_radiation_R | PC1 | 0.49 | 0.49 | 0.37 | 0.45 | -0.16 | -0.50 | -0.09 | 0.16 | -0.37 | -0.47 |
| | PC2 | 0.31 | 0.80 | -0.40 | -0.05 | -0.01 | 0.00 | -0.55 | 0.58 | -0.38 | 0.23 |
| | PC3 | 0.15 | 0.95 | 0.10 | 0.40 | 0.87 | 0.08 | -0.14 | 0.10 | 0.17 | 0.00 |
| | PC4 | 0.04 | 0.99 | -0.34 | 0.10 | 0.17 | -0.09 | 0.79 | 0.25 | -0.36 | 0.09 |
| | PC5 | 0.01 | 1.00 | -0.28 | 0.10 | 0.15 | -0.12 | -0.19 | -0.75 | -0.50 | 0.13 |
| | PC6 | 0.00 | 1.00 | -0.44 | 0.73 | -0.36 | 0.16 | -0.02 | -0.05 | 0.34 | 0.02 |
| | PC7 | 0.00 | 1.00 | 0.55 | 0.29 | -0.16 | 0.33 | 0.06 | 0.03 | -0.28 | 0.63 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.76 | 0.00 | 0.00 | -0.33 | -0.55 |
| Splenium_of_corpus_callosum | PC1 | 0.48 | 0.48 | 0.22 | 0.35 | -0.34 | -0.50 | -0.25 | 0.31 | -0.41 | -0.36 |
| | PC2 | 0.34 | 0.82 | 0.53 | 0.15 | -0.08 | -0.07 | 0.45 | -0.45 | 0.32 | -0.42 |
| | PC3 | 0.13 | 0.96 | -0.07 | -0.65 | -0.70 | -0.08 | 0.15 | -0.15 | -0.15 | 0.03 |
| | PC4 | 0.04 | 0.99 | -0.27 | 0.20 | 0.11 | -0.17 | 0.79 | 0.07 | -0.44 | 0.16 |
| | PC5 | 0.01 | 1.00 | 0.17 | -0.11 | -0.13 | 0.19 | 0.31 | 0.81 | 0.38 | -0.09 |
| | PC6 | 0.00 | 1.00 | 0.31 | -0.61 | 0.59 | -0.28 | 0.01 | 0.10 | -0.26 | -0.18 |
| | PC7 | 0.00 | 1.00 | 0.68 | 0.09 | -0.10 | 0.23 | -0.01 | 0.01 | -0.29 | 0.62 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.73 | 0.00 | 0.00 | -0.48 | -0.49 |
| Superior_cerebellar_peduncle_R | PC1 | 0.45 | 0.45 | 0.39 | 0.26 | -0.43 | -0.49 | 0.14 | -0.08 | -0.26 | -0.51 |
| | PC2 | 0.36 | 0.80 | -0.36 | -0.22 | -0.26 | -0.22 | -0.42 | 0.53 | -0.49 | 0.10 |
| | PC3 | 0.11 | 0.92 | 0.07 | 0.80 | 0.35 | 0.00 | -0.44 | 0.21 | 0.01 | -0.01 |
| | PC4 | 0.05 | 0.97 | -0.33 | 0.32 | 0.16 | -0.07 | 0.76 | 0.23 | -0.32 | 0.17 |
| | PC5 | 0.02 | 0.99 | 0.34 | -0.14 | 0.00 | 0.12 | 0.19 | 0.78 | 0.41 | -0.19 |
| | PC6 | 0.00 | 1.00 | -0.45 | 0.34 | -0.68 | 0.23 | 0.01 | -0.01 | 0.41 | -0.02 |
| | PC7 | 0.00 | 1.00 | 0.54 | 0.13 | -0.36 | 0.28 | 0.03 | 0.03 | -0.25 | 0.65 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.75 | 0.00 | 0.00 | -0.44 | -0.49 |
| Superior_corona_radiata_L | PC1 | 0.50 | 0.50 | -0.26 | -0.44 | 0.27 | 0.50 | 0.16 | -0.18 | 0.41 | 0.45 |
| | PC2 | 0.32 | 0.82 | -0.50 | -0.02 | 0.11 | 0.03 | -0.47 | 0.56 | -0.34 | 0.29 |
| | PC3 | 0.12 | 0.94 | 0.15 | 0.50 | 0.84 | 0.03 | -0.10 | -0.01 | 0.11 | -0.04 |
| | PC4 | 0.06 | 1.00 | -0.35 | 0.14 | 0.11 | -0.11 | 0.85 | 0.28 | -0.20 | -0.02 |
| | PC5 | 0.00 | 1.00 | -0.40 | 0.20 | 0.00 | -0.09 | -0.06 | -0.75 | -0.44 | 0.18 |
| | PC6 | 0.00 | 1.00 | 0.02 | 0.70 | -0.44 | 0.36 | 0.03 | 0.09 | 0.23 | 0.37 |
| | PC7 | 0.00 | 1.00 | -0.61 | 0.13 | -0.08 | -0.10 | -0.14 | -0.05 | 0.54 | -0.53 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.77 | 0.00 | 0.00 | -0.37 | -0.52 |
| Superior_corona_radiata_R | PC1 | 0.49 | 0.49 | 0.26 | 0.43 | -0.29 | -0.50 | -0.13 | 0.16 | -0.40 | -0.45 |
| | PC2 | 0.32 | 0.81 | 0.50 | 0.01 | -0.10 | -0.02 | 0.45 | -0.58 | 0.36 | -0.27 |
| | PC3 | 0.12 | 0.93 | -0.17 | -0.53 | -0.81 | -0.03 | 0.16 | 0.02 | -0.12 | 0.04 |
| | PC4 | 0.07 | 1.00 | 0.33 | -0.18 | -0.16 | 0.09 | -0.85 | -0.25 | 0.18 | 0.01 |
| | PC5 | 0.00 | 1.00 | 0.37 | -0.17 | -0.02 | 0.09 | 0.07 | 0.75 | 0.47 | -0.19 |
| | PC6 | 0.00 | 1.00 | -0.09 | 0.69 | -0.47 | 0.34 | 0.00 | 0.05 | 0.28 | 0.30 |
| | PC7 | 0.00 | 1.00 | -0.63 | 0.04 | -0.02 | -0.16 | -0.14 | -0.09 | 0.48 | -0.56 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | -0.77 | 0.00 | 0.00 | 0.36 | 0.53 |
| Superior_fronto-occipital_fasciculus_L | PC1 | 0.52 | 0.52 | -0.34 | -0.40 | 0.32 | 0.49 | -0.11 | -0.02 | 0.37 | 0.48 |
| | PC2 | 0.26 | 0.78 | 0.42 | 0.01 | 0.07 | 0.10 | 0.42 | -0.66 | 0.44 | -0.11 |
| | PC3 | 0.12 | 0.90 | 0.17 | 0.58 | 0.75 | 0.01 | -0.23 | 0.11 | 0.08 | -0.03 |
| | PC4 | 0.09 | 0.99 | -0.35 | 0.15 | 0.21 | -0.01 | 0.86 | 0.24 | -0.13 | 0.05 |
| | PC5 | 0.01 | 1.00 | -0.56 | 0.31 | -0.03 | -0.05 | -0.14 | -0.68 | -0.31 | 0.10 |
| | PC6 | 0.00 | 1.00 | -0.08 | 0.61 | -0.53 | 0.30 | 0.00 | 0.19 | 0.42 | 0.19 |
| | PC7 | 0.00 | 1.00 | -0.48 | -0.08 | 0.06 | -0.24 | -0.10 | 0.05 | 0.53 | -0.64 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | -0.78 | 0.00 | 0.00 | 0.31 | 0.55 |
| Superior_fronto-occipital_fasciculus_R | PC1 | 0.46 | 0.46 | -0.31 | -0.38 | 0.32 | 0.51 | -0.02 | -0.03 | 0.36 | 0.50 |
| | PC2 | 0.30 | 0.76 | 0.49 | 0.01 | 0.06 | 0.09 | 0.38 | -0.61 | 0.45 | -0.16 |
| | PC3 | 0.13 | 0.90 | -0.03 | -0.65 | -0.75 | -0.02 | 0.01 | -0.14 | -0.04 | 0.01 |
| | PC4 | 0.09 | 0.99 | 0.28 | 0.00 | 0.01 | 0.04 | -0.92 | -0.22 | 0.16 | -0.05 |
| | PC5 | 0.01 | 1.00 | 0.48 | -0.24 | 0.03 | 0.05 | 0.05 | 0.73 | 0.37 | -0.17 |
| | PC6 | 0.00 | 1.00 | 0.04 | -0.61 | 0.58 | -0.33 | 0.00 | -0.13 | -0.31 | -0.26 |
| | PC7 | 0.00 | 1.00 | 0.59 | -0.01 | 0.01 | 0.16 | 0.06 | -0.01 | -0.53 | 0.58 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.77 | 0.00 | 0.00 | -0.35 | -0.54 |
| Tapetum_L | PC1 | 0.52 | 0.52 | -0.34 | -0.25 | 0.41 | 0.49 | 0.12 | -0.09 | 0.42 | 0.47 |
| | PC2 | 0.28 | 0.81 | -0.41 | 0.04 | 0.06 | 0.00 | -0.59 | 0.60 | -0.28 | 0.19 |
| | PC3 | 0.14 | 0.95 | 0.24 | 0.80 | 0.49 | 0.06 | -0.04 | 0.13 | 0.20 | -0.04 |
| | PC4 | 0.03 | 0.98 | 0.16 | -0.04 | -0.01 | 0.06 | -0.79 | -0.56 | 0.18 | -0.02 |
| | PC5 | 0.02 | 1.00 | -0.53 | 0.35 | 0.08 | -0.12 | 0.13 | -0.54 | -0.49 | 0.14 |
| | PC6 | 0.00 | 1.00 | 0.00 | -0.41 | 0.74 | -0.32 | -0.02 | -0.03 | -0.17 | -0.38 |
| | PC7 | 0.00 | 1.00 | -0.59 | 0.12 | -0.15 | -0.14 | -0.01 | 0.02 | 0.54 | -0.56 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 0.79 | 0.00 | 0.00 | -0.34 | -0.52 |
| Tapetum_R | PC1 | 0.54 | 0.54 | -0.40 | -0.29 | 0.40 | 0.48 | 0.00 | 0.03 | 0.38 | 0.48 |
| | PC2 | 0.27 | 0.81 | -0.32 | -0.04 | -0.08 | -0.07 | -0.61 | 0.61 | -0.37 | 0.09 |
| | PC3 | 0.14 | 0.95 | 0.22 | 0.74 | 0.52 | 0.06 | -0.12 | 0.25 | 0.21 | -0.03 |
| | PC4 | 0.04 | 0.99 | 0.16 | -0.04 | -0.01 | 0.04 | -0.78 | -0.57 | 0.20 | -0.04 |
| | PC5 | 0.01 | 1.00 | -0.53 | 0.37 | 0.17 | -0.08 | 0.09 | -0.49 | -0.52 | 0.16 |
| | PC6 | 0.00 | 1.00 | 0.05 | -0.46 | 0.72 | -0.32 | -0.01 | -0.02 | -0.19 | -0.36 |
| | PC7 | 0.00 | 1.00 | 0.61 | -0.10 | 0.12 | 0.20 | 0.00 | -0.03 | -0.50 | 0.55 |
| | PC8 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | -0.78 | 0.00 | 0.00 | 0.30 | 0.55 |

Abbreviation: AD, axial diffusivity; FA, fractional anisotropy; ICVF, intracellular volume fraction; ISOVF, isotropic volume fraction; L, left; MD, mean diffusivity; MO, mode of anisotropy; OD, orientation dispersion; PC, principal components; $PRS_{SCZ}$, polygenic risk score for schizophrenia; R, right; RD, radial diffusivity; SE, standard error.

**Supplementary Table S9. Associations between PRSscz and brain white matter microstructure IDPs in the non-Caucasian ancestry sample.**

| Field ID | Description | *Estimate* | *SE* | *T value* | *P value* |
|---|---|---|---|---|---|
| f.25071.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_L | -0.0058 | 0.0160 | -0.36 | 7.16E-01 |
| f.25070.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_R | -0.0158 | 0.0161 | -0.98 | 3.26E-01 |
| f.25091.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_L | -0.0056 | 0.0161 | -0.35 | 7.28E-01 |
| f.25090.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_R | -0.0222 | 0.0163 | -1.37 | 1.72E-01 |
| f.25061.2.0 | IDP_dMRI_TBSS_FA_Fornix | 0.0105 | 0.0145 | 0.72 | 4.71E-01 |
| f.25095.2.0 | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_L | -0.0290 | 0.0146 | -1.98 | 4.73E-02 |
| f.25066.2.0 | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_R | -0.0186 | 0.0162 | -1.15 | 2.52E-01 |
| f.25085.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_L | -0.0358 | 0.0160 | -2.24 | 2.54E-02 |
| f.25084.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_R | -0.0355 | 0.0161 | -2.21 | 2.71E-02 |
| f.25068.2.0 | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_R | -0.0427 | 0.0156 | -2.73 | 6.30E-03 |
| f.25099.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_L | 0.0105 | 0.0160 | 0.65 | 5.13E-01 |
| f.25098.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_R | 0.0183 | 0.0163 | 1.12 | 2.61E-01 |
| f.25102.2.0 | IDP_dMRI_TBSS_FA_Tapetum_R | 0.0037 | 0.0163 | 0.23 | 8.18E-01 |
| f.25379.2.0 | IDP_dMRI_TBSS_ICVF_Cingulum_cingulate_gyrus_L | -0.0080 | 0.0161 | -0.50 | 6.20E-01 |
| f.25378.2.0 | IDP_dMRI_TBSS_ICVF_Cingulum_cingulate_gyrus_R | -0.0090 | 0.0161 | -0.56 | 5.76E-01 |
| f.25349.2.0 | IDP_dMRI_TBSS_ICVF_Fornix | -0.0120 | 0.0165 | -0.73 | 4.66E-01 |
| f.25371.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_corona_radiata_L | -0.0334 | 0.0163 | -2.05 | 4.05E-02 |
| f.25363.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_limb_of_internal_capsule_L | -0.0148 | 0.0164 | -0.90 | 3.66E-01 |
| f.25373.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_thalamic_radiation_L | -0.0448 | 0.0162 | -2.77 | 5.57E-03 |
| f.25372.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_thalamic_radiation_R | -0.0379 | 0.0163 | -2.32 | 2.03E-02 |
| f.25348.2.0 | IDP_dMRI_TBSS_ICVF_Splenium_of_corpus_callosum | -0.0370 | 0.0161 | -2.29 | 2.18E-02 |
| f.25369.2.0 | IDP_dMRI_TBSS_ICVF_Superior_corona_radiata_L | -0.0244 | 0.0161 | -1.52 | 1.29E-01 |
| f.25368.2.0 | IDP_dMRI_TBSS_ICVF_Superior_corona_radiata_R | -0.0286 | 0.0161 | -1.77 | 7.62E-02 |
| f.25445.2.0 | IDP_dMRI_TBSS_ISOVF_Fornix | -0.0252 | 0.0143 | -1.76 | 7.79E-02 |
| f.25107.2.0 | IDP_dMRI_TBSS_MD_Body_of_corpus_callosum | 0.0105 | 0.0158 | 0.67 | 5.06E-01 |
| f.25139.2.0 | IDP_dMRI_TBSS_MD_Cingulum_cingulate_gyrus_L | -0.0011 | 0.0163 | -0.07 | 9.45E-01 |
| f.25109.2.0 | IDP_dMRI_TBSS_MD_Fornix | -0.0170 | 0.0142 | -1.19 | 2.33E-01 |
| f.25142.2.0 | IDP_dMRI_TBSS_MD_Fornix_cres+Stria_terminalis_R | 0.0044 | 0.0153 | 0.29 | 7.74E-01 |
| f.25106.2.0 | IDP_dMRI_TBSS_MD_Genu_of_corpus_callosum | -0.0096 | 0.0152 | -0.63 | 5.27E-01 |
| f.25131.2.0 | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_L | 0.0258 | 0.0159 | 1.63 | 1.04E-01 |
| f.25130.2.0 | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_R | 0.0185 | 0.0157 | 1.18 | 2.37E-01 |
| f.25129.2.0 | IDP_dMRI_TBSS_MD_Superior_corona_radiata_L | 0.0195 | 0.0154 | 1.27 | 2.06E-01 |
| f.25128.2.0 | IDP_dMRI_TBSS_MD_Superior_corona_radiata_R | 0.0256 | 0.0155 | 1.65 | 9.96E-02 |
| f.25151.2.0 | IDP_dMRI_TBSS_MD_Tapetum_L | 0.0040 | 0.0165 | 0.25 | 8.06E-01 |
| f.25150.2.0 | IDP_dMRI_TBSS_MD_Tapetum_R | 0.0088 | 0.0161 | 0.54 | 5.88E-01 |
| f.25169.2.0 | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_L | -0.0197 | 0.0153 | -1.29 | 1.98E-01 |
| f.25168.2.0 | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_R | -0.0272 | 0.0153 | -1.78 | 7.51E-02 |
| f.25186.2.0 | IDP_dMRI_TBSS_MO_Cingulum_cingulate_gyrus_R | -0.0286 | 0.0164 | -1.74 | 8.13E-02 |
| f.25157.2.0 | IDP_dMRI_TBSS_MO_Fornix | 0.0209 | 0.0164 | 1.27 | 2.03E-01 |
| f.25171.2.0 | IDP_dMRI_TBSS_MO_Posterior_limb_of_internal_capsule_L | -0.0130 | 0.0162 | -0.81 | 4.20E-01 |
| f.25407.2.0 | IDP_dMRI_TBSS_OD_Cerebral_peduncle_L | 0.0269 | 0.0163 | 1.65 | 9.88E-02 |
| f.25218.2.0 | IDP_dMRI_TBSS_AD_Posterior_limb_of_internal_capsule_R | -0.0133 | 0.0163 | -0.81 | 4.17E-01 |
| f.25224.2.0 | IDP_dMRI_TBSS_AD_Superior_corona_radiata_R | 0.0053 | 0.0161 | 0.33 | 7.43E-01 |
| f.25225.2.0 | IDP_dMRI_TBSS_AD_Superior_corona_radiata_L | 0.0054 | 0.0161 | 0.33 | 7.38E-01 |
| f.25226.2.0 | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_R | 0.0210 | 0.0153 | 1.38 | 1.69E-01 |
| f.25227.2.0 | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_L | 0.0240 | 0.0157 | 1.53 | 1.27E-01 |
| f.25247.2.0 | IDP_dMRI_TBSS_AD_Tapetum_L | 0.0013 | 0.0163 | 0.08 | 9.35E-01 |
| f.25250.2.0 | IDP_dMRI_TBSS_RD_Genu_of_corpus_callosum | -0.0081 | 0.0153 | -0.53 | 5.94E-01 |
| f.25253.2.0 | IDP_dMRI_TBSS_RD_Fornix | -0.0152 | 0.0143 | -1.06 | 2.89E-01 |
| f.25258.2.0 | IDP_dMRI_TBSS_RD_Inferior_cerebellar_peduncle_R | 0.0176 | 0.0162 | 1.09 | 2.77E-01 |
| f.25272.2.0 | IDP_dMRI_TBSS_RD_Superior_corona_radiata_R | 0.0365 | 0.0156 | 2.34 | 1.95E-02 |
| f.25273.2.0 | IDP_dMRI_TBSS_RD_Superior_corona_radiata_L | 0.0266 | 0.0155 | 1.72 | 8.60E-02 |
| f.25276.2.0 | IDP_dMRI_TBSS_RD_Posterior_thalamic_radiation_R | 0.0288 | 0.0160 | 1.80 | 7.17E-02 |
| f.25277.2.0 | IDP_dMRI_TBSS_RD_Posterior_thalamic_radiation_L | 0.0334 | 0.0157 | 2.12 | 3.38E-02 |
| f.25282.2.0 | IDP_dMRI_TBSS_RD_Cingulum_cingulate_gyrus_R | 0.0167 | 0.0161 | 1.04 | 2.99E-01 |
| f.25283.2.0 | IDP_dMRI_TBSS_RD_Cingulum_cingulate_gyrus_L | 0.0053 | 0.0160 | 0.33 | 7.40E-01 |
| f.25286.2.0 | IDP_dMRI_TBSS_RD_Fornix_cres+Stria_terminalis_R | 0.0133 | 0.0148 | 0.90 | 3.67E-01 |
| f.25290.2.0 | IDP_dMRI_TBSS_RD_Superior_fronto-occipital_fasciculus_R | -0.0092 | 0.0153 | -0.61 | 5.45E-01 |
| f.25291.2.0 | IDP_dMRI_TBSS_RD_Superior_fronto-occipital_fasciculus_L | -0.0052 | 0.0151 | -0.34 | 7.32E-01 |
| f.25294.2.0 | IDP_dMRI_TBSS_RD_Tapetum_R | 0.0050 | 0.0162 | 0.31 | 7.57E-01 |
| f.25295.2.0 | IDP_dMRI_TBSS_RD_Tapetum_L | 0.0024 | 0.0166 | 0.15 | 8.84E-01 |

Note: *P value* < 0.05 was considered significant.

Abbreviation: AD, axial diffusivity; dMRI, diffusional magnetic resonance imaging; FA, fractional anisotropy; ICVF, intracellular volume fraction; IDP, imaging-derived phenotype; ISOVF, isotropic volume fraction; L, left; MD, mean diffusivity; MO, mode of anisotropy; OD, orientation dispersion; $PRS_{SCZ}$, polygenic risk score for schizophrenia; R, right; RD, radial diffusivity; SE, standard error; TBSS, tract-based spatial statistics.

**Supplementary Table S10. Associations between PRS$_{SCZ}$ and brain white matter microstructure IDPs in the clinical sample.**

| Field ID | Description | *Estimate* | *SE* | *T value* | *P value* |
|---|---|---|---|---|---|
| f.25071.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_L | 0.1202 | 0.1900 | 0.63 | 5.33E-01 |
| f.25070.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_R | -0.1988 | 0.1862 | -1.07 | 2.96E-01 |
| f.25091.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_L | -0.2344 | 0.1793 | -1.31 | 2.04E-01 |
| f.25090.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_R | -0.0810 | 0.1902 | -0.43 | 6.74E-01 |
| f.25061.2.0 | IDP_dMRI_TBSS_FA_Fornix | 0.0213 | 0.1280 | 0.17 | 8.69E-01 |
| f.25095.2.0 | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_L | -0.1246 | 0.1853 | -0.67 | 5.08E-01 |
| f.25066.2.0 | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_R | 0.1990 | 0.1777 | 1.12 | 2.74E-01 |
| f.25085.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_L | -0.2921 | 0.1624 | -1.80 | 8.46E-02 |
| f.25084.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_R | -0.1825 | 0.1588 | -1.15 | 2.62E-01 |
| f.25068.2.0 | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_R | 0.0378 | 0.2036 | 0.19 | 8.54E-01 |
| f.25099.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_L | 0.2404 | 0.1728 | 1.39 | 1.77E-01 |
| f.25098.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_R | 0.0252 | 0.1582 | 0.16 | 8.75E-01 |
| f.25102.2.0 | IDP_dMRI_TBSS_FA_Tapetum_R | -0.1579 | 0.1937 | -0.82 | 4.23E-01 |
| f.25379.2.0 | IDP_dMRI_TBSS_ICVF_Cingulum_cingulate_gyrus_L | -0.0553 | 0.2007 | -0.28 | 7.85E-01 |
| f.25378.2.0 | IDP_dMRI_TBSS_ICVF_Cingulum_cingulate_gyrus_R | 0.0672 | 0.1956 | 0.34 | 7.34E-01 |
| f.25349.2.0 | IDP_dMRI_TBSS_ICVF_Fornix | -0.1482 | 0.1904 | -0.78 | 4.44E-01 |
| f.25371.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_corona_radiata_L | -0.0476 | 0.1957 | -0.24 | 8.10E-01 |
| f.25363.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_limb_of_internal_capsule_L | 0.1575 | 0.1901 | 0.83 | 4.16E-01 |
| f.25373.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_thalamic_radiation_L | -0.2158 | 0.1841 | -1.17 | 2.53E-01 |
| f.25372.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_thalamic_radiation_R | -0.2928 | 0.1792 | -1.63 | 1.15E-01 |
| f.25348.2.0 | IDP_dMRI_TBSS_ICVF_Splenium_of_corpus_callosum | -0.0397 | 0.1889 | -0.21 | 8.35E-01 |
| f.25369.2.0 | IDP_dMRI_TBSS_ICVF_Superior_corona_radiata_L | 0.0964 | 0.1882 | 0.51 | 6.13E-01 |
| f.25368.2.0 | IDP_dMRI_TBSS_ICVF_Superior_corona_radiata_R | 0.0371 | 0.1916 | 0.19 | 8.48E-01 |
| f.25445.2.0 | IDP_dMRI_TBSS_ISOVF_Fornix | -0.0862 | 0.1437 | -0.60 | 5.54E-01 |
| f.25107.2.0 | IDP_dMRI_TBSS_MD_Body_of_corpus_callosum | -0.0016 | 0.1928 | -0.01 | 9.93E-01 |
| f.25139.2.0 | IDP_dMRI_TBSS_MD_Cingulum_cingulate_gyrus_L | -0.1270 | 0.1971 | -0.64 | 5.26E-01 |
| f.25109.2.0 | IDP_dMRI_TBSS_MD_Fornix | -0.0220 | 0.1441 | -0.15 | 8.80E-01 |
| f.25142.2.0 | IDP_dMRI_TBSS_MD_Fornix_cres+Stria_terminalis_R | -0.0856 | 0.2019 | -0.42 | 6.76E-01 |
| f.25106.2.0 | IDP_dMRI_TBSS_MD_Genu_of_corpus_callosum | 0.0795 | 0.1892 | 0.42 | 6.78E-01 |
| f.25131.2.0 | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_L | -0.1543 | 0.1944 | -0.79 | 4.35E-01 |
| f.25130.2.0 | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_R | -0.0935 | 0.1862 | -0.50 | 6.20E-01 |
| f.25129.2.0 | IDP_dMRI_TBSS_MD_Superior_corona_radiata_L | -0.0756 | 0.1842 | -0.41 | 6.85E-01 |
| f.25128.2.0 | IDP_dMRI_TBSS_MD_Superior_corona_radiata_R | -0.0994 | 0.1905 | -0.52 | 6.07E-01 |
| f.25151.2.0 | IDP_dMRI_TBSS_MD_Tapetum_L | 0.0454 | 0.1966 | 0.23 | 8.20E-01 |
| f.25150.2.0 | IDP_dMRI_TBSS_MD_Tapetum_R | 0.0756 | 0.2059 | 0.37 | 7.17E-01 |
| f.25169.2.0 | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_L | 0.0357 | 0.1946 | 0.18 | 8.56E-01 |
| f.25168.2.0 | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_R | 0.0908 | 0.1671 | 0.54 | 5.92E-01 |
| f.25186.2.0 | IDP_dMRI_TBSS_MO_Cingulum_cingulate_gyrus_R | -0.2305 | 0.1840 | -1.25 | 2.22E-01 |
| f.25157.2.0 | IDP_dMRI_TBSS_MO_Fornix | -0.2257 | 0.1636 | -1.38 | 1.80E-01 |
| f.25171.2.0 | IDP_dMRI_TBSS_MO_Posterior_limb_of_internal_capsule_L | 0.0926 | 0.2064 | 0.45 | 6.58E-01 |
| f.25407.2.0 | IDP_dMRI_TBSS_OD_Cerebral_peduncle_L | 0.2081 | 0.1591 | 1.31 | 2.03E-01 |
| f.25218.2.0 | IDP_dMRI_TBSS_AD_Posterior_limb_of_internal_capsule_R | 0.2550 | 0.1834 | 1.39 | 1.77E-01 |
| f.25224.2.0 | IDP_dMRI_TBSS_AD_Superior_corona_radiata_R | -0.0871 | 0.1681 | -0.52 | 6.09E-01 |
| f.25225.2.0 | IDP_dMRI_TBSS_AD_Superior_corona_radiata_L | -0.2021 | 0.1493 | -1.35 | 1.88E-01 |
| f.25226.2.0 | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_R | -0.0186 | 0.1652 | -0.11 | 9.11E-01 |
| f.25227.2.0 | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_L | -0.2881 | 0.1698 | -1.70 | 1.03E-01 |
| f.25247.2.0 | IDP_dMRI_TBSS_AD_Tapetum_L | 0.0346 | 0.1974 | 0.18 | 8.62E-01 |
| f.25250.2.0 | IDP_dMRI_TBSS_RD_Genu_of_corpus_callosum | 0.0917 | 0.1842 | 0.50 | 6.23E-01 |
| f.25253.2.0 | IDP_dMRI_TBSS_RD_Fornix | 0.0001 | 0.1426 | 0.00 | 1.00E+00 |
| f.25258.2.0 | IDP_dMRI_TBSS_RD_Inferior_cerebellar_peduncle_R | -0.2781 | 0.1896 | -1.47 | 1.56E-01 |
| f.25272.2.0 | IDP_dMRI_TBSS_RD_Superior_corona_radiata_R | -0.0560 | 0.2008 | -0.28 | 7.83E-01 |
| f.25273.2.0 | IDP_dMRI_TBSS_RD_Superior_corona_radiata_L | 0.0146 | 0.1927 | 0.08 | 9.40E-01 |
| f.25276.2.0 | IDP_dMRI_TBSS_RD_Posterior_thalamic_radiation_R | 0.1609 | 0.1871 | 0.86 | 3.98E-01 |
| f.25277.2.0 | IDP_dMRI_TBSS_RD_Posterior_thalamic_radiation_L | 0.2569 | 0.1790 | 1.44 | 1.64E-01 |
| f.25282.2.0 | IDP_dMRI_TBSS_RD_Cingulum_cingulate_gyrus_R | -0.0616 | 0.1884 | -0.33 | 7.46E-01 |
| f.25283.2.0 | IDP_dMRI_TBSS_RD_Cingulum_cingulate_gyrus_L | 0.0886 | 0.1776 | 0.50 | 6.22E-01 |
| f.25286.2.0 | IDP_dMRI_TBSS_RD_Fornix_cres+Stria_terminalis_R | -0.0186 | 0.1995 | -0.09 | 9.26E-01 |
| f.25290.2.0 | IDP_dMRI_TBSS_RD_Superior_fronto-occipital_fasciculus_R | -0.1147 | 0.1700 | -0.67 | 5.06E-01 |
| f.25291.2.0 | IDP_dMRI_TBSS_RD_Superior_fronto-occipital_fasciculus_L | -0.1801 | 0.1690 | -1.07 | 2.97E-01 |
| f.25294.2.0 | IDP_dMRI_TBSS_RD_Tapetum_R | 0.1216 | 0.2020 | 0.60 | 5.53E-01 |
| f.25295.2.0 | IDP_dMRI_TBSS_RD_Tapetum_L | 0.1576 | 0.2141 | 0.74 | 4.69E-01 |

Note: *P value* $< 0.05$ was considered significant.

Abbreviation: AD, axial diffusivity; dMRI, diffusional magnetic resonance imaging; FA, fractional anisotropy; ICVF, intracellular volume fraction; IDP, imaging-derived phenotype; ISOVF, isotropic volume fraction; L, left; MD, mean diffusivity; MO, mode of anisotropy; OD, orientation dispersion; PRS$_{SCZ}$, polygenic risk score for schizophrenia; R, right; RD, radial diffusivity; SE, standard error; TBSS, tract-based spatial statistics.

**Supplementary Table S11. Associations between PRSscz and behavioral traits.**

| Description | *Estimate* | *SE* | *T value* | *P value* |
|---|---|---|---|---|
| Fluid intelligence | -0.0582 | 0.0034 | -17.34 | 2.83E-67 |
| Numeric memory | -0.0065 | 0.0035 | -1.88 | 6.01E-02 |
| Pairs matching | -0.0059 | 0.0012 | -4.86 | 1.20E-06 |
| Reaction time | 0.0399 | 0.0017 | 23.40 | 5.22E-121 |
| Symbol-digit substitutio | -0.0633 | 0.0031 | -20.21 | 1.47E-90 |
| Trail making | 0.0415 | 0.0035 | 11.71 | 1.15E-31 |
| Anxiety | 0.0343 | 0.0025 | 13.48 | 2.20E-41 |
| Depression | 0.0482 | 0.0055 | 8.84 | 9.92E-19 |
| Mania | 0.0287 | 0.0068 | 4.25 | 2.13E-05 |
| Mental distress | 0.0454 | 0.0025 | 18.48 | 4.11E-76 |
| Psychotic experience | 0.0410 | 0.0124 | 3.32 | 9.11E-04 |
| Self-harm | 0.0210 | 0.0171 | 1.23 | 2.19E-01 |
| Trauma | 0.0503 | 0.0048 | 10.38 | 3.29E-25 |
| Well-being | 0.0257 | 0.0041 | 6.31 | 2.90E-10 |

Note: *P value* $< 0.05/398 = 1.26 \times 10^{-4}$ was considered significant.

Abbreviation: $PRS_{SCZ}$, polygenic risk score for schizophrenia; SE, standard error.

**Supplementary Table S12. Associations between PRSscz and behavioral traits in the non-Caucasian ancestry sample.**

| Description | *Estimate* | *SE* | *T value* | *P value* |
|---|---|---|---|---|
| Fluid intelligence | -0.0699 | 0.0081 | -8.62 | 7.58E-18 |
| Pairs matching | -0.0088 | 0.0032 | -2.76 | 5.87E-03 |
| Reaction time | 0.0516 | 0.0040 | 12.99 | 1.52E-38 |
| Symbol-digit substitution | -0.0552 | 0.0078 | -7.07 | 1.60E-12 |
| Trail making | 0.0473 | 0.0089 | 5.31 | 1.10E-07 |
| Anxiety | 0.0272 | 0.0065 | 4.19 | 2.77E-05 |
| Depression | 0.0332 | 0.0136 | 2.43 | 1.50E-02 |
| Mania | 0.0495 | 0.0159 | 3.12 | 1.83E-03 |
| Mental distress | 0.0345 | 0.0062 | 5.53 | 3.18E-08 |
| Trauma | 0.0164 | 0.0116 | 1.41 | 1.58E-01 |
| Well-being | 0.0308 | 0.0077 | 3.98 | 6.83E-05 |

Note: *P value* $< 0.05$ was considered significant.

Abbreviation: $PRS_{SCZ}$, polygenic risk score for schizophrenia; SE, standard error.

**Supplementary Table S13. Associations between PRSscz and behavioral traits in the clinical sample.**

| Description | *Estimate* | *SE* | *T value* | *P value* |
|---|---|---|---|---|
| Fluid intelligence | -0.0715 | 0.0744 | -0.96 | 3.38E-01 |
| Pairs matching | 0.0121 | 0.0322 | 0.37 | 7.09E-01 |
| Reaction time | 0.0479 | 0.0261 | 1.84 | 6.65E-02 |
| Symbol-digit substitution | -0.1129 | 0.0743 | -1.52 | 1.31E-01 |
| Trail making | 0.0230 | 0.0941 | 0.24 | 8.08E-01 |
| Anxiety | 0.0989 | 0.0654 | 1.51 | 1.32E-01 |
| Depression | -0.1247 | 0.0989 | -1.26 | 2.11E-01 |
| Mania | 0.2941 | 0.1066 | 2.76 | 7.16E-03 |
| Mental distress | 0.1511 | 0.0630 | 2.40 | 1.75E-02 |
| Psychotic experience | 0.1220 | 0.1019 | 1.20 | 2.35E-01 |
| Well-being | -0.0254 | 0.0754 | -0.34 | 7.36E-01 |

Note: *P value* $< 0.05$ was considered significant.

Abbreviation: $PRS_{SCZ}$, polygenic risk score for schizophrenia; SE, standard error.

**Supplementary Table S14. Associations of PRSscz × sex with brain white matter microstructure and behavioral traits.**

| Field ID | Description | *Estimate* | *SE* | *T value* | *P value* |
|---|---|---|---|---|---|
| f.25071.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_L | -0.0166 | 0.0201 | -0.83 | 4.07E-01 |
| f.25070.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_R | -0.0222 | 0.0203 | -1.10 | 2.73E-01 |
| f.25091.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_L | 0.0052 | 0.0203 | 0.25 | 8.00E-01 |
| f.25090.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_R | -0.0039 | 0.0205 | -0.19 | 8.47E-01 |
| f.25061.2.0 | IDP_dMRI_TBSS_FA_Fornix | 0.0026 | 0.0178 | 0.15 | 8.84E-01 |
| f.25095.2.0 | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_L | -0.0092 | 0.0185 | -0.49 | 6.21E-01 |
| f.25066.2.0 | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_R | 0.0104 | 0.0205 | 0.51 | 6.11E-01 |
| f.25085.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_L | -0.0115 | 0.0201 | -0.57 | 5.67E-01 |
| f.25084.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_R | -0.0022 | 0.0200 | -0.11 | 9.14E-01 |
| f.25068.2.0 | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_R | 0.0111 | 0.0205 | 0.54 | 5.88E-01 |
| f.25099.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_L | -0.0001 | 0.0202 | -0.01 | 9.94E-01 |
| f.25098.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_R | -0.0199 | 0.0204 | -0.97 | 3.31E-01 |
| f.25102.2.0 | IDP_dMRI_TBSS_FA_Tapetum_R | -0.0105 | 0.0205 | -0.51 | 6.08E-01 |
| f.25379.2.0 | IDP_dMRI_TBSS_ICVF_Cingulum_cingulate_gyrus_L | -0.0016 | 0.0203 | -0.08 | 9.38E-01 |
| f.25378.2.0 | IDP_dMRI_TBSS_ICVF_Cingulum_cingulate_gyrus_R | -0.0140 | 0.0202 | -0.69 | 4.89E-01 |
| f.25349.2.0 | IDP_dMRI_TBSS_ICVF_Fornix | -0.0112 | 0.0209 | -0.53 | 5.94E-01 |
| f.25371.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_corona_radiata_L | -0.0149 | 0.0205 | -0.73 | 4.67E-01 |
| f.25363.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_limb_of_internal_capsule_L | -0.0302 | 0.0207 | -1.46 | 1.45E-01 |
| f.25373.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_thalamic_radiation_L | -0.0116 | 0.0203 | -0.57 | 5.69E-01 |
| f.25372.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_thalamic_radiation_R | -0.0119 | 0.0205 | -0.58 | 5.61E-01 |
| f.25348.2.0 | IDP_dMRI_TBSS_ICVF_Splenium_of_corpus_callosum | 0.0018 | 0.0205 | 0.09 | 9.31E-01 |
| f.25369.2.0 | IDP_dMRI_TBSS_ICVF_Superior_corona_radiata_L | -0.0054 | 0.0201 | -0.27 | 7.90E-01 |
| f.25368.2.0 | IDP_dMRI_TBSS_ICVF_Superior_corona_radiata_R | -0.0068 | 0.0202 | -0.34 | 7.35E-01 |
| f.25445.2.0 | IDP_dMRI_TBSS_ISOVF_Fornix | -0.0075 | 0.0175 | -0.43 | 6.70E-01 |
| f.25107.2.0 | IDP_dMRI_TBSS_MD_Body_of_corpus_callosum | 0.0115 | 0.0198 | 0.58 | 5.59E-01 |
| f.25139.2.0 | IDP_dMRI_TBSS_MD_Cingulum_cingulate_gyrus_L | 0.0060 | 0.0206 | 0.29 | 7.69E-01 |
| f.25109.2.0 | IDP_dMRI_TBSS_MD_Fornix | 0.0007 | 0.0174 | 0.04 | 9.66E-01 |
| f.25142.2.0 | IDP_dMRI_TBSS_MD_Fornix_cres+Stria_terminalis_R | 0.0094 | 0.0190 | 0.49 | 6.22E-01 |
| f.25106.2.0 | IDP_dMRI_TBSS_MD_Genu_of_corpus_callosum | 0.0123 | 0.0193 | 0.64 | 5.23E-01 |
| f.25131.2.0 | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_L | 0.0255 | 0.0198 | 1.29 | 1.98E-01 |
| f.25130.2.0 | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_R | 0.0186 | 0.0195 | 0.95 | 3.40E-01 |
| f.25129.2.0 | IDP_dMRI_TBSS_MD_Superior_corona_radiata_L | -0.0008 | 0.0193 | -0.04 | 9.69E-01 |
| f.25128.2.0 | IDP_dMRI_TBSS_MD_Superior_corona_radiata_R | 0.0090 | 0.0194 | 0.46 | 6.43E-01 |
| f.25151.2.0 | IDP_dMRI_TBSS_MD_Tapetum_L | 0.0220 | 0.0206 | 1.07 | 2.85E-01 |
| f.25150.2.0 | IDP_dMRI_TBSS_MD_Tapetum_R | 0.0165 | 0.0201 | 0.82 | 4.14E-01 |
| f.25169.2.0 | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_L | 0.0062 | 0.0194 | 0.32 | 7.49E-01 |
| f.25168.2.0 | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_R | -0.0021 | 0.0192 | -0.11 | 9.12E-01 |
| f.25186.2.0 | IDP_dMRI_TBSS_MO_Cingulum_cingulate_gyrus_R | 0.0040 | 0.0207 | 0.19 | 8.47E-01 |
| f.25157.2.0 | IDP_dMRI_TBSS_MO_Fornix | 0.0212 | 0.0206 | 1.03 | 3.03E-01 |
| f.25171.2.0 | IDP_dMRI_TBSS_MO_Posterior_limb_of_internal_capsule_L | 0.0034 | 0.0208 | 0.16 | 8.71E-01 |
| f.25407.2.0 | IDP_dMRI_TBSS_OD_Cerebral_peduncle_L | -0.0001 | 0.0205 | 0.00 | 9.96E-01 |
| f.25218.2.0 | IDP_dMRI_TBSS_AD_Posterior_limb_of_internal_capsule_R | -0.0078 | 0.0206 | -0.38 | 7.05E-01 |
| f.25224.2.0 | IDP_dMRI_TBSS_AD_Superior_corona_radiata_R | -0.0018 | 0.0203 | -0.09 | 9.30E-01 |
| f.25225.2.0 | IDP_dMRI_TBSS_AD_Superior_corona_radiata_L | -0.0197 | 0.0201 | -0.98 | 3.29E-01 |
| f.25226.2.0 | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_R | 0.0152 | 0.0189 | 0.80 | 4.21E-01 |
| f.25227.2.0 | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_L | 0.0142 | 0.0196 | 0.72 | 4.69E-01 |
| f.25247.2.0 | IDP_dMRI_TBSS_AD_Tapetum_L | 0.0290 | 0.0205 | 1.41 | 1.58E-01 |
| f.25250.2.0 | IDP_dMRI_TBSS_RD_Genu_of_corpus_callosum | 0.0083 | 0.0196 | 0.42 | 6.73E-01 |
| f.25253.2.0 | IDP_dMRI_TBSS_RD_Fornix | 0.0004 | 0.0175 | 0.02 | 9.82E-01 |
| f.25258.2.0 | IDP_dMRI_TBSS_RD_Inferior_cerebellar_peduncle_R | 0.0012 | 0.0203 | 0.06 | 9.54E-01 |
| f.25272.2.0 | IDP_dMRI_TBSS_RD_Superior_corona_radiata_R | 0.0130 | 0.0196 | 0.66 | 5.06E-01 |
| f.25273.2.0 | IDP_dMRI_TBSS_RD_Superior_corona_radiata_L | 0.0131 | 0.0195 | 0.67 | 5.02E-01 |
| f.25276.2.0 | IDP_dMRI_TBSS_RD_Posterior_thalamic_radiation_R | 0.0155 | 0.0199 | 0.78 | 4.37E-01 |
| f.25277.2.0 | IDP_dMRI_TBSS_RD_Posterior_thalamic_radiation_L | 0.0195 | 0.0198 | 0.98 | 3.25E-01 |
| f.25282.2.0 | IDP_dMRI_TBSS_RD_Cingulum_cingulate_gyrus_R | 0.0042 | 0.0203 | 0.21 | 8.35E-01 |
| f.25283.2.0 | IDP_dMRI_TBSS_RD_Cingulum_cingulate_gyrus_L | 0.0008 | 0.0202 | 0.04 | 9.69E-01 |
| f.25286.2.0 | IDP_dMRI_TBSS_RD_Fornix_cres+Stria_terminalis_R | 0.0104 | 0.0184 | 0.57 | 5.71E-01 |
| f.25290.2.0 | IDP_dMRI_TBSS_RD_Superior_fronto-occipital_fasciculus_R | 0.0033 | 0.0192 | 0.17 | 8.63E-01 |
| f.25291.2.0 | IDP_dMRI_TBSS_RD_Superior_fronto-occipital_fasciculus_L | -0.0002 | 0.0190 | -0.01 | 9.92E-01 |
| f.25294.2.0 | IDP_dMRI_TBSS_RD_Tapetum_R | 0.0171 | 0.0203 | 0.84 | 3.99E-01 |
| f.25295.2.0 | IDP_dMRI_TBSS_RD_Tapetum_L | 0.0132 | 0.0208 | 0.63 | 5.27E-01 |
| f.20191.0.0 | Fluid intelligence | 0.0151 | 0.0110 | 1.37 | 1.70E-01 |
| f.20131.0.0 | Pairs matching | 0.0035 | 0.0040 | 0.89 | 3.72E-01 |
| f.20023.0.0 | Reaction time | -0.0057 | 0.0055 | -1.03 | 3.05E-01 |
| f.20159.0.0 | Symbol-digit substitution | 0.0100 | 0.0103 | 0.98 | 3.28E-01 |
| f.20156.0.0 | Trail making | -0.0041 | 0.0115 | -0.35 | 7.25E-01 |
| — | Anxiety | 0.0117 | 0.0084 | 1.40 | 1.61E-01 |
| — | Depression | 0.0150 | 0.0193 | 0.78 | 4.35E-01 |
| — | Mania | -0.0216 | 0.0223 | -0.97 | 3.32E-01 |
| — | Mental distress | 0.0019 | 0.0081 | 0.23 | 8.19E-01 |
| — | Trauma | 0.0210 | 0.0168 | 1.25 | 2.11E-01 |
| — | Well-being | 0.0254 | 0.0134 | 1.89 | 5.91E-02 |

Note: *P value* $< 0.05/72 = 6.94 \times 10^{-4}$ was considered significant.

Abbreviation: AD, axial diffusivity; dMRI, diffusional magnetic resonance imaging; FA, fractional anisotropy; ICVF, intracellular volume fraction; IDP, imaging-derived phenotype; ISOVF, isotropic volume fraction; L, left; MD, mean diffusivity; MO, mode of anisotropy; OD, orientation dispersion; $PRS_{SCZ}$, polygenic risk score for schizophrenia; R, right; RD, radial diffusivity; SE, standard error; TBSS, tract-based spatial statistics.

**Supplementary Table S15. Associations of PRSscz × IMD with brain white matter microstructure and behavioral traits.**

| Field ID | Description | *Estimate* | *SE* | *T value* | *P value* |
|---|---|---|---|---|---|
| f.25071.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_L | 0.0053 | 0.0106 | 0.50 | 6.18E-01 |
| f.25070.2.0 | IDP_dMRI_TBSS_FA_Cerebral_peduncle_R | 0.0062 | 0.0108 | 0.57 | 5.65E-01 |
| f.25091.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_L | 0.0052 | 0.0108 | 0.48 | 6.28E-01 |
| f.25090.2.0 | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_R | -0.0071 | 0.0109 | -0.65 | 5.14E-01 |
| f.25061.2.0 | IDP_dMRI_TBSS_FA_Fornix | 0.0143 | 0.0095 | 1.51 | 1.31E-01 |
| f.25095.2.0 | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_L | 0.0250 | 0.0099 | 2.54 | 1.12E-02 |
| f.25066.2.0 | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_R | 0.0120 | 0.0109 | 1.10 | 2.72E-01 |
| f.25085.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_L | 0.0107 | 0.0107 | 1.00 | 3.18E-01 |
| f.25084.2.0 | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_R | 0.0067 | 0.0107 | 0.63 | 5.29E-01 |
| f.25068.2.0 | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_R | 0.0129 | 0.0109 | 1.19 | 2.34E-01 |
| f.25099.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_L | 0.0231 | 0.0107 | 2.16 | 3.11E-02 |
| f.25098.2.0 | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_R | 0.0188 | 0.0109 | 1.73 | 8.39E-02 |
| f.25102.2.0 | IDP_dMRI_TBSS_FA_Tapetum_R | -0.0011 | 0.0109 | -0.10 | 9.23E-01 |
| f.25379.2.0 | IDP_dMRI_TBSS_ICVF_Cingulum_cingulate_gyrus_L | 0.0096 | 0.0108 | 0.89 | 3.72E-01 |
| f.25378.2.0 | IDP_dMRI_TBSS_ICVF_Cingulum_cingulate_gyrus_R | 0.0074 | 0.0108 | 0.69 | 4.90E-01 |
| f.25349.2.0 | IDP_dMRI_TBSS_ICVF_Fornix | 0.0017 | 0.0111 | 0.16 | 8.76E-01 |
| f.25371.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_corona_radiata_L | 0.0126 | 0.0109 | 1.15 | 2.49E-01 |
| f.25363.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_limb_of_internal_capsule_L | 0.0119 | 0.0110 | 1.08 | 2.82E-01 |
| f.25373.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_thalamic_radiation_L | 0.0122 | 0.0108 | 1.13 | 2.60E-01 |
| f.25372.2.0 | IDP_dMRI_TBSS_ICVF_Posterior_thalamic_radiation_R | 0.0066 | 0.0109 | 0.61 | 5.45E-01 |
| f.25348.2.0 | IDP_dMRI_TBSS_ICVF_Splenium_of_corpus_callosum | 0.0078 | 0.0109 | 0.71 | 4.75E-01 |
| f.25369.2.0 | IDP_dMRI_TBSS_ICVF_Superior_corona_radiata_L | 0.0176 | 0.0107 | 1.64 | 1.01E-01 |
| f.25368.2.0 | IDP_dMRI_TBSS_ICVF_Superior_corona_radiata_R | 0.0138 | 0.0108 | 1.28 | 1.99E-01 |
| f.25445.2.0 | IDP_dMRI_TBSS_ISOVF_Fornix | -0.0133 | 0.0093 | -1.43 | 1.53E-01 |
| f.25107.2.0 | IDP_dMRI_TBSS_MD_Body_of_corpus_callosum | 0.0017 | 0.0105 | 0.16 | 8.71E-01 |
| f.25139.2.0 | IDP_dMRI_TBSS_MD_Cingulum_cingulate_gyrus_L | -0.0146 | 0.0109 | -1.34 | 1.82E-01 |
| f.25109.2.0 | IDP_dMRI_TBSS_MD_Fornix | -0.0134 | 0.0093 | -1.44 | 1.49E-01 |
| f.25142.2.0 | IDP_dMRI_TBSS_MD_Fornix_cres+Stria_terminalis_R | -0.0074 | 0.0101 | -0.73 | 4.63E-01 |
| f.25106.2.0 | IDP_dMRI_TBSS_MD_Genu_of_corpus_callosum | -0.0070 | 0.0103 | -0.68 | 4.98E-01 |
| f.25131.2.0 | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_L | -0.0122 | 0.0106 | -1.15 | 2.49E-01 |
| f.25130.2.0 | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_R | -0.0095 | 0.0104 | -0.91 | 3.60E-01 |
| f.25129.2.0 | IDP_dMRI_TBSS_MD_Superior_corona_radiata_L | -0.0172 | 0.0102 | -1.68 | 9.29E-02 |
| f.25128.2.0 | IDP_dMRI_TBSS_MD_Superior_corona_radiata_R | -0.0108 | 0.0103 | -1.04 | 2.97E-01 |
| f.25151.2.0 | IDP_dMRI_TBSS_MD_Tapetum_L | 0.0008 | 0.0110 | 0.07 | 9.42E-01 |
| f.25150.2.0 | IDP_dMRI_TBSS_MD_Tapetum_R | -0.0049 | 0.0107 | -0.46 | 6.48E-01 |
| f.25169.2.0 | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_L | 0.0073 | 0.0104 | 0.70 | 4.82E-01 |
| f.25168.2.0 | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_R | -0.0031 | 0.0102 | -0.30 | 7.61E-01 |
| f.25186.2.0 | IDP_dMRI_TBSS_MO_Cingulum_cingulate_gyrus_R | -0.0083 | 0.0110 | -0.76 | 4.49E-01 |
| f.25157.2.0 | IDP_dMRI_TBSS_MO_Fornix | 0.0000 | 0.0110 | 0.00 | 9.99E-01 |
| f.25171.2.0 | IDP_dMRI_TBSS_MO_Posterior_limb_of_internal_capsule_L | 0.0022 | 0.0111 | 0.20 | 8.45E-01 |
| f.25407.2.0 | IDP_dMRI_TBSS_OD_Cerebral_peduncle_L | -0.0048 | 0.0109 | -0.44 | 6.61E-01 |
| f.25218.2.0 | IDP_dMRI_TBSS_AD_Posterior_limb_of_internal_capsule_R | 0.0090 | 0.0110 | 0.82 | 4.14E-01 |
| f.25224.2.0 | IDP_dMRI_TBSS_AD_Superior_corona_radiata_R | 0.0013 | 0.0108 | 0.12 | 9.03E-01 |
| f.25225.2.0 | IDP_dMRI_TBSS_AD_Superior_corona_radiata_L | -0.0080 | 0.0107 | -0.74 | 4.57E-01 |
| f.25226.2.0 | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_R | -0.0115 | 0.0101 | -1.14 | 2.55E-01 |
| f.25227.2.0 | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_L | -0.0123 | 0.0104 | -1.18 | 2.39E-01 |
| f.25247.2.0 | IDP_dMRI_TBSS_AD_Tapetum_L | -0.0045 | 0.0109 | -0.41 | 6.79E-01 |
| f.25250.2.0 | IDP_dMRI_TBSS_RD_Genu_of_corpus_callosum | -0.0135 | 0.0104 | -1.29 | 1.96E-01 |
| f.25253.2.0 | IDP_dMRI_TBSS_RD_Fornix | -0.0132 | 0.0093 | -1.42 | 1.56E-01 |
| f.25258.2.0 | IDP_dMRI_TBSS_RD_Inferior_cerebellar_peduncle_R | -0.0050 | 0.0108 | -0.46 | 6.43E-01 |
| f.25272.2.0 | IDP_dMRI_TBSS_RD_Superior_corona_radiata_R | -0.0181 | 0.0104 | -1.74 | 8.22E-02 |
| f.25273.2.0 | IDP_dMRI_TBSS_RD_Superior_corona_radiata_L | -0.0199 | 0.0103 | -1.93 | 5.39E-02 |
| f.25276.2.0 | IDP_dMRI_TBSS_RD_Posterior_thalamic_radiation_R | -0.0082 | 0.0106 | -0.77 | 4.40E-01 |
| f.25277.2.0 | IDP_dMRI_TBSS_RD_Posterior_thalamic_radiation_L | -0.0122 | 0.0105 | -1.16 | 2.47E-01 |
| f.25282.2.0 | IDP_dMRI_TBSS_RD_Cingulum_cingulate_gyrus_R | -0.0018 | 0.0108 | -0.17 | 8.64E-01 |
| f.25283.2.0 | IDP_dMRI_TBSS_RD_Cingulum_cingulate_gyrus_L | -0.0083 | 0.0108 | -0.77 | 4.41E-01 |
| f.25286.2.0 | IDP_dMRI_TBSS_RD_Fornix_cres+Stria_terminalis_R | -0.0104 | 0.0098 | -1.07 | 2.87E-01 |
| f.25290.2.0 | IDP_dMRI_TBSS_RD_Superior_fronto-occipital_fasciculus_R | -0.0104 | 0.0102 | -1.02 | 3.10E-01 |
| f.25291.2.0 | IDP_dMRI_TBSS_RD_Superior_fronto-occipital_fasciculus_L | -0.0161 | 0.0101 | -1.59 | 1.11E-01 |
| f.25294.2.0 | IDP_dMRI_TBSS_RD_Tapetum_R | -0.0020 | 0.0108 | -0.19 | 8.51E-01 |
| f.25295.2.0 | IDP_dMRI_TBSS_RD_Tapetum_L | 0.0047 | 0.0111 | 0.42 | 6.71E-01 |
| f.20191.0.0 | Fluid intelligence | 0.0007 | 0.0060 | 0.12 | 9.06E-01 |
| f.20131.0.0 | Pairs matching | 0.0009 | 0.0021 | 0.44 | 6.59E-01 |
| f.20023.0.0 | Reaction time | 0.0067 | 0.0030 | 2.20 | 2.75E-02 |
| f.20159.0.0 | Symbol-digit substitution | -0.0038 | 0.0056 | -0.68 | 4.97E-01 |
| f.20156.0.0 | Trail making | -0.0039 | 0.0063 | -0.62 | 5.33E-01 |
| — | Anxiety | 0.0056 | 0.0045 | 1.25 | 2.13E-01 |
| — | Depression | -0.0131 | 0.0096 | -1.37 | 1.72E-01 |
| — | Mania | -0.0076 | 0.0121 | -0.63 | 5.29E-01 |
| — | Mental distress | -0.0003 | 0.0044 | -0.08 | 9.37E-01 |
| — | Trauma | 0.0066 | 0.0086 | 0.77 | 4.42E-01 |
| — | Well-being | 0.0048 | 0.0072 | 0.68 | 4.99E-01 |

Note: *P value* $< 0.05/72 = 6.94 \times 10^{-4}$ was considered significant.

Abbreviation: AD, axial diffusivity; dMRI, diffusional magnetic resonance imaging; FA, fractional anisotropy; ICVF, intracellular volume fraction; IDP, imaging-derived phenotype; IMD, index of multiple deprivation; ISOVF, isotropic volume fraction; L, left; MD, mean diffusivity; MO, mode of anisotropy; OD, orientation dispersion; $PRS_{SCZ}$, polygenic risk score for schizophrenia; R, right; RD, radial diffusivity; SE, standard error; TBSS, tract-based spatial statistics.

**Supplementary Table S16. Causal mediation results.**

| Treat | Mediator | Outcome | ACME Beta | ACME P value | ACME Lower CI | ACME Upper CI | ADE Beta | ADE P value | ADE Lower CI | ADE Upper CI | Prop Beta | Prop P value | Prop Lower CI | Prop Upper CI | Total Beta | Total P value | Total Lower CI | Total Upper CI | Medfit Beta | Medfit P value | Medfit Lower CI | Medfit Upper CI | Outfit Beta | Outfit P value | Outfit Lower CI | Outfit Upper CI |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PRSscz | IDP_dMRI_TBSS_FA_Fornix | Fluid intelligence | -0.0004 | 1.94E-01 | -0.0011 | 0.0002 | -0.0558 | 0.00E+00 | -0.0732 | -0.0394 | 0.0070 | 1.94E-01 | -0.0039 | 0.0209 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | -0.0300 | 5.56E-05 | -0.0447 | -0.0154 | 0.0130 | 2.04E-01 | -0.0071 | 0.0332 |
| PRSscz | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_R | Fluid intelligence | -0.0016 | 0.00E+00 | -0.0027 | -0.0007 | -0.0546 | 0.00E+00 | -0.0715 | -0.0382 | 0.0279 | 0.00E+00 | 0.0123 | 0.0524 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | -0.0340 | 7.48E-05 | -0.0508 | -0.0172 | 0.0460 | 2.40E-07 | 0.0286 | 0.0635 |
| PRSscz | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_R | Fluid intelligence | -0.0026 | 1.00E-03 | -0.0042 | -0.0012 | -0.0535 | 0.00E+00 | -0.0707 | -0.0373 | 0.0472 | 1.00E-03 | 0.0206 | 0.0859 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | -0.0320 | 1.85E-04 | -0.0488 | -0.0152 | 0.0828 | 1.89E-20 | 0.0653 | 0.1003 |
| PRSscz | IDP_dMRI_TBSS_FA_Cerebral_peduncle_R | Fluid intelligence | -0.0013 | 0.00E+00 | -0.0023 | -0.0005 | -0.0549 | 0.00E+00 | -0.0720 | -0.0384 | 0.0227 | 0.00E+00 | 0.0093 | 0.0436 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | -0.0355 | 3.15E-05 | -0.0522 | -0.0188 | 0.0360 | 6.20E-05 | 0.0184 | 0.0536 |
| PRSscz | IDP_dMRI_TBSS_FA_Cerebral_peduncle_L | Fluid intelligence | -0.0008 | 8.00E-03 | -0.0017 | -0.0002 | -0.0553 | 0.00E+00 | -0.0725 | -0.0390 | 0.0148 | 8.00E-03 | 0.0034 | 0.0317 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | -0.0352 | 2.86E-05 | -0.0516 | -0.0187 | 0.0236 | 9.66E-03 | 0.0057 | 0.0414 |
| PRSscz | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_R | Fluid intelligence | -0.0003 | 3.70E-01 | -0.0011 | 0.0004 | -0.0559 | 0.00E+00 | -0.0734 | -0.0393 | 0.0056 | 3.70E-01 | -0.0079 | 0.0211 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | -0.0415 | 7.11E-07 | -0.0579 | -0.0251 | 0.0076 | 4.05E-01 | -0.0103 | 0.0256 |
| PRSscz | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_L | Fluid intelligence | -0.0007 | 4.20E-02 | -0.0016 | 0.0000 | -0.0554 | 0.00E+00 | -0.0729 | -0.0391 | 0.0133 | 4.20E-02 | 0.0005 | 0.0323 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | -0.0387 | 4.15E-06 | -0.0552 | -0.0222 | 0.0193 | 3.39E-02 | 0.0015 | 0.0372 |
| PRSscz | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_R | Fluid intelligence | -0.0009 | 2.00E-03 | -0.0017 | -0.0002 | -0.0553 | 0.00E+00 | -0.0724 | -0.0389 | 0.0160 | 2.00E-03 | 0.0046 | 0.0345 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | -0.0323 | 1.70E-04 | -0.0491 | -0.0154 | 0.0278 | 1.81E-03 | 0.0104 | 0.0453 |
| PRSscz | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_L | Fluid intelligence | -0.0008 | 5.00E-03 | -0.0017 | -0.0002 | -0.0553 | 0.00E+00 | -0.0728 | -0.0390 | 0.0146 | 5.00E-03 | 0.0040 | 0.0327 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | -0.0315 | 2.16E-04 | -0.0482 | -0.0148 | 0.0261 | 3.70E-03 | 0.0085 | 0.0437 |
| PRSscz | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_L | Fluid intelligence | -0.0019 | 0.00E+00 | -0.0032 | -0.0008 | -0.0543 | 0.00E+00 | -0.0715 | -0.0381 | 0.0334 | 0.00E+00 | 0.0136 | 0.0625 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | -0.0266 | 6.09E-04 | -0.0419 | -0.0114 | 0.0704 | 8.40E-13 | 0.0511 | 0.0897 |
| PRSscz | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_R | Fluid intelligence | -0.0012 | 0.00E+00 | -0.0021 | -0.0005 | -0.0550 | 0.00E+00 | -0.0722 | -0.0384 | 0.0214 | 0.00E+00 | 0.0083 | 0.0425 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | -0.0314 | 2.30E-04 | -0.0481 | -0.0147 | 0.0382 | 2.09E-05 | 0.0206 | 0.0558 |
| PRSscz | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_L | Fluid intelligence | -0.0012 | 0.00E+00 | -0.0021 | -0.0004 | -0.0550 | 0.00E+00 | -0.0725 | -0.0386 | 0.0206 | 0.00E+00 | 0.0068 | 0.0418 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | -0.0278 | 1.02E-03 | -0.0443 | -0.0112 | 0.0417 | 3.97E-06 | 0.0240 | 0.0595 |
| PRSscz | IDP_dMRI_TBSS_FA_Tapetum_R | Fluid intelligence | 0.0005 | 2.34E-01 | -0.0002 | 0.0012 | -0.0566 | 0.00E+00 | -0.0741 | -0.0403 | -0.0082 | 2.34E-01 | -0.0237 | 0.0043 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | -0.0409 | 1.93E-06 | -0.0577 | -0.0241 | -0.0112 | 2.09E-01 | -0.0287 | 0.0063 |
| PRSscz | IDP_dMRI_TBSS_MD_Genu_of_corpus_callosum | Fluid intelligence | 0.0004 | 1.87E-01 | -0.0002 | 0.0011 | -0.0566 | 0.00E+00 | -0.0741 | -0.0402 | -0.0073 | 1.87E-01 | -0.0214 | 0.0037 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0326 | 5.72E-05 | 0.0167 | 0.0484 | 0.0126 | 1.81E-01 | -0.0059 | 0.0312 |
| PRSscz | IDP_dMRI_TBSS_MD_Body_of_corpus_callosum | Fluid intelligence | 0.0004 | 3.36E-01 | -0.0004 | 0.0011 | -0.0565 | 0.00E+00 | -0.0740 | -0.0399 | -0.0063 | 3.36E-01 | -0.0220 | 0.0065 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0396 | 1.78E-06 | 0.0234 | 0.0559 | 0.0089 | 3.36E-01 | -0.0092 | 0.0270 |
| PRSscz | IDP_dMRI_TBSS_MD_Fornix | Fluid intelligence | 0.0001 | 6.48E-01 | -0.0003 | 0.0006 | -0.0563 | 0.00E+00 | -0.0739 | -0.0398 | -0.0019 | 6.48E-01 | -0.0117 | 0.0063 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0220 | 2.63E-03 | 0.0077 | 0.0363 | 0.0049 | 6.43E-01 | -0.0157 | 0.0254 |
| PRSscz | IDP_dMRI_TBSS_MD_Superior_corona_radiata_R | Fluid intelligence | 0.0001 | 9.15E-01 | -0.0008 | 0.0009 | -0.0562 | 0.00E+00 | -0.0736 | -0.0399 | -0.0010 | 9.15E-01 | -0.0173 | 0.0149 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0460 | 1.49E-08 | 0.0301 | 0.0619 | 0.0013 | 8.93E-01 | -0.0172 | 0.0197 |
| PRSscz | IDP_dMRI_TBSS_MD_Superior_corona_radiata_L | Fluid intelligence | 0.0001 | 8.85E-01 | -0.0007 | 0.0008 | -0.0562 | 0.00E+00 | -0.0738 | -0.0398 | -0.0012 | 8.85E-01 | -0.0155 | 0.0129 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0404 | 5.49E-07 | 0.0246 | 0.0562 | 0.0016 | 8.65E-01 | -0.0170 | 0.0202 |
| PRSscz | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_R | Fluid intelligence | 0.0008 | 1.60E-02 | 0.0001 | 0.0017 | -0.0570 | 0.00E+00 | -0.0746 | -0.0405 | -0.0147 | 1.60E-02 | -0.0326 | -0.0023 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0380 | 3.25E-06 | 0.0220 | 0.0539 | 0.0218 | 2.01E-02 | 0.0034 | 0.0402 |
| PRSscz | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_L | Fluid intelligence | 0.0005 | 1.73E-01 | -0.0002 | 0.0013 | -0.0567 | 0.00E+00 | -0.0742 | -0.0402 | -0.0088 | 1.73E-01 | -0.0249 | 0.0044 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0399 | 1.49E-06 | 0.0237 | 0.0562 | 0.0124 | 1.80E-01 | -0.0057 | 0.0305 |
| PRSscz | IDP_dMRI_TBSS_MD_Cingulum_cingulate_gyrus_L | Fluid intelligence | 0.0001 | 6.87E-01 | -0.0005 | 0.0009 | -0.0563 | 0.00E+00 | -0.0737 | -0.0399 | -0.0024 | 6.87E-01 | -0.0171 | 0.0100 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0404 | 2.69E-06 | 0.0236 | 0.0573 | 0.0034 | 7.05E-01 | -0.0140 | 0.0208 |
| PRSscz | IDP_dMRI_TBSS_MD_Fornix_cres+Stria_terminalis_R | Fluid intelligence | -0.0003 | 2.02E-01 | -0.0010 | 0.0002 | -0.0558 | 0.00E+00 | -0.0732 | -0.0394 | 0.0061 | 2.02E-01 | -0.0032 | 0.0189 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0289 | 2.99E-04 | 0.0132 | 0.0445 | -0.0119 | 2.14E-01 | -0.0307 | 0.0069 |
| PRSscz | IDP_dMRI_TBSS_MD_Tapetum_R | Fluid intelligence | -0.0001 | 7.44E-01 | -0.0008 | 0.0006 | -0.0561 | 0.00E+00 | -0.0735 | -0.0397 | 0.0020 | 7.44E-01 | -0.0108 | 0.0159 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0382 | 6.21E-06 | 0.0217 | 0.0548 | -0.0029 | 7.49E-01 | -0.0206 | 0.0149 |
| PRSscz | IDP_dMRI_TBSS_MD_Tapetum_L | Fluid intelligence | -0.0004 | 2.36E-01 | -0.0011 | 0.0003 | -0.0558 | 0.00E+00 | -0.0733 | -0.0396 | 0.0066 | 2.36E-01 | -0.0049 | 0.0200 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0370 | 1.97E-05 | 0.0200 | 0.0539 | -0.0101 | 2.54E-01 | -0.0274 | 0.0072 |
| PRSscz | IDP_dMRI_TBSS_MO_Fornix | Fluid intelligence | 0.0002 | 3.19E-01 | -0.0002 | 0.0008 | -0.0564 | 0.00E+00 | -0.0739 | -0.0402 | -0.0041 | 3.19E-01 | -0.0153 | 0.0041 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | -0.0255 | 3.09E-03 | -0.0425 | -0.0086 | -0.0091 | 3.05E-01 | -0.0265 | 0.0083 |
| PRSscz | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_R | Fluid intelligence | -0.0008 | 4.00E-03 | -0.0016 | -0.0002 | -0.0554 | 0.00E+00 | -0.0727 | -0.0390 | 0.0137 | 4.00E-03 | 0.0033 | 0.0300 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0294 | 2.69E-04 | 0.0136 | 0.0453 | -0.0262 | 5.68E-03 | -0.0448 | -0.0076 |
| PRSscz | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_L | Fluid intelligence | -0.0008 | 2.00E-03 | -0.0016 | -0.0002 | -0.0554 | 0.00E+00 | -0.0726 | -0.0389 | 0.0144 | 2.00E-03 | 0.0042 | 0.0308 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0267 | 1.06E-03 | 0.0107 | 0.0426 | -0.0304 | 1.22E-03 | -0.0488 | -0.0120 |
| PRSscz | IDP_dMRI_TBSS_MO_Posterior_limb_of_internal_capsule_L | Fluid intelligence | -0.0004 | 2.50E-02 | -0.0010 | 0.0000 | -0.0557 | 0.00E+00 | -0.0732 | -0.0393 | 0.0078 | 2.50E-02 | 0.0004 | 0.0204 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0234 | 7.41E-03 | 0.0063 | 0.0406 | -0.0188 | 3.19E-02 | -0.0359 | -0.0016 |
| PRSscz | IDP_dMRI_TBSS_MO_Cingulum_cingulate_gyrus_R | Fluid intelligence | -0.0006 | 1.80E-02 | -0.0012 | -0.0001 | -0.0556 | 0.00E+00 | -0.0732 | -0.0390 | 0.0098 | 1.80E-02 | 0.0009 | 0.0237 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | -0.0213 | 1.42E-02 | -0.0384 | -0.0043 | 0.0258 | 3.32E-03 | 0.0086 | 0.0431 |
| PRSscz | IDP_dMRI_TBSS_AD_Posterior_limb_of_internal_capsule_R | Fluid intelligence | 0.0001 | 4.05E-01 | -0.0002 | 0.0006 | -0.0563 | 0.00E+00 | -0.0738 | -0.0399 | -0.0025 | 4.05E-01 | -0.0111 | 0.0029 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0172 | 4.66E-02 | 0.0003 | 0.0342 | 0.0080 | 3.64E-01 | -0.0093 | 0.0253 |
| PRSscz | IDP_dMRI_TBSS_AD_Superior_corona_radiata_R | Fluid intelligence | 0.0005 | 1.38E-01 | -0.0002 | 0.0014 | -0.0567 | 0.00E+00 | -0.0742 | -0.0404 | -0.0094 | 1.38E-01 | -0.0257 | 0.0033 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0396 | 3.11E-06 | 0.0230 | 0.0563 | 0.0134 | 1.38E-01 | -0.0043 | 0.0310 |
| PRSscz | IDP_dMRI_TBSS_AD_Superior_corona_radiata_L | Fluid intelligence | 0.0005 | 8.80E-02 | -0.0001 | 0.0012 | -0.0567 | 0.00E+00 | -0.0741 | -0.0403 | -0.0091 | 8.80E-02 | -0.0251 | 0.0010 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0325 | 1.19E-04 | 0.0160 | 0.0491 | 0.0158 | 8.16E-02 | -0.0020 | 0.0335 |
| PRSscz | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_R | Fluid intelligence | 0.0011 | 2.00E-03 | 0.0003 | 0.0020 | -0.0572 | 0.00E+00 | -0.0747 | -0.0409 | -0.0191 | 2.00E-03 | -0.0397 | -0.0063 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0365 | 4.44E-06 | 0.0209 | 0.0520 | 0.0295 | 2.22E-03 | 0.0106 | 0.0484 |
| PRSscz | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_L | Fluid intelligence | 0.0008 | 2.50E-02 | 0.0001 | 0.0017 | -0.0570 | 0.00E+00 | -0.0746 | -0.0406 | -0.0147 | 2.50E-02 | -0.0332 | -0.0021 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0386 | 2.65E-06 | 0.0225 | 0.0547 | 0.0214 | 2.16E-02 | 0.0031 | 0.0397 |
| PRSscz | IDP_dMRI_TBSS_AD_Tapetum_L | Fluid intelligence | -0.0004 | 1.06E-01 | -0.0010 | 0.0001 | -0.0558 | 0.00E+00 | -0.0731 | -0.0393 | 0.0073 | 1.06E-01 | -0.0014 | 0.0193 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0294 | 6.46E-04 | 0.0125 | 0.0463 | -0.0139 | 1.17E-01 | -0.0313 | 0.0035 |
| PRSscz | IDP_dMRI_TBSS_RD_Genu_of_corpus_callosum | Fluid intelligence | -0.0003 | 3.66E-01 | -0.0009 | 0.0003 | -0.0559 | 0.00E+00 | -0.0733 | -0.0394 | 0.0047 | 3.66E-01 | -0.0057 | 0.0184 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0317 | 1.13E-04 | 0.0156 | 0.0477 | -0.0084 | 3.69E-01 | -0.0267 | 0.0099 |
| PRSscz | IDP_dMRI_TBSS_RD_Fornix | Fluid intelligence | 0.0000 | 9.13E-01 | -0.0005 | 0.0006 | -0.0562 | 0.00E+00 | -0.0738 | -0.0397 | -0.0006 | 9.13E-01 | -0.0106 | 0.0087 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0244 | 8.64E-04 | 0.0100 | 0.0388 | 0.0015 | 8.89E-01 | -0.0190 | 0.0219 |
| PRSscz | IDP_dMRI_TBSS_RD_Inferior_cerebellar_peduncle_R | Fluid intelligence | -0.0011 | 0.00E+00 | -0.0020 | -0.0004 | -0.0551 | 0.00E+00 | -0.0721 | -0.0386 | 0.0193 | 0.00E+00 | 0.0066 | 0.0406 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0335 | 8.28E-05 | 0.0168 | 0.0502 | -0.0324 | 3.12E-04 | -0.0501 | -0.0148 |
| PRSscz | IDP_dMRI_TBSS_RD_Superior_corona_radiata_R | Fluid intelligence | -0.0004 | 3.15E-01 | -0.0011 | 0.0003 | -0.0558 | 0.00E+00 | -0.0731 | -0.0393 | 0.0066 | 3.15E-01 | -0.0061 | 0.0219 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0395 | 1.44E-06 | 0.0234 | 0.0555 | -0.0094 | 3.15E-01 | -0.0277 | 0.0089 |
| PRSscz | IDP_dMRI_TBSS_RD_Superior_corona_radiata_L | Fluid intelligence | -0.0004 | 2.73E-01 | -0.0012 | 0.0003 | -0.0558 | 0.00E+00 | -0.0732 | -0.0392 | 0.0071 | 2.73E-01 | -0.0046 | 0.0214 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0364 | 7.60E-06 | 0.0205 | 0.0523 | -0.0109 | 2.47E-01 | -0.0294 | 0.0076 |
| PRSscz | IDP_dMRI_TBSS_RD_Posterior_thalamic_radiation_R | Fluid intelligence | 0.0004 | 2.66E-01 | -0.0003 | 0.0013 | -0.0566 | 0.00E+00 | -0.0742 | -0.0403 | -0.0079 | 2.66E-01 | -0.0249 | 0.0061 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0436 | 1.70E-07 | 0.0273 | 0.0599 | 0.0102 | 2.66E-01 | -0.0078 | 0.0282 |
| PRSscz | IDP_dMRI_TBSS_RD_Posterior_thalamic_radiation_L | Fluid intelligence | 0.0000 | 9.73E-01 | -0.0007 | 0.0007 | -0.0562 | 0.00E+00 | -0.0736 | -0.0398 | 0.0003 | 9.73E-01 | -0.0137 | 0.0143 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0383 | 3.56E-06 | 0.0221 | 0.0546 | -0.0004 | 9.66E-01 | -0.0185 | 0.0178 |
| PRSscz | IDP_dMRI_TBSS_RD_Cingulum_cingulate_gyrus_R | Fluid intelligence | -0.0008 | 3.30E-02 | -0.0017 | -0.0001 | -0.0554 | 0.00E+00 | -0.0727 | -0.0390 | 0.0139 | 3.30E-02 | 0.0011 | 0.0338 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0417 | 9.38E-07 | 0.0250 | 0.0583 | -0.0187 | 3.78E-02 | -0.0364 | -0.0011 |
| PRSscz | IDP_dMRI_TBSS_RD_Cingulum_cingulate_gyrus_L | Fluid intelligence | -0.0006 | 7.80E-02 | -0.0015 | 0.0001 | -0.0556 | 0.00E+00 | -0.0731 | -0.0392 | 0.0110 | 7.80E-02 | -0.0010 | 0.0290 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0412 | 1.14E-06 | 0.0246 | 0.0579 | -0.0150 | 9.77E-02 | -0.0327 | 0.0027 |
| PRSscz | IDP_dMRI_TBSS_RD_Fornix_cres+Stria_terminalis_R | Fluid intelligence | -0.0014 | 0.00E+00 | -0.0025 | -0.0006 | -0.0548 | 0.00E+00 | -0.0719 | -0.0383 | 0.0251 | 0.00E+00 | 0.0099 | 0.0485 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0279 | 3.04E-04 | 0.0127 | 0.0430 | -0.0506 | 3.35E-07 | -0.0701 | -0.0312 |
| PRSscz | IDP_dMRI_TBSS_RD_Superior_fronto-occipital_fasciculus_R | Fluid intelligence | -0.0007 | 3.50E-02 | -0.0015 | 0.0000 | -0.0555 | 0.00E+00 | -0.0728 | -0.0391 | 0.0119 | 3.50E-02 | 0.0007 | 0.0294 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0354 | 1.00E-05 | 0.0197 | 0.0511 | -0.0188 | 4.88E-02 | -0.0376 | -0.0001 |
| PRSscz | IDP_dMRI_TBSS_RD_Superior_fronto-occipital_fasciculus_L | Fluid intelligence | -0.0009 | 3.00E-03 | -0.0018 | -0.0003 | -0.0553 | 0.00E+00 | -0.0727 | -0.0391 | 0.0159 | 3.00E-03 | 0.0046 | 0.0344 | -0.0562 | 0.00E+00 | -0.0737 | -0.0396 | 0.0325 | 4.45E-05 | 0.0169 | 0.0481 | -0.0274 | 4.33E-03 | -0.0463 | -0.0086 |
| [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| PRSscz | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_R | Well-being | 0.0001 | 7.76E-01 | -0.0005 | 0.0008 | 0.0330 | 0.00E+00 | 0.0142 | 0.0534 | 0.0035 | 7.76E-01 | -0.0177 | 0.0289 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0271 | 4.15E-03 | 0.0086 | 0.0456 | 0.0043 | 7.04E-01 | -0.0178 | 0.0263 |
| PRSscz | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_L | Well-being | 0.0003 | 1.81E-01 | -0.0001 | 0.0010 | 0.0328 | 0.00E+00 | 0.0140 | 0.0527 | 0.0101 | 1.81E-01 | -0.0031 | 0.0372 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0194 | 4.21E-02 | 0.0007 | 0.0381 | 0.0172 | 1.22E-01 | -0.0046 | 0.0390 |
| PRSscz | IDP_dMRI_TBSS_MO_Posterior_limb_of_internal_capsule_L | Well-being | 0.0002 | 5.93E-01 | -0.0003 | 0.0007 | 0.0329 | 0.00E+00 | 0.0141 | 0.0532 | 0.0050 | 5.93E-01 | -0.0106 | 0.0253 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0217 | 3.34E-02 | 0.0017 | 0.0416 | 0.0076 | 4.65E-01 | -0.0128 | 0.0280 |
| PRSscz | IDP_dMRI_TBSS_MO_Cingulum_cingulate_gyrus_R | Well-being | -0.0010 | 5.00E-03 | -0.0021 | -0.0002 | 0.0341 | 0.00E+00 | 0.0152 | 0.0548 | -0.0315 | 5.00E-03 | -0.0903 | -0.0065 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | -0.0324 | 1.39E-03 | -0.0523 | -0.0125 | 0.0321 | 2.14E-03 | 0.0116 | 0.0526 |
| PRSscz | IDP_dMRI_TBSS_AD_Posterior_limb_of_internal_capsule_R | Well-being | -0.0001 | 9.05E-01 | -0.0006 | 0.0005 | 0.0332 | 0.00E+00 | 0.0142 | 0.0535 | -0.0016 | 9.05E-01 | -0.0187 | 0.0178 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0215 | 3.28E-02 | 0.0018 | 0.0413 | -0.0025 | 8.10E-01 | -0.0231 | 0.0181 |
| PRSscz | IDP_dMRI_TBSS_AD_Superior_corona_radiata_R | Well-being | 0.0002 | 4.90E-01 | -0.0005 | 0.0009 | 0.0329 | 0.00E+00 | 0.0139 | 0.0534 | 0.0068 | 4.90E-01 | -0.0163 | 0.0339 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0326 | 1.04E-03 | 0.0131 | 0.0520 | 0.0069 | 5.18E-01 | -0.0141 | 0.0279 |
| PRSscz | IDP_dMRI_TBSS_AD_Superior_corona_radiata_L | Well-being | 0.0002 | 4.03E-01 | -0.0004 | 0.0010 | 0.0329 | 0.00E+00 | 0.0137 | 0.0535 | 0.0068 | 4.03E-01 | -0.0131 | 0.0374 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0288 | 3.54E-03 | 0.0095 | 0.0482 | 0.0079 | 4.65E-01 | -0.0132 | 0.0289 |
| PRSscz | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_R | Well-being | 0.0002 | 5.19E-01 | -0.0004 | 0.0008 | 0.0329 | 0.00E+00 | 0.0140 | 0.0534 | 0.0064 | 5.19E-01 | -0.0142 | 0.0307 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0276 | 3.00E-03 | 0.0094 | 0.0459 | 0.0077 | 5.00E-01 | -0.0147 | 0.0301 |
| PRSscz | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_L | Well-being | 0.0001 | 8.61E-01 | -0.0006 | 0.0007 | 0.0331 | 0.00E+00 | 0.0140 | 0.0537 | 0.0016 | 8.61E-01 | -0.0205 | 0.0262 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0301 | 1.75E-03 | 0.0113 | 0.0490 | 0.0017 | 8.77E-01 | -0.0199 | 0.0233 |
| PRSscz | IDP_dMRI_TBSS_AD_Tapetum_L | Well-being | 0.0001 | 7.10E-01 | -0.0005 | 0.0008 | 0.0330 | 0.00E+00 | 0.0141 | 0.0534 | 0.0042 | 7.10E-01 | -0.0159 | 0.0323 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0285 | 4.57E-03 | 0.0088 | 0.0482 | 0.0048 | 6.48E-01 | -0.0159 | 0.0255 |
| PRSscz | IDP_dMRI_TBSS_RD_Genu_of_corpus_callosum | Well-being | -0.0001 | 8.92E-01 | -0.0006 | 0.0005 | 0.0332 | 0.00E+00 | 0.0141 | 0.0536 | -0.0027 | 8.92E-01 | -0.0194 | 0.0177 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0177 | 6.40E-02 | -0.0010 | 0.0365 | -0.0051 | 6.48E-01 | -0.0268 | 0.0167 |
| PRSscz | IDP_dMRI_TBSS_RD_Fornix | Well-being | 0.0000 | 9.73E-01 | -0.0007 | 0.0006 | 0.0331 | 0.00E+00 | 0.0141 | 0.0532 | 0.0003 | 9.73E-01 | -0.0229 | 0.0224 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0255 | 2.96E-03 | 0.0087 | 0.0423 | 0.0003 | 9.78E-01 | -0.0239 | 0.0246 |
| PRSscz | IDP_dMRI_TBSS_RD_Inferior_cerebellar_peduncle_R | Well-being | 0.0002 | 3.30E-01 | -0.0002 | 0.0008 | 0.0329 | 0.00E+00 | 0.0141 | 0.0533 | 0.0052 | 3.30E-01 | -0.0060 | 0.0303 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0189 | 5.78E-02 | -0.0006 | 0.0384 | 0.0092 | 3.89E-01 | -0.0117 | 0.0301 |
| PRSscz | IDP_dMRI_TBSS_RD_Superior_corona_radiata_R | Well-being | 0.0000 | 8.73E-01 | -0.0006 | 0.0007 | 0.0331 | 0.00E+00 | 0.0141 | 0.0534 | 0.0002 | 8.73E-01 | -0.0196 | 0.0251 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0266 | 5.68E-03 | 0.0077 | 0.0454 | 0.0003 | 9.79E-01 | -0.0214 | 0.0219 |
| PRSscz | IDP_dMRI_TBSS_RD_Superior_corona_radiata_L | Well-being | 0.0002 | 4.15E-01 | -0.0003 | 0.0010 | 0.0329 | 0.00E+00 | 0.0138 | 0.0533 | 0.0049 | 4.15E-01 | -0.0107 | 0.0378 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0262 | 5.93E-03 | 0.0075 | 0.0448 | 0.0062 | 5.81E-01 | -0.0157 | 0.0280 |
| PRSscz | IDP_dMRI_TBSS_RD_Posterior_thalamic_radiation_R | Well-being | 0.0001 | 6.82E-01 | -0.0005 | 0.0009 | 0.0330 | 0.00E+00 | 0.0140 | 0.0536 | 0.0034 | 6.82E-01 | -0.0186 | 0.0315 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0312 | 1.43E-03 | 0.0120 | 0.0503 | 0.0036 | 7.39E-01 | -0.0177 | 0.0249 |
| PRSscz | IDP_dMRI_TBSS_RD_Posterior_thalamic_radiation_L | Well-being | 0.0002 | 4.09E-01 | -0.0004 | 0.0011 | 0.0329 | 0.00E+00 | 0.0139 | 0.0531 | 0.0061 | 4.09E-01 | -0.0134 | 0.0424 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0319 | 9.86E-04 | 0.0129 | 0.0509 | 0.0063 | 5.65E-01 | -0.0152 | 0.0278 |
| PRSscz | IDP_dMRI_TBSS_RD_Cingulum_cingulate_gyrus_R | Well-being | -0.0002 | 6.25E-01 | -0.0008 | 0.0004 | 0.0333 | 0.00E+00 | 0.0141 | 0.0535 | -0.0051 | 6.25E-01 | -0.0282 | 0.0133 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0236 | 1.76E-02 | 0.0041 | 0.0430 | -0.0071 | 5.04E-01 | -0.0281 | 0.0138 |
| PRSscz | IDP_dMRI_TBSS_RD_Cingulum_cingulate_gyrus_L | Well-being | -0.0001 | 9.26E-01 | -0.0006 | 0.0006 | 0.0332 | 0.00E+00 | 0.0140 | 0.0535 | -0.0016 | 9.26E-01 | -0.0203 | 0.0177 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0217 | 2.82E-02 | 0.0023 | 0.0411 | -0.0024 | 8.25E-01 | -0.0234 | 0.0186 |
| PRSscz | IDP_dMRI_TBSS_RD_Fornix_cres+Stria_terminalis_R | Well-being | 0.0001 | 5.17E-01 | -0.0005 | 0.0010 | 0.0330 | 0.00E+00 | 0.0140 | 0.0535 | 0.0035 | 5.17E-01 | -0.0157 | 0.0399 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0263 | 3.48E-03 | 0.0087 | 0.0440 | 0.0044 | 7.07E-01 | -0.0187 | 0.0275 |
| PRSscz | IDP_dMRI_TBSS_RD_Superior_fronto-occipital_fasciculus_R | Well-being | 0.0007 | 1.60E-02 | 0.0001 | 0.0017 | 0.0324 | 0.00E+00 | 0.0133 | 0.0527 | 0.0218 | 1.60E-02 | 0.0034 | 0.0743 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0288 | 2.17E-03 | 0.0104 | 0.0472 | 0.0251 | 2.63E-02 | 0.0030 | 0.0472 |
| PRSscz | IDP_dMRI_TBSS_RD_Superior_fronto-occipital_fasciculus_L | Well-being | 0.0003 | 2.20E-01 | -0.0002 | 0.0013 | 0.0328 | 0.00E+00 | 0.0137 | 0.0528 | 0.0091 | 2.20E-01 | -0.0078 | 0.0505 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0287 | 2.05E-03 | 0.0105 | 0.0470 | 0.0105 | 3.56E-01 | -0.0118 | 0.0329 |
| PRSscz | IDP_dMRI_TBSS_RD_Tapetum_R | Well-being | 0.0000 | 9.84E-01 | -0.0008 | 0.0008 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0012 | 9.84E-01 | -0.0268 | 0.0306 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0368 | 2.10E-04 | 0.0174 | 0.0563 | 0.0010 | 9.23E-01 | -0.0199 | 0.0220 |
| PRSscz | IDP_dMRI_TBSS_RD_Tapetum_L | Well-being | 0.0004 | 2.19E-01 | -0.0003 | 0.0012 | 0.0327 | 0.00E+00 | 0.0138 | 0.0530 | 0.0134 | 2.19E-01 | -0.0095 | 0.0476 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0349 | 6.08E-04 | 0.0149 | 0.0548 | 0.0127 | 2.22E-01 | -0.0077 | 0.0332 |
| PRSscz | IDP_dMRI_TBSS_ICVF_Splenium_of_corpus_callosum | Well-being | -0.0002 | 5.43E-01 | -0.0008 | 0.0004 | 0.0333 | 0.00E+00 | 0.0145 | 0.0535 | -0.0060 | 5.43E-01 | -0.0285 | 0.0130 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | -0.0210 | 3.59E-02 | -0.0407 | -0.0014 | 0.0095 | 3.69E-01 | -0.0112 | 0.0302 |
| PRSscz | IDP_dMRI_TBSS_ICVF_Fornix | Well-being | -0.0001 | 8.23E-01 | -0.0007 | 0.0005 | 0.0332 | 0.00E+00 | 0.0144 | 0.0536 | -0.0024 | 8.23E-01 | -0.0244 | 0.0177 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | -0.0273 | 7.49E-03 | -0.0473 | -0.0073 | 0.0029 | 7.83E-01 | -0.0175 | 0.0232 |
| PRSscz | IDP_dMRI_TBSS_ICVF_Posterior_limb_of_internal_capsule_L | Well-being | -0.0001 | 7.58E-01 | -0.0006 | 0.0004 | 0.0332 | 0.00E+00 | 0.0142 | 0.0537 | -0.0019 | 7.58E-01 | -0.0199 | 0.0143 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | -0.0199 | 4.90E-02 | -0.0398 | -0.0001 | 0.0031 | 7.69E-01 | -0.0175 | 0.0236 |
| PRSscz | IDP_dMRI_TBSS_ICVF_Superior_corona_radiata_R | Well-being | -0.0001 | 7.40E-01 | -0.0007 | 0.0005 | 0.0332 | 0.00E+00 | 0.0144 | 0.0538 | -0.0038 | 7.40E-01 | -0.0276 | 0.0179 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | -0.0279 | 4.77E-03 | -0.0473 | -0.0085 | 0.0045 | 6.74E-01 | -0.0165 | 0.0255 |
| PRSscz | IDP_dMRI_TBSS_ICVF_Superior_corona_radiata_L | Well-being | 0.0000 | 8.88E-01 | -0.0006 | 0.0005 | 0.0332 | 0.00E+00 | 0.0142 | 0.0535 | -0.0015 | 8.88E-01 | -0.0230 | 0.0179 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | -0.0240 | 1.49E-02 | -0.0433 | -0.0047 | 0.0020 | 8.51E-01 | -0.0191 | 0.0231 |
| PRSscz | IDP_dMRI_TBSS_ICVF_Posterior_corona_radiata_L | Well-being | -0.0003 | 2.71E-01 | -0.0009 | 0.0001 | 0.0334 | 0.00E+00 | 0.0145 | 0.0539 | -0.0080 | 2.71E-01 | -0.0345 | 0.0042 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | -0.0197 | 5.03E-02 | -0.0393 | 0.0000 | 0.0135 | 2.00E-01 | -0.0072 | 0.0343 |
| PRSscz | IDP_dMRI_TBSS_ICVF_Posterior_thalamic_radiation_R | Well-being | -0.0002 | 5.61E-01 | -0.0008 | 0.0004 | 0.0333 | 0.00E+00 | 0.0145 | 0.0538 | -0.0060 | 5.61E-01 | -0.0330 | 0.0145 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | -0.0273 | 6.47E-03 | -0.0469 | -0.0076 | 0.0072 | 4.95E-01 | -0.0135 | 0.0280 |
| PRSscz | IDP_dMRI_TBSS_ICVF_Posterior_thalamic_radiation_L | Well-being | -0.0001 | 8.82E-01 | -0.0007 | 0.0005 | 0.0332 | 0.00E+00 | 0.0144 | 0.0535 | -0.0018 | 8.82E-01 | -0.0223 | 0.0167 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | -0.0246 | 1.35E-02 | -0.0440 | -0.0051 | 0.0024 | 8.22E-01 | -0.0185 | 0.0233 |
| PRSscz | IDP_dMRI_TBSS_ICVF_Cingulum_cingulate_gyrus_R | Well-being | -0.0003 | 2.54E-01 | -0.0009 | 0.0001 | 0.0334 | 0.00E+00 | 0.0145 | 0.0537 | -0.0077 | 2.54E-01 | -0.0324 | 0.0040 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | -0.0164 | 9.76E-02 | -0.0358 | 0.0030 | 0.0156 | 1.46E-01 | -0.0054 | 0.0366 |
| PRSscz | IDP_dMRI_TBSS_ICVF_Cingulum_cingulate_gyrus_L | Well-being | -0.0002 | 4.31E-01 | -0.0007 | 0.0002 | 0.0333 | 0.00E+00 | 0.0144 | 0.0538 | -0.0051 | 4.31E-01 | -0.0247 | 0.0059 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | -0.0142 | 1.53E-01 | -0.0337 | 0.0053 | 0.0118 | 2.68E-01 | -0.0091 | 0.0328 |
| PRSscz | IDP_dMRI_TBSS_OD_Cerebral_peduncle_L | Well-being | 0.0012 | 0.00E+00 | 0.0004 | 0.0024 | 0.0319 | 0.00E+00 | 0.0127 | 0.0523 | 0.0370 | 0.00E+00 | 0.0109 | 0.1070 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0371 | 2.05E-04 | 0.0175 | 0.0567 | 0.0330 | 1.89E-03 | 0.0122 | 0.0538 |
| PRSscz | IDP_dMRI_TBSS_ISOVF_Fornix | Well-being | 0.0001 | 7.95E-01 | -0.0005 | 0.0006 | 0.0330 | 0.00E+00 | 0.0142 | 0.0532 | 0.0025 | 7.95E-01 | -0.0146 | 0.0203 | 0.0331 | 0.00E+00 | 0.0141 | 0.0536 | 0.0190 | 2.63E-02 | 0.0022 | 0.0359 | 0.0043 | 7.30E-01 | -0.0200 | 0.0285 |

Note: ACME = average causal mediation effects; ADE = average direct effects; Prop = proportion mediated; Total = total effects; Medfit = mediation model fit; Outfit = outcome model fit; *ACME P value* < 0.05/61/11 = 7.45 × $10^{-5}$ was considered significant.

Abbreviation: AD, axial diffusivity; CI, confidence interval; dMRI, diffusional magnetic resonance imaging; FA, fractional anisotropy; ICVF, intracellular volume fraction; IDP, imaging-derived phenotype; ISOVF, isotropic volume fraction; L, left; MD, mean diffusivity; MO, mode of anisotropy; OD, orientation dispersion; $PRS_{SCZ}$, polygenic risk score for schizophrenia; R, right; RD, radial diffusivity; TBSS, tract-based spatial statistics.

**Supplementary Table S17. Reverse causal mediation results.**

| Treat | Mediator | Outcome | ACME Beta | ACME P value | ACME Lower CI | ACME Upper CI | ADE Beta | ADE P value | ADE Lower CI | ADE Upper CI | Prop Beta | Prop P value | Prop Lower CI | Prop Upper CI | Total Beta | Total P value | Total Lower CI | Total Upper CI | Medfit Beta | Medfit P value | Medfit Lower CI | Medfit Upper CI | Outfit Beta | Outfit P value | Outfit Lower CI | Outfit Upper CI |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_FA_Cerebral_peduncle_L | -0.0013 | 9.00E-03 | -0.0025 | -0.0003 | -0.0337 | 0.00E+00 | -0.0504 | -0.0172 | 0.0357 | 9.00E-03 | 0.0084 | 0.0875 | -0.0350 | 0.00E+00 | -0.0518 | -0.0185 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0218 | 1.19E-02 | 0.0048 | 0.0388 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_FA_Cerebral_peduncle_R | -0.0021 | 0.00E+00 | -0.0035 | -0.0011 | -0.0341 | 0.00E+00 | -0.0510 | -0.0172 | 0.0581 | 0.00E+00 | 0.0261 | 0.1269 | -0.0362 | 0.00E+00 | -0.0531 | -0.0192 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0367 | 2.98E-05 | 0.0195 | 0.0539 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_L | -0.0018 | 0.00E+00 | -0.0030 | -0.0008 | -0.0321 | 0.00E+00 | -0.0483 | -0.0158 | 0.0522 | 0.00E+00 | 0.0204 | 0.1191 | -0.0339 | 0.00E+00 | -0.0500 | -0.0173 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0308 | 4.75E-04 | 0.0135 | 0.0481 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_FA_Cingulum_cingulate_gyrus_R | -0.0019 | 0.00E+00 | -0.0032 | -0.0008 | -0.0328 | 1.00E-03 | -0.0490 | -0.0160 | 0.0548 | 1.00E-03 | 0.0227 | 0.1187 | -0.0347 | 1.00E-03 | -0.0506 | -0.0182 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0331 | 1.96E-04 | 0.0157 | 0.0505 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_FA_Fornix | -0.0006 | 1.95E-01 | -0.0015 | 0.0003 | -0.0294 | 0.00E+00 | -0.0443 | -0.0142 | 0.0186 | 1.95E-01 | -0.0109 | 0.0655 | -0.0300 | 0.00E+00 | -0.0447 | -0.0148 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0097 | 2.07E-01 | -0.0054 | 0.0247 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_FA_Fornix_cres+Stria_terminalis_L | -0.0039 | 0.00E+00 | -0.0055 | -0.0025 | -0.0278 | 1.00E-03 | -0.0442 | -0.0122 | 0.1233 | 0.00E+00 | 0.0699 | 0.2636 | -0.0317 | 0.00E+00 | -0.0483 | -0.0162 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0681 | 9.86E-17 | 0.0521 | 0.0842 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_FA_Inferior_cerebellar_peduncle_R | -0.0027 | 0.00E+00 | -0.0041 | -0.0016 | -0.0319 | 0.00E+00 | -0.0495 | -0.0154 | 0.0778 | 0.00E+00 | 0.0400 | 0.1667 | -0.0346 | 0.00E+00 | -0.0524 | -0.0181 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0469 | 1.12E-07 | 0.0296 | 0.0643 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_L | -0.0014 | 8.00E-03 | -0.0025 | -0.0004 | -0.0404 | 0.00E+00 | -0.0571 | -0.0230 | 0.0344 | 8.00E-03 | 0.0094 | 0.0721 | -0.0418 | 0.00E+00 | -0.0583 | -0.0245 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0251 | 4.10E-03 | 0.0080 | 0.0422 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_FA_Posterior_thalamic_radiation_R | -0.0007 | 1.39E-01 | -0.0017 | 0.0002 | -0.0433 | 0.00E+00 | -0.0592 | -0.0273 | 0.0166 | 1.39E-01 | -0.0057 | 0.0439 | -0.0440 | 0.00E+00 | -0.0601 | -0.0278 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0127 | 1.43E-01 | -0.0043 | 0.0297 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_FA_Superior_cerebellar_peduncle_R | -0.0052 | 0.00E+00 | -0.0074 | -0.0035 | -0.0312 | 1.00E-03 | -0.0478 | -0.0134 | 0.1438 | 0.00E+00 | 0.0841 | 0.2907 | -0.0364 | 0.00E+00 | -0.0530 | -0.0185 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0912 | 1.96E-24 | 0.0737 | 0.1087 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_L | -0.0026 | 0.00E+00 | -0.0040 | -0.0015 | -0.0276 | 1.00E-03 | -0.0448 | -0.0111 | 0.0875 | 0.00E+00 | 0.0429 | 0.2053 | -0.0303 | 0.00E+00 | -0.0472 | -0.0136 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0461 | 1.44E-07 | 0.0289 | 0.0633 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_FA_Superior_fronto-occipital_fasciculus_R | -0.0024 | 0.00E+00 | -0.0037 | -0.0014 | -0.0309 | 0.00E+00 | -0.0482 | -0.0139 | 0.0718 | 0.00E+00 | 0.0356 | 0.1674 | -0.0333 | 0.00E+00 | -0.0504 | -0.0164 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0417 | 2.26E-06 | 0.0244 | 0.0589 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_FA_Tapetum_R | 0.0006 | 2.55E-01 | -0.0003 | 0.0017 | -0.0415 | 0.00E+00 | -0.0581 | -0.0256 | -0.0151 | 2.55E-01 | -0.0477 | 0.0091 | -0.0409 | 0.00E+00 | -0.0576 | -0.0250 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0107 | 2.25E-01 | -0.0281 | 0.0066 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_ICVF_Cingulum_cingulate_gyrus_L | -0.0009 | 6.10E-02 | -0.0019 | 0.0001 | -0.0336 | 0.00E+00 | -0.0501 | -0.0174 | 0.0250 | 6.10E-02 | -0.0014 | 0.0685 | -0.0345 | 0.00E+00 | -0.0508 | -0.0180 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0150 | 8.64E-02 | -0.0022 | 0.0322 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_ICVF_Cingulum_cingulate_gyrus_R | -0.0011 | 2.20E-02 | -0.0022 | -0.0002 | -0.0340 | 0.00E+00 | -0.0502 | -0.0178 | 0.0321 | 2.20E-02 | 0.0050 | 0.0781 | -0.0351 | 0.00E+00 | -0.0514 | -0.0190 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0196 | 2.51E-02 | 0.0024 | 0.0367 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_ICVF_Fornix | -0.0003 | 4.78E-01 | -0.0014 | 0.0006 | -0.0240 | 9.00E-03 | -0.0422 | -0.0064 | 0.0139 | 4.86E-01 | -0.0344 | 0.0892 | -0.0243 | 8.00E-03 | -0.0419 | -0.0072 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0059 | 5.14E-01 | -0.0118 | 0.0236 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_ICVF_Posterior_corona_radiata_L | 0.0007 | 1.60E-01 | -0.0003 | 0.0018 | -0.0383 | 0.00E+00 | -0.0551 | -0.0206 | -0.0187 | 1.60E-01 | -0.0565 | 0.0076 | -0.0376 | 0.00E+00 | -0.0546 | -0.0201 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0122 | 1.66E-01 | -0.0296 | 0.0051 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_ICVF_Posterior_limb_of_internal_capsule_L | -0.0014 | 2.00E-03 | -0.0026 | -0.0004 | -0.0319 | 0.00E+00 | -0.0487 | -0.0152 | 0.0426 | 2.00E-03 | 0.0115 | 0.1054 | -0.0333 | 0.00E+00 | -0.0499 | -0.0164 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0247 | 5.88E-03 | 0.0071 | 0.0423 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_ICVF_Posterior_thalamic_radiation_L | 0.0006 | 2.62E-01 | -0.0004 | 0.0017 | -0.0379 | 0.00E+00 | -0.0542 | -0.0209 | -0.0149 | 2.62E-01 | -0.0505 | 0.0111 | -0.0373 | 0.00E+00 | -0.0535 | -0.0200 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0097 | 2.69E-01 | -0.0268 | 0.0075 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_ICVF_Posterior_thalamic_radiation_R | 0.0007 | 1.63E-01 | -0.0003 | 0.0018 | -0.0439 | 0.00E+00 | -0.0602 | -0.0276 | -0.0160 | 1.63E-01 | -0.0463 | 0.0061 | -0.0432 | 0.00E+00 | -0.0595 | -0.0270 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0121 | 1.72E-01 | -0.0294 | 0.0053 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_ICVF_Splenium_of_corpus_callosum | 0.0009 | 7.10E-02 | -0.0001 | 0.0020 | -0.0421 | 0.00E+00 | -0.0592 | -0.0255 | -0.0227 | 7.10E-02 | -0.0579 | 0.0018 | -0.0412 | 0.00E+00 | -0.0582 | -0.0244 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0163 | 6.78E-02 | -0.0338 | 0.0012 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_ICVF_Superior_corona_radiata_L | -0.0001 | 8.49E-01 | -0.0011 | 0.0009 | -0.0374 | 0.00E+00 | -0.0532 | -0.0217 | 0.0028 | 8.49E-01 | -0.0260 | 0.0325 | -0.0375 | 0.00E+00 | -0.0536 | -0.0221 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0018 | 8.33E-01 | -0.0152 | 0.0188 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_ICVF_Superior_corona_radiata_R | -0.0002 | 7.38E-01 | -0.0012 | 0.0009 | -0.0383 | 0.00E+00 | -0.0545 | -0.0221 | 0.0043 | 7.38E-01 | -0.0227 | 0.0344 | -0.0385 | 0.00E+00 | -0.0548 | -0.0224 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0029 | 7.41E-01 | -0.0142 | 0.0200 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_ISOVF_Fornix | -0.0003 | 5.76E-01 | -0.0012 | 0.0006 | 0.0192 | 1.60E-02 | 0.0042 | 0.0340 | -0.0132 | 5.78E-01 | -0.0999 | 0.0441 | 0.0189 | 1.60E-02 | 0.0040 | 0.0337 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0044 | 5.64E-01 | -0.0105 | 0.0192 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MD_Body_of_corpus_callosum | -0.0003 | 4.98E-01 | -0.0013 | 0.0006 | 0.0410 | 0.00E+00 | 0.0245 | 0.0580 | -0.0083 | 4.98E-01 | -0.0350 | 0.0158 | 0.0407 | 0.00E+00 | 0.0241 | 0.0575 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0059 | 4.90E-01 | -0.0109 | 0.0227 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MD_Cingulum_cingulate_gyrus_L | -0.0002 | 7.03E-01 | -0.0012 | 0.0008 | 0.0408 | 0.00E+00 | 0.0242 | 0.0579 | -0.0046 | 7.03E-01 | -0.0315 | 0.0197 | 0.0406 | 0.00E+00 | 0.0241 | 0.0578 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0033 | 7.14E-01 | -0.0141 | 0.0207 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MD_Fornix | -0.0003 | 5.42E-01 | -0.0012 | 0.0006 | 0.0217 | 4.00E-03 | 0.0074 | 0.0361 | -0.0124 | 5.45E-01 | -0.0801 | 0.0359 | 0.0214 | 5.00E-03 | 0.0071 | 0.0356 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0046 | 5.38E-01 | -0.0101 | 0.0194 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MD_Fornix_cres+Stria_terminalis_R | 0.0010 | 4.00E-02 | 0.0001 | 0.0020 | 0.0306 | 0.00E+00 | 0.0149 | 0.0465 | 0.0301 | 4.00E-02 | 0.0014 | 0.0854 | 0.0316 | 0.00E+00 | 0.0161 | 0.0475 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0165 | 4.59E-02 | -0.0328 | -0.0003 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MD_Genu_of_corpus_callosum | -0.0003 | 5.55E-01 | -0.0013 | 0.0007 | 0.0355 | 0.00E+00 | 0.0193 | 0.0519 | -0.0083 | 5.55E-01 | -0.0416 | 0.0208 | 0.0352 | 0.00E+00 | 0.0191 | 0.0516 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0051 | 5.42E-01 | -0.0113 | 0.0216 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_L | -0.0005 | 2.57E-01 | -0.0016 | 0.0004 | 0.0413 | 0.00E+00 | 0.0246 | 0.0582 | -0.0135 | 2.57E-01 | -0.0426 | 0.0099 | 0.0408 | 0.00E+00 | 0.0240 | 0.0574 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0096 | 2.63E-01 | -0.0072 | 0.0263 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_R | -0.0011 | 1.50E-02 | -0.0022 | -0.0002 | 0.0389 | 0.00E+00 | 0.0222 | 0.0553 | -0.0298 | 1.50E-02 | -0.0723 | -0.0045 | 0.0378 | 0.00E+00 | 0.0212 | 0.0541 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0196 | 1.97E-02 | 0.0031 | 0.0361 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MD_Superior_corona_radiata_L | 0.0002 | 6.61E-01 | -0.0007 | 0.0012 | 0.0426 | 0.00E+00 | 0.0271 | 0.0579 | 0.0050 | 6.61E-01 | -0.0184 | 0.0286 | 0.0428 | 0.00E+00 | 0.0272 | 0.0580 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0037 | 6.57E-01 | -0.0201 | 0.0127 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MD_Superior_corona_radiata_R | 0.0000 | 9.32E-01 | -0.0009 | 0.0010 | 0.0466 | 0.00E+00 | 0.0305 | 0.0627 | 0.0004 | 9.32E-01 | -0.0206 | 0.0202 | 0.0467 | 0.00E+00 | 0.0307 | 0.0626 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0003 | 9.71E-01 | -0.0167 | 0.0161 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MD_Tapetum_L | 0.0005 | 3.13E-01 | -0.0005 | 0.0016 | 0.0356 | 0.00E+00 | 0.0184 | 0.0522 | 0.0139 | 3.13E-01 | -0.0136 | 0.0519 | 0.0361 | 0.00E+00 | 0.0187 | 0.0525 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0087 | 3.29E-01 | -0.0262 | 0.0088 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MD_Tapetum_R | 0.0001 | 8.42E-01 | -0.0008 | 0.0011 | 0.0375 | 0.00E+00 | 0.0216 | 0.0542 | 0.0026 | 8.42E-01 | -0.0255 | 0.0341 | 0.0376 | 0.00E+00 | 0.0218 | 0.0543 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0017 | 8.43E-01 | -0.0188 | 0.0154 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_L | 0.0014 | 4.00E-03 | 0.0005 | 0.0025 | 0.0242 | 4.00E-03 | 0.0088 | 0.0405 | 0.0545 | 7.00E-03 | 0.0162 | 0.1645 | 0.0256 | 3.00E-03 | 0.0101 | 0.0420 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0243 | 3.91E-03 | -0.0407 | -0.0078 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_R | 0.0012 | 1.60E-02 | 0.0002 | 0.0023 | 0.0274 | 1.00E-03 | 0.0116 | 0.0430 | 0.0413 | 1.70E-02 | 0.0079 | 0.1161 | 0.0285 | 1.00E-03 | 0.0128 | 0.0440 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0205 | 1.37E-02 | -0.0369 | -0.0042 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MO_Cingulum_cingulate_gyrus_R | -0.0016 | 2.00E-03 | -0.0028 | -0.0005 | -0.0201 | 2.70E-02 | -0.0372 | -0.0017 | 0.0721 | 1.60E-02 | 0.0170 | 0.3718 | -0.0217 | 1.40E-02 | -0.0388 | -0.0035 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0272 | 2.39E-03 | 0.0097 | 0.0448 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MO_Fornix | 0.0005 | 3.37E-01 | -0.0005 | 0.0015 | -0.0262 | 3.00E-03 | -0.0432 | -0.0094 | -0.0192 | 3.40E-01 | -0.0862 | 0.0236 | -0.0257 | 3.00E-03 | -0.0428 | -0.0089 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0086 | 3.34E-01 | -0.0260 | 0.0088 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_MO_Posterior_limb_of_internal_capsule_L | 0.0008 | 8.90E-02 | -0.0001 | 0.0020 | 0.0206 | 2.50E-02 | 0.0038 | 0.0376 | 0.0393 | 1.07E-01 | -0.0108 | 0.1887 | 0.0215 | 1.80E-02 | 0.0045 | 0.0384 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0147 | 1.04E-01 | -0.0324 | 0.0030 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_OD_Cerebral_peduncle_L | 0.0021 | 0.00E+00 | 0.0010 | 0.0034 | 0.0322 | 0.00E+00 | 0.0157 | 0.0487 | 0.0603 | 0.00E+00 | 0.0270 | 0.1375 | 0.0343 | 0.00E+00 | 0.0180 | 0.0506 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0360 | 4.96E-05 | -0.0534 | -0.0186 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_AD_Posterior_limb_of_internal_capsule_R | -0.0004 | 4.87E-01 | -0.0014 | 0.0006 | 0.0183 | 2.50E-02 | 0.0017 | 0.0347 | -0.0199 | 5.01E-01 | -0.1807 | 0.0637 | 0.0179 | 3.20E-02 | 0.0015 | 0.0343 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0062 | 4.87E-01 | -0.0113 | 0.0237 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_AD_Superior_corona_radiata_R | -0.0008 | 1.31E-01 | -0.0018 | 0.0002 | 0.0402 | 0.00E+00 | 0.0239 | 0.0566 | -0.0195 | 1.31E-01 | -0.0551 | 0.0053 | 0.0394 | 0.00E+00 | 0.0229 | 0.0560 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0134 | 1.26E-01 | -0.0038 | 0.0305 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_AD_Superior_corona_radiata_L | -0.0008 | 1.23E-01 | -0.0018 | 0.0002 | 0.0342 | 0.00E+00 | 0.0173 | 0.0505 | -0.0232 | 1.23E-01 | -0.0731 | 0.0063 | 0.0334 | 0.00E+00 | 0.0166 | 0.0495 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0135 | 1.23E-01 | -0.0036 | 0.0306 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_R | -0.0016 | 1.00E-03 | -0.0027 | -0.0006 | 0.0365 | 0.00E+00 | 0.0200 | 0.0523 | -0.0458 | 1.00E-03 | -0.1030 | -0.0157 | 0.0349 | 0.00E+00 | 0.0184 | 0.0507 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0279 | 6.71E-04 | 0.0118 | 0.0439 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_L | -0.0011 | 1.80E-02 | -0.0023 | -0.0002 | 0.0395 | 0.00E+00 | 0.0232 | 0.0557 | -0.0300 | 1.80E-02 | -0.0713 | -0.0050 | 0.0383 | 0.00E+00 | 0.0220 | 0.0548 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | 0.0200 | 1.82E-02 | 0.0034 | 0.0366 |
| PRSscz | Fluid intelligence | IDP_dMRI_TBSS_AD_Tapetum_L | 0.0007 | 1.68E-01 | -0.0002 | 0.0018 | 0.0278 | 1.00E-03 | 0.0099 | 0.0451 | 0.0247 | 1.69E-01 | -0.0098 | 0.0960 | 0.0285 | 1.00E-03 | 0.0110 | 0.0456 | -0.0574 | 2.79E-11 | -0.0743 | -0.0405 | -0.0123 | 1.68E-01 | -0.0297 | 0.0052 |
| [illegible] | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PRSscz | Well-being | IDP_dMRI_TBSS_MD_Cingulum_cingulate_gyrus_L | 0.0002 | 5.44E-01 | -0.0005 | 0.0010 | 0.0202 | 4.00E-02 | 0.0007 | 0.0399 | 0.0102 | 5.60E-01 | -0.0433 | 0.1039 | 0.0204 | 4.00E-02 | 0.0009 | 0.0403 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0062 | 5.45E-01 | -0.0138 | 0.0261 |
| PRSscz | Well-being | IDP_dMRI_TBSS_MD_Fornix | 0.0000 | 9.65E-01 | -0.0007 | 0.0006 | 0.0217 | 1.00E-02 | 0.0049 | 0.0378 | -0.0004 | 9.64E-01 | -0.0460 | 0.0443 | 0.0217 | 9.00E-03 | 0.0050 | 0.0378 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | -0.0002 | 9.79E-01 | -0.0172 | 0.0167 |
| PRSscz | Well-being | IDP_dMRI_TBSS_MD_Fornix_cres+Stria_terminalis_R | 0.0003 | 3.65E-01 | -0.0003 | 0.0010 | 0.0271 | 5.00E-03 | 0.0077 | 0.0453 | 0.0114 | 3.68E-01 | -0.0139 | 0.0585 | 0.0274 | 7.00E-03 | 0.0080 | 0.0458 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0093 | 3.26E-01 | -0.0093 | 0.0280 |
| PRSscz | Well-being | IDP_dMRI_TBSS_MD_Genu_of_corpus_callosum | -0.0003 | 2.88E-01 | -0.0011 | 0.0003 | 0.0215 | 2.10E-02 | 0.0028 | 0.0398 | -0.0161 | 3.04E-01 | -0.1176 | 0.0191 | 0.0211 | 2.40E-02 | 0.0026 | 0.0392 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | -0.0101 | 2.94E-01 | -0.0290 | 0.0088 |
| PRSscz | Well-being | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_L | -0.0001 | 6.90E-01 | -0.0008 | 0.0006 | 0.0276 | 5.00E-03 | 0.0087 | 0.0465 | -0.0046 | 6.94E-01 | -0.0447 | 0.0254 | 0.0275 | 6.00E-03 | 0.0086 | 0.0463 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | -0.0037 | 7.05E-01 | -0.0230 | 0.0156 |
| PRSscz | Well-being | IDP_dMRI_TBSS_MD_Posterior_corona_radiata_R | 0.0000 | 9.39E-01 | -0.0007 | 0.0006 | 0.0240 | 9.00E-03 | 0.0043 | 0.0429 | -0.0009 | 9.43E-01 | -0.0510 | 0.0394 | 0.0240 | 1.00E-02 | 0.0043 | 0.0427 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | -0.0007 | 9.46E-01 | -0.0196 | 0.0183 |
| PRSscz | Well-being | IDP_dMRI_TBSS_MD_Superior_corona_radiata_L | 0.0003 | 3.10E-01 | -0.0003 | 0.0010 | 0.0345 | 0.00E+00 | 0.0159 | 0.0524 | 0.0087 | 3.10E-01 | -0.0097 | 0.0367 | 0.0348 | 0.00E+00 | 0.0162 | 0.0528 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0090 | 3.50E-01 | -0.0098 | 0.0278 |
| PRSscz | Well-being | IDP_dMRI_TBSS_MD_Superior_corona_radiata_R | 0.0001 | 7.07E-01 | -0.0005 | 0.0008 | 0.0344 | 0.00E+00 | 0.0150 | 0.0523 | 0.0033 | 7.07E-01 | -0.0165 | 0.0284 | 0.0345 | 0.00E+00 | 0.0150 | 0.0522 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0034 | 7.26E-01 | -0.0155 | 0.0223 |
| PRSscz | Well-being | IDP_dMRI_TBSS_MD_Tapetum_L | 0.0004 | 2.73E-01 | -0.0003 | 0.0012 | 0.0364 | 2.00E-03 | 0.0166 | 0.0565 | 0.0099 | 2.75E-01 | -0.0089 | 0.0425 | 0.0368 | 2.00E-03 | 0.0169 | 0.0569 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0108 | 2.89E-01 | -0.0092 | 0.0308 |
| PRSscz | Well-being | IDP_dMRI_TBSS_MD_Tapetum_R | -0.0001 | 7.93E-01 | -0.0008 | 0.0006 | 0.0330 | 0.00E+00 | 0.0127 | 0.0514 | -0.0022 | 7.93E-01 | -0.0336 | 0.0227 | 0.0329 | 0.00E+00 | 0.0123 | 0.0514 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | -0.0022 | 8.25E-01 | -0.0218 | 0.0174 |
| PRSscz | Well-being | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_L | 0.0005 | 1.27E-01 | -0.0001 | 0.0013 | 0.0180 | 5.70E-02 | -0.0006 | 0.0373 | 0.0258 | 1.66E-01 | -0.0237 | 0.1905 | 0.0185 | 5.10E-02 | -0.0002 | 0.0378 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0142 | 1.41E-01 | -0.0047 | 0.0332 |
| PRSscz | Well-being | IDP_dMRI_TBSS_MO_Anterior_limb_of_internal_capsule_R | 0.0001 | 7.54E-01 | -0.0005 | 0.0008 | 0.0262 | 5.00E-03 | 0.0079 | 0.0443 | 0.0038 | 7.57E-01 | -0.0264 | 0.0380 | 0.0263 | 5.00E-03 | 0.0081 | 0.0444 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0030 | 7.55E-01 | -0.0158 | 0.0217 |
| PRSscz | Well-being | IDP_dMRI_TBSS_MO_Cingulum_cingulate_gyrus_R | 0.0010 | 6.00E-03 | 0.0002 | 0.0020 | -0.0341 | 0.00E+00 | -0.0532 | -0.0142 | -0.0314 | 6.00E-03 | -0.0928 | -0.0075 | -0.0331 | 0.00E+00 | -0.0524 | -0.0131 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0309 | 2.60E-03 | 0.0108 | 0.0510 |
| PRSscz | Well-being | IDP_dMRI_TBSS_MO_Fornix | -0.0001 | 6.93E-01 | -0.0008 | 0.0006 | -0.0315 | 2.00E-03 | -0.0511 | -0.0113 | 0.0036 | 6.95E-01 | -0.0213 | 0.0380 | -0.0316 | 2.00E-03 | -0.0512 | -0.0114 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | -0.0034 | 7.38E-01 | -0.0235 | 0.0166 |
| PRSscz | Well-being | IDP_dMRI_TBSS_MO_Posterior_limb_of_internal_capsule_L | 0.0002 | 5.22E-01 | -0.0005 | 0.0010 | 0.0195 | 7.20E-02 | -0.0015 | 0.0396 | 0.0105 | 5.53E-01 | -0.0736 | 0.1028 | 0.0197 | 6.90E-02 | -0.0014 | 0.0395 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0061 | 5.53E-01 | -0.0141 | 0.0264 |
| PRSscz | Well-being | IDP_dMRI_TBSS_OD_Cerebral_peduncle_L | 0.0011 | 0.00E+00 | 0.0003 | 0.0021 | 0.0368 | 0.00E+00 | 0.0178 | 0.0562 | 0.0283 | 0.00E+00 | 0.0073 | 0.0721 | 0.0378 | 0.00E+00 | 0.0186 | 0.0569 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0319 | 1.59E-03 | 0.0121 | 0.0518 |
| PRSscz | Well-being | IDP_dMRI_TBSS_AD_Posterior_limb_of_internal_capsule_R | -0.0001 | 8.69E-01 | -0.0008 | 0.0007 | 0.0225 | 1.60E-02 | 0.0035 | 0.0418 | -0.0025 | 8.68E-01 | -0.0689 | 0.0495 | 0.0225 | 1.70E-02 | 0.0035 | 0.0414 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | -0.0017 | 8.70E-01 | -0.0217 | 0.0184 |
| PRSscz | Well-being | IDP_dMRI_TBSS_AD_Superior_corona_radiata_R | 0.0002 | 5.02E-01 | -0.0004 | 0.0010 | 0.0322 | 2.00E-03 | 0.0138 | 0.0512 | 0.0065 | 5.02E-01 | -0.0175 | 0.0404 | 0.0324 | 2.00E-03 | 0.0139 | 0.0515 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0062 | 5.36E-01 | -0.0135 | 0.0259 |
| PRSscz | Well-being | IDP_dMRI_TBSS_AD_Superior_corona_radiata_L | 0.0003 | 4.16E-01 | -0.0004 | 0.0011 | 0.0296 | 2.00E-03 | 0.0106 | 0.0485 | 0.0087 | 4.18E-01 | -0.0154 | 0.0481 | 0.0299 | 2.00E-03 | 0.0110 | 0.0488 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0077 | 4.41E-01 | -0.0119 | 0.0273 |
| PRSscz | Well-being | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_R | 0.0002 | 5.72E-01 | -0.0005 | 0.0009 | 0.0258 | 6.00E-03 | 0.0074 | 0.0440 | 0.0070 | 5.73E-01 | -0.0250 | 0.0495 | 0.0259 | 5.00E-03 | 0.0075 | 0.0441 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0054 | 5.69E-01 | -0.0131 | 0.0239 |
| PRSscz | Well-being | IDP_dMRI_TBSS_AD_Posterior_corona_radiata_L | 0.0000 | 9.05E-01 | -0.0006 | 0.0006 | 0.0299 | 1.00E-03 | 0.0114 | 0.0484 | 0.0014 | 9.06E-01 | -0.0287 | 0.0298 | 0.0300 | 1.00E-03 | 0.0113 | 0.0486 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0012 | 8.98E-01 | -0.0179 | 0.0203 |
| PRSscz | Well-being | IDP_dMRI_TBSS_AD_Tapetum_L | 0.0001 | 7.16E-01 | -0.0005 | 0.0009 | 0.0279 | 8.00E-03 | 0.0085 | 0.0475 | 0.0047 | 7.19E-01 | -0.0277 | 0.0501 | 0.0280 | 9.00E-03 | 0.0088 | 0.0477 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0039 | 6.99E-01 | -0.0160 | 0.0239 |
| PRSscz | Well-being | IDP_dMRI_TBSS_RD_Genu_of_corpus_callosum | -0.0001 | 8.60E-01 | -0.0007 | 0.0006 | 0.0226 | 2.30E-02 | 0.0034 | 0.0416 | -0.0023 | 8.59E-01 | -0.0558 | 0.0410 | 0.0225 | 2.30E-02 | 0.0031 | 0.0416 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | -0.0015 | 8.77E-01 | -0.0208 | 0.0177 |
| PRSscz | Well-being | IDP_dMRI_TBSS_RD_Fornix | 0.0000 | 9.75E-01 | -0.0006 | 0.0006 | 0.0251 | 3.00E-03 | 0.0076 | 0.0412 | -0.0003 | 9.75E-01 | -0.0335 | 0.0335 | 0.0251 | 2.00E-03 | 0.0077 | 0.0412 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | -0.0002 | 9.83E-01 | -0.0172 | 0.0168 |
| PRSscz | Well-being | IDP_dMRI_TBSS_RD_Inferior_cerebellar_peduncle_R | 0.0003 | 3.21E-01 | -0.0003 | 0.0012 | 0.0205 | 4.10E-02 | 0.0010 | 0.0401 | 0.0159 | 3.53E-01 | -0.0376 | 0.1136 | 0.0208 | 4.00E-02 | 0.0013 | 0.0406 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0099 | 3.27E-01 | -0.0099 | 0.0297 |
| PRSscz | Well-being | IDP_dMRI_TBSS_RD_Superior_corona_radiata_R | 0.0000 | 9.09E-01 | -0.0006 | 0.0007 | 0.0279 | 4.00E-03 | 0.0091 | 0.0465 | 0.0011 | 9.10E-01 | -0.0292 | 0.0331 | 0.0279 | 5.00E-03 | 0.0091 | 0.0466 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0009 | 9.23E-01 | -0.0181 | 0.0200 |
| PRSscz | Well-being | IDP_dMRI_TBSS_RD_Superior_corona_radiata_L | 0.0002 | 4.25E-01 | -0.0004 | 0.0010 | 0.0294 | 0.00E+00 | 0.0110 | 0.0478 | 0.0082 | 4.25E-01 | -0.0160 | 0.0417 | 0.0297 | 0.00E+00 | 0.0112 | 0.0481 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0073 | 4.54E-01 | -0.0117 | 0.0263 |
| PRSscz | Well-being | IDP_dMRI_TBSS_RD_Posterior_thalamic_radiation_R | 0.0001 | 7.10E-01 | -0.0006 | 0.0009 | 0.0320 | 4.00E-03 | 0.0127 | 0.0513 | 0.0040 | 7.08E-01 | -0.0203 | 0.0315 | 0.0322 | 4.00E-03 | 0.0128 | 0.0513 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0038 | 7.01E-01 | -0.0156 | 0.0232 |
| PRSscz | Well-being | IDP_dMRI_TBSS_RD_Posterior_thalamic_radiation_L | 0.0003 | 4.37E-01 | -0.0004 | 0.0010 | 0.0349 | 1.00E-03 | 0.0164 | 0.0552 | 0.0072 | 4.36E-01 | -0.0123 | 0.0336 | 0.0352 | 1.00E-03 | 0.0164 | 0.0554 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0075 | 4.45E-01 | -0.0118 | 0.0268 |
| PRSscz | Well-being | IDP_dMRI_TBSS_RD_Cingulum_cingulate_gyrus_R | -0.0002 | 5.99E-01 | -0.0009 | 0.0005 | 0.0261 | 1.00E-02 | 0.0065 | 0.0462 | -0.0069 | 6.02E-01 | -0.0546 | 0.0282 | 0.0260 | 9.00E-03 | 0.0064 | 0.0458 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | -0.0053 | 5.96E-01 | -0.0251 | 0.0144 |
| PRSscz | Well-being | IDP_dMRI_TBSS_RD_Cingulum_cingulate_gyrus_L | 0.0000 | 9.16E-01 | -0.0007 | 0.0007 | 0.0238 | 1.70E-02 | 0.0041 | 0.0426 | -0.0015 | 9.11E-01 | -0.0519 | 0.0415 | 0.0237 | 1.70E-02 | 0.0041 | 0.0425 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | -0.0010 | 9.18E-01 | -0.0207 | 0.0186 |
| PRSscz | Well-being | IDP_dMRI_TBSS_RD_Fornix_cres+Stria_terminalis_R | 0.0002 | 5.46E-01 | -0.0004 | 0.0009 | 0.0303 | 1.00E-03 | 0.0114 | 0.0480 | 0.0067 | 5.45E-01 | -0.0157 | 0.0394 | 0.0305 | 1.00E-03 | 0.0115 | 0.0481 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0061 | 5.07E-01 | -0.0120 | 0.0242 |
| PRSscz | Well-being | IDP_dMRI_TBSS_RD_Superior_fronto-occipital_fasciculus_R | 0.0007 | 1.40E-02 | 0.0001 | 0.0016 | 0.0297 | 1.00E-03 | 0.0106 | 0.0482 | 0.0242 | 1.50E-02 | 0.0037 | 0.0795 | 0.0305 | 1.00E-03 | 0.0113 | 0.0491 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0220 | 2.07E-02 | 0.0034 | 0.0407 |
| PRSscz | Well-being | IDP_dMRI_TBSS_RD_Superior_fronto-occipital_fasciculus_L | 0.0004 | 2.38E-01 | -0.0002 | 0.0011 | 0.0318 | 1.00E-03 | 0.0133 | 0.0495 | 0.0112 | 2.38E-01 | -0.0072 | 0.0461 | 0.0321 | 0.00E+00 | 0.0137 | 0.0497 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0107 | 2.58E-01 | -0.0079 | 0.0293 |
| PRSscz | Well-being | IDP_dMRI_TBSS_RD_Tapetum_R | 0.0000 | 9.88E-01 | -0.0007 | 0.0007 | 0.0368 | 0.00E+00 | 0.0160 | 0.0558 | 0.0006 | 9.88E-01 | -0.0231 | 0.0230 | 0.0368 | 0.00E+00 | 0.0160 | 0.0557 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0006 | 9.49E-01 | -0.0191 | 0.0204 |
| PRSscz | Well-being | IDP_dMRI_TBSS_RD_Tapetum_L | 0.0004 | 2.19E-01 | -0.0003 | 0.0012 | 0.0346 | 3.00E-03 | 0.0143 | 0.0544 | 0.0115 | 2.21E-01 | -0.0076 | 0.0490 | 0.0350 | 2.00E-03 | 0.0149 | 0.0545 | 0.0336 | 1.04E-03 | 0.0135 | 0.0536 | 0.0120 | 2.43E-01 | -0.0082 | 0.0322 |

Note: ACME = average causal mediation effects; ADE = average direct effects; Prop = proportion mediated; Total = total effects; Medfit = mediation model fit; Outfit = outcome model fit; *ACME P value* < 0.05/61/11 = $7.45 \times 10^{-5}$ was considered significant.

Abbreviation: AD, axial diffusivity; CI, confidence interval; dMRI, diffusional magnetic resonance imaging; FA, fractional anisotropy; ICVF, intracellular volume fraction; IDP, imaging-derived phenotype; ISOVF, isotropic volume fraction; L, left; MD, mean diffusivity; MO, mode of anisotropy; OD, orientation dispersion; $PRS_{SCZ}$, polygenic risk score for schizophrenia; R, right; RD, radial diffusivity; TBSS, tract-based spatial statistics.