

Reporting Summary

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our [Editorial Policies](#) and the [Editorial Policy Checklist](#).

Statistics

For all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.

n/a Confirmed

- ☐ ☒ The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
- ☐ ☒ A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
- ☐ ☒ The statistical test(s) used AND whether they are one- or two-sided
Only common tests should be described solely by name; describe more complex techniques in the Methods section.
- ☐ ☒ A description of all covariates tested
- ☐ ☒ A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
- ☐ ☒ A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
- ☐ ☒ For null hypothesis testing, the test statistic (e.g. F , t , r) with confidence intervals, effect sizes, degrees of freedom and P value noted
Give P values as exact values whenever suitable.
- ☒ ☐ For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
- ☒ ☐ For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
- ☐ ☒ Estimates of effect sizes (e.g. Cohen's d , Pearson's r), indicating how they were calculated

Our web collection on [statistics for biologists](#) contains articles on many of the points above.

Software and code

Policy information about [availability of computer code](#)

Data collection	A 32-channel continuous-wave near-infrared spectrometer (CW6 system, TechEn Inc., USA) was used for the optical brain imaging using infrared light at 690nm and 830nm.
Data analysis	Motion artifact detection and correction were performed using Savitzky-Golay filtering ¹¹⁴ and band-pass filtering (0.01-0.1Hz) in HOMER3 software (https://github.com/BUNPC/Homer3). Then, modified Beer-Lambert law was used to convert detectors' optical signals into changes in the oxyhemoglobin (HbO ₂) concentrations for the partial path-length factors of 6.4 (690nm) and 5.8 (830nm). The short separation channels (inter-optode distance of 8mm) captured the systemic physiological signals originating from non-cortical superficial regions. The averaged signal from the long separation channels (inter-optode distance of 30-40mm) measured the HbO ₂ changes at each of the following brain regions, LPFC, RPFC, LPMC, RPMC, SMA. Figure S5 in the supplementary materials shows an illustrative plot of the HbO ₂ time series. Granger causality using custom code measured the directed functional connectivity that provided the strength and direction of cortical information flow ⁵³ between a pair of brain regions the false discovery rate of 0.05 with Benjamini-Hochberg adjustment was performed using Matlab code in the Supplementary Materials (https://www.mathworks.com/matlabcentral/fileexchange/27418-fdr_bh). Multiplicity control for the path analysis was also based on false discovery rate of 0.05 with Benjamini-Hochberg adjustment using Matlab code in the Supplementary Materials (https://www.mathworks.com/matlabcentral/fileexchange/27418-fdr_bh).

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio [guidelines for submitting code & software](#) for further information.

Data

Policy information about [availability of data](#)

All manuscripts must include a [data availability statement](#). This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A description of any restrictions on data availability
- For clinical datasets or third party data, please ensure that the statement adheres to our [policy](#)

All processed data analyzed during this study are included in this published article (and its supplementary information files). The raw datasets and code generated during the current study are not publicly available due to ongoing project work but are available from the corresponding author on reasonable request.

Field-specific reporting

Please select the one below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.

☐ Life sciences ☒ Behavioural & social sciences ☐ Ecological, evolutionary & environmental sciences

For a reference copy of the document with all sections, see nature.com/documents/nr-reporting-summary-flat.pdf

Behavioural & social sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description	The human brain imaging study during a laparoscopic surgical training was approved by the Institutional Review Board of the Massachusetts General Hospital, University at Buffalo, and the Rensselaer Polytechnic Institute, USA. Individual data collected from seven experienced right-handed surgeons and six right-handed medical students during the performance of FLS pattern cutting tasks in a physical simulator and a VR simulator was used to determine Granger causal directed functional connectivity metric for each subject (seven experts, six novices) with each simulator technology (physical, VR).
Research sample	Convenience sampling recruited seven experienced right-handed surgeons (experts, 5th-year residents, and attending surgeons) and six right-handed medical students (novices, 1st- to 3rd-year residents) participated in the study.
Sampling strategy	Convenience sampling.
Data collection	All the subjects were instructed verbally with a standard set of instructions on how to complete the FLS pattern cutting task on the FLS-certified physical and the VR simulator ¹¹² . For the completion of the FLS pattern cutting task, the right-handed subjects were asked to grasp the gauze using the left grasper (for traction) and cut along (and within) the circular stamp with the right laparoscopic scissors (for cutting). The trial time starts when the subject touches the gauge and ends when the circular cut piece is removed from the gauge frame, and the participants were asked to cut the marked piece of gauze as quickly and as accurately as possible. The data collection was performed with a block design of rest and stimulus period (pattern cutting task) where after a rest period of 1 min (baseline data), the FLS pattern cutting task had to be completed or stopped within 5 min (task data). This was repeated five times (5 trials) for each participant in the repeated-measure study. The performance score for each trial was recorded based on the FLS metrics. A 32-channel continuous-wave near-infrared spectrometer (CW6 system, TechEn Inc., USA) was used for the optical brain imaging using infrared light at 690nm and 830nm. The optode montage consisted of eight long-distance and eight-short distance sources coupled to 16 detectors. Twenty-five long-distance (30-40mm) channels and eight short-distance (~8mm) channels measured brain activation and systemic physiological signals, respectively (brain regions listed in Table S1 in supplementary materials) that were assessed using the photon migration simulation in the AtlasViewer software ¹¹³ . Here, the photon migration forward matrix represents the sensitivity profile. We selected the average functional near-infrared spectroscopy (fNIRS) signal of the left and the right middle frontal gyrus for the prefrontal cortex activation, i.e., LPFC and RPFC, the left and the right precentral gyrus for the premotor/motor cortex activation, i.e., LPMC and RPMC, and the bilateral supplementary motor area complex for the supplementary motor area activation, i.e., SMA. Table S1 in supplementary materials provides the Montreal Neurological Institute and Hospital (MNI) coordinates. The optical fibers were duly arranged in a cap so that they do not obstruct the free movement of the participant during FLS task performance.
Timing	The data was collected from November 2014 until May 2015
Data exclusions	One expert and three novice were not included in this analysis.
Non-participation	None of the participants dropped out/declined the participation.
Randomization	We ad hoc defined surgical novices and experts on the basis of the number of laparoscopic procedures completed according to the literature and they were randomly allocated in the physical and virtual group.

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

Materials & experimental systems

n/a	Involved in the study
☐	☐ Antibodies
☐	☐ Eukaryotic cell lines
☐	☐ Palaeontology and archaeology
☐	☐ Animals and other organisms
☐	☒ Human research participants
☐	☐ Clinical data
☐	☐ Dual use research of concern

Methods

n/a	Involved in the study
☐	☐ ChIP-seq
☐	☐ Flow cytometry
☐	☐ MRI-based neuroimaging

Antibodies

Antibodies used

Describe all antibodies used in the study; as applicable, provide supplier name, catalog number, clone name, and lot number.

Validation

Describe the validation of each primary antibody for the species and application, noting any validation statements on the manufacturer's website, relevant citations, antibody profiles in online databases, or data provided in the manuscript.

Eukaryotic cell lines

Policy information about [cell lines](#)

Cell line source(s)

State the source of each cell line used.

Authentication

Describe the authentication procedures for each cell line used OR declare that none of the cell lines used were authenticated.

Mycoplasma contamination

Confirm that all cell lines tested negative for mycoplasma contamination OR describe the results of the testing for mycoplasma contamination OR declare that the cell lines were not tested for mycoplasma contamination.

Commonly misidentified lines
(See [ICLAC](#) register)

Name any commonly misidentified cell lines used in the study and provide a rationale for their use.

Palaeontology and Archaeology

Specimen provenance

Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information). Permits should encompass collection and, where applicable, export.

Specimen deposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

☐ Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Animals and other organisms

Policy information about [studies involving animals](#); [ARRIVE guidelines](#) recommended for reporting animal research

Laboratory animals

For laboratory animals, report species, strain, sex and age OR state that the study did not involve laboratory animals.

Wild animals

Provide details on animals observed in or captured in the field; report species, sex and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.

Field-collected samples

For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Human research participants

Policy information about [studies involving human research participants](#)

Population characteristics	See above.
Recruitment	<i>Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.</i>
Ethics oversight	The human study was approved by the Institutional Review Board of the Massachusetts General Hospital, University at Buffalo, and the Rensselaer Polytechnic Institute, USA.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about [clinical studies](#)

All manuscripts should comply with the ICMJE [guidelines for publication of clinical research](#) and a completed [CONSORT checklist](#) must be included with all submissions.

Clinical trial registration	<i>Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.</i>
Study protocol	<i>Note where the full trial protocol can be accessed OR if not available, explain why.</i>
Data collection	<i>Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.</i>
Outcomes	<i>Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.</i>

Dual use research of concern

Policy information about [dual use research of concern](#)

Hazards

Could the accidental, deliberate or reckless misuse of agents or technologies generated in the work, or the application of information presented in the manuscript, pose a threat to:

No	Yes
☐	☐ Public health
☐	☐ National security
☐	☐ Crops and/or livestock
☐	☐ Ecosystems
☐	☐ Any other significant area

Experiments of concern

Does the work involve any of these experiments of concern:

No	Yes
☐	☐ Demonstrate how to render a vaccine ineffective
☐	☐ Confer resistance to therapeutically useful antibiotics or antiviral agents
☐	☐ Enhance the virulence of a pathogen or render a nonpathogen virulent
☐	☐ Increase transmissibility of a pathogen
☐	☐ Alter the host range of a pathogen
☐	☐ Enable evasion of diagnostic/detection modalities
☐	☐ Enable the weaponization of a biological agent or toxin
☐	☐ Any other potentially harmful combination of experiments and agents

ChIP-seq

Data deposition

- ☐ Confirm that both raw and final processed data have been deposited in a public database such as [GEO](#).
- ☐ Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links

May remain private before publication.

For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.

Files in database submission

Provide a list of all files available in the database submission.

Genome browser session

(e.g. [UCSC](#))

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

Methodology

Replicates

Describe the experimental replicates, specifying number, type and replicate agreement.

Sequencing depth

Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.

Antibodies

Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.

Peak calling parameters

Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.

Data quality

Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.

Software

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

Flow Cytometry

Plots

Confirm that:

- ☐ The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).
- ☐ The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).
- ☐ All plots are contour plots with outliers or pseudocolor plots.
- ☐ A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation

Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.

Instrument

Identify the instrument used for data collection, specifying make and model number.

Software

Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.

Cell population abundance

Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.

Gating strategy

Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.

- ☐ Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

Magnetic resonance imaging

Experimental design

Design type

Indicate task or resting state; event-related or block design.

Design specifications

Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.

Behavioral performance measures

State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).

Acquisition

Imaging type(s)

Specify: functional, structural, diffusion, perfusion.

Field strength

Specify in Tesla

Sequence & imaging parameters

Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.

Area of acquisition

State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.

Diffusion MRI

☐ Used

☐ Not used

Preprocessing

Preprocessing software

Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).

Normalization

If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.

Normalization template

Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.

Noise and artifact removal

Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).

Volume censoring

Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.

Statistical modeling & inference

Model type and settings

Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).

Effect(s) tested

Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.

Specify type of analysis: ☐ Whole brain ☒ ROI-based ☐ Both

Anatomical location(s)

Describe how anatomical locations were determined (e.g. specify whether automated labeling algorithms or probabilistic atlases were used).

Statistic type for inference
(See [Eklund et al. 2016](#))

Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.

Correction

Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).

Models & analysis

n/a | Involved in the study

☐ ☒ Functional and/or effective connectivity

☐ ☐ Graph analysis

☐ ☐ Multivariate modeling or predictive analysis

Functional and/or effective connectivity

Granger Causality

Graph analysis

Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).

Multivariate modeling and predictive analysis

Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.