

In the format provided by the authors and unedited.

Prenatal development supports a single origin of laryngeal echolocation in bats

Zhe Wang^{1*}, Tengpeng Zhu², Huiling Xue¹, Na Fang², Junpeng Zhang², Libiao Zhang³, Jian Pang⁴, Emma C. Teeling^{5*†} and Shuyi Zhang^{1,2*†}

Supplementary Data Table 1 | Developmental stages and original data of cochlear and basicranial widths for all the specimens used in this study

Species name	Sample code	Developmental stage	BW (mm)	CW (mm)	BW/CW
<i>M. ricketti</i>	MR1	Early fetal	7.91	2.04	3.88
	MR2	Late fetal	9.12	2.23	4.09
	MR3-5	Adult (n = 3)	10.34	2.33	4.44
<i>M. schreibersii</i>	MS1	Early fetal	7.30	1.99	3.67
	MS2	Middle fetal	7.82	2.05	3.81
	MS3	Late fetal	8.02	2.05	3.91
	MS4	Late fetal	8.09	2.09	3.88
	MS5-9	Adult (n = 5)	8.63	2.14	4.03
<i>H. armiger</i>	HA1	Early fetal	11.22	3.08	3.65
	HA2	Early fetal	11.41	3.11	3.67
	HA3	Middle fetal	12.03	3.23	3.72
	HA4	Late fetal	12.38	3.24	3.81
	HA5	Late fetal	12.57	3.27	3.84
	HA6-9	Adult (n = 4)	13.85	3.37	4.11
<i>R. pusillus</i>	RP1	Early fetal	7.12	2.50	2.85
	RP2	Middle fetal	7.20	2.56	2.81
	RP3-6	Adult (n = 4)	7.43	2.62	2.83
<i>R. sinicus</i>	RS1	Early fetal	8.37	2.75	3.05
	RS2	Middle fetal	8.50	2.81	3.02
	RS3	Late fetal	8.75	2.87	3.04
	RS4-6	Adult (n = 3)	8.93	2.96	3.02
<i>C. sphinx</i>	CS1	Early fetal	9.18	2.28	4.03
	CS2	Middle fetal	9.53	2.31	4.12
	CS3	Middle fetal	9.81	2.28	4.30
	CS4	Postnatal day 1 (P1)	10.71	2.31	4.64
	CS5-8	Adult (n = 4)	12.56	2.36	5.32
<i>R. leschenaulti</i>	RL1	Early fetal	9.36	2.24	4.18
	RL2	Middle fetal	10.26	2.31	4.44
	RL3	Middle fetal	11.09	2.37	4.68
	RL4	Middle fetal	11.28	2.34	4.82
	RL5	Late fetal	11.93	2.40	4.97
	RL6	Late fetal	12.25	2.40	5.10
	RL7-11	Adult (n = 5)	14.00	2.41	5.81
<i>F. catus</i>	FC1	P2	21.54	3.85	5.60
	FC2	P3	21.80	3.85	5.67
	FC3	P17	24.11	3.98	6.06
	FC4	Adult (n = 1)	37.65	6.06	6.21
<i>E. amurensis</i>	EA1	P10	13.81	2.31	5.97
	EA2	P150	18.69	2.53	7.40
	EA3	Adult (n = 1)	19.57	2.59	7.56
<i>O. cuniculus</i>	OC1	P7	18.27	3.12	5.86
	OC2	P10	18.94	3.22	5.88
	OC3	P14	21.12	3.41	6.19
	OC4	P18	21.68	3.46	6.27
	OC5	P22	21.78	3.50	6.22
	OC6	P26	22.35	3.55	6.29
	OC7	P34	22.60	3.56	6.35
	OC8-10	Adult (n = 3)	28.28	3.67	7.70

<i>R. norvegicus</i>	RN1	P9	12.37	2.03	6.09
	RN2	P15	12.68	2.06	6.16
	RN3	P23	13.37	2.09	6.40
	RN4	P30	14.30	2.08	6.88
	RN5	P43	14.68	2.08	7.06
	RN6	P59	15.34	2.13	7.20
	RN7	P85	16.00	2.18	7.34
	RN8-12	Adult (n = 5)	17.04	2.33	7.32
<i>M. musculus</i>	MM1	P7	8.12	1.41	5.76
	MM2	P10	8.56	1.44	5.94
	MM3	P16	8.73	1.42	6.15
	MM4	P20	8.87	1.45	6.12
	MM5	P32	9.19	1.48	6.21
	MM6-10	Adult (n = 5)	9.63	1.52	6.34

Adult data is the mean value of the specimens. P: postnatal day.