

Rapid submarine caldera collapse during the 2022 climactic eruption of Hunga volcano (Tonga)

In the format provided by the
authors and unedited

Reference list for Supplementary Table 1

1. Moore, R.B. (1990). Volcanic geology and eruption frequency, São Miguel, Azores. *Bull Volcanol* 52, 602–614 . <https://doi.org/10.1007/BF00301211>
2. Aramaki (1984) Formation of the Aira Caldera, southern Kyushu, ~22,000 years ago, *J. Geophys. Res.*, 89(B10), 8485–8501, doi:10.1029/JB089iB10p08485.
3. Nagaoka S., Okuno, M., Arai, F. (2001). Tephrostratigraphy and eruptive history of the Aira caldera volcano during 100–30 ka, Kyushu, Japan. *Journal of the Geological Society of Japan*, 107(7), 432–450. <https://doi.org/10.5575/geosoc.107.432>
4. Geshi, N., Yamasaki, T., Miyagi, I. et al. (2021). Magma chamber decompression during explosive caldera-forming eruption of Aira caldera. *Commun Earth Environ* 2, 200 . <https://doi.org/10.1038/s43247-021-00272-x>
5. Geshi, N., Yamada, I., Matsumoto, K. et al. (2020). Accumulation of rhyolite magma and triggers for a caldera-forming eruption of the Aira Caldera, Japan. *Bull Volcanol* 82, 44. <https://doi.org/10.1007/s00445-020-01384-6>
6. Munro, D. C., and Rowland, S. K. (1996). Caldera morphology in the western Galápagos and implications for volcano eruptive behavior and mechanisms of caldera formation. *J. Volcanol. Geother. Res.* 72, 85–100. 10.1016/0377-0273(95)00076-3
7. Naumann, T., Geist, D. (2000). Physical volcanology and structural development of Cerro Azul Volcano, Isabela Island, Galápagos: implications for the development of Galápagos-type shield volcanoes. *Bulletin of Volcanology* 61, 497–514. <https://doi.org/10.1007/s004450050001>
8. Verma, S.P. Carrasco-Nuñez, G., Milán, M. (1991). Geology and geochemistry of Amealco Caldera, Qro., Mexico, *Journal of Volcanology and Geothermal Research* 47, 105–127, [https://doi.org/10.1016/0377-0273\(91\)90104-8](https://doi.org/10.1016/0377-0273(91)90104-8).
9. Larsen, J.F. (2006). Rhyodacite magma storage conditions prior to the 3430 yBP caldera-forming eruption of Aniakchak volcano, Alaska. *Contrib Mineral Petrol* 152, 523–540 . <https://doi.org/10.1007/s00410-006-0121-4>
10. Miller, T., Smith, R. (1987). Late Quaternary caldera-forming eruptions in the eastern Aleutian volcanic arc, Alaska. *Geology* 15, 434–438.
11. Neal, C., McGimsey, R.G., Miller, T.P., Riehle, J.R., Waythomas, C.F. (2001). Preliminary volcano-hazard assessment for Aniakchak Volcano, Alaska. U.S. Geological Survey Open-File Report OF 00-0519.
12. Sussman, D. (1985). Apoyo caldera, Nicaragua: A major quaternary silicic eruptive center, *Journal of Volcanology and Geothermal Research*, 24, 249–282, [https://doi.org/10.1016/0377-0273\(85\)90072-1](https://doi.org/10.1016/0377-0273(85)90072-1).
13. Gudmundsson, A., and Nilsen, K. (2006). Ring-faults in composite volcanoes: structures, models and stress fields associated with their formation. *Geol. Soc. Lon. Spec. Pub.* 269, 83–108. 10.1144/GSL.SP.2006.269.01.06

14. Sigvaldason, G. E. (2002). Volcanic and tectonic processes coinciding with glaciation and crustal rebound: an early Holocene rhyolitic eruption in the Dyngjufjöll volcanic centre and the formation of the Askja caldera, north Iceland. *Bull Volcanol* 64, 192–205. <https://doi.org/10.1007/s00445-002-0204-7>.
15. Greenfield, T., White, R. S., Roecker, S. (2016). The magmatic plumbing system of the Askja central volcano, Iceland, as imaged by seismic tomography, *J. Geophys. Res. Solid Earth*, 121, 7211–7229, doi:10.1002/2016JB013163.
16. Machida, H., and Arai, F. (2003). Atlas of Tephra in and around Japan (Revised Edition). University of Tokyo Press, Tokyo, (336 pp. in Japanese with English abstract).
17. Miyabuchi, Y. (2009). A 90,000-year tephrostratigraphic framework of Aso Volcano, Japan. *Sediment. Geol.* 220, 169–189.
18. Abe, Y., T. Ohkura, T. Shibutani, K. Hirahara, and M. Kato (2010). Crustal structure beneath Aso Caldera, Southwest Japan, as derived from receiver function analysis, *J. Volcanol. Geotherm. Res.*, 195, 1–12, doi:10.1016/j.jvolgeores.2010.05.011.
19. Sudo, Y., Kong, L. (2001). Three-dimensional seismic velocity structure beneath Aso Volcano, Kyushu, Japan. *Bull Volcanol* 63, 326–344.
20. Komazawa, M. (1995). Gravimetric Analysis of Aso Volcano and its Interpretation, *Journal of the Geodetic Society of Japan*, Volume 41, Issue 1, Pages 17-45.
21. Newhall, C.G. (1987). Geology of the Lake Atitlan region, western Guatemala. In: S.N. Williams and M.J. Cart (Editors), Richard E. Stoiber 75th Birthday Volume. *J. Volcanol. Geotherm. Res.*, 33: 23-55.
22. Sweetkind, D. S., Reynolds, R. L., Sawyer, D. A., Rosenbaum, J. G. (1993). Effects of hydrothermal alteration on the magnetization of the Oligocene Carpenter Ridge Tuff, Bachelor Caldera, San Juan Mountains, Colorado, *J. Geophys. Res.*, 98(B4), 6255–6266.
23. Reubi, O., Nicholls, I.A. (2004). Magmatic evolution at Batur volcanic field, Bali, Indonesia: petrological evidence for polybaric fractional crystallization and implications for caldera-forming eruptions, *Journal of Volcanol. and Geothermal Res.*, 138, 345-369.
24. Ulusoy, I., Çubukçu, E. Aydar, E., Labazuy, P., Gourgau, A., Vincent, P.M. (2004). Volcanic and deformation history of the Bodrum resurgent caldera system (southwestern Turkey) *J. Volcanol. Geotherm. Res.*, 136, pp. 71-96
25. Acocella, V., Palladino, D.M., Cioni, R., Russo, P., Sime, S. (2012). Caldera structure, amount of collapse, and erupted volumes: The case of Bolsena caldera, Italy. *GSA Bulletin*, 124 (9-10): 1562–1576. doi: <https://doi.org/10.1130/B30662.1>
26. Leonov, V.L., Grib, E.N. (2014). The Bol'shoi Semyachik Volcanic Massif, Kamchatka: Geological structure and structural setting. *J. Volcanolog. Seismol.* 8, 1–16.
27. Grib, E.N., Leonov, V.L. & Perepelov, A.B. (2015). The Bol'shoi Semyachik volcanic massif, Kamchatka: Composition of the rocks and minerals, and petrogenesis. *J. Volcanolog. Seismol.* 9, 81–103. <https://doi.org/10.1134/S0742046315020037>

28. Lipman, P.W., Zimmerer, M.J., McIntosh, W.C. (2015). An ignimbrite caldera from the bottom up: Exhumed floor and fill of the resurgent Bonanza caldera, Southern Rocky Mountain volcanic field, Colorado. *Geosphere*, 11 (6): 1902–1947.
29. Parker, D.F., White, J.C. (2008). Large-scale silicic alkalic magmatism associated with the Buckhorn Caldera, Trans-Pecos Texas, USA: comparison with Pantelleria, Italy. *Bull Volcanol* 70, 403–415. <https://doi.org/10.1007/s00445-007-0145-2>
30. Komazawa, M., Pantig, J., Listanco, E.L. (2014). Caldera structure inferred from gravity basement around Bulusan Volcano, southern Luzon, Philippines. *Journal of Geography (Chigaku Zasshi)*, 123, pp.133-142.
31. Senterfit, R.M., Ratté, J.C., Kamilli, R.J., Klein, D.P. (1996). Audiomagnetotelluric study of the Bursum caldera and Mogollon mining district, southwest New Mexico (No. 96-37). US Geological Survey.
32. Molina, F., Martí, J., Aguirre, G., Vega, E., Chavarría, L. (2014). Stratigraphy and structure of the Cañas Dulces caldera (Costa Rica). *GSA Bulletin*, 126 (11-12): 1465–1480. doi: <https://doi.org/10.1130/B31012.1>
33. Gardner, J., Tait, S. (2000). The caldera-forming eruption of Volcán Ceboruco, Mexico. *Bull Volcanol* 62, 20–33. <https://doi.org/10.1007/s004450050288>
34. Teasdale, R., Geist, D., Kurz, M. et al. (2005), 1998 Eruption at Volcán Cerro Azul, Galápagos Islands: I. Syn-Eruptive Petrogenesis. *Bull Volcanol* 67, 170–185. <https://doi.org/10.1007/s00445-004-0371-9>
35. Grocke, S.B., Andrews, B.J. and de Silva, S.L. (2017). Experimental and petrological constraints on long-term magma dynamics and post-climactic eruptions at the Cerro Galán caldera system, NW Argentina. *Journal of Volcanology and Geothermal Research*, 347, pp.296-311.
36. Folkes, C.B., Wright, H.M., Cas, R.A.F. et al. (2011). A re-appraisal of the stratigraphy and volcanology of the Cerro Galán volcanic system, NW Argentina. *Bull Volcanol* 73, 1427–1454. <https://doi.org/10.1007/s00445-011-0459-y>
37. Ort, M.H. (1993). Eruptive processes and caldera formation in a nested downsagcollapse caldera: Cerro Panizos, central Andes Mountains. *Journal of Volcanology and Geothermal Research*, 56(3), pp.221-252.
38. Gail, M., Hildreth, W. (1983). Nested calderas and trapdoor uplift at Pantelleria, Strait of Sicily. *Geology*, 11 (12): 722–726. doi: <https://doi.org/10.1130/0091-7613>
39. Rose, W., Conway, F., Pullinger, C. et al. (1999). An improved age framework for late Quaternary silicic eruptions in northern Central America. *Bull Volcanol* 61, 106–120.
40. Giordano, G., De Benedetti, A.A., Diana, A., Diano, G., Gaudio, F., Marasco, F., Miceli, M., Mollo, S., Cas, R.A.F. and Funicello, R. (2006). The Colli Albani mafic caldera (Roma, Italy): stratigraphy, structure and petrology. *Journal of Volcanology and Geothermal Research*, 155(1-2), pp.49-80.

41. Dambly, M.L., Samrock, F., Grayver, A., Eysteinnsson, H. Saar, M.O. (2024). Geophysical imaging of the active magmatic intrusion and geothermal reservoir formation beneath the Corbetti prospect, Main Ethiopian Rift. *Geophysical Journal International*, 236(3), pp.1764-1781.
42. Ball, E. and Glucksman, J. (1980), A limnological survey of Lake Dakataua, a large caldera lake on West New Britain, Papua New Guinea, with comparisons to Lake Wisdom, a younger nearby caldera lake. *Freshwater Biology*, 10: 73-84.
<https://doi.org/10.1111/j.1365-2427.1980.tb01182.x>
43. Martí, J., Geyer, A., Aguirre-Díaz, G. (2013). Origin and evolution of the Deception Island caldera (South Shetland Islands, Antarctica). *Bull Volcanol* 75, 732.
<https://doi.org/10.1007/s00445-013-0732-3>
44. Hunt, J. A., Pyle, D. M., & Mather, T. A. (2019). The geomorphology, structure, and lava flow dynamics of peralkaline rift volcanoes from high-resolution digital elevation models. *Geochemistry, Geophysics, Geosystems*, 20, 1508–1538.
<https://doi.org/10.1029/2018GC008085>
45. Temtime, T., Biggs, J., Lewi, E. and Ayele, A. (2020). Evidence for active rhyolitic dike intrusion in the northern Main Ethiopian Rift from the 2015 Fentale seismic swarm. *Geochemistry, Geophysics, Geosystems*, 21(6), p.e2019GC008550.
46. Bell, A.F., Ebmeier, S.K., Hernandez, S., Eaton, E., Zhang, X., LaFemina, P., Bean, C. and Ruiz, M. (2025). Magma ascent and accumulation drives surface deformation and ring fault seismicity preceding the 2024 eruption of Fernandina Volcano, Galápagos Islands. *Journal of Geophysical Research: Solid Earth*, 130(12), p.e2025JB032595.
47. Stelling, P., Gardner, J.E. and Begét, J. (2005). Eruptive history of Fisher caldera, Alaska, USA. *Journal of Volcanology and Geothermal Research*, 139(3-4), pp.163-183.
48. Jeffery, A.J., Gertisser, R., O'Driscoll, B., Pacheco, J.M., Whitley, S., Pimentel, A. and Self, S. (2016). Temporal evolution of a post-caldera, mildly peralkaline magmatic system: Furnas volcano, São Miguel, Azores. *Contributions to Mineralogy and Petrology*, 171(5), p.42.
49. Erlich, E. (1986). Geology of the calderas of Kamchatka and Kurile Islands with comparison to calderas of Japan and the Aleutians, Alaska (No. 86-291). US Geological Survey.
50. Fridrich, C. J., Mahood. G. A. (1987). Compositional layers in the zoned magma chamber of the Grizzly Peak Tuff. *Geology*; 15 (4): 299–303. doi:
[https://doi.org/10.1130/0091-7613\(1987\)15<299:CLITZM>2.0.CO;2](https://doi.org/10.1130/0091-7613(1987)15<299:CLITZM>2.0.CO;2)
51. Hallinan, S. (1993). Nonchaotic collapse at funnel calderas: Gravity study of the ring fractures at Guayabo caldera, Costa Rica. *Geology*; 21 (4): 367–370. doi:
[https://doi.org/10.1130/0091-7613\(1993\)021<0367:NCAFCG>2.3.CO;2](https://doi.org/10.1130/0091-7613(1993)021<0367:NCAFCG>2.3.CO;2)
52. Cigolini, C., Taticchi, T., Alvarado, G.E., Laiolo, M. Coppola, D. (2018). Geological, petrological and geochemical framework of Miravalles-Guayabo caldera and related lavas, NW Costa Rica. *Journal of Volcanol and Geothermal Res*, 358, pp.207-227.

53. Yukutake, Y., Abe, Y., Honda, R., Sakai, S. (2021). Magma reservoir and magmatic feeding system beneath Hakone volcano, central Japan, revealed by highly resolved velocity structure. *Journal of Geophysical Research: Solid Earth*, 126, e2020JB021236. <https://doi.org/10.1029/2020JB021236>
54. Tucker, D., Hildreth, W., Ullrich, T. and Friedman, R. (2007). Geology and complex collapse mechanisms of the 3.72 Ma Hannegan caldera, North Cascades, Washington, USA. *Geological Society of America Bulletin*, 119(3-4), pp.329-342.
55. Miyagi, I., Kita, N. Morishita, Y. (2017) The geochemical and petrological characteristics of prenatal caldera volcano: a case of the newly formed small dacitic caldera, Hijiori, Northeast Japan. *Contrib Mineral Petrol* 172, 79. <https://doi.org/10.1007/s00410-017-1391-8>
56. Saxby, J., Gottsmann, J., Cashman, K. et al. (2016) Magma storage in a strike-slip caldera. *Nat Commun* 7, 12295. <https://doi.org/10.1038/ncomms12295>
57. Goss, A.R., Kay, S.M., Mpodozis, C. and Singer, B.S. (2009). The Incapillo Caldera and Dome Complex (~ 28 S, central Andes): A stranded magma chamber over a dying arc. *Journal of volcanology and geothermal research*, 184(3-4), pp.389-404.
58. Fierstein, J. and Hildreth, W. (2008). Kaguyak dome field and its Holocene caldera, Alaska Peninsula. *Journal of volcanology and geothermal research*, 177(2), pp.340-366.
59. Bachèlery, P., Morin, J., Villeneuve, N., Soulé, H., Nassor, H., Ali, A.R. (2015). Structure and eruptive history of Karthala volcano. In *Active volcanoes of the southwest Indian Ocean: Piton de la Fournaise and Karthala* (pp. 345-366). Berlin, Heidelberg: Springer Berlin Heidelberg.
60. Tatsumi, Y., Suzuki-Kamata, K., Matsuno, T., Ichihara, H., Seama, N., Kiyosugi, K., Nakaoka, R., Nakahigashi, K., Takizawa, H., Hayashi, K., Chiba, T. (2018). Giant rhyolite lava dome formation after 7.3 ka supereruption at Kikai caldera, SW Japan. *Scientific Reports*, 8(1), p.2753.
61. Rampey, M.L., Oppenheimer, C., Pyle, D.M. Yirgu, G. (2010). Caldera-forming eruptions of the Quaternary Kone volcanic complex, Ethiopia. *Journal of African Earth Sciences*, 58(1), pp.51-66.
62. Árnason, K. (2020). New conceptual model for the magma-hydrothermal-tectonic system of Krafla, NE Iceland. *Geosciences*, 10(1), p.34.
63. Deplus, C., Bonvalot, S., Dahrin, D., Diamant, M., Harjono, H. and Dubois, J. (1995). Inner structure of the Krakatau volcanic complex (Indonesia) from gravity and bathymetry data. *Journal of Volcanology and Geothermal Research*, 64(1-2), pp.23-5
64. Hildreth, W. (1996). Kulshan caldera: A Quaternary subglacial caldera in the North Cascades, Washington. *Geological Society of America Bulletin*, 108(7), pp.786-793.
65. Goto, Y. and McPhie, J. (2018). Tectonics, structure, and resurgence of the largest Quaternary caldera in Japan: Kutcharo, Hokkaido. *Bulletin*, 130(7-8), pp.1307-1322.

66. Stern, S. (2025). Discovery of a climate forcing eruption at Kuwae, Vanuatu. PhD thesis, University of Auckland, New Zealand
67. Lipman, P. (1997). Subsidence of ash-flow calderas: relation to caldera size and magma-chamber geometry. *Bull Volcanol* 59, 198–218. <https://doi.org/10.1007/s00445005018>
68. Petrinovic, I.A., Hernando, I.R. Guzmán, S.R. (2021). Miocene to Recent collapse calderas of the southern and central volcanic zones of the Andes and their tectonic constraints. *Int J Earth Sci (Geol Rundsch)* 110, 2399–2434. <https://doi.org/10.1007/s00531-020-01974-x>
69. Alatorre-Zamora, M.A. and Campos-Enriquez, J.O. (1991). La Primavera Caldera (Mexico); structure inferred from gravity and hydrogeological considerations. *Geophysics*, 56(7), pp.992-1002.
70. Naranjo, J.A., Villa, V., Ramírez, C. and Pérez de Arce, C. (2018). Volcanism and tectonism in the southern Central Andes: Tempo, styles, and relationships. *Geosphere*, 14(2), pp.626-641.
71. Lipman, P.W. (1976). Caldera-collapse breccias in the western San Juan Mountains, Colorado. *Geological Society of America Bulletin*, 87(10), pp.1397-1410.
72. Martí, J. (2019). Las Cañadas caldera, Tenerife, Canary Islands: A review, or the end of a long volcanological controversy. *Earth-Science Reviews*, 196, p.102889.
73. Becerril, L., Galindo, I., Gudmundsson, A. Morales, J.M. (2013). Depth of origin of magma in eruptions. *Scientific reports*, 3(1), p.2762.
74. Landi, P. and D’Oriano, C. (2020). The Onano eruption (Latera volcano, Central Italy): an example of magma mixing/mingling as dominant process in a caldera-forming eruption. *Contributions to Mineralogy and Petrology*, 175(9), p.84.
75. Norini, G., Carrasco-Núñez, G., Corbo-Camargo, F., Lermo, J., Rojas, J.H., Castro, C., Bonini, M., Montanari, D., Corti, G., Moratti, G., Piccardi, L. (2019). The structural architecture of the Los Humeros volcanic complex and geothermal field. *Journal of Volcanology and Geothermal Research*, 381, pp.312-329.
76. Hadiwidjoyo, M.M., Sjachrudin, M.L. and Suparka, S. (1979). The volcano-tectonic history of the Maninjau caldera, western Sumatra, Indonesia. *Netherlands Journal of Geosciences*, pp.193-200.
77. Katsui, Y., Ando, S. and Inaba, K. (1975). Formation and magmatic evolution of Mashu volcano, east Hokkaido, Japan. *Journal of the Faculty of Science, Hokkaido University. Series 4, Geology and mineralogy*, 16(4), pp.533-552.
78. Henry, C.D., Castor, S.B., Starkel, W.A., Ellis, B.S., Wolff, J.A., Laravie, J.A., McIntosh, W.C. and Heizler, M.T. (2017). Geology and evolution of the McDermitt caldera, northern Nevada and southeastern Oregon, western USA. *Geosphere*, 13(4), pp.1066-1112.
79. Steven, T. A., Rowley, P. D., Cunningham, C. G. (1984). Calderas of the Marysvale Volcanic Field, west central Utah, *J. Geophys. Res.*, 89(B10), 8751–8764,

80. Bowles-Martinez, E. and Schultz, A. (2020). Composition of magma and characteristics of the hydrothermal system of Newberry volcano, Oregon, from Magnetotellurics. *Geochemistry, Geophysics, Geosystems*, 21(3), p.e2019GC008831.
81. Caliro, S., Chiodini, G., Galluzzo, D., Granieri, D., La Rocca, M., Saccorotti, G. Ventura, G. (2005). Recent activity of Nisyros volcano (Greece) inferred from structural, geochemical and seismological data. *Bulletin of Volcanology*, 67(4), pp.358-369.
82. Bachmann, O., Deering, C.D., Ruprecht, J.S., Huber, C., Skopelitis, A. Schnyder, C. (2012). Evolution of silicic magmas in the Kos-Nisyros volcanic center, Greece: a petrological cycle associated with caldera collapse. *Contributions to Mineralogy and Petrology*, 163(1), pp.151-166.
83. Spinks, K.D., Acocella, V., Cole, J.W. and Bassett, K.N. (2005). Structural control of volcanism and caldera development in the transtensional Taupo Volcanic Zone, New Zealand. *Journal of Volcanology and Geothermal Research*, 144(1-4), pp.7-22.
84. Bannister, S., Bertrand, E.A., Heimann, S., Bourguignon, S., Asher, C., Shanks, J. and Harvison, A. (2022). Imaging sub-caldera structure with local seismicity, Okataina Volcanic Centre, Taupo Volcanic Zone, using double-difference seismic tomography. *Journal of Volcanology and Geothermal research*, 431, p.107653.
85. Kasatkina, E., Koulakov, I., Grapenthin, R., Izbekov, P., Larsen, J.F., Al Arifi, N., Qaysi, S.I. (2022). Multiple magma sources beneath the Okmok caldera as inferred from local earthquake tomography. *Journal of Geophysical Research: Solid Earth*, 127(10), p.e2022JB024656.
86. Mutonga, M. (2013). The Geology of Paka Volcano, and its Implication on Geothermal. *Geothermal Resources Council Transactions*, pp.431-436.
87. Kaiser, J.F. (2014). Understanding large resurgent calderas and associated magma systems: the Pastos Grandes Caldera Complex, southwest Bolivia.
88. Stix, J. and Kobayashi, T. (2008). Magma dynamics and collapse mechanisms during four historic caldera-forming events. *Journal of Geophysical Research: Solid Earth*, 113(B9).
89. Gilmer, A.K., Thompson, R.A., Lipman, P.W., Vazquez, J.A. and Souders, A.K. (2021). Postcaldera intrusive magmatism at the Platoro caldera complex, Southern Rocky Mountain volcanic field, Colorado, USA. *Geosphere*, 17(3), pp.898-931.
90. Finlayson, D.M., Gudmundsson, O., Itikarai, I., Nishimura, Y. and Shimamura, H. (2003). Rabaul volcano, Papua New Guinea: seismic tomographic imaging of an active caldera. *Journal of Volcanology and Geothermal Research*, 124(3-4), pp.153-171.
91. Hunt, T.M. (1992). Gravity anomalies, caldera structure, and subsurface geology in the Rotorua area, New Zealand. *Geothermics*, 21(1-2), pp.65-74.
92. Milner, D., Cole, J. Wood, C. (2002). Asymmetric, multiple-block collapse at Rotorua Caldera, Taupo Volcanic Zone, New Zealand. *Bull Volcanol* 64, 134–149.
<https://doi.org/10.1007/s00445-001-0191-0>

93. Roche, O. and Druitt, T.H. (2001). Onset of caldera collapse during ignimbrite eruptions. *Earth and Planetary Science Letters*, 191(3-4), pp.191-202.
94. Johnston, E.N., Sparks, R.S.J., Phillips, J.C., Carey, S. (2014) Revised estimates for the volume of the Late Bronze Age Minoan eruption, Santorini, Greece. *Journal of the Geological Society* 171: 583–590
95. Coombs, M.L., Larsen, J.F. Neal, C.A. (2018). Postglacial eruptive history and geochemistry of Semisopochnoi volcano, western Aleutian Islands, Alaska (No. 2017-5150). US Geological Survey.
96. Wassihun, S., Alemu, A., Nigussie, W., Mickus, K., Keir, D., Wendwesen, S. Wuletawu, H. (2025). Subsurface magmatic structure beneath the nested Awasa-Corbetti caldera complex, Main Ethiopian Rift, as determined from gravity data. *Journal of African Earth Sciences*, p.105891.
97. Yokoyama, I. (1987). A quantitative consideration of several calderas for study of their formation. *Geofisica Internacional*, 26(4), pp.487-498.
98. Boehrer, B., Fukuyama, R., Chikita, K. Kikukawa, H. (2009). Deep water stratification in deep caldera lakes Ikeda, Towada, Tazawa, Kuttara, Toya and Shikotsu. *Limnology*, 10(1), pp.17-24.
99. Ferguson, J.F., Cogbill, A.H., Warren, R.G., (1994). A geophysical-geological transect of the Silent Canyon caldera complex, Pahute Mesa, Nevada. *Journal of Geophysical Research: Solid Earth*, 99(B3), pp.4323-4339.
100. Cioni, R., Santacroce, R., Sbrana, A. (1999). Pyroclastic deposits as a guide for reconstructing the multi-stage evolution of the Somma-Vesuvius Caldera. *Bulletin of Volcanology*, 61(4), pp.207-222.
101. You, S.H., Konstantinou, K.I., Gung, Y. Lin, C.H. (2017). Three-dimensional shallow velocity structure beneath Taal Volcano, Philippines. *Journal of Seismology*, 21(6), pp.1427-1438.
102. Yokoyama, I. (2022). The 1815 Tambora Eruption: Its Significance to the Understanding of Large-Explosion Caldera Formations. *Geofisica Internacional*, 61(1), 5–19.
<https://doi.org/10.22201/igeof.00167169p.2022.61.1.2204>
103. Gertisser, R., Self, S., Thomas, L.E., Handley, H.K., Van Calsteren, P., Wolff, J.A. (2012). Processes and timescales of magma genesis and differentiation leading to the great Tambora eruption in 1815. *Journal of Petrology*, 53(2), pp.271-297.
104. Hurst, T., Heise, W., Hreinsdottir, S., Hamling, I. (2016). Geophysics of the Taupo Volcanic Zone: A review of recent developments. *Geothermics*, 59, pp.188-204.
105. Barker, S.J., Wilson, C.J., Illsley-Kemp, F., Leonard, G.S., Mestel, E.R., Mauriohooho, K., Charlier, B.L. (2021). Taupō: an overview of New Zealand's youngest supervolcano. *New Zealand Journal of Geology and Geophysics*, 64(2-3), pp.320-346.
106. Ibrahim, K., Bijaksana, S., Abdurrachman, M., Sahara, D.P., Suryanata, P.B., Zulaikah, S., Wirawan, R., Harlianti, U., Widagdo, T.A.M., Fajar, S.J., Noya, Y. (2025).

Contrasting magmatic structures and tectonic controls from integrated gravity and magnetic data in the Bromo–Tengger–Semeru complex and the Lamongan Volcanic Field, East Java, Indonesia. *Journal of Volcanology and Geothermal Research*, p.108455.

107. Steven, T. A., Rowley, P. D., Cunningham, C. G. (1984). Calderas of the Marysvale Volcanic Field, west central Utah, *J. Geophys. Res.*, 89(B10), 8751–8764, doi:10.1029/JB089iB10p08751.
108. Jaxybulatov, K., Shapiro, N.M., Koulakov, I., Mordret, A., Landès, M., Sens-Schönfelder, C. (2014). A large magmatic sill complex beneath the Toba caldera. *science*, 346(6209), pp.617-619. Chesner, C.A., 2012. The Toba caldera complex. *Quaternary International*, 258, pp.5-18.
109. Caulfield, J.T., Turner, S.P., Smith, I.E.M., Cooper, L.B., Jenner, G.A. (2012). Magma evolution in the primitive, intra-oceanic Tonga arc: petrogenesis of basaltic andesites at Tofua volcano. *Journal of Petrology*, 53(6), pp.1197-1230.
110. Pitcher, B.W., Gualda, G.A., Hasegawa, T. (2021). Repetitive duality of rhyolite compositions, timescales, and storage and extraction conditions for pleistocene caldera-forming eruptions, Hokkaido, Japan. *Journal of Petrology*, 62(2), p.egaa106.
111. Goeff, F. and Gardner, J.N. (1994). Evolution of a mineralized geothermal system, Valles Caldera, New Mexico. *Economic Geology*, 89(8), pp.1803-1832.
112. Welch, B.C., Dwyer, K., Helgen, M., Waythomas, C.F. and Jacobel, R.W. (2007). Geophysical survey of the intra-caldera icefield of Mt Veniaminof, Alaska. *Annals of Glaciology*, 45, pp.58-65.
113. Firth, C.W., McKee, C.O., Torrence, R., Blong, R.J., Specht, J., Eggins, S.M., Jenkins, S.F., Mosusu, N., Machida, H. (2025). The causes and impacts of highly productive silicic caldera systems: A case study of Witori Volcano, Papua New Guinea. *Earth-Science Reviews*, p.105375.
114. Swallow, E.J., Wilson, C.J., Charlier, B.L., Gamble, J.A. (2019). The Huckleberry Ridge Tuff, Yellowstone: evacuation of multiple magmatic systems in a complex episodic eruption. *Journal of Petrology*, 60(7), pp.1371-1426.
115. Maguire, R., Schmandt, B., Li, J., Jiang, C., Li, G., Wilgus, J., Chen, M. (2022). Magma accumulation at depths of prior rhyolite storage beneath Yellowstone Caldera. *Science*, 378(6623), pp.1001-1004.